






2DH5-Ant1-2480-30~1000-PASS




2DH5-Ant1-2480-1000~26500-PASS



3DH5-Ant1-2402-0~Reference-PASS




3DH5-Ant1-2402-30~1000-PASS




3DH5-Ant1-2402-1000~26500-PASS



3DH5-Ant1-2441-0~Reference-PASS




3DH5-Ant1-2441-30~1000-PASS




3DH5-Ant1-2441-1000~26500-PASS



3DH5-Ant1-2480-0~Reference-PASS



3DH5-Ant1-2480-30~1000-PASS





3DH5-Ant1-2480-1000~26500-PASS

Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.90	3.76	77.13	1.13
DH5	Ant1	2441	2.90	3.76	77.13	1.13
DH5	Ant1	2480	2.89	3.75	77.07	1.13
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
2DH5	Ant1	2441	2.89	3.75	77.07	1.13
2DH5	Ant1	2480	2.89	3.75	77.07	1.13
3DH5	Ant1	2402	2.90	3.76	77.13	1.13
3DH5	Ant1	2441	2.89	3.75	77.07	1.13
3DH5	Ant1	2480	2.89	3.75	77.07	1.13

Test Graphs







NTNV-2DH5-Ant1-2441




NTNV-2DH5-Ant1-2480



NTNV-3DH5-Ant1-2402



NTNV-3DH5-Ant1-2441




NTNV-3DH5-Ant1-2480

Radiated Spurious Emissions Test Result

Project Information			
Mode:	BT	Band:	/
Bandwidth	DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	40.71	2.22	42.93	-	-	Horizontal	NA
2	10146.50	37.26	3.23	40.49	54.00	13.51	Horizontal	PASS
3	15082.00	34.24	9.00	43.24	54.00	10.76	Horizontal	PASS
4	17349.00	33.18	12.82	46.00	54.00	8.00	Horizontal	PASS
5	2402.00	43.88	2.22	46.10	-	-	Horizontal	NA
6	10077.00	42.93	3.45	46.38	74.00	27.62	Horizontal	PASS
7	15253.50	41.13	9.30	50.43	74.00	23.57	Horizontal	PASS
8	17350.00	40.05	12.86	52.91	74.00	21.09	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	44.46	2.22	46.68	-	-	Vertical	NA
2	9848.50	40.97	3.29	44.26	54.00	9.74	Vertical	PASS
3	15248.00	33.93	9.30	43.23	54.00	10.77	Vertical	PASS
4	17855.00	32.95	12.74	45.69	54.00	8.31	Vertical	PASS
5	2401.80	47.07	2.22	49.29	-	-	Vertical	NA
6	9848.00	44.83	3.29	48.12	74.00	25.88	Vertical	PASS
7	15069.50	42.15	8.96	51.11	74.00	22.89	Vertical	PASS
8	17832.00	40.22	12.53	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	39
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	39.61	2.29	41.90	-	-	Horizontal	NA
2	11491.50	35.68	4.90	40.58	54.00	13.42	Horizontal	PASS
3	15083.00	34.29	9.00	43.29	54.00	10.71	Horizontal	PASS
4	17351.50	33.09	12.80	45.89	54.00	8.11	Horizontal	PASS
5	2441.00	42.81	2.29	45.10	-	-	Horizontal	NA
6	11411.00	42.60	5.26	47.86	74.00	26.14	Horizontal	PASS
7	15080.00	40.85	8.99	49.84	74.00	24.16	Horizontal	PASS
8	17358.00	39.68	12.55	52.23	74.00	21.77	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	39
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	40.18	2.29	42.47	-	-	Vertical	NA
2	9848.50	40.35	3.29	43.64	54.00	10.36	Vertical	PASS
3	14074.50	35.15	8.03	43.18	54.00	10.82	Vertical	PASS
4	17858.50	33.06	12.70	45.76	54.00	8.24	Vertical	PASS
5	2440.80	43.18	2.29	45.47	-	-	Vertical	NA
6	9848.00	44.66	3.29	47.95	74.00	26.05	Vertical	PASS
7	14358.50	41.97	9.17	51.14	74.00	22.86	Vertical	PASS
8	17992.00	39.10	12.72	51.82	74.00	22.18	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	43.80	2.37	46.17	-	-	Horizontal	NA
2	10459.50	36.90	4.17	41.07	54.00	12.93	Horizontal	PASS
3	14391.00	35.06	8.48	43.54	54.00	10.46	Horizontal	PASS
4	17353.00	33.64	12.74	46.38	54.00	7.62	Horizontal	PASS
5	2480.20	45.22	2.37	47.59	-	-	Horizontal	NA
6	10459.00	43.79	4.17	47.96	74.00	26.04	Horizontal	PASS
7	15078.50	41.15	8.99	50.14	74.00	23.86	Horizontal	PASS
8	17341.50	40.03	12.47	52.50	74.00	21.50	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	45.64	2.37	48.01	-	-	Vertical	NA
2	9848.50	40.84	3.29	44.13	54.00	9.87	Vertical	PASS
3	14664.00	33.71	9.53	43.24	54.00	10.76	Vertical	PASS
4	17350.00	33.17	12.86	46.03	54.00	7.97	Vertical	PASS
5	2480.20	47.29	2.37	49.66	-	-	Vertical	NA
6	9848.00	44.28	3.29	47.57	74.00	26.43	Vertical	PASS
7	14633.50	40.24	9.53	49.77	74.00	24.23	Vertical	PASS
8	17337.50	40.26	12.29	52.55	74.00	21.45	Vertical	PASS

Radiated Band Edge Test Result

Project Information			
Mode:	BT	Band:	/
Bandwidth	DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:9		
Test Standard: FCC Part 15C			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2370.24	33.87	1.44	35.31	54.00	18.69	Horizontal	PASS
2	2381.87	33.64	1.43	35.07	54.00	18.93	Horizontal	PASS
3	2389.71	33.90	1.43	35.33	54.00	18.67	Horizontal	PASS
4	2370.09	44.69	1.44	46.13	74.00	27.87	Horizontal	PASS
5	2382.03	44.58	1.43	46.01	74.00	27.99	Horizontal	PASS
6	2389.21	44.36	1.43	45.79	74.00	28.21	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:9		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2372.75	33.76	1.44	35.20	54.00	18.80	Vertical	PASS
2	2384.19	33.66	1.43	35.09	54.00	18.91	Vertical	PASS
3	2389.46	34.82	1.43	36.25	54.00	17.75	Vertical	PASS
4	2373.28	44.87	1.44	46.31	74.00	27.69	Vertical	PASS
5	2384.07	44.59	1.43	46.02	74.00	27.98	Vertical	PASS
6	2389.71	47.01	1.43	48.44	74.00	25.56	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:9		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.80	34.21	1.87	36.08	54.00	17.92	Horizontal	PASS
2	2485.70	33.75	1.88	35.63	54.00	18.37	Horizontal	PASS
3	2487.84	33.71	1.90	35.61	54.00	18.39	Horizontal	PASS
4	2483.68	44.39	1.86	46.25	74.00	27.75	Horizontal	PASS
5	2485.71	44.71	1.88	46.59	74.00	27.41	Horizontal	PASS
6	2488.16	44.71	1.90	46.61	74.00	27.39	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:9		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	34.70	1.85	36.55	54.00	17.45	Vertical	PASS
2	2485.11	34.00	1.87	35.87	54.00	18.13	Vertical	PASS
3	2487.34	33.84	1.90	35.74	54.00	18.26	Vertical	PASS
4	2483.72	45.59	1.86	47.45	74.00	26.55	Vertical	PASS
5	2485.18	45.13	1.88	47.01	74.00	26.99	Vertical	PASS
6	2487.45	45.25	1.90	47.15	74.00	26.85	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	2DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2365.17	33.56	1.44	35.00	54.00	19.00	Horizontal	PASS
2	2377.73	34.01	1.44	35.45	54.00	18.55	Horizontal	PASS
3	2389.71	33.90	1.43	35.33	54.00	18.67	Horizontal	PASS
4	2365.42	45.09	1.44	46.53	74.00	27.47	Horizontal	PASS
5	2377.73	44.09	1.44	45.53	74.00	28.47	Horizontal	PASS
6	2389.05	44.76	1.43	46.19	74.00	27.81	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	2DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2369.87	33.48	1.44	34.92	54.00	19.08	Vertical	PASS
2	2380.18	33.71	1.43	35.14	54.00	18.86	Vertical	PASS
3	2389.74	35.02	1.43	36.45	54.00	17.55	Vertical	PASS
4	2369.93	44.56	1.44	46.00	74.00	28.00	Vertical	PASS
5	2381.12	45.05	1.43	46.48	74.00	27.52	Vertical	PASS
6	2389.90	46.63	1.43	48.06	74.00	25.94	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	2DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	33.94	1.86	35.80	54.00	18.20	Horizontal	PASS
2	2487.13	33.76	1.90	35.66	54.00	18.34	Horizontal	PASS
3	2491.46	33.55	1.95	35.50	54.00	18.50	Horizontal	PASS
4	2483.61	44.33	1.86	46.19	74.00	27.81	Horizontal	PASS
5	2487.19	44.73	1.90	46.63	74.00	27.37	Horizontal	PASS
6	2491.69	44.81	1.95	46.76	74.00	27.24	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	2DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.78	34.12	1.87	35.99	54.00	18.01	Vertical	PASS
2	2486.54	33.84	1.89	35.73	54.00	18.27	Vertical	PASS
3	2491.29	33.63	1.94	35.57	54.00	18.43	Vertical	PASS
4	2484.10	45.57	1.87	47.44	74.00	26.56	Vertical	PASS
5	2486.66	45.05	1.89	46.94	74.00	27.06	Vertical	PASS
6	2491.15	45.01	1.93	46.94	74.00	27.06	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	3DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.53	33.96	1.44	35.40	54.00	18.60	Horizontal	PASS
2	2383.00	33.76	1.43	35.19	54.00	18.81	Horizontal	PASS
3	2389.30	33.89	1.43	35.32	54.00	18.68	Horizontal	PASS
4	2373.22	44.75	1.44	46.19	74.00	27.81	Horizontal	PASS
5	2382.44	45.21	1.43	46.64	74.00	27.36	Horizontal	PASS
6	2389.49	44.12	1.43	45.55	74.00	28.45	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	3DH5	Channel	0
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2369.49	33.53	1.44	34.97	54.00	19.03	Vertical	PASS
2	2379.93	33.59	1.43	35.02	54.00	18.98	Vertical	PASS
3	2389.33	35.62	1.43	37.05	54.00	16.95	Vertical	PASS
4	2369.93	44.41	1.44	45.85	74.00	28.15	Vertical	PASS
5	2380.18	44.42	1.43	45.85	74.00	28.15	Vertical	PASS
6	2389.52	47.26	1.43	48.69	74.00	25.31	Vertical	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	3DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.57	34.03	1.85	35.88	54.00	18.12	Horizontal	PASS
2	2485.36	33.74	1.88	35.62	54.00	18.38	Horizontal	PASS
3	2487.42	33.75	1.90	35.65	54.00	18.35	Horizontal	PASS
4	2483.58	44.48	1.85	46.33	74.00	27.67	Horizontal	PASS
5	2485.33	44.40	1.88	46.28	74.00	27.72	Horizontal	PASS
6	2487.53	45.10	1.90	47.00	74.00	27.00	Horizontal	PASS

Project Information

Mode:	BT	Band:	/
Bandwidth	3DH5	Channel	78
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	34.33	1.85	36.18	54.00	17.82	Vertical	PASS
2	2484.72	34.02	1.87	35.89	54.00	18.11	Vertical	PASS
3	2487.09	33.69	1.90	35.59	54.00	18.41	Vertical	PASS
4	2483.68	44.61	1.86	46.47	74.00	27.53	Vertical	PASS
5	2484.67	45.46	1.87	47.33	74.00	26.67	Vertical	PASS
6	2486.97	44.39	1.90	46.29	74.00	27.71	Vertical	PASS

~The End~