Appendix-D Field Strength of Spurious Radiation

30M-1G(Worst case):

Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

1G-18G:

Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1673.20	63.00	-114.14	-51.14	-13.00	38.14	RMS	Horizontal	PASS
2	2509.60	70.85	-111.36	-40.51	-13.00	27.51	RMS	Horizontal	PASS
3	3346.00	58.20	-108.36	-50.16	-13.00	37.16	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1673.20	65.44	-114.14	-48.70	-13.00	35.70	RMS	Vertical	PASS
2	2510.00	68.31	-111.36	-43.05	-13.00	30.05	RMS	Vertical	PASS
3	3346.40	66.23	-108.36	-42.13	-13.00	29.13	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM 1900	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1880.00	114.93	-93.46	21.47	-	-	RMS	Horizontal	NA
2	1960.00	52.73	-93.39	-40.66	-	-	RMS	Horizontal	NA
3	3760.00	64.38	-107.25	-42.87	-13.00	29.87	RMS	Horizontal	PASS
4	5640.00	45.12	-100.83	-55.71	-13.00	42.71	RMS	Horizontal	PASS
5	17928.50	39.17	-83.08	-43.91	-13.00	30.91	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	GSM 1900	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1880.00	119.65	-93.46	26.19	-	-	RMS	Vertical	NA
2	1960.00	61.39	-93.39	-32.00	-	-	RMS	Vertical	NA
3	3760.00	67.66	-107.25	-39.59	-13.00	26.59	RMS	Vertical	PASS
4	5640.00	49.74	-100.83	-51.09	-13.00	38.09	RMS	Vertical	PASS
5	17835.00	39.14	-82.68	-43.54	-13.00	30.54	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1881.20	103.92	-93.46	10.46	-	-	RMS	Horizontal	NA
2	1959.40	43.27	-93.40	-50.13	-	-	RMS	Horizontal	NA
3	2991.00	39.68	-88.75	-49.07	-13.00	36.07	RMS	Horizontal	PASS
4	3762.00	53.51	-107.22	-53.71	-13.00	40.71	RMS	Horizontal	PASS
5	17350.50	39.27	-82.42	-43.15	-13.00	30.15	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1878.60	108.97	-93.46	15.51	-	-	RMS	Vertical	NA
2	1959.40	52.03	-93.40	-41.37	-	-	RMS	Vertical	NA
3	2982.40	39.76	-88.80	-49.04	-13.00	36.04	RMS	Vertical	PASS
4	3762.00	56.22	-107.22	-51.00	-13.00	38.00	RMS	Vertical	PASS
5	17852.00	38.88	-82.49	-43.61	-13.00	30.61	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1734.20	89.21	-74.92	14.29	-	-	RMS	Horizontal	NA
2	3466.50	29.70	-87.18	-57.48	-13.00	44.48	RMS	Horizontal	PASS
3	5269.00	27.47	-81.88	-54.41	-13.00	41.41	RMS	Horizontal	PASS
4	17838.50	28.90	-62.62	-33.72	-13.00	20.72	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1732.90	91.74	-74.93	16.81	-	-	RMS	Vertical	NA
2	3463.50	33.60	-87.19	-53.59	-13.00	40.59	RMS	Vertical	PASS
3	5266.00	24.06	-81.93	-57.87	-13.00	44.87	RMS	Vertical	PASS
4	17848.00	28.30	-62.49	-34.19	-13.00	21.19	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2434.40	52.31	-111.46	-59.15	-13.00	46.15	RMS	Horizontal	PASS
2	6814.00	38.44	-97.98	-59.54	-13.00	46.54	RMS	Horizontal	PASS
3	8866.00	37.44	-92.98	-55.54	-13.00	42.54	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	/	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1674.40	48.28	-114.14	-65.86	-13.00	52.86	RMS	Vertical	PASS
2	2439.60	55.39	-111.35	-55.96	-13.00	42.96	RMS	Vertical	PASS
3	3340.80	43.67	-108.34	-64.67	-13.00	51.67	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.00	109.18	-93.48	15.70	-	-	RMS	Horizontal	NA
2	1968.40	47.23	-93.36	-46.13	-	-	RMS	Horizontal	NA
3	3742.00	60.36	-107.43	-47.07	-13.00	34.07	RMS	Horizontal	PASS
4	5613.00	50.67	-101.20	-50.53	-13.00	37.53	RMS	Horizontal	PASS
5	17831.00	39.39	-82.74	-43.35	-13.00	30.35	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.00	114.62	-93.48	21.14	-	-	RMS	Vertical	NA
2	1966.40	56.86	-93.37	-36.51	-	-	RMS	Vertical	NA
3	3742.00	64.44	-107.43	-42.99	-13.00	29.99	RMS	Vertical	PASS
4	5613.00	50.04	-101.20	-51.16	-13.00	38.16	RMS	Vertical	PASS
5	17833.00	38.72	-82.70	-43.98	-13.00	30.98	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.60	108.32	-94.04	14.28	-	-	RMS	Horizontal	NA
2	2126.50	44.82	-92.93	-48.11	-	-	RMS	Horizontal	NA
3	3447.00	56.88	-107.30	-50.42	-13.00	37.42	RMS	Horizontal	PASS
4	5171.00	43.21	-102.05	-58.84	-13.00	45.84	RMS	Horizontal	PASS
5	6894.00	41.01	-97.40	-56.39	-13.00	43.39	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.60	117.20	-94.04	23.16	-	-	RMS	Vertical	NA
2	2140.00	48.15	-92.97	-44.82	-	-	RMS	Vertical	NA
3	3447.00	62.99	-107.30	-44.31	-13.00	31.31	RMS	Vertical	PASS
4	5170.50	45.43	-102.05	-56.62	-13.00	43.62	RMS	Vertical	PASS
5	6894.00	43.08	-97.40	-54.32	-13.00	41.32	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664.00	52.68	-114.12	-61.44	-13.00	48.44	RMS	Horizontal	PASS
2	2496.40	50.18	-111.37	-61.19	-13.00	48.19	RMS	Horizontal	PASS
3	3328.40	53.06	-108.29	-55.23	-13.00	42.23	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664.00	63.06	-114.12	-51.06	-13.00	38.06	RMS	Vertical	PASS
2	2496.40	49.07	-111.37	-62.30	-13.00	49.30	RMS	Vertical	PASS
3	3328.40	59.21	-108.29	-49.08	-13.00	36.08	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2526.10	107.08	-90.88	16.20	-	-	RMS	Horizontal	NA
2	5052.00	56.37	-102.82	-46.45	-25.00	21.45	RMS	Horizontal	PASS
3	7578.50	42.29	-96.57	-54.28	-25.00	29.28	RMS	Horizontal	PASS
4	10104.50	40.17	-92.07	-51.90	-25.00	26.90	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2526.00	105.63	-90.88	14.75	-	-	RMS	Vertical	NA
2	5052.00	59.45	-102.82	-43.37	-25.00	18.37	RMS	Vertical	PASS
3	10104.50	43.68	-92.07	-48.39	-25.00	23.39	RMS	Vertical	PASS
4	12630.50	40.60	-90.18	-49.58	-25.00	24.58	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406.00	58.26	-114.33	-56.07	-13.00	43.07	RMS	Horizontal	PASS
2	2812.65	63.12	-109.81	-46.69	-13.00	33.69	RMS	Horizontal	PASS
3	3515.45	49.25	-107.50	-58.25	-13.00	45.25	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406.00	71.04	-114.33	-43.29	-13.00	30.29	RMS	Vertical	PASS
2	2812.30	63.96	-109.81	-45.85	-13.00	32.85	RMS	Vertical	PASS
3	3515.45	60.27	-107.50	-47.23	-13.00	34.23	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3110.15	46.95	-108.58	-61.63	-13.00	48.63	RMS	Horizontal	PASS
2	6276.95	38.92	-99.09	-60.17	-13.00	47.17	RMS	Horizontal	PASS
3	7904.80	38.06	-95.67	-57.61	-13.00	44.61	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1555.10	52.51	-114.07	-61.56	-13.00	48.56	RMS	Vertical	PASS
2	2332.80	45.35	-112.39	-67.04	-13.00	54.04	RMS	Vertical	PASS
3	3110.15	54.83	-108.58	-53.75	-13.00	40.75	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1411.25	58.65	-114.35	-55.70	-13.00	42.70	RMS	Horizontal	PASS
2	2822.45	66.28	-109.72	-43.44	-13.00	30.44	RMS	Horizontal	PASS
3	3528.05	49.09	-107.60	-58.51	-13.00	45.51	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1411.25	74.10	-114.35	-40.25	-13.00	27.25	RMS	Vertical	PASS
2	2822.10	67.64	-109.72	-42.08	-13.00	29.08	RMS	Vertical	PASS
3	3528.05	61.99	-107.60	-45.61	-13.00	32.61	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873.60	109.01	-93.47	15.54	-	-	RMS	Horizontal	NA
2	1970.40	47.37	-93.35	-45.98	-	-	RMS	Horizontal	NA
3	3747.00	59.94	-107.43	-47.49	-13.00	34.49	RMS	Horizontal	PASS
4	5620.50	52.12	-101.10	-48.98	-13.00	35.98	RMS	Horizontal	PASS
5	17883.50	39.23	-82.85	-43.62	-13.00	30.62	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873.60	114.46	-93.47	20.99	-	-	RMS	Vertical	NA
2	1968.60	57.03	-93.35	-36.32	-	-	RMS	Vertical	NA
3	3747.00	62.23	-107.43	-45.20	-13.00	32.20	RMS	Vertical	PASS
4	5620.50	49.48	-101.10	-51.62	-13.00	38.62	RMS	Vertical	PASS
5	11242.00	39.61	-90.57	-50.96	-13.00	37.96	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 90			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1629.20	53.66	-114.17	-60.51	-13.00	47.51	RMS	Horizontal	PASS
2	2443.60	51.98	-111.26	-59.28	-13.00	46.28	RMS	Horizontal	PASS
3	3258.40	50.59	-108.46	-57.87	-13.00	44.87	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 90			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1629.20	64.23	-114.17	-49.94	-13.00	36.94	RMS	Vertical	PASS
2	2443.60	52.58	-111.26	-58.68	-13.00	45.68	RMS	Vertical	PASS
3	3258.40	60.11	-108.46	-48.35	-13.00	35.35	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1659.60	52.85	-114.11	-61.26	-13.00	48.26	RMS	Horizontal	PASS
2	2489.60	50.99	-111.34	-60.35	-13.00	47.35	RMS	Horizontal	PASS
3	3319.20	50.70	-108.25	-57.55	-13.00	44.55	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1659.60	64.72	-114.11	-49.39	-13.00	36.39	RMS	Vertical	PASS
2	2489.20	48.65	-111.33	-62.68	-13.00	49.68	RMS	Vertical	PASS
3	3319.60	59.06	-108.25	-49.19	-13.00	36.19	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2584.00	104.62	-90.57	14.05	-	-	RMS	Horizontal	NA
2	5168.00	61.21	-102.04	-40.83	-25.00	15.83	RMS	Horizontal	PASS
3	7752.00	42.12	-96.49	-54.37	-25.00	29.37	RMS	Horizontal	PASS
4	10336.00	39.71	-91.51	-51.80	-25.00	26.80	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2584.20	106.37	-90.57	15.80	-	-	RMS	Vertical	NA
2	5168.00	64.34	-102.04	-37.70	-25.00	12.70	RMS	Vertical	PASS
3	10336.00	42.84	-91.51	-48.67	-25.00	23.67	RMS	Vertical	PASS
4	12920.50	39.59	-90.16	-50.57	-25.00	25.57	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1746.20	107.77	-93.97	13.80	-	-	RMS	Horizontal	NA
2	2154.40	43.62	-92.99	-49.37	-	-	RMS	Horizontal	NA
3	3492.50	57.32	-107.01	-49.69	-13.00	36.69	RMS	Horizontal	PASS
4	5238.50	42.70	-102.16	-59.46	-13.00	46.46	RMS	Horizontal	PASS
5	6984.50	41.00	-97.28	-56.28	-13.00	43.28	RMS	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868735051087494	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1746.00	116.36	-93.97	22.39	-	-	RMS	Vertical	NA
2	2156.80	46.64	-92.99	-46.35	-	-	RMS	Vertical	NA
3	3492.00	64.91	-107.02	-42.11	-13.00	29.11	RMS	Vertical	PASS
4	5238.00	46.60	-102.16	-55.56	-13.00	42.56	RMS	Vertical	PASS
5	6984.50	43.82	-97.28	-53.46	-13.00	40.46	RMS	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.