

Measurement Results

1-8503/19-01-05_Annex_MR_A_1

[Test logging](#)

This addendum is electronically signed and valid without handwritten signature.
For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

Document authorized:



cn=Mihail Dorongovskij, o=CTC
advanced GmbH, ou=DOR-281116,
email=Mihail.Dorongovskij@ctcadva
nced.com, c=DE
2019.11.04 09:54:27 +01'00'

Mihail Dorongovskij
Lab Manager
Radio Communications & EMC

Table of Content

IUT Summary	4
1. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1	5
2. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1	8
3. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-1	11
4. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1	14
5. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1	17
6. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-1	20
7. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1	23
8. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1	26
9. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-1	29
10. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A	32
11. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A	35
12. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-2A	38
13. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A	41
14. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A	44
15. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-2A	47
16. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A	50
17. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A	53
18. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-2A	56
19. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3	59
20. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3	63
21. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-3	67
22. FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3	70
23. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3	72
24. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3	76
25. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-3	80
26. FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3	83
27. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3	85
28. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3	89
29. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-3	93
30. FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3	96
31. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-1	98
32. ISED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-1	101
33. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-1	104
34. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-1	107
35. ISED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-1	110
36. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-1	113
37. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-2A	116
38. ISED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-2A	119
39. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-2A	122
40. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-2A	125
41. ISED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-2A	128
42. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-2A	131
43. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-2A	134
44. ISED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-2A	137
45. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-2A	140
46. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-3	143
47. ISED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-3	147
48. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-3	151

49. FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT20 mode U-NII-3	154
50. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-3	156
51. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-3	160
52. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-3	164
53. FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT20 mode U-NII-3	167
54. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-3	169
55. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-3	173
56. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-3	177
57. FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT20 mode U-NII-3	180
58. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-1	182
59. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT20 mode U-NII-1	185
60. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT20 mode U-NII-1	188
61. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-1	191
62. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-1	194
63. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-1	197
64. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-1	200
65. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-1	203
66. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-1	206
67. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-2A	209
68. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-2A	212
69. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-2A	215
70. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-2A	218
71. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-2A	221
72. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-2A	224
73. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3	227
74. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3	231
75. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3	235
76. FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT40 mode U-NII-3	238
77. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3	240
78. ISSED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3	244
79. FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3	248
80. FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT40 mode U-NII-3	251
81. Peak OP 3MHz/3MHz ~ WLAN5Gx a mode U-NII-1	253
82. Peak OP 3MHz/3MHz ~ WLAN5Gx a mode U-NII-2A	256
83. Peak OP 3MHz/3MHz ~ WLAN5Gx a mode U-NII-3	259

IUT Summary

IUT DEFINITION	
Manufacturer	Ingenico Group
Type	Xtra module
Serial No. Setup No.	190682203011067808006807 1.0
SW Version HW Version	NI NI
Comment 1 2	
IUT Common Settings	
Tlow Tmid Thigh [°C]	0 20 40
Vlow Vmid Vhigh [V] @Imax [A]	5 5 5 @1
Auto Control enabled Power Supply Climatic Box	No No
Antenna Gain [dBi]	0
Additional Path Loss [dB]	0.7
IUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No


1. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 16:58:02
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5180
Frequency mid to test	False Freq [MHz] 5200
Frequency high to test	False Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5180 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 5180 MHz - Duty Cycle_30082019_165815.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.04	MHz	Information
T1 26dB	---	---	5170.0400	MHz	Information
T2 26dB	---	---	5190.0800	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 BW_30082019_165826.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			17.93 11.86 25		
Start [MHz] Stop [MHz]			5160.000 5200.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	9.73	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	9.73	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.02	9.73	dBm	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 Max OP and PSD_30082019_165839.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-1.87	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-1.87	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 16:58:39 / RT: 37 s	PASS


2. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 16:58:43
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5180
Frequency mid to test	False Freq [MHz] 5200
Frequency high to test	False Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5180 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 5180 MHz - Duty Cycle_30082019_165856.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.823	MHz	Information
T1 99%	---	---	5171.6084	MHz	Information
T2 99%	---	---	5188.4316	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 BW_30082019_165907.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.95 11.86 25				
Start [MHz] Stop [MHz]	5160.000 5200.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	9.66	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	9.66	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.26	9.66	dBm	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 Max OP and PSD_30082019_165920.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-1.9	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-1.9	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 16:59:20 / RT: 37 s	PASS

3. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 16:59:24
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5180
Frequency mid to test	False Freq [MHz] 5200
Frequency high to test	False Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40



Test at TX 5180 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.85 11.86 20
Start [MHz] Stop [MHz]	5155.000 5205.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE


RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.833	MHz	Information
T1 99%	5150.000000	---	5171.6084	MHz	PASS
T2 99%	---	5250.000000	5188.4416	MHz	PASS




RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.1	MHz	Information
T1 26dB	5150.000000	---	5170.0000	MHz	PASS
T2 26dB	---	5250.000000	5190.1000	MHz	PASS



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-1 26dB_30082019_165955.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-1_30082019_165958.png

TEST FINISHED

General Verdict

30.08.2019 16:59:58 / RT: 33 s

PASS


4. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 17:01:11
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5180
Frequency mid to test	True Freq [MHz] 5200
Frequency high to test	False Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5200 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 5200 MHz - Duty Cycle_30082019_170123.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.08	MHz	Information
T1 26dB	---	---	5189.9600	MHz	Information
T2 26dB	---	---	5210.0400	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 BW_30082019_170131.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			18.06 11.89 25		
Start [MHz] Stop [MHz]			5180.000 5220.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	9.92	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	9.92	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.03	9.92	dBm	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 Max OP and PSD_30082019_170144.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-1.72	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-1.72	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:01:44 / RT: 33 s	PASS


5. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 17:01:48
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5180
Frequency mid to test	True Freq [MHz] 5200
Frequency high to test	False Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5200 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 5200 MHz - Duty Cycle_30082019_170201.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.823	MHz	Information
T1 99%	---	---	5191.5684	MHz	Information
T2 99%	---	---	5208.3916	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 BW_30082019_170208.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			18.15 11.89 25		
Start [MHz] Stop [MHz]			5180.000 5220.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	9.82	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	9.82	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.26	9.82	dBm	PASS



RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-1.76	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-1.76	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:02:22 / RT: 33 s	PASS

6. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 17:02:26
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5180
Frequency mid to test	True Freq [MHz] 5200
Frequency high to test	False Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5200 MHz

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.13 11.89 20
Start [MHz] Stop [MHz]	5175.000 5225.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE

RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.833	MHz	Information
T1 99%	5150.000000	---	5191.5584	MHz	PASS
T2 99%	---	5250.000000	5208.3916	MHz	PASS




Plot_FCC Part 15.407 & ISCED Bandwidths ~ WLAN5Gx a mode U-NII-1 99PCT_30082019_170250.png




Plot_FCC Part 15.407 & ISCED Bandwidths ~ WLAN5Gx a mode U-NII-1_30082019_170253.png

RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.2	MHz	Information
T1 26dB	5150.000000	---	5189.9000	MHz	PASS
T2 26dB	---	5250.000000	5210.1000	MHz	PASS



Plot_FCC Part 15.407 & ISM Bandwidths ~ WLAN5Gx a mode U-NII-1 26dB_30082019_170257.png



Plot_FCC Part 15.407 & ISM Bandwidths ~ WLAN5Gx a mode U-NII-1_30082019_170259.png

TEST FINISHED

General Verdict

30.08.2019 17:03:00 / RT: 33 s

PASS


7. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 17:03:20
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5180
Frequency mid to test	False Freq [MHz] 5200
Frequency high to test	True Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5240 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 5240 MHz - Duty Cycle_30082019_170333.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.12	MHz	Information
T1 26dB	---	---	5229.9600	MHz	Information
T2 26dB	---	---	5250.0800	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 BW_30082019_170341.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.28 12.01 25				
Start [MHz] Stop [MHz]	5220.000 5260.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	9.82	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	9.82	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.04	9.82	dBm	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 Max OP and PSD_30082019_170353.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-1.86	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-1.86	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:03:54 / RT: 33 s	PASS


8. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 17:03:58
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5180
Frequency mid to test	False Freq [MHz] 5200
Frequency high to test	True Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5240 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 5240 MHz - Duty Cycle_30082019_170411.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.783	MHz	Information
T1 99%	---	---	5231.5684	MHz	Information
T2 99%	---	---	5248.3516	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 BW_30082019_170418.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			17.82 12.01 20		
Start [MHz] Stop [MHz]			5220.000 5260.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	9.63	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	9.63	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.25	9.63	dBm	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-1 Max OP and PSD_30082019_170431.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-1.93	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-1.93	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:04:32 / RT: 33 s	PASS

9. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-1

Test References	
TC Start	30.08.2019 17:04:36
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-1
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-1
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5180
Frequency mid to test	False Freq [MHz] 5200
Frequency high to test	True Freq [MHz] 5240
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5240 MHz

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.28 12.01 20
Start [MHz] Stop [MHz]	5215.000 5265.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE

RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.733	MHz	Information
T1 99%	5150.000000	---	5231.6084	MHz	PASS
T2 99%	---	5250.000000	5248.3417	MHz	PASS




Plot_FCC Part 15.407 & ISCED Bandwidths ~ WLAN5Gx a mode U-NII-1 99PCT_30082019_170454.png




Plot_FCC Part 15.407 & ISCED Bandwidths ~ WLAN5Gx a mode U-NII-1_30082019_170457.png

RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.05	MHz	Information
T1 26dB	5150.000000	---	5230.0000	MHz	PASS
T2 26dB	---	5250.000000	5250.0500	MHz	DFS required



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-1 26dB_30082019_170500.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-1_30082019_170503.png

TEST FINISHED

General Verdict

30.08.2019 17:05:03 / RT: 27 s

PASS


10. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:05:43
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5260
Frequency mid to test	False Freq [MHz] 5280
Frequency high to test	False Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5260 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A 5260 MHz - Duty Cycle_30082019_170556.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.16	MHz	Information
T1 26dB	---	---	5249.8800	MHz	Information
T2 26dB	---	---	5270.0400	MHz	Information




Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A BW_30082019_170603.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.06 12.06 20				
Start [MHz] Stop [MHz]	5240.000 5280.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	7.79	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	7.79	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.04	7.79	dBm	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A Max OP and PSD_30082019_170616.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-3.68	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-3.68	dBm/1MHz	PASS

TEST FINISHED

General Verdict	30.08.2019 17:06:17 / RT: 34 s	PASS
-----------------	--------------------------------	------


11. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:06:21
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5260
Frequency mid to test	False Freq [MHz] 5280
Frequency high to test	False Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5260 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A 5260 MHz - Duty Cycle_30082019_170634.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.903	MHz	Information
T1 99%	---	---	5251.4885	MHz	Information
T2 99%	---	---	5268.3916	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A BW_30082019_170641.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.83 12.06 20				
Start [MHz] Stop [MHz]	5240.000 5280.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	7.71	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	7.71	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.28	7.71	dBm	PASS



RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-3.67	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-3.67	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:06:55 / RT: 34 s	PASS

12. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:06:59
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5260
Frequency mid to test	False Freq [MHz] 5280
Frequency high to test	False Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40



Test at TX 5260 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.21 12.06 20
Start [MHz] Stop [MHz]	5235.000 5285.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE


RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.883	MHz	Information
T1 99%	5250.000000	---	5251.5085	MHz	PASS since U-NII-1 is supported
T2 99%	---	5350.000000	5268.3916	MHz	PASS




RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.2	MHz	Information
T1 26dB	5250.000000	---	5249.9000	MHz	PASS since U-NII-1 is supported
T2 26dB	---	5350.000000	5270.1000	MHz	PASS



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-2A 26dB_30082019_170723.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-2A_30082019_170726.png

TEST FINISHED

General Verdict

30.08.2019 17:07:26 / RT: 27 s

PASS


13. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:07:46
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5260
Frequency mid to test	True Freq [MHz] 5280
Frequency high to test	False Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5280 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A 5280 MHz - Duty Cycle_30082019_170759.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.12	MHz	Information
T1 26dB	---	---	5269.9600	MHz	Information
T2 26dB	---	---	5290.0800	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A BW_30082019_170807.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.21 12.11 20				
Start [MHz] Stop [MHz]	5260.000 5300.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.63	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	8.63	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.04	8.63	dBm	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A Max OP and PSD_30082019_170819.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-2.66	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-2.66	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:08:20 / RT: 34 s	PASS


14. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:08:24
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5260
Frequency mid to test	True Freq [MHz] 5280
Frequency high to test	False Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5280 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A 5280 MHz - Duty Cycle_30082019_170837.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.823	MHz	Information
T1 99%	---	---	5271.6484	MHz	Information
T2 99%	---	---	5288.4715	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A BW_30082019_170844.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.87 12.11 20				
Start [MHz] Stop [MHz]	5260.000 5300.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.56	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	8.56	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.26	8.56	dBm	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A Max OP and PSD_30082019_170858.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-2.66	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-2.66	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:08:58 / RT: 34 s	PASS

15. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:09:02
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5260
Frequency mid to test	True Freq [MHz] 5280
Frequency high to test	False Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40



Test at TX 5280 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.20 12.11 20
Start [MHz] Stop [MHz]	5255.000 5305.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE


RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.783	MHz	Information
T1 99%	5250.000000	---	5271.6583	MHz	PASS since U-NII-1 is supported
T2 99%	---	5350.000000	5288.4416	MHz	PASS




RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.1	MHz	Information
T1 26dB	5250.000000	---	5270.0000	MHz	PASS since U-NII-1 is supported
T2 26dB	---	5350.000000	5290.1000	MHz	PASS



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-2A 26dB_30082019_170927.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-2A_30082019_170929.png

TEST FINISHED

General Verdict

30.08.2019 17:09:30 / RT: 27 s

PASS


16. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:11:27
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5260
Frequency mid to test	False Freq [MHz] 5280
Frequency high to test	True Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5320 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A 5320 MHz - Duty Cycle_30082019_171140.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.2	MHz	Information
T1 26dB	---	---	5309.9200	MHz	Information
T2 26dB	---	---	5330.1200	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A BW_30082019_171148.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.41 12.09 20				
Start [MHz] Stop [MHz]	5300.000 5340.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	6.96	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	6.96	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.05	6.96	dBm	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A Max OP and PSD_30082019_171201.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-4.75	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-4.75	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:12:01 / RT: 34 s	PASS


17. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:12:05
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5260
Frequency mid to test	False Freq [MHz] 5280
Frequency high to test	True Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5320 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A 5320 MHz - Duty Cycle_30082019_171219.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.783	MHz	Information
T1 99%	---	---	5311.6084	MHz	Information
T2 99%	---	---	5328.3916	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A BW_30082019_171226.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.00 12.09 20				
Start [MHz] Stop [MHz]	5300.000 5340.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	6.87	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	24	6.87	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.25	6.87	dBm	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-2A Max OP and PSD_30082019_171239.png

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-4.75	dBm/1MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	11	-4.75	dBm/1MHz	PASS

TEST FINISHED		
General Verdict	30.08.2019 17:12:40 / RT: 34 s	PASS

18. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-2A

Test References	
TC Start	30.08.2019 17:12:44
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-2A
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-2A
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5260
Frequency mid to test	False Freq [MHz] 5280
Frequency high to test	True Freq [MHz] 5320
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40



Test at TX 5320 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.10 12.09 15
Start [MHz] Stop [MHz]	5295.000 5345.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE


RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.883	MHz	Information
T1 99%	5250.000000	---	5311.5584	MHz	PASS since U-NII-1 is supported
T2 99%	---	5350.000000	5328.4416	MHz	PASS




RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.2	MHz	Information
T1 26dB	5250.000000	---	5309.9500	MHz	PASS since U-NII-1 is supported
T2 26dB	---	5350.000000	5330.1500	MHz	PASS



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-2A 26dB_30082019_171308.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-2A_30082019_171311.png

TEST FINISHED

General Verdict

30.08.2019 17:13:11 / RT: 27 s

PASS


19. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:14:51
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5745 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 5745 MHz - Duty Cycle_30082019_171505.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.16	MHz	Information
T1 26dB	---	---	5734.9200	MHz	Information
T2 26dB	---	---	5755.0800	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 BW_30082019_171512.png


READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			16.11 12.53 20		
Start [MHz] Stop [MHz]			5725.000 5765.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.16	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	30	8.16	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.04	8.16	dBm	not applicable



READ SA SETTINGS:	
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.11 12.53 20
Start [MHz] Stop [MHz]	5725.000 5765.000
RBW [MHz] VBW [MHz]	0.500000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-6.57	dBm/0.5MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	30	-3.56	dBm/0.5MHz	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 PSD UNII-3_30082019_171537.png

TEST FINISHED

General Verdict

30.08.2019 17:15:37 / RT: 45 s

PASS


20. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:15:41
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5745 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 5745 MHz - Duty Cycle_30082019_171555.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.823	MHz	Information
T1 99%	---	---	5736.5684	MHz	Information
T2 99%	---	---	5753.3916	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 BW_30082019_171602.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			16.28 12.53 20		
Start [MHz] Stop [MHz]			5725.000 5765.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.06	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	30	8.06	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.26	8.06	dBm	not applicable



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 Max OP and PSD_30082019_171615.png

READ SA SETTINGS:	
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.28 12.53 20
Start [MHz] Stop [MHz]	5725.000 5765.000
RBW [MHz] VBW [MHz]	0.500000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-6.55	dBm/0.5MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	30	-3.57	dBm/0.5MHz	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 PSD UNII-3_30082019_171628.png

TEST FINISHED

General Verdict

30.08.2019 17:16:28 / RT: 46 s

PASS

21. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:16:32
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5745 MHz

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	11.95 12.53 15
Start [MHz] Stop [MHz]	5720.000 5770.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE

RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.883	MHz	Information
T1 99%	5725.000000	---	5736.5584	MHz	PASS
T2 99%	---	5850.000000	5753.4416	MHz	PASS




Plot_FCC Part 15.407 & ISCED Bandwidths ~ WLAN5Gx a mode U-NII-3 99PCT_30082019_171650.png




Plot_FCC Part 15.407 & ISCED Bandwidths ~ WLAN5Gx a mode U-NII-3_30082019_171653.png

RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.2	MHz	Information
T1 26dB	5725.000000	---	5734.9500	MHz	PASS
T2 26dB	---	5850.000000	5755.1500	MHz	PASS



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-3 26dB_30082019_171656.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-3_30082019_171659.png

TEST FINISHED

General Verdict

30.08.2019 17:16:59 / RT: 27 s

PASS

22. FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:17:03
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, C.2.
Class / TC Version / TC ID	TC_VM_FCC15407_Min_Emission_BW_V01 Version: 0.0.1 TCID_FCC15407_2
My Description	FCC 15.407 Min Emission Bandwidth - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	True Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5745 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.22 12.53 20
Start [MHz] Stop [MHz]	5720.000 5770.000
RBW [MHz] VBW [MHz]	0.100000 0.300000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT: TC_VM_FCC15407_Min_Emission_BW_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth (6dB)	0.500	---	16.6	MHz	PASS



Plot_FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3_30082019_171740.png

TEST FINISHED

General Verdict	30.08.2019 17:17:40 / RT: 36 s	PASS
-----------------	--------------------------------	------


23. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:18:46
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	True Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5785 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 5785 MHz - Duty Cycle_30082019_171900.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.16	MHz	Information
T1 26dB	---	---	5774.8800	MHz	Information
T2 26dB	---	---	5795.0400	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 BW_30082019_171907.png


READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			16.58 12.33 20		
Start [MHz] Stop [MHz]			5765.000 5805.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.13	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	30	8.13	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.04	8.13	dBm	not applicable



READ SA SETTINGS:	
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.58 12.33 20
Start [MHz] Stop [MHz]	5765.000 5805.000
RBW [MHz] VBW [MHz]	0.500000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-6.18	dBm/0.5MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	30	-3.21	dBm/0.5MHz	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 PSD UNII-3_30082019_171932.png

TEST FINISHED

General Verdict

30.08.2019 17:19:32 / RT: 46 s

PASS


24. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:19:36
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-3
Add. Information	


Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	True Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40

Test at TX 5785 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information




RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.823	MHz	Information
T1 99%	---	---	5776.4885	MHz	Information
T2 99%	---	---	5793.3117	MHz	Information




READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]			16.19 12.33 20		
Start [MHz] Stop [MHz]			5765.000 5805.000		
RBW [MHz] VBW [MHz]			1.000000 3.000000		
Detector TraceMode			RMS MAXH		
Sweep: Time [ms] Count Points per Section Type			8000 1 160 SWE		

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.04	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	30	8.04	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.26	8.04	dBm	not applicable



READ SA SETTINGS:	
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.19 12.33 20
Start [MHz] Stop [MHz]	5765.000 5805.000
RBW [MHz] VBW [MHz]	0.500000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-6.22	dBm/0.5MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	30	-3.21	dBm/0.5MHz	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 PSD UNII-3_30082019_172022.png

TEST FINISHED

General Verdict

30.08.2019 17:20:22 / RT: 46 s

PASS

25. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:20:26
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	True Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40



Test at TX 5785 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.16 12.33 15
Start [MHz] Stop [MHz]	5760.000 5810.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 2500 1001 SWE


RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.833	MHz	Information
T1 99%	5725.000000	---	5776.5085	MHz	PASS
T2 99%	---	5850.000000	5793.3417	MHz	PASS




RESULT: TC_VM_FCC15407_Bandwidths_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.15	MHz	Information
T1 26dB	5725.000000	---	5774.9000	MHz	PASS
T2 26dB	---	5850.000000	5795.0500	MHz	PASS



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-3 26dB_30082019_172051.png



Plot_FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx a mode U-NII-3_30082019_172054.png

TEST FINISHED

General Verdict

30.08.2019 17:20:54 / RT: 27 s

PASS

26. FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:20:58
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, C.2.
Class / TC Version / TC ID	TC_VM_FCC15407_Min_Emission_BW_V01 Version: 0.0.1 TCID_FCC15407_2
My Description	FCC 15.407 Min Emission Bandwidth - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	True Freq [MHz] 5785
Frequency high to test	False Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5785 MHz

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.53 12.33 20
Start [MHz] Stop [MHz]	5760.000 5810.000
RBW [MHz] VBW [MHz]	0.100000 0.300000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT: TC_VM_FCC15407_Min_Emission_BW_V01

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth (6dB)	0.500	---	16.4	MHz	PASS



Plot_FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx a mode U-NII-3_30082019_172139.png

TEST FINISHED

General Verdict	30.08.2019 17:21:39 / RT: 40 s	PASS
-----------------	--------------------------------	------


27. FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:22:00
System Version	1.0.0.20
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	True Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5825 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 5825 MHz - Duty Cycle_30082019_172214.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	20.16	MHz	Information
T1 26dB	---	---	5814.9200	MHz	Information
T2 26dB	---	---	5835.0800	MHz	Information



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 BW_30082019_172221.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.48 12.16 20				
Start [MHz] Stop [MHz]	5805.000 5845.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	8.04	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	30	8.04	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	24.04	8.04	dBm	not applicable



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 Max OP and PSD_30082019_172234.png

READ SA SETTINGS:	
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.48 12.16 20
Start [MHz] Stop [MHz]	5805.000 5845.000
RBW [MHz] VBW [MHz]	0.500000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-6.61	dBm/0.5MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	30	-3.66	dBm/0.5MHz	PASS



Plot_FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 PSD UNII-3_30082019_172246.png

TEST FINISHED

General Verdict

30.08.2019 17:22:47 / RT: 46 s

PASS


28. ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:22:51
System Version	1.0.0.20
Test Specification	ISED
Test Method	
Class / TC Version / TC ID	TC_VM_FCC15407_Max_Output_Power_and_PSD_V01 Version: 0.0.1 TCID_FCC15407_3
My Description	ISED Max Output Power & PSD - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	True Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40


Test at TX 5825 MHz

RESULT: Duty Cycle evaluation					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
No enough Bursts detected, Duty Cycle Burst Ratio set to 1					
Duty Cycle (Burst Ratio) max	---	---	1	---	Information
Duty Cycle max	---	---	0	dB	Information
Duty Cycle (Burst Ratio) min	---	---	1	---	Information
Duty Cycle min	---	---	0	dB	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 5825 MHz - Duty Cycle_30082019_172304.png


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	16.783	MHz	Information
T1 99%	---	---	5816.5684	MHz	Information
T2 99%	---	---	5833.3516	MHz	Information



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 BW_30082019_172312.png

READ SA SETTINGS:					
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.18 12.16 20				
Start [MHz] Stop [MHz]	5805.000 5845.000				
RBW [MHz] VBW [MHz]	1.000000 3.000000				
Detector TraceMode	RMS MAXH				
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE				


RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	7.94	dBm	Information
Duty Cycle Correction	---	---	0	dB	Information
Limit absolute					
Max Output Power DC corrected	---	30	7.94	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	23.25	7.94	dBm	not applicable



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 Max OP and PSD_30082019_172324.png

READ SA SETTINGS:	
RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.18 12.16 20
Start [MHz] Stop [MHz]	5805.000 5845.000
RBW [MHz] VBW [MHz]	0.500000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	8000 1 160 SWE

RESULT: TC_VM_FCC15407_Max_Output_Power_and_PSD_V01					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-6.66	dBm/0.5MHz	Information
Duty Cycle Correction	---	---	0	dB	Information
Power Spectral Density DC corrected	---	30	-3.65	dBm/0.5MHz	PASS



Plot_ISED Max Output Power and PSD ~ WLAN5Gx a mode U-NII-3 PSD UNII-3_30082019_172337.png

TEST FINISHED

General Verdict

30.08.2019 17:23:37 / RT: 46 s

PASS

29. FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx a mode U-NII-3

Test References	
TC Start	30.08.2019 17:23:41
System Version	1.0.0.20
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
Class / TC Version / TC ID	TC_VM_FCC15407_Bandwidths_V01 Version: 0.0.1 TCID_FCC15407_1
My Description	FCC 15.407 Bandwidths - WLAN5Gx a mode U-NII-3
Add. Information	

Test Parameter	
Technology to test	WLAN5Gx a mode U-NII-3
Antenna Port used	1
Temperature	mid
Voltage	mid
Frequency low to test	False Freq [MHz] 5745
Frequency mid to test	False Freq [MHz] 5785
Frequency high to test	True Freq [MHz] 5825
Switched Path	IUT - SignalingUnit - SpectrumAnalyzer
Devices in use	SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.40