





Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.53	54.00	16.47	100.0	V	168.0	-10.6
1289.625000	47.74	---	68.20	20.46	100.0	H	256.0	-9.6
1707.000000	---	37.52	54.00	16.48	200.0	H	264.0	-7.1
1875.875000	50.25	---	68.20	17.95	200.0	V	91.0	-6.2
2628.375000	53.66	---	68.20	14.54	200.0	H	84.0	-4.0
2784.125000	---	41.41	54.00	12.59	100.0	H	322.0	-3.4
3446.500000	55.13	---	68.20	13.07	200.0	V	320.0	-1.4
3807.000000	---	43.75	54.00	10.25	100.0	H	210.0	0.0
5133.500000	---	45.53	54.00	8.47	100.0	H	342.0	3.9
5502.750000	57.03	---	68.20	11.17	200.0	V	320.0	4.6
7660.500000	---	51.40	54.00	2.60	200.0	V	98.0	7.7
7888.875000	59.42	---	68.20	8.78	100.0	H	0.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH157



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.84	54.00	16.16	100.0	V	176.0	-10.6
1274.750000	47.17	---	68.20	21.03	200.0	V	348.0	-9.7
1682.500000	---	37.30	54.00	16.70	100.0	H	19.0	-7.2
1998.375000	50.47	---	68.20	17.73	100.0	H	212.0	-5.6
2663.375000	52.27	---	68.20	15.93	100.0	H	288.0	-3.8
2797.250000	---	40.80	54.00	13.20	200.0	H	105.0	-3.4
3545.375000	54.01	---	68.20	14.19	100.0	V	235.0	-1.2
3851.625000	---	43.58	54.00	10.42	100.0	H	249.0	0.0
5182.500000	57.06	---	68.20	11.14	200.0	V	241.0	3.8
5433.625000	---	45.39	54.00	8.61	100.0	H	351.0	4.5
7136.375000	60.18	---	68.20	8.02	100.0	V	195.0	8.2
7713.875000	---	50.38	54.00	3.62	200.0	V	102.0	7.6

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH165



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	36.79	54.00	17.21	100.0	V	143.0	-10.6
1266.875000	47.08	---	68.20	21.12	200.0	V	59.0	-9.8
1678.125000	---	37.56	54.00	16.44	200.0	H	15.0	-7.3
1831.250000	50.26	---	68.20	17.94	200.0	V	359.0	-6.4
2674.750000	52.24	---	68.20	15.96	200.0	V	330.0	-3.8
2745.625000	---	40.91	54.00	13.09	100.0	V	98.0	-3.5
3287.250000	54.68	---	68.20	13.52	200.0	V	330.0	-1.9
3985.500000	---	43.66	54.00	10.34	200.0	H	216.0	0.4
5025.000000	---	45.87	54.00	8.13	200.0	H	149.0	4.0
5603.375000	57.34	---	68.20	10.86	200.0	V	236.0	4.6
7204.625000	59.63	---	68.20	8.57	200.0	H	83.0	8.3
7301.750000	---	48.47	54.00	5.53	200.0	H	143.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH38



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	36.98	54.00	17.02	100.0	V	132.0	-10.6
1280.000000	47.40	---	68.20	20.80	100.0	V	4.0	-9.7
1522.375000	---	39.07	54.00	14.93	200.0	V	87.0	-8.2
1969.500000	51.52	---	68.20	16.68	100.0	H	188.0	-5.7
2659.000000	57.01	---	68.20	11.19	200.0	V	87.0	-3.9
2821.750000	---	40.94	54.00	13.06	100.0	H	118.0	-3.3
3424.625000	54.48	---	68.20	13.72	100.0	H	112.0	-1.5
3992.500000	---	43.89	54.00	10.11	100.0	H	238.0	0.5
5146.625000	66.05	---	74.00	7.95	100.0	H	33.0	3.8
5148.375000	---	52.26	54.00	1.74	100.0	H	57.0	3.8
6920.250000	59.90	---	68.20	8.30	200.0	V	45.0	7.4
7521.375000	---	48.40	54.00	5.60	100.0	V	1.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH46



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.53	54.00	16.47	100.0	V	172.0	-10.6
1269.500000	47.90	---	68.20	20.30	100.0	H	63.0	-9.8
1721.000000	---	37.55	54.00	16.45	100.0	H	162.0	-7.0
1845.250000	49.96	---	68.20	18.24	200.0	H	196.0	-6.4
2636.250000	52.12	---	68.20	16.08	100.0	V	141.0	-4.0
2787.625000	---	41.21	54.00	12.79	200.0	H	256.0	-3.4
3526.125000	55.03	---	68.20	13.17	200.0	H	53.0	-1.2
3998.625000	---	43.73	54.00	10.27	100.0	H	221.0	0.5
4977.750000	---	45.59	54.00	8.41	100.0	H	303.0	4.1
5483.500000	56.89	---	68.20	11.31	100.0	V	152.0	4.6
7210.750000	60.17	---	68.20	8.03	100.0	H	350.0	8.3
7513.500000	---	48.60	54.00	5.40	200.0	V	284.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH54



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.63	54.00	16.37	100.0	V	172.0	-10.6
1270.375000	47.16	---	68.20	21.04	200.0	V	168.0	-9.8
1686.875000	---	37.57	54.00	16.43	100.0	H	358.0	-7.2
1952.000000	50.51	---	68.20	17.69	100.0	H	348.0	-5.8
2579.375000	52.25	---	68.20	15.95	100.0	H	150.0	-4.3
2810.375000	---	41.29	54.00	12.71	100.0	H	182.0	-3.3
3239.125000	54.15	---	68.20	14.05	200.0	V	158.0	-2.0
3889.250000	---	43.63	54.00	10.37	100.0	H	338.0	0.1
5437.125000	---	46.09	54.00	7.91	200.0	H	80.0	4.6
5461.625000	57.14	---	68.20	11.06	200.0	H	0.0	4.7
7027.000000	61.00	---	68.20	7.20	200.0	V	33.0	7.6
7260.625000	---	48.40	54.00	5.60	100.0	H	0.0	8.4

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH62



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.51	54.00	16.49	100.0	V	172.0	-10.6
1298.375000	47.16	---	68.20	21.04	200.0	V	325.0	-9.6
1702.625000	---	37.65	54.00	16.35	100.0	H	304.0	-7.2
1919.625000	50.14	---	68.20	18.06	200.0	V	0.0	-6.0
2618.750000	52.77	---	68.20	15.43	100.0	H	283.0	-4.0
2789.375000	---	41.17	54.00	12.83	200.0	V	336.0	-3.4
3487.625000	54.85	---	68.20	13.35	100.0	V	147.0	-1.3
3674.000000	---	43.77	54.00	10.23	100.0	H	267.0	-0.2
5350.500000	---	50.78	54.00	3.22	100.0	H	288.0	4.1
5351.375000	66.19	---	74.00	7.81	200.0	H	63.0	4.1
7080.375000	60.71	---	68.20	7.49	200.0	V	45.0	7.9
7288.625000	---	48.40	54.00	5.60	100.0	H	235.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH102



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1023.625000	46.19	---	74.00	27.81	100.0	V	207.0	-20.2
1114.625000	---	34.81	54.00	19.19	100.0	V	169.0	-20.0
1481.250000	---	29.70	54.00	24.30	200.0	V	155.0	-17.7
1919.625000	42.47	---	68.20	25.73	100.0	H	128.0	-14.9
2132.250000	45.58	---	68.20	22.62	100.0	V	26.0	-14.3
2757.875000	---	33.07	54.00	20.93	200.0	V	251.0	-12.3
3217.250000	45.91	---	68.20	22.29	200.0	V	339.0	-10.5
3674.000000	---	35.31	54.00	18.69	200.0	V	311.0	-8.7
5343.500000	57.06	---	68.20	11.14	100.0	H	56.0	-3.8
5441.500000	---	42.83	54.00	11.17	100.0	H	56.0	-3.3
5844.875000	54.18	---	68.20	14.02	100.0	H	292.0	-3.0
7347.250000	---	49.27	54.00	4.73	200.0	V	1.0	0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH118



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	34.30	54.00	19.70	100.0	V	170.0	-20.0
1298.375000	39.89	---	68.20	28.31	100.0	V	126.0	-18.9
1491.750000	---	30.32	54.00	23.68	200.0	V	143.0	-17.7
1993.125000	42.49	---	68.20	25.71	100.0	V	332.0	-14.8
2659.000000	44.61	---	68.20	23.59	200.0	V	183.0	-12.6
2784.125000	---	33.34	54.00	20.66	200.0	V	183.0	-12.3
3158.625000	45.92	---	68.20	22.28	200.0	V	335.0	-10.8
3674.875000	---	35.75	54.00	18.25	100.0	H	100.0	-8.7
4232.250000	---	41.21	54.00	12.79	100.0	H	267.0	-0.4
5215.750000	52.95	---	68.20	15.25	100.0	H	278.0	-3.3
5846.625000	56.18	---	68.20	12.02	100.0	H	289.0	-2.9
7454.000000	---	50.07	54.00	3.93	200.0	V	0.0	-0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH134



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	35.06	54.00	18.94	100.0	V	167.0	-20.0
1273.000000	40.19	---	68.20	28.01	100.0	V	210.0	-19.0
1599.375000	---	30.22	54.00	23.78	100.0	V	172.0	-17.0
1919.625000	41.83	---	68.20	26.37	200.0	H	125.0	-14.9
2655.500000	47.39	---	68.20	20.81	100.0	V	359.0	-12.7
2764.000000	---	33.16	54.00	20.84	200.0	V	174.0	-12.3
3193.625000	46.15	---	68.20	22.05	200.0	V	340.0	-10.6
3653.875000	---	35.39	54.00	18.61	200.0	V	123.0	-8.4
4233.125000	---	41.15	54.00	12.85	100.0	H	115.0	-0.4
5280.500000	51.35	---	68.20	16.85	100.0	H	239.0	-3.6
5757.375000	60.97	---	68.20	7.23	100.0	H	345.0	-3.2
7560.750000	---	46.57	54.00	7.43	200.0	V	0.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH151



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.17	54.00	16.83	100.0	V	177.0	-10.6
1299.250000	46.99	---	68.20	21.21	200.0	H	14.0	-9.6
1686.875000	---	37.46	54.00	16.54	200.0	V	163.0	-7.2
1982.625000	50.01	---	68.20	18.19	100.0	V	0.0	-5.7
2661.625000	51.95	---	68.20	16.25	200.0	H	190.0	-3.8
2765.750000	---	40.83	54.00	13.17	200.0	V	70.0	-3.5
3471.875000	55.54	---	68.20	12.66	200.0	H	0.0	-1.4
3668.750000	---	43.63	54.00	10.37	200.0	V	130.0	-0.2
4959.375000	---	45.40	54.00	8.60	200.0	H	296.0	4.1
5217.500000	56.55	---	68.20	11.65	100.0	H	0.0	3.9
7673.625000	---	50.80	54.00	3.20	200.0	V	356.0	7.7
7853.875000	59.41	---	68.20	8.79	100.0	H	356.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH159



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1287.875000	47.08	---	68.20	21.12	100.0	H	354.0	-9.7
1319.375000	---	37.86	54.00	16.14	100.0	V	187.0	-9.4
1665.875000	---	40.14	54.00	13.86	100.0	V	187.0	-7.3
1956.375000	50.03	---	68.20	18.17	100.0	V	236.0	-5.8
2667.750000	52.30	---	68.20	15.90	200.0	V	200.0	-3.8
2826.125000	---	40.85	54.00	13.15	100.0	H	354.0	-3.2
3381.750000	55.57	---	68.20	12.63	100.0	H	301.0	-1.6
3995.125000	---	43.47	54.00	10.53	100.0	H	359.0	0.5
4935.750000	---	45.74	54.00	8.26	200.0	H	18.0	4.0
5487.000000	57.22	---	68.20	10.98	200.0	V	343.0	4.6
7727.000000	---	50.90	54.00	3.10	200.0	V	46.0	7.6
7979.875000	59.88	---	68.20	8.32	200.0	V	272.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH36



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.28	54.00	16.72	200.0	V	176.0	-10.6
1259.000000	47.61	---	68.20	20.59	100.0	V	153.0	-9.8
1721.875000	---	37.73	54.00	16.27	100.0	H	147.0	-7.0
1978.250000	50.22	---	68.20	17.98	100.0	V	72.0	-5.7
2124.375000	53.20	---	68.20	15.00	200.0	V	203.0	-5.2
2824.375000	---	41.11	54.00	12.89	100.0	V	0.0	-3.2
3542.750000	54.71	---	68.20	13.49	100.0	V	164.0	-1.2
3806.125000	---	43.70	54.00	10.30	100.0	H	234.0	0.0
5145.750000	---	46.41	54.00	7.59	100.0	H	353.0	3.8
5555.250000	57.30	---	68.20	10.90	200.0	H	64.0	4.7
7069.875000	60.54	---	68.20	7.66	100.0	H	261.0	7.8
7266.750000	---	48.67	54.00	5.33	200.0	H	115.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH40



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.66	54.00	16.34	100.0	V	164.0	-10.6
1267.750000	47.69	---	68.20	20.51	200.0	H	14.0	-9.8
1672.875000	---	37.69	54.00	16.31	100.0	V	170.0	-7.3
1984.375000	50.13	---	68.20	18.07	200.0	H	144.0	-5.7
2626.625000	52.12	---	68.20	16.08	100.0	H	183.0	-4.0
2826.125000	---	40.95	54.00	13.05	100.0	H	73.0	-3.2
3378.250000	54.41	---	68.20	13.79	200.0	H	176.0	-1.6
3991.625000	---	43.65	54.00	10.35	100.0	H	241.0	0.4
5145.750000	---	45.70	54.00	8.30	100.0	H	51.0	3.8
5570.125000	57.04	---	68.20	11.16	200.0	H	76.0	4.7
7503.000000	---	48.48	54.00	5.52	100.0	V	323.0	7.9
7888.875000	60.04	---	68.20	8.16	100.0	H	246.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH48



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1114.625000	---	37.68	54.00	16.32	100.0	V	161.0	-10.6
1240.625000	47.81	---	68.20	20.39	100.0	V	161.0	-9.9
1719.250000	---	37.52	54.00	16.48	200.0	H	0.0	-7.0
1985.250000	50.82	---	68.20	17.38	200.0	V	230.0	-5.7
2661.625000	54.85	---	68.20	13.35	200.0	V	214.0	-3.8
2820.875000	---	41.05	54.00	12.95	200.0	V	195.0	-3.3
3513.000000	54.31	---	68.20	13.89	100.0	H	345.0	-1.2
3989.875000	---	43.66	54.00	10.34	100.0	H	224.0	0.4
5013.625000	---	45.73	54.00	8.27	200.0	H	237.0	4.1
5463.375000	57.94	---	68.20	10.26	100.0	V	84.0	4.7
7324.500000	---	48.42	54.00	5.58	100.0	H	87.0	8.3
7874.000000	59.88	---	68.20	8.32	100.0	H	345.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH52



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	37.58	54.00	16.42	100.0	V	167.0	-10.6
1294.000000	47.66	---	68.20	20.54	200.0	H	96.0	-9.6
1721.000000	---	37.52	54.00	16.48	100.0	H	239.0	-7.0
1889.000000	50.51	---	68.20	17.69	200.0	H	101.0	-6.1
2130.500000	52.90	---	68.20	15.30	200.0	V	192.0	-5.2
2763.125000	---	41.17	54.00	12.83	100.0	H	340.0	-3.5
3310.000000	54.53	---	68.20	13.67	200.0	V	198.0	-1.8
3800.875000	---	43.68	54.00	10.32	100.0	H	134.0	0.0
4999.625000	---	45.88	54.00	8.12	100.0	H	239.0	4.1
5534.250000	57.09	---	68.20	11.11	200.0	H	69.0	4.6
7013.875000	60.13	---	68.20	8.07	200.0	V	38.0	7.5
7521.375000	---	48.40	54.00	5.60	200.0	V	231.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH60



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	38.17	54.00	15.83	200.0	V	172.0	-10.6
1252.000000	47.43	---	68.20	20.77	100.0	V	36.0	-9.9
1666.750000	---	37.73	54.00	16.27	200.0	V	262.0	-7.3
1999.250000	50.42	---	68.20	17.78	200.0	H	13.0	-5.6
2664.250000	52.22	---	68.20	15.98	200.0	V	39.0	-3.8
2762.250000	---	41.16	54.00	12.84	200.0	V	193.0	-3.5
3230.375000	54.55	---	68.20	13.65	100.0	H	297.0	-2.1
3694.125000	---	43.59	54.00	10.41	100.0	H	356.0	-0.2
5458.125000	---	45.89	54.00	8.11	100.0	H	313.0	4.7
5546.500000	57.26	---	68.20	10.94	100.0	V	0.0	4.7
7067.250000	60.20	---	68.20	8.00	200.0	V	44.0	7.8
7281.625000	---	48.43	54.00	5.57	200.0	H	23.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH64



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	38.45	54.00	15.55	100.0	V	173.0	-10.6
1254.625000	46.96	---	68.20	21.24	100.0	H	310.0	-9.8
1684.250000	---	37.63	54.00	16.37	100.0	H	233.0	-7.2
1973.875000	50.52	---	68.20	17.68	100.0	V	151.0	-5.7
2620.500000	54.57	---	68.20	13.63	200.0	H	96.0	-4.0
2820.000000	---	40.84	54.00	13.16	100.0	H	135.0	-3.3
3549.750000	54.33	---	68.20	13.87	200.0	H	124.0	-1.2
3999.500000	---	43.63	54.00	10.37	100.0	V	76.0	0.5
5351.375000	---	46.18	54.00	7.82	100.0	H	6.0	4.1
5499.250000	56.55	---	68.20	11.65	200.0	V	310.0	4.6
7326.250000	---	48.48	54.00	5.52	100.0	H	282.0	8.3
7797.000000	60.13	---	68.20	8.07	100.0	H	255.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH100



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	34.97	54.00	19.03	200.0	V	158.0	-20.0
1298.375000	39.10	---	68.20	29.10	100.0	H	243.0	-18.9
1486.500000	---	30.30	54.00	23.70	200.0	V	5.0	-17.7
1976.500000	41.37	---	68.20	26.83	200.0	H	66.0	-14.9
2230.250000	---	33.83	54.00	20.17	100.0	V	159.0	-13.8
2656.375000	47.50	---	68.20	20.70	200.0	V	221.0	-12.6
3194.500000	46.21	---	68.20	21.99	200.0	V	328.0	-10.6
3650.375000	---	35.22	54.00	18.78	200.0	V	317.0	-8.4
4233.125000	---	41.50	54.00	12.50	100.0	H	0.0	-0.4
5326.875000	52.08	---	68.20	16.12	200.0	H	344.0	-3.8
7333.250000	---	47.22	54.00	6.78	200.0	V	5.0	0.3
7988.625000	51.84	---	68.20	16.36	100.0	H	127.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH116



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.



Radiates Emission from 8GHz to 18GHz


Ra




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	33.79	54.00	20.21	100.0	V	150.0	-20.0
1293.125000	39.03	---	68.20	29.17	200.0	V	189.0	-18.9
1595.000000	---	30.75	54.00	23.25	100.0	V	162.0	-17.0
1858.375000	42.62	---	68.20	25.58	200.0	V	173.0	-15.3
2132.250000	47.93	---	68.20	20.27	200.0	V	17.0	-14.3
2815.625000	---	33.68	54.00	20.32	200.0	V	323.0	-12.1
3198.000000	47.10	---	68.20	21.10	200.0	V	338.0	-10.6
3654.750000	---	35.19	54.00	18.81	100.0	H	165.0	-8.4
4232.250000	---	41.31	54.00	12.69	200.0	H	5.0	-0.4
5166.750000	50.25	---	68.20	17.95	200.0	H	248.0	-3.3
7440.000000	---	50.10	54.00	3.90	200.0	V	359.0	0.0
7860.875000	51.79	---	68.20	16.41	100.0	V	97.0	0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH140



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1119.000000	---	33.25	54.00	20.75	100.0	V	182.0	-20.0
1282.625000	40.39	---	68.20	27.81	100.0	V	145.0	-19.0
1598.500000	---	30.35	54.00	23.65	100.0	V	150.0	-17.0
1657.125000	47.18	---	68.20	21.02	100.0	V	182.0	-16.7
2125.250000	45.87	---	68.20	22.33	200.0	V	17.0	-14.3
2780.625000	---	33.24	54.00	20.76	100.0	V	14.0	-12.3
3196.250000	46.10	---	68.20	22.10	100.0	V	232.0	-10.6
3655.625000	---	35.38	54.00	18.62	100.0	V	4.0	-8.4
4234.000000	---	41.23	54.00	12.77	200.0	V	192.0	-0.4
4440.500000	49.99	---	68.20	18.21	100.0	V	88.0	-3.9
7600.125000	---	44.91	54.00	9.09	200.0	V	0.0	-0.2
7980.750000	51.71	---	68.20	16.49	200.0	H	18.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH149



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1113.750000	---	36.79	54.00	17.21	200.0	V	172.0	-10.6
1285.250000	47.05	---	68.20	21.15	100.0	V	1.0	-9.7
1721.000000	---	37.92	54.00	16.08	200.0	H	122.0	-7.0
1976.500000	50.07	---	68.20	18.13	100.0	V	162.0	-5.7
2671.250000	51.79	---	68.20	16.41	200.0	H	89.0	-3.8
2827.875000	---	40.95	54.00	13.05	200.0	V	253.0	-3.2
3548.000000	54.46	---	68.20	13.74	100.0	V	137.0	-1.2
3998.625000	---	43.67	54.00	10.33	200.0	H	282.0	0.5
5454.625000	---	45.27	54.00	8.73	100.0	H	325.0	4.7
5501.000000	57.01	---	68.20	11.19	200.0	V	116.0	4.6
7660.500000	---	50.60	54.00	3.40	200.0	V	104.0	7.7
7909.875000	59.50	---	68.20	8.70	100.0	H	0.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH157



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1025.375000	---	36.85	54.00	17.15	100.0	V	189.0	-10.7
1277.375000	47.75	---	68.20	20.45	100.0	H	56.0	-9.7
1688.625000	---	37.35	54.00	16.65	200.0	H	0.0	-7.2
1992.250000	49.83	---	68.20	18.37	100.0	H	155.0	-5.6
2619.625000	52.22	---	68.20	15.98	100.0	H	82.0	-4.0
2794.625000	---	41.01	54.00	12.99	100.0	H	322.0	-3.4
3415.000000	54.20	---	68.20	14.00	200.0	V	264.0	-1.5
3917.250000	---	43.54	54.00	10.46	100.0	V	202.0	0.2
4927.000000	---	45.44	54.00	8.56	100.0	H	322.0	3.9
5555.250000	56.89	---	68.20	11.31	100.0	V	71.0	4.7
7713.875000	---	49.93	54.00	4.07	200.0	V	104.0	7.6
7839.000000	59.55	---	68.20	8.65	100.0	H	330.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH165



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	39.58	54.00	14.42	100.0	V	172.0	-10.6
1274.750000	47.08	---	68.20	21.12	200.0	V	151.0	-9.7
1659.750000	51.25	---	68.20	16.95	200.0	V	163.0	-7.4
1663.250000	---	41.25	54.00	12.75	200.0	V	163.0	-7.4
2658.125000	52.32	---	68.20	15.88	200.0	V	247.0	-3.9
2793.750000	---	41.17	54.00	12.83	100.0	V	121.0	-3.4
3571.625000	54.88	---	68.20	13.32	100.0	V	133.0	-1.1
3679.250000	---	43.92	54.00	10.08	100.0	V	139.0	-0.2
5060.000000	---	45.79	54.00	8.21	200.0	H	40.0	3.7
5530.750000	57.72	---	68.20	10.48	200.0	H	135.0	4.6
7515.250000	---	48.57	54.00	5.43	200.0	H	110.0	7.9
7895.875000	60.79	---	68.20	7.41	100.0	V	159.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH38



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	36.73	54.00	17.27	100.0	V	125.0	-10.6
1242.375000	47.22	---	68.20	20.98	200.0	H	230.0	-9.9
1694.750000	---	37.58	54.00	16.42	100.0	V	180.0	-7.2
1942.375000	49.92	---	68.20	18.28	100.0	V	252.0	-5.9
2672.125000	52.04	---	68.20	16.16	100.0	H	194.0	-3.8
2826.125000	---	41.10	54.00	12.90	100.0	H	306.0	-3.2
3146.375000	54.45	---	68.20	13.75	200.0	H	34.0	-2.2
3982.875000	---	43.64	54.00	10.36	200.0	H	51.0	0.4
5146.625000	63.27	---	74.00	10.73	100.0	H	220.0	3.8
5149.250000	---	49.00	54.00	5.00	100.0	H	285.0	3.8
7422.500000	---	48.36	54.00	5.64	200.0	H	214.0	7.9
7933.500000	59.53	---	68.20	8.67	100.0	V	23.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH46



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1065.625000	---	38.52	54.00	15.48	100.0	V	197.0	-10.7
1240.625000	47.67	---	68.20	20.53	100.0	H	112.0	-9.9
1678.125000	---	37.89	54.00	16.11	200.0	V	171.0	-7.3
1983.500000	50.54	---	68.20	17.66	200.0	V	50.0	-5.7
2667.750000	51.96	---	68.20	16.24	100.0	H	324.0	-3.8
2766.625000	---	41.30	54.00	12.70	200.0	H	0.0	-3.5
3340.625000	54.95	---	68.20	13.25	200.0	H	278.0	-1.7
3999.500000	---	43.70	54.00	10.30	100.0	H	319.0	0.5
5014.500000	---	45.80	54.00	8.20	100.0	H	350.0	4.1
5488.750000	57.10	---	68.20	11.10	100.0	H	232.0	4.6
7538.000000	---	48.53	54.00	5.47	100.0	V	83.0	7.8
7897.625000	60.86	---	68.20	7.34	200.0	H	58.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH54



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.43	54.00	16.57	100.0	V	169.0	-10.6
1266.000000	46.75	---	68.20	21.45	200.0	H	102.0	-9.8
1688.625000	---	37.55	54.00	16.45	200.0	H	117.0	-7.2
1872.375000	50.40	---	68.20	17.80	100.0	V	202.0	-6.2
2431.500000	52.32	---	68.20	15.88	100.0	H	246.0	-4.6
2813.875000	---	41.11	54.00	12.89	100.0	H	203.0	-3.3
3583.000000	54.39	---	68.20	13.81	100.0	H	121.0	-1.0
3867.375000	---	43.79	54.00	10.21	100.0	H	272.0	0.0
4953.250000	---	45.80	54.00	8.20	100.0	H	63.0	4.0
5518.500000	57.15	---	68.20	11.05	100.0	V	142.0	4.6
7223.875000	60.08	---	68.20	8.12	100.0	H	110.0	8.3
7272.875000	---	48.31	54.00	5.69	100.0	H	213.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH62



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.52	54.00	16.48	100.0	V	166.0	-10.6
1252.000000	47.85	---	68.20	20.35	100.0	H	303.0	-9.9
1707.000000	---	37.88	54.00	16.12	100.0	V	187.0	-7.1
1988.750000	50.56	---	68.20	17.64	200.0	V	354.0	-5.7
2655.500000	57.39	---	68.20	10.81	100.0	V	70.0	-3.9
2812.125000	---	41.06	54.00	12.94	200.0	H	34.0	-3.3
3433.375000	54.32	---	68.20	13.88	200.0	H	50.0	-1.4
3996.000000	---	43.50	54.00	10.50	100.0	H	321.0	0.5
5350.500000	---	47.90	54.00	6.10	100.0	H	226.0	4.1
5369.750000	64.83	---	74.00	9.17	100.0	H	0.0	4.2
7260.625000	---	48.45	54.00	5.55	100.0	H	209.0	8.4
7925.625000	60.15	---	68.20	8.05	100.0	H	247.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH102



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	35.12	54.00	18.88	200.0	V	165.0	-20.0
1296.625000	40.31	---	68.20	27.89	100.0	V	156.0	-18.9
1674.625000	---	31.17	54.00	22.83	200.0	V	181.0	-16.5
1919.625000	41.92	---	68.20	26.28	200.0	H	130.0	-14.9
2127.000000	48.35	---	68.20	19.85	200.0	V	202.0	-14.3
2764.000000	---	32.83	54.00	21.17	200.0	V	170.0	-12.3
3189.250000	46.75	---	68.20	21.45	100.0	V	182.0	-10.6
3696.750000	---	37.22	54.00	16.78	200.0	V	181.0	-8.8
4232.250000	---	41.54	54.00	12.46	100.0	V	182.0	-0.4
5346.125000	54.17	---	68.20	14.03	100.0	H	62.0	-3.8
7347.250000	---	49.25	54.00	4.75	200.0	V	355.0	0.2
7947.500000	51.40	---	68.20	16.80	100.0	V	74.0	-0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH118



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1119.000000	---	36.42	54.00	17.58	100.0	V	161.0	-20.0
1255.500000	41.79	---	68.20	26.41	200.0	V	173.0	-19.2
1511.000000	---	31.00	54.00	23.00	200.0	V	183.0	-17.6
1980.000000	42.00	---	68.20	26.20	100.0	V	145.0	-14.9
2125.250000	46.02	---	68.20	22.18	100.0	V	183.0	-14.3
2729.875000	---	32.90	54.00	21.10	100.0	V	49.0	-12.3
3242.625000	45.80	---	68.20	22.40	200.0	V	347.0	-10.5
3654.750000	---	35.49	54.00	18.51	200.0	H	105.0	-8.4
4233.125000	---	41.13	54.00	12.87	100.0	V	39.0	-0.4
5348.750000	51.46	---	68.20	16.74	100.0	H	56.0	-3.7
7454.000000	---	49.97	54.00	4.03	200.0	V	0.0	-0.1
7936.125000	52.18	---	68.20	16.02	100.0	V	145.0	-0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH134



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1119.000000	---	33.77	54.00	20.23	100.0	V	188.0	-20.0
1298.375000	38.64	---	68.20	29.56	200.0	V	335.0	-18.9
1483.000000	---	30.36	54.00	23.64	200.0	V	149.0	-17.7
1921.375000	41.94	---	68.20	26.26	100.0	H	150.0	-15.0
2659.875000	49.79	---	68.20	18.41	100.0	V	54.0	-12.6
2778.875000	---	32.82	54.00	21.18	100.0	H	265.0	-12.3
3296.000000	46.14	---	68.20	22.06	200.0	V	215.0	-10.6
3672.250000	---	35.39	54.00	18.61	200.0	V	171.0	-8.7
4251.500000	---	41.00	54.00	13.00	200.0	V	236.0	-1.1
5177.250000	50.47	---	68.20	17.73	100.0	V	23.0	-3.3
5767.000000	59.46	---	68.20	8.74	100.0	H	288.0	-3.1
7560.750000	---	46.12	54.00	7.88	200.0	V	0.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH151



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.59	54.00	16.41	100.0	V	164.0	-10.6
1289.625000	47.29	---	68.20	20.91	200.0	H	301.0	-9.6
1681.625000	---	37.39	54.00	16.61	200.0	V	0.0	-7.2
1941.500000	50.18	---	68.20	18.02	200.0	V	322.0	-5.9
2663.375000	51.77	---	68.20	16.43	200.0	H	224.0	-3.8
2805.125000	---	40.93	54.00	13.07	100.0	V	72.0	-3.4
3503.375000	54.69	---	68.20	13.51	200.0	V	283.0	-1.3
3992.500000	---	43.59	54.00	10.41	100.0	V	0.0	0.5
5431.875000	---	45.34	54.00	8.66	200.0	V	257.0	4.5
5556.125000	57.27	---	68.20	10.93	100.0	H	98.0	4.7
7673.625000	---	50.58	54.00	3.42	200.0	V	99.0	7.7
7895.875000	59.55	---	68.20	8.65	100.0	H	207.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH159



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	38.64	54.00	15.36	100.0	V	184.0	-10.6
1299.250000	47.51	---	68.20	20.69	100.0	V	90.0	-9.6
1677.250000	---	37.67	54.00	16.33	100.0	V	24.0	-7.3
1941.500000	50.06	---	68.20	18.14	100.0	H	125.0	-5.9
2519.875000	52.57	---	68.20	15.63	100.0	V	5.0	-4.4
2827.000000	---	41.02	54.00	12.98	200.0	H	52.0	-3.2
3430.750000	54.31	---	68.20	13.89	200.0	V	0.0	-1.5
3924.250000	---	43.56	54.00	10.44	200.0	H	52.0	0.2
4994.375000	---	45.45	54.00	8.55	100.0	H	185.0	4.1
5263.000000	56.80	---	68.20	11.40	200.0	V	333.0	3.9
7727.000000	---	50.34	54.00	3.66	200.0	V	137.0	7.6
7959.750000	59.13	---	68.20	9.07	100.0	V	170.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH42



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1259.000000	47.45	---	68.20	20.75	200.0	H	105.0	-9.8
1331.625000	---	37.03	54.00	16.97	200.0	H	116.0	-9.3
1703.500000	---	37.57	54.00	16.43	100.0	H	0.0	-7.2
1862.750000	50.24	---	68.20	17.96	200.0	H	323.0	-6.3
2626.625000	53.39	---	68.20	14.81	100.0	H	90.0	-4.0
2827.875000	---	41.35	54.00	12.65	200.0	V	158.0	-3.2
3567.250000	54.23	---	68.20	13.97	200.0	H	0.0	-1.1
3688.000000	---	43.86	54.00	10.14	100.0	H	178.0	-0.2
5143.125000	---	51.79	54.00	2.21	100.0	H	62.0	3.8
5486.125000	57.17	---	68.20	11.03	100.0	H	123.0	4.6
7061.125000	60.02	---	68.20	8.18	100.0	H	288.0	7.8
7324.500000	---	48.34	54.00	5.66	100.0	H	222.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH58



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1063.875000	---	36.59	54.00	17.41	200.0	V	183.0	-10.7
1290.500000	47.24	---	68.20	20.96	200.0	H	17.0	-9.6
1693.000000	---	37.55	54.00	16.45	200.0	H	159.0	-7.2
1899.500000	51.81	---	68.20	16.39	100.0	V	142.0	-6.1
2647.625000	51.48	---	68.20	16.72	200.0	V	254.0	-4.0
2776.250000	---	41.18	54.00	12.82	100.0	H	195.0	-3.5
3498.125000	54.31	---	68.20	13.89	200.0	H	50.0	-1.3
3781.625000	---	43.52	54.00	10.48	100.0	H	280.0	-0.1
5350.500000	---	50.69	54.00	3.31	100.0	H	222.0	4.1
5600.750000	56.73	---	68.20	11.47	100.0	H	117.0	4.6
7053.250000	60.64	---	68.20	7.56	200.0	V	35.0	7.8
7507.375000	---	48.84	54.00	5.16	200.0	H	0.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH106



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	34.00	54.00	20.00	200.0	V	167.0	-20.0
1281.750000	41.25	---	68.20	26.95	100.0	V	125.0	-19.0
1485.625000	---	30.11	54.00	23.89	100.0	V	125.0	-17.7
1957.250000	41.58	---	68.20	26.62	200.0	V	135.0	-14.9
2656.375000	49.53	---	68.20	18.67	100.0	V	125.0	-12.6
2782.375000	---	33.19	54.00	20.81	100.0	V	141.0	-12.3
3136.750000	45.73	---	68.20	22.47	100.0	V	5.0	-11.0
3655.625000	---	35.63	54.00	18.37	200.0	V	178.0	-8.4
5434.500000	---	45.66	54.00	8.34	100.0	H	55.0	-3.4
5443.250000	55.83	---	74.00	18.17	100.0	H	55.0	-3.3
7040.125000	51.96	---	68.20	16.24	200.0	V	288.0	-0.3
7373.500000	---	50.24	54.00	3.76	200.0	V	1.0	0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH138



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	33.24	54.00	20.76	100.0	V	160.0	-20.0
1294.875000	40.41	---	68.20	27.79	200.0	V	148.0	-18.9
1508.375000	---	31.58	54.00	22.42	200.0	V	148.0	-17.6
1955.500000	42.34	---	68.20	25.86	200.0	V	137.0	-15.0
2659.000000	53.84	---	68.20	14.36	200.0	V	185.0	-12.6
2795.500000	---	33.48	54.00	20.52	200.0	V	132.0	-12.3
3235.625000	46.80	---	68.20	21.40	100.0	H	161.0	-10.4
3670.500000	---	35.48	54.00	18.52	200.0	V	341.0	-8.6
4233.125000	---	41.29	54.00	12.71	200.0	H	54.0	-0.4
5178.125000	49.69	---	68.20	18.51	100.0	H	240.0	-3.3
5754.750000	59.02	---	68.20	9.18	100.0	H	345.0	-3.2
7587.000000	---	46.66	54.00	7.34	200.0	V	358.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH155



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.



Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1295.750000	47.77	---	68.20	20.43	200.0	V	187.0	-9.6
1408.625000	---	36.42	54.00	17.58	200.0	V	327.0	-8.8
1721.875000	---	37.50	54.00	16.50	200.0	H	2.0	-7.0
1987.000000	50.04	---	68.20	18.16	200.0	V	221.0	-5.7
2687.875000	52.48	---	68.20	15.72	200.0	V	200.0	-3.7
2827.000000	---	41.10	54.00	12.90	100.0	V	132.0	-3.2
3568.125000	54.09	---	68.20	14.11	200.0	V	240.0	-1.1
3990.750000	---	43.76	54.00	10.24	100.0	H	296.0	0.4
5444.125000	---	45.31	54.00	8.69	200.0	V	0.0	4.6
5648.875000	56.69	---	68.20	11.51	100.0	H	265.0	4.7
7700.750000	---	50.08	54.00	3.92	200.0	V	82.0	7.7
7955.375000	60.49	---	68.20	7.71	200.0	H	275.0	7.8


Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

SISO Antenna 3

802.11a CH36



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	39.42	54.00	14.58	100.0	V	164.0	-10.6
1265.125000	46.76	---	68.20	21.44	200.0	V	33.0	-9.8
1680.750000	---	37.70	54.00	16.30	100.0	V	36.0	-7.3
1889.875000	50.03	---	68.20	18.17	200.0	H	189.0	-6.1
2663.375000	53.21	---	68.20	14.99	200.0	V	82.0	-3.8
2794.625000	---	41.11	54.00	12.89	100.0	V	134.0	-3.4
3255.750000	54.75	---	68.20	13.45	100.0	H	342.0	-1.9
3896.250000	---	43.77	54.00	10.23	100.0	H	305.0	0.1
5144.875000	---	49.41	54.00	4.59	100.0	H	0.0	3.8
5480.875000	56.86	---	68.20	11.34	100.0	H	347.0	4.6
7493.375000	---	48.28	54.00	5.72	200.0	V	270.0	7.9
7841.625000	60.13	---	68.20	8.07	100.0	H	326.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH40



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.81	54.00	16.19	200.0	V	199.0	-10.6
1262.500000	46.96	---	68.20	21.24	200.0	H	244.0	-9.8
1691.250000	---	37.64	54.00	16.36	100.0	V	118.0	-7.2
1956.375000	50.50	---	68.20	17.70	200.0	H	178.0	-5.8
2456.000000	53.12	---	68.20	15.08	200.0	H	304.0	-4.5
2812.125000	---	41.11	54.00	12.89	100.0	H	167.0	-3.3
3547.125000	54.28	---	68.20	13.92	100.0	V	59.0	-1.2
3995.125000	---	43.63	54.00	10.37	100.0	H	248.0	0.5
5148.375000	---	47.06	54.00	6.94	100.0	H	258.0	3.8
5478.250000	56.82	---	68.20	11.38	100.0	V	218.0	4.7
7202.000000	59.81	---	68.20	8.39	100.0	H	35.0	8.3
7496.000000	---	48.69	54.00	5.31	100.0	V	13.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH48



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1296.625000	47.67	---	68.20	20.53	200.0	H	254.0	-9.6
1402.500000	---	36.70	54.00	17.30	200.0	V	153.0	-8.8
1707.000000	---	37.53	54.00	16.47	100.0	H	46.0	-7.1
1774.375000	50.43	---	68.20	17.77	200.0	H	106.0	-6.8
2658.125000	54.50	---	68.20	13.70	100.0	V	112.0	-3.9
2805.125000	---	40.95	54.00	13.05	200.0	H	8.0	-3.4
3442.125000	54.76	---	68.20	13.44	200.0	H	2.0	-1.4
3998.625000	---	43.66	54.00	10.34	200.0	H	161.0	0.5
4936.625000	---	46.09	54.00	7.91	100.0	H	0.0	4.0
5508.000000	57.28	---	68.20	10.92	200.0	V	221.0	4.6
7503.000000	---	48.40	54.00	5.60	200.0	V	341.0	7.9
7931.750000	59.94	---	68.20	8.26	200.0	H	177.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH52



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1288.750000	47.53	---	68.20	20.67	200.0	V	344.0	-9.6
1333.375000	---	37.32	54.00	16.68	100.0	H	206.0	-9.3
1704.375000	---	37.66	54.00	16.34	200.0	H	50.0	-7.2
1934.500000	50.72	---	68.20	17.48	200.0	H	0.0	-5.9
2666.000000	52.27	---	68.20	15.93	100.0	V	55.0	-3.8
2822.625000	---	41.32	54.00	12.68	100.0	V	114.0	-3.2
3597.875000	54.38	---	68.20	13.82	100.0	H	0.0	-0.9
3778.125000	---	43.86	54.00	10.14	200.0	H	61.0	-0.1
4998.750000	---	45.75	54.00	8.25	200.0	H	61.0	4.1
5587.625000	56.83	---	68.20	11.37	200.0	V	268.0	4.7
7013.875000	60.13	---	68.20	8.07	200.0	V	23.0	7.5
7498.625000	---	48.35	54.00	5.65	200.0	V	94.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH60



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	38.82	54.00	15.18	200.0	V	169.0	-10.6
1280.000000	47.02	---	68.20	21.18	100.0	H	167.0	-9.7
1707.875000	---	37.35	54.00	16.65	200.0	V	61.0	-7.1
1975.625000	49.79	---	68.20	18.41	100.0	V	77.0	-5.7
2662.500000	55.89	---	68.20	12.31	100.0	V	61.0	-3.8
2716.750000	---	40.72	54.00	13.28	200.0	V	353.0	-3.7
3534.875000	54.30	---	68.20	13.90	200.0	V	296.0	-1.2
3802.625000	---	43.27	54.00	10.73	200.0	H	24.0	0.0
5358.375000	---	45.65	54.00	8.35	100.0	H	272.0	4.1
5644.500000	56.93	---	68.20	11.27	100.0	H	257.0	4.7
7066.375000	60.33	---	68.20	7.87	200.0	V	38.0	7.8
7321.875000	---	48.27	54.00	5.73	100.0	H	152.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH64



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1273.875000	47.27	---	68.20	20.93	200.0	V	321.0	-9.7
1335.125000	---	36.31	54.00	17.69	100.0	H	175.0	-9.3
1709.625000	---	37.22	54.00	16.78	200.0	H	11.0	-7.1
1896.875000	50.12	---	68.20	18.08	100.0	H	266.0	-6.1
2687.000000	51.57	---	68.20	16.63	200.0	V	280.0	-3.7
2772.750000	---	40.63	54.00	13.37	200.0	H	51.0	-3.5
3540.125000	54.13	---	68.20	14.07	200.0	V	342.0	-1.2
3987.250000	---	43.43	54.00	10.57	100.0	H	117.0	0.4
4885.000000	---	47.12	54.00	6.88	200.0	V	310.0	3.4
5601.625000	57.23	---	68.20	10.97	100.0	H	213.0	4.6
7518.750000	---	48.05	54.00	5.95	200.0	V	0.0	7.9
7954.500000	59.50	---	68.20	8.70	100.0	H	345.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH100



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	36.59	54.00	17.41	100.0	V	170.0	-20.0
1277.375000	41.88	---	68.20	26.32	200.0	V	171.0	-19.0
1511.000000	---	30.97	54.00	23.03	100.0	V	181.0	-17.6
1919.625000	42.32	---	68.20	25.88	100.0	H	131.0	-14.9
2236.375000	---	33.21	54.00	20.79	200.0	V	166.0	-13.8
2659.000000	46.15	---	68.20	22.05	200.0	V	192.0	-12.6
3198.000000	46.79	---	68.20	21.41	200.0	V	343.0	-10.6
3673.125000	---	35.30	54.00	18.70	200.0	V	144.0	-8.7
4255.000000	---	41.46	54.00	12.54	100.0	V	126.0	-1.3
5172.000000	50.11	---	68.20	18.09	100.0	H	131.0	-3.3
7333.250000	---	48.10	54.00	5.90	200.0	V	1.0	0.3
7970.250000	51.93	---	68.20	16.27	200.0	H	225.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH116



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	34.24	54.00	19.76	100.0	V	176.0	-20.0
1248.500000	40.91	---	68.20	27.29	100.0	V	192.0	-19.2
1483.000000	---	30.79	54.00	23.21	100.0	V	202.0	-17.7
1919.625000	42.13	---	68.20	26.07	100.0	H	131.0	-14.9
2375.500000	---	33.45	54.00	20.55	200.0	V	168.0	-13.4
2654.625000	49.27	---	68.20	18.93	100.0	V	110.0	-12.7
3497.250000	45.96	---	68.20	22.24	200.0	H	182.0	-9.8
3716.000000	---	35.48	54.00	18.52	100.0	V	50.0	-8.9
4266.375000	---	41.35	54.00	12.65	100.0	H	170.0	-1.8
5180.750000	50.37	---	68.20	17.83	100.0	H	126.0	-3.3
7440.000000	---	50.73	54.00	3.27	200.0	V	6.0	0.0
7998.250000	52.16	---	68.20	16.04	200.0	H	89.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH140



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	35.10	54.00	18.90	100.0	V	157.0	-20.0
1242.375000	40.42	---	68.20	27.78	100.0	V	200.0	-19.3
1496.125000	---	31.29	54.00	22.71	200.0	V	197.0	-17.7
1920.500000	41.75	---	68.20	26.45	100.0	H	125.0	-15.0
2123.500000	48.46	---	68.20	19.74	200.0	V	203.0	-14.3
2372.875000	---	34.16	54.00	19.84	200.0	V	170.0	-13.4
3521.750000	46.28	---	68.20	21.92	100.0	H	182.0	-9.8
3653.000000	---	35.43	54.00	18.57	200.0	H	233.0	-8.4
4262.875000	---	42.34	54.00	11.66	200.0	V	192.0	-1.6
5224.500000	49.86	---	68.20	18.34	200.0	H	304.0	-3.3
7600.125000	---	45.73	54.00	8.27	200.0	V	0.0	-0.2
7853.875000	51.78	---	68.20	16.42	100.0	V	352.0	0.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH149



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1004.375000	---	36.57	54.00	17.43	100.0	V	172.0	-10.8
1291.375000	47.63	---	68.20	20.57	200.0	V	216.0	-9.6
1694.750000	---	37.16	54.00	16.84	200.0	H	103.0	-7.2
1986.125000	49.64	---	68.20	18.56	200.0	V	303.0	-5.7
2680.875000	51.63	---	68.20	16.57	100.0	V	90.0	-3.7
2827.875000	---	40.64	54.00	13.36	100.0	H	348.0	-3.2
3554.125000	54.33	---	68.20	13.87	200.0	V	329.0	-1.2
3648.625000	---	43.63	54.00	10.37	100.0	H	280.0	-0.3
5433.625000	---	45.67	54.00	8.33	100.0	H	298.0	4.5
5483.500000	57.81	---	68.20	10.39	100.0	H	198.0	4.6
7660.500000	---	50.11	54.00	3.89	200.0	V	99.0	7.7
7892.375000	59.50	---	68.20	8.70	100.0	H	159.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH157



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	36.76	54.00	17.24	100.0	V	145.0	-10.6
1275.625000	47.23	---	68.20	20.97	100.0	H	355.0	-9.7
1682.500000	---	37.12	54.00	16.88	100.0	H	136.0	-7.2
1968.625000	49.85	---	68.20	18.35	100.0	V	342.0	-5.7
2449.000000	52.91	---	68.20	15.29	200.0	H	80.0	-4.5
2808.625000	---	40.93	54.00	13.07	200.0	V	325.0	-3.3
3417.625000	53.82	---	68.20	14.38	100.0	V	178.0	-1.5
3716.875000	---	43.47	54.00	10.53	200.0	H	80.0	-0.3
5432.750000	---	45.35	54.00	8.65	100.0	H	274.0	4.5
5581.500000	56.40	---	68.20	11.80	200.0	V	244.0	4.7
7713.875000	---	49.83	54.00	4.17	200.0	V	80.0	7.6
7895.000000	59.85	---	68.20	8.35	100.0	H	225.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH165



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1119.875000	---	37.62	54.00	16.38	100.0	V	145.0	-10.6
1266.875000	47.36	---	68.20	20.84	200.0	V	171.0	-9.8
1687.750000	---	37.23	54.00	16.77	200.0	V	358.0	-7.2
1946.750000	49.71	---	68.20	18.49	100.0	H	0.0	-5.9
2624.875000	52.18	---	68.20	16.02	100.0	V	107.0	-4.0
2800.750000	---	40.95	54.00	13.05	100.0	H	342.0	-3.4
3455.250000	54.25	---	68.20	13.95	100.0	V	224.0	-1.4
3999.500000	---	43.37	54.00	10.63	100.0	H	179.0	0.5
5452.875000	---	45.34	54.00	8.66	100.0	H	87.0	4.6
5554.375000	57.26	---	68.20	10.94	200.0	V	346.0	4.7
7170.500000	59.27	---	68.20	8.93	100.0	H	291.0	8.3
7276.375000	---	48.19	54.00	5.81	100.0	H	355.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH36



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	36.84	54.00	17.16	100.0	V	144.0	-10.6
1274.750000	47.44	---	68.20	20.76	100.0	H	315.0	-9.7
1693.875000	---	37.32	54.00	16.68	100.0	V	26.0	-7.2
1898.625000	51.11	---	68.20	17.09	100.0	H	231.0	-6.1
2657.250000	55.91	---	68.20	12.29	100.0	V	174.0	-3.9
2823.500000	---	40.79	54.00	13.21	100.0	H	57.0	-3.2
3479.750000	54.96	---	68.20	13.24	100.0	H	242.0	-1.4
3692.375000	---	43.31	54.00	10.69	100.0	H	231.0	-0.2
5140.500000	---	46.36	54.00	7.64	100.0	H	142.0	3.9
5460.750000	56.44	---	68.20	11.76	100.0	H	147.0	4.7
7545.875000	---	48.50	54.00	5.50	200.0	V	193.0	7.8
7888.000000	59.22	---	68.20	8.98	100.0	H	309.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH40



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	36.88	54.00	17.12	200.0	V	187.0	-10.6
1284.375000	47.89	---	68.20	20.31	100.0	V	149.0	-9.7
1696.500000	---	37.45	54.00	16.55	100.0	H	353.0	-7.2
1786.625000	50.34	---	68.20	17.86	200.0	V	0.0	-6.7
2667.750000	51.81	---	68.20	16.39	100.0	H	278.0	-3.8
2782.375000	---	40.88	54.00	13.12	100.0	V	0.0	-3.4
3444.750000	54.56	---	68.20	13.64	100.0	V	106.0	-1.4
3766.750000	---	43.35	54.00	10.65	100.0	H	262.0	-0.1
4969.000000	---	45.68	54.00	8.32	100.0	H	358.0	4.1
5652.375000	56.67	---	68.20	11.53	100.0	H	236.0	4.7
7489.000000	---	48.19	54.00	5.81	100.0	V	241.0	7.9
7886.250000	59.85	---	68.20	8.35	100.0	H	190.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH48



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1282.625000	47.15	---	68.20	21.05	200.0	H	108.0	-9.7
1330.750000	---	36.33	54.00	17.67	200.0	V	340.0	-9.3
1690.375000	---	37.44	54.00	16.56	200.0	V	325.0	-7.2
1963.375000	50.28	---	68.20	17.92	100.0	H	333.0	-5.8
2628.375000	52.33	---	68.20	15.87	100.0	H	46.0	-4.0
2778.000000	---	41.07	54.00	12.93	100.0	H	286.0	-3.4
3470.125000	54.67	---	68.20	13.53	100.0	V	10.0	-1.4
3989.875000	---	43.68	54.00	10.32	100.0	H	233.0	0.4
4986.500000	---	45.36	54.00	8.64	100.0	H	328.0	4.1
5505.375000	57.18	---	68.20	11.02	200.0	H	0.0	4.6
7508.250000	---	48.38	54.00	5.62	200.0	V	293.0	7.9
7937.875000	59.96	---	68.20	8.24	200.0	V	335.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH52



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1140.875000	---	36.48	54.00	17.52	100.0	V	199.0	-10.5
1284.375000	47.25	---	68.20	20.95	200.0	V	342.0	-9.7
1675.500000	---	37.46	54.00	16.54	100.0	H	330.0	-7.3
1892.500000	50.68	---	68.20	17.52	100.0	H	275.0	-6.1
2666.875000	53.35	---	68.20	14.85	100.0	V	80.0	-3.8
2817.375000	---	40.89	54.00	13.11	100.0	H	352.0	-3.3
3232.125000	54.18	---	68.20	14.02	100.0	H	346.0	-2.1
3774.625000	---	43.58	54.00	10.42	200.0	V	148.0	-0.1
4920.000000	---	45.78	54.00	8.22	100.0	H	324.0	3.9
5470.375000	56.47	---	68.20	11.73	100.0	H	259.0	4.7
7058.500000	59.78	---	68.20	8.42	100.0	H	178.0	7.8
7496.000000	---	48.36	54.00	5.64	200.0	V	0.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH60



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	38.05	54.00	15.95	200.0	V	160.0	-10.6
1264.250000	48.72	---	68.20	19.48	100.0	V	129.0	-9.8
1686.000000	---	37.44	54.00	16.56	100.0	H	305.0	-7.2
1996.625000	50.09	---	68.20	18.11	200.0	V	348.0	-5.6
2662.500000	52.28	---	68.20	15.92	200.0	H	323.0	-3.8
2774.500000	---	41.11	54.00	12.89	200.0	H	160.0	-3.5
3125.375000	54.06	---	68.20	14.14	200.0	H	291.0	-2.3
3996.000000	---	43.51	54.00	10.49	200.0	V	315.0	0.5
5008.375000	---	45.57	54.00	8.43	100.0	H	305.0	4.1
5470.375000	56.40	---	68.20	11.80	200.0	H	12.0	4.7
7067.250000	60.80	---	68.20	7.40	200.0	V	10.0	7.8
7496.000000	---	48.23	54.00	5.77	200.0	H	176.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH64



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1266.000000	47.00	---	68.20	21.20	100.0	H	243.0	-9.8
1408.625000	---	36.20	54.00	17.80	100.0	V	126.0	-8.8
1668.500000	---	37.53	54.00	16.47	100.0	V	126.0	-7.3
1927.500000	50.03	---	68.20	18.17	200.0	V	334.0	-5.9
2652.875000	51.53	---	68.20	16.67	100.0	V	256.0	-3.9
2744.750000	---	40.71	54.00	13.29	100.0	H	183.0	-3.5
3389.625000	53.94	---	68.20	14.26	100.0	H	356.0	-1.6
3830.625000	---	43.30	54.00	10.70	100.0	H	210.0	0.0
5350.500000	---	45.64	54.00	8.36	100.0	H	290.0	4.1
5484.375000	57.15	---	68.20	11.05	200.0	V	199.0	4.6
7093.500000	60.02	---	68.20	8.18	200.0	V	5.0	7.9
7510.000000	---	48.28	54.00	5.72	200.0	V	183.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH100



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	34.36	54.00	19.64	100.0	V	171.0	-20.0
1271.250000	39.76	---	68.20	28.44	100.0	H	100.0	-19.0
1597.625000	---	32.49	54.00	21.51	100.0	V	166.0	-17.0
1921.375000	41.57	---	68.20	26.63	100.0	H	122.0	-15.0
2666.000000	48.72	---	68.20	19.48	100.0	V	202.0	-12.5
2800.750000	---	33.30	54.00	20.70	200.0	V	146.0	-12.2
3198.875000	46.58	---	68.20	21.62	200.0	V	211.0	-10.6
3673.125000	---	35.26	54.00	18.74	200.0	V	141.0	-8.7
4230.500000	---	41.16	54.00	12.84	100.0	V	171.0	-0.5
5317.250000	51.27	---	68.20	16.93	100.0	H	0.0	-3.8
7333.250000	---	48.56	54.00	5.44	200.0	V	0.0	0.3
7839.875000	51.72	---	68.20	16.48	100.0	V	227.0	0.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH116



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1023.625000	46.09	---	74.00	27.91	100.0	V	211.0	-20.2
1116.375000	---	35.38	54.00	18.62	100.0	V	168.0	-20.0
1522.375000	---	32.32	54.00	21.68	100.0	V	174.0	-17.6
1917.875000	42.15	---	68.20	26.05	100.0	H	128.0	-15.0
2657.250000	51.96	---	68.20	16.24	100.0	V	88.0	-12.6
2805.125000	---	33.02	54.00	20.98	100.0	V	190.0	-12.2
3191.875000	46.10	---	68.20	22.10	100.0	V	201.0	-10.6
3653.875000	---	35.21	54.00	18.79	200.0	V	136.0	-8.4
4249.750000	---	41.72	54.00	12.28	200.0	V	115.0	-1.1
5312.875000	49.61	---	68.20	18.59	100.0	V	160.0	-3.8
7440.000000	---	50.77	54.00	3.23	200.0	V	0.0	0.0
7870.500000	52.02	---	68.20	16.18	200.0	H	0.0	0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH140



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	34.31	54.00	19.69	100.0	V	175.0	-20.0
1298.375000	42.14	---	68.20	26.06	200.0	V	215.0	-18.9
1662.375000	---	32.92	54.00	21.08	200.0	V	160.0	-16.6
1998.375000	43.07	---	68.20	25.13	200.0	V	50.0	-14.7
2663.375000	51.14	---	68.20	17.06	200.0	V	45.0	-12.5
2784.125000	---	33.04	54.00	20.96	200.0	V	220.0	-12.3
3324.875000	45.98	---	68.20	22.22	100.0	V	139.0	-10.5
3652.125000	---	35.31	54.00	18.69	100.0	H	210.0	-8.4
4249.750000	55.39	---	74.00	18.61	100.0	V	165.0	-1.1
4249.750000	---	41.84	54.00	12.16	100.0	V	165.0	-1.1
7600.125000	---	45.28	54.00	8.72	200.0	V	72.0	-0.2
7992.125000	51.51	---	68.20	16.69	200.0	V	150.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH149



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1260.750000	47.02	---	68.20	21.18	200.0	H	171.0	-9.8
1413.000000	---	36.73	54.00	17.27	100.0	V	146.0	-8.8
1596.750000	---	37.37	54.00	16.63	100.0	V	190.0	-7.8
1950.250000	49.66	---	68.20	18.54	200.0	H	215.0	-5.8
2604.750000	51.91	---	68.20	16.29	200.0	V	159.0	-4.1
2785.875000	---	40.66	54.00	13.34	100.0	V	329.0	-3.4
3563.750000	54.48	---	68.20	13.72	200.0	H	46.0	-1.1
3875.250000	---	43.38	54.00	10.62	100.0	H	262.0	0.0
5018.875000	---	45.57	54.00	8.43	100.0	H	337.0	4.1
5467.750000	56.80	---	68.20	11.40	100.0	H	300.0	4.7
7237.875000	59.71	---	68.20	8.49	100.0	H	288.0	8.3
7660.500000	---	50.44	54.00	3.56	200.0	V	78.0	7.7

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH157



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	36.74	54.00	17.26	100.0	V	167.0	-10.6
1257.250000	47.14	---	68.20	21.06	200.0	V	170.0	-9.8
1688.625000	---	37.35	54.00	16.65	200.0	H	71.0	-7.2
1946.750000	50.40	---	68.20	17.80	100.0	H	286.0	-5.9
2687.875000	52.18	---	68.20	16.02	100.0	V	147.0	-3.7
2738.625000	---	40.74	54.00	13.26	200.0	V	0.0	-3.5
3491.125000	54.10	---	68.20	14.10	200.0	V	346.0	-1.3
3985.500000	---	43.41	54.00	10.59	100.0	H	280.0	0.4
5003.125000	---	45.34	54.00	8.66	100.0	H	94.0	4.1
5199.125000	56.66	---	68.20	11.54	100.0	H	195.0	3.9
7184.500000	59.57	---	68.20	8.63	100.0	H	358.0	8.3
7713.875000	---	50.54	54.00	3.46	200.0	V	5.0	7.6

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH165



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1262.500000	47.39	---	68.20	20.81	200.0	H	126.0	-9.8
1344.750000	---	36.50	54.00	17.50	100.0	V	140.0	-9.3
1664.125000	---	37.26	54.00	16.74	200.0	H	270.0	-7.4
1982.625000	50.18	---	68.20	18.02	200.0	V	207.0	-5.7
2661.625000	54.05	---	68.20	14.15	100.0	V	222.0	-3.8
2813.875000	---	40.75	54.00	13.25	100.0	H	263.0	-3.3
3537.500000	54.97	---	68.20	13.23	100.0	H	289.0	-1.2
3985.500000	---	43.39	54.00	10.61	200.0	H	15.0	0.4
5020.625000	---	45.55	54.00	8.45	100.0	H	315.0	4.1
5581.500000	56.80	---	68.20	11.40	100.0	H	296.0	4.7
7208.125000	60.12	---	68.20	8.08	100.0	H	309.0	8.3
7512.625000	---	48.41	54.00	5.59	200.0	V	71.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH38



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.41	54.00	16.59	200.0	V	182.0	-10.6
1298.375000	46.89	---	68.20	21.31	200.0	V	166.0	-9.6
1669.375000	---	37.30	54.00	16.70	200.0	H	211.0	-7.3
1991.375000	51.08	---	68.20	17.12	200.0	V	204.0	-5.7
2589.875000	51.83	---	68.20	16.37	100.0	H	347.0	-4.2
2812.125000	---	40.99	54.00	13.02	100.0	H	303.0	-3.3
3576.000000	54.13	---	68.20	14.07	100.0	H	140.0	-1.1
3778.125000	---	43.66	54.00	10.34	100.0	H	303.0	-0.1
5125.625000	64.81	---	74.00	9.19	100.0	H	347.0	3.9
5148.375000	---	50.59	54.00	3.41	100.0	H	266.0	3.8
6920.250000	59.75	---	68.20	8.45	200.0	V	49.0	7.4
7258.875000	---	48.31	54.00	5.69	100.0	H	251.0	8.4

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH46



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1273.000000	46.70	---	68.20	21.50	200.0	V	335.0	-9.7
1398.125000	---	36.17	54.00	17.83	200.0	V	178.0	-8.9
1720.125000	---	37.29	54.00	16.71	100.0	H	342.0	-7.0
1999.250000	49.78	---	68.20	18.42	100.0	V	55.0	-5.6
2584.625000	51.78	---	68.20	16.42	100.0	H	0.0	-4.2
2805.125000	---	40.73	54.00	13.27	200.0	V	250.0	-3.4
3453.500000	54.60	---	68.20	13.60	100.0	H	296.0	-1.4
3772.000000	---	43.40	54.00	10.60	200.0	V	0.0	-0.1
5456.375000	---	45.31	54.00	8.69	200.0	H	13.0	4.7
5461.625000	56.75	---	68.20	11.45	100.0	V	70.0	4.7
7505.625000	---	48.29	54.00	5.71	200.0	H	80.0	7.9
7963.250000	59.46	---	68.20	8.74	200.0	H	173.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH54



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1001.750000	---	37.26	54.00	16.74	100.0	V	195.0	-10.7
1254.625000	47.07	---	68.20	21.13	100.0	V	135.0	-9.8
1704.375000	---	37.38	54.00	16.62	100.0	V	86.0	-7.2
1924.875000	50.24	---	68.20	17.96	100.0	H	295.0	-5.9
2660.750000	52.02	---	68.20	16.18	200.0	V	149.0	-3.8
2794.625000	---	40.89	54.00	13.11	200.0	V	105.0	-3.4
3590.000000	55.58	---	68.20	12.62	100.0	V	45.0	-1.0
3793.000000	---	43.51	54.00	10.49	200.0	H	96.0	0.0
5009.250000	---	45.36	54.00	8.64	100.0	V	107.0	4.1
5588.500000	56.80	---	68.20	11.40	100.0	H	172.0	4.7
7027.000000	60.29	---	68.20	7.91	200.0	V	44.0	7.6
7305.250000	---	48.36	54.00	5.64	100.0	H	354.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH62



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	36.62	54.00	17.38	100.0	V	170.0	-10.6
1261.625000	47.28	---	68.20	20.92	100.0	H	327.0	-9.8
1685.125000	---	37.40	54.00	16.60	100.0	V	10.0	-7.2
1919.625000	49.98	---	68.20	18.22	200.0	V	214.0	-6.0
2634.500000	51.99	---	68.20	16.21	200.0	V	348.0	-4.0
2807.750000	---	40.99	54.00	13.01	200.0	V	235.0	-3.3
3553.250000	55.02	---	68.20	13.18	100.0	H	265.0	-1.2
3989.000000	---	43.73	54.00	10.27	100.0	H	321.0	0.4
5353.125000	---	46.53	54.00	7.47	100.0	H	281.0	4.1
5355.750000	64.05	---	74.00	9.95	100.0	H	227.0	4.1
7080.375000	60.02	---	68.20	8.18	200.0	V	39.0	7.9
7496.875000	---	48.30	54.00	5.70	200.0	H	357.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH102



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	33.83	54.00	20.17	100.0	V	164.0	-20.0
1272.125000	39.35	---	68.20	28.85	100.0	V	83.0	-19.0
1595.000000	---	29.47	54.00	24.53	200.0	V	176.0	-17.0
1865.375000	41.82	---	68.20	26.38	200.0	V	192.0	-15.3
2129.625000	44.68	---	68.20	23.52	200.0	V	218.0	-14.3
2783.250000	---	32.92	54.00	21.08	200.0	V	187.0	-12.3
3530.500000	46.04	---	68.20	22.16	200.0	H	81.0	-9.8
3678.375000	---	35.32	54.00	18.68	200.0	H	71.0	-8.7
4256.750000	---	41.07	54.00	12.93	200.0	V	155.0	-1.4
5433.625000	58.52	---	74.00	15.48	100.0	H	285.0	-3.4
5769.625000	53.48	---	68.20	14.72	100.0	H	301.0	-3.1
7347.250000	---	49.54	54.00	4.46	200.0	V	0.0	0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH118



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1048.125000	---	34.33	54.00	19.67	200.0	V	196.0	-20.2
1063.000000	45.98	---	74.00	28.02	100.0	V	194.0	-20.2
1597.625000	---	30.31	54.00	23.69	100.0	V	163.0	-17.0
1998.375000	42.33	---	68.20	25.87	200.0	V	3.0	-14.7
2128.750000	47.76	---	68.20	20.44	200.0	V	201.0	-14.3
2371.125000	---	33.67	54.00	20.33	200.0	V	160.0	-13.4
3471.000000	46.05	---	68.20	22.15	100.0	H	224.0	-10.0
3654.750000	---	34.98	54.00	19.02	200.0	H	198.0	-8.4
4251.500000	---	41.23	54.00	12.77	200.0	V	108.0	-1.1
5319.875000	50.83	---	68.20	17.37	100.0	V	23.0	-3.8
5762.625000	54.41	---	68.20	13.79	100.0	H	240.0	-3.1
7454.000000	---	49.70	54.00	4.30	200.0	V	344.0	-0.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH134



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1297.500000	43.21	---	68.20	24.99	200.0	H	225.0	-18.9
1338.625000	---	32.37	54.00	21.63	200.0	H	225.0	-18.6
1499.625000	---	33.98	54.00	20.02	200.0	V	170.0	-17.7
1499.625000	47.16	---	74.00	26.84	200.0	V	170.0	-17.7
2656.375000	44.77	---	68.20	23.43	200.0	H	225.0	-12.6
2792.000000	---	32.60	54.00	21.40	200.0	V	181.0	-12.3
3197.125000	45.69	---	68.20	22.51	200.0	V	220.0	-10.6
3710.750000	---	35.35	54.00	18.65	100.0	V	274.0	-8.9
4264.625000	---	41.44	54.00	12.56	200.0	V	170.0	-1.7
4264.625000	55.41	---	74.00	18.59	200.0	V	170.0	-1.7
5753.000000	59.81	---	68.20	8.39	100.0	H	41.0	-3.2
7560.750000	---	45.43	54.00	8.57	200.0	V	104.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH151



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	38.52	54.00	15.48	200.0	V	161.0	-10.6
1264.250000	47.04	---	68.20	21.16	100.0	H	222.0	-9.8
1707.875000	---	37.55	54.00	16.45	100.0	H	209.0	-7.1
1924.875000	50.98	---	68.20	17.22	200.0	H	179.0	-5.9
2662.500000	52.55	---	68.20	15.65	100.0	H	154.0	-3.8
2750.875000	---	41.05	54.00	12.95	200.0	V	268.0	-3.5
3466.625000	54.37	---	68.20	13.83	200.0	V	359.0	-1.4
3849.000000	---	43.63	54.00	10.37	100.0	H	268.0	0.0
4999.625000	---	45.49	54.00	8.51	100.0	H	314.0	4.1
5637.500000	57.06	---	68.20	11.14	100.0	H	268.0	4.6
7673.625000	---	50.64	54.00	3.36	200.0	V	80.0	7.7
7966.750000	59.49	---	68.20	8.71	100.0	V	295.0	7.8

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH159



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	36.59	54.00	17.41	100.0	V	172.0	-10.6
1290.500000	46.98	---	68.20	21.22	200.0	H	0.0	-9.6
1686.000000	---	37.43	54.00	16.57	200.0	H	169.0	-7.2
1982.625000	50.31	---	68.20	17.89	100.0	V	56.0	-5.7
2659.875000	52.89	---	68.20	15.31	100.0	V	62.0	-3.8
2752.625000	---	41.11	54.00	12.89	100.0	V	7.0	-3.5
3479.750000	54.27	---	68.20	13.93	100.0	V	38.0	-1.4
3997.750000	---	43.41	54.00	10.59	200.0	H	274.0	0.5
5212.250000	56.85	---	68.20	11.36	200.0	H	82.0	3.9
5443.250000	---	45.50	54.00	8.50	100.0	H	39.0	4.6
7727.000000	---	50.67	54.00	3.33	200.0	V	53.0	7.6
7911.625000	59.44	---	68.20	8.76	100.0	H	115.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH36



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1275.625000	47.25	---	68.20	20.95	100.0	H	256.0	-9.7
1330.750000	---	39.27	54.00	14.73	200.0	V	193.0	-9.3
1692.125000	---	37.73	54.00	16.27	100.0	H	0.0	-7.2
1940.625000	50.91	---	68.20	17.29	100.0	H	150.0	-5.9
2559.250000	52.31	---	68.20	15.89	100.0	V	25.0	-4.4
2771.875000	---	40.90	54.00	13.10	100.0	V	92.0	-3.5
3569.875000	54.08	---	68.20	14.12	100.0	V	76.0	-1.1
3990.750000	---	43.75	54.00	10.25	200.0	H	150.0	0.4
5133.500000	---	46.32	54.00	7.68	100.0	H	140.0	3.9
5518.500000	57.56	---	68.20	10.64	200.0	V	0.0	4.6
7283.375000	---	48.61	54.00	5.39	100.0	H	294.0	8.3
7913.375000	59.96	---	68.20	8.24	100.0	H	246.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH40



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1114.625000	---	36.92	54.00	17.08	100.0	V	162.0	-10.6
1284.375000	47.01	---	68.20	21.19	200.0	V	312.0	-9.7
1695.625000	---	37.75	54.00	16.25	200.0	H	157.0	-7.2
1913.500000	50.37	---	68.20	17.83	200.0	V	269.0	-6.0
2616.125000	52.11	---	68.20	16.09	100.0	V	244.0	-4.1
2827.875000	---	41.30	54.00	12.70	100.0	V	20.0	-3.2
3591.750000	54.63	---	68.20	13.57	100.0	H	286.0	-0.9
3990.750000	---	44.03	54.00	9.97	100.0	H	176.0	0.4
5445.875000	---	46.14	54.00	7.86	100.0	H	242.0	4.6
5612.125000	56.90	---	68.20	11.30	200.0	V	344.0	4.6
6933.375000	59.88	---	68.20	8.32	200.0	V	34.0	7.4
7273.750000	---	48.61	54.00	5.39	100.0	H	270.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH48



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	36.74	54.00	17.26	200.0	V	177.0	-10.6
1281.750000	47.48	---	68.20	20.72	200.0	V	223.0	-9.7
1719.250000	---	37.73	54.00	16.27	100.0	H	224.0	-7.0
1934.500000	49.95	---	68.20	18.25	100.0	H	278.0	-5.9
2623.125000	52.06	---	68.20	16.14	200.0	H	112.0	-4.0
2825.250000	---	41.17	54.00	12.83	200.0	V	100.0	-3.2
3422.000000	54.60	---	68.20	13.60	200.0	V	289.0	-1.5
3991.625000	---	43.61	54.00	10.39	100.0	H	229.0	0.4
4960.250000	---	45.78	54.00	8.22	100.0	H	147.0	4.1
5565.750000	57.32	---	68.20	10.88	100.0	V	182.0	4.7
7340.250000	---	48.68	54.00	5.32	100.0	H	169.0	8.2
7884.500000	60.50	---	68.20	7.70	100.0	H	306.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH52



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.01	54.00	16.99	200.0	V	345.0	-10.6
1257.250000	47.46	---	68.20	20.74	200.0	V	94.0	-9.8
1719.250000	---	37.58	54.00	16.42	200.0	H	101.0	-7.0
1980.000000	50.32	---	68.20	17.88	200.0	V	236.0	-5.7
2659.875000	54.11	---	68.20	14.09	200.0	V	247.0	-3.8
2827.000000	---	41.25	54.00	12.75	200.0	V	310.0	-3.2
3556.750000	54.63	---	68.20	13.57	100.0	H	310.0	-1.2
3999.500000	---	43.81	54.00	10.19	100.0	V	223.0	0.5
5006.625000	---	45.54	54.00	8.46	100.0	H	198.0	4.1
5508.875000	56.92	---	68.20	11.29	100.0	V	78.0	4.6
7261.500000	---	48.42	54.00	5.58	100.0	H	310.0	8.4
7888.000000	59.61	---	68.20	8.59	200.0	V	231.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH60



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.125000	---	37.12	54.00	16.88	200.0	V	167.0	-10.6
1275.625000	47.59	---	68.20	20.61	100.0	H	329.0	-9.7
1668.500000	---	37.74	54.00	16.26	100.0	H	86.0	-7.3
1959.875000	50.36	---	68.20	17.84	200.0	V	1.0	-5.8
2689.625000	52.33	---	68.20	15.87	200.0	H	138.0	-3.7
2772.750000	---	41.21	54.00	12.79	100.0	H	187.0	-3.5
3542.750000	54.37	---	68.20	13.83	200.0	V	277.0	-1.2
3766.750000	---	43.69	54.00	10.31	100.0	H	329.0	-0.1
5354.000000	---	45.57	54.00	8.43	100.0	H	204.0	4.1
5528.125000	56.76	---	68.20	11.44	100.0	H	258.0	4.6
7067.250000	60.42	---	68.20	7.78	100.0	V	27.0	7.8
7511.750000	---	48.28	54.00	5.72	100.0	V	11.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH64



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	37.41	54.00	16.59	200.0	V	170.0	-10.6
1254.625000	47.66	---	68.20	20.54	200.0	V	149.0	-9.8
1692.125000	---	37.46	54.00	16.54	200.0	H	86.0	-7.2
1882.875000	50.77	---	68.20	17.43	200.0	H	0.0	-6.2
2628.375000	52.11	---	68.20	16.09	200.0	H	34.0	-4.0
2814.750000	---	41.07	54.00	12.93	200.0	V	101.0	-3.3
3443.875000	54.79	---	68.20	13.41	100.0	H	183.0	-1.4
3989.000000	---	43.70	54.00	10.30	100.0	V	32.0	0.4
5353.125000	---	46.01	54.00	7.99	100.0	H	297.0	4.1
5643.625000	56.51	---	68.20	11.69	100.0	H	215.0	4.7
7093.500000	60.44	---	68.20	7.76	200.0	V	48.0	7.9
7269.375000	---	48.33	54.00	5.67	100.0	H	215.0	8.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH100



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	35.43	54.00	18.57	100.0	V	175.0	-20.0
1291.375000	39.46	---	68.20	28.74	100.0	V	169.0	-18.9
1596.750000	---	29.96	54.00	24.04	100.0	V	147.0	-17.0
1954.625000	41.90	---	68.20	26.30	200.0	V	132.0	-15.0
2659.000000	47.51	---	68.20	20.69	200.0	V	164.0	-12.6
2730.750000	---	33.28	54.00	20.72	100.0	V	180.0	-12.3
3198.000000	46.56	---	68.20	21.64	200.0	V	214.0	-10.6
3674.000000	---	35.73	54.00	18.27	100.0	H	215.0	-8.7
4234.000000	---	41.26	54.00	12.74	200.0	H	107.0	-0.4
5159.750000	49.80	---	68.20	18.40	100.0	H	297.0	-3.2
7333.250000	---	48.11	54.00	5.89	200.0	V	0.0	0.3
7988.625000	52.45	---	68.20	15.75	100.0	V	58.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH116



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1043.750000	---	34.60	54.00	19.40	100.0	V	201.0	-20.2
1329.875000	46.74	---	74.00	27.26	200.0	V	154.0	-18.7
1486.500000	---	30.76	54.00	23.24	100.0	V	152.0	-17.7
1919.625000	42.74	---	68.20	25.46	200.0	V	192.0	-14.9
2662.500000	57.28	---	68.20	10.92	200.0	V	94.0	-12.6
2791.125000	---	33.14	54.00	20.86	100.0	V	163.0	-12.3
3516.500000	46.00	---	68.20	22.20	100.0	V	190.0	-9.8
3659.125000	---	35.15	54.00	18.85	100.0	H	338.0	-8.5
4233.125000	---	41.10	54.00	12.90	200.0	V	121.0	-0.4
4415.125000	49.83	---	68.20	18.37	100.0	H	153.0	-4.1
7440.000000	---	50.68	54.00	3.32	200.0	V	1.0	0.0
7997.375000	51.92	---	68.20	16.28	100.0	V	24.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH140



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	35.45	54.00	18.55	100.0	V	163.0	-20.0
1294.875000	41.88	---	68.20	26.32	100.0	V	208.0	-18.9
1663.250000	---	31.41	54.00	22.59	200.0	V	329.0	-16.6
1918.750000	42.92	---	68.20	25.28	200.0	V	182.0	-15.0
2133.125000	46.40	---	68.20	21.80	200.0	V	23.0	-14.2
2376.375000	---	33.66	54.00	20.34	200.0	V	165.0	-13.4
3306.500000	46.93	---	68.20	21.27	100.0	H	330.0	-10.6
3655.625000	---	35.55	54.00	18.45	200.0	V	274.0	-8.4
4232.250000	---	41.15	54.00	12.85	100.0	H	139.0	-0.4
4449.250000	49.93	---	68.20	18.27	200.0	H	338.0	-3.8
7600.125000	---	45.35	54.00	8.65	200.0	V	0.0	-0.2
7977.250000	51.58	---	68.20	16.62	200.0	H	117.0	-0.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH149



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1285.250000	47.16	---	68.20	21.04	200.0	V	290.0	-9.7
1330.750000	---	38.83	54.00	15.17	100.0	V	209.0	-9.3
1664.125000	---	37.40	54.00	16.60	200.0	H	243.0	-7.4
1927.500000	50.07	---	68.20	18.13	200.0	H	269.0	-5.9
2659.000000	52.74	---	68.20	15.46	100.0	V	150.0	-3.9
2789.375000	---	40.99	54.00	13.01	200.0	H	14.0	-3.4
3468.375000	54.38	---	68.20	13.82	100.0	V	16.0	-1.4
3843.750000	---	43.52	54.00	10.48	200.0	H	66.0	0.0
5458.125000	---	45.76	54.00	8.24	100.0	H	256.0	4.7
5550.000000	57.39	---	68.20	10.81	100.0	V	268.0	4.7
7660.500000	---	50.61	54.00	3.39	200.0	V	111.0	7.7
7825.000000	59.22	---	68.20	8.98	100.0	H	328.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH157



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1117.250000	---	36.95	54.00	17.05	200.0	V	173.0	-10.6
1283.500000	47.46	---	68.20	20.74	200.0	V	73.0	-9.7
1704.375000	---	37.44	54.00	16.56	200.0	H	155.0	-7.2
1910.875000	49.84	---	68.20	18.36	100.0	H	184.0	-6.0
2672.125000	51.99	---	68.20	16.21	200.0	V	251.0	-3.8
2812.125000	---	40.84	54.00	13.16	200.0	V	33.0	-3.3
3319.625000	54.48	---	68.20	13.72	200.0	V	185.0	-1.8
3999.500000	---	43.35	54.00	10.65	200.0	H	228.0	0.5
5448.500000	---	45.39	54.00	8.61	100.0	H	291.0	4.6
5576.250000	56.82	---	68.20	11.38	200.0	V	288.0	4.7
7713.875000	---	50.45	54.00	3.55	200.0	V	113.0	7.6
7923.875000	60.01	---	68.20	8.19	100.0	V	54.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH165



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.09	54.00	16.91	200.0	V	169.0	-10.6
1244.125000	47.44	---	68.20	20.76	200.0	H	104.0	-9.9
1721.875000	---	37.61	54.00	16.39	100.0	H	176.0	-7.0
1920.500000	50.27	---	68.20	17.93	100.0	V	181.0	-6.0
2666.000000	51.63	---	68.20	16.57	100.0	H	136.0	-3.8
2808.625000	---	40.91	54.00	13.09	200.0	V	194.0	-3.3
3503.375000	54.26	---	68.20	13.94	200.0	H	110.0	-1.3
3998.625000	---	43.43	54.00	10.57	200.0	V	13.0	0.5
5459.875000	---	45.04	54.00	8.96	100.0	V	24.0	4.7
5478.250000	57.26	---	68.20	10.94	100.0	V	63.0	4.7
7167.875000	59.60	---	68.20	8.60	100.0	V	96.0	8.2
7496.875000	---	48.24	54.00	5.76	100.0	V	115.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH38



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	37.63	54.00	16.37	200.0	V	177.0	-10.6
1252.875000	47.45	---	68.20	20.75	200.0	H	69.0	-9.9
1719.250000	---	37.53	54.00	16.47	200.0	H	69.0	-7.0
1985.250000	50.08	---	68.20	18.12	100.0	V	10.0	-5.7
2664.250000	51.92	---	68.20	16.28	100.0	H	72.0	-3.8
2826.125000	---	40.72	54.00	13.28	100.0	H	223.0	-3.2
3233.875000	54.07	---	68.20	14.13	100.0	V	26.0	-2.0
3997.750000	---	43.38	54.00	10.62	100.0	H	349.0	0.5
5148.375000	64.78	---	74.00	9.22	100.0	H	305.0	3.8
5149.250000	---	49.93	54.00	4.07	100.0	H	184.0	3.8
7512.625000	---	48.22	54.00	5.78	200.0	V	116.0	7.9
7924.750000	59.92	---	68.20	8.28	100.0	H	267.0	7.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH46



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.




Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.375000	---	37.09	54.00	16.91	100.0	V	185.0	-10.6
1244.125000	47.12	---	68.20	21.08	100.0	H	235.0	-9.9
1686.875000	---	37.43	54.00	16.57	100.0	H	257.0	-7.2
1933.625000	50.06	---	68.20	18.14	200.0	V	0.0	-5.9
2514.625000	51.60	---	68.20	16.60	100.0	H	290.0	-4.4
2748.250000	---	40.64	54.00	13.36	100.0	V	35.0	-3.5
3502.500000	54.12	---	68.20	14.08	200.0	V	100.0	-1.3
3996.875000	---	43.40	54.00	10.60	100.0	V	229.0	0.5
4961.125000	---	45.55	54.00	8.45	100.0	H	318.0	4.1
5528.125000	56.71	---	68.20	11.49	200.0	H	124.0	4.6
7548.500000	---	48.13	54.00	5.87	200.0	V	171.0	7.8
7878.375000	59.70	---	68.20	8.50	100.0	H	324.0	8.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT40) CH54



Radiates Emission from 1GHz to 8GHz
Note: The signal beyond the limit is carrier.



Radiates Emission from 8GHz to 18GHz