




802.11ax(HEW80)\_HCH\_6545MHz\_RU996\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_HCH\_6545MHz\_RU996\_Left\_MIMO\_NTNV




802.11ax(HEW160)\_HCH\_6505MHz\_2xRU996\_Left\_Ant1\_NTNV



802.11ax(HEW160)\_HCH\_6505MHz\_2xRU996\_Left\_Ant2\_NTNV



802.11ax(HEW160) HCH 6505MHz 2xRU996 Left MIMO NTN



## 5. Frequency Stability

### 5.1 Test Result

#### 5.1.1 Ant1

| Ant1 |                  |         |                 |       |        |                  |               |                          |              |         |
|------|------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a          | SISO    | 5955            | /     | /      | 20               | 102           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 5955.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 5955.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 5955.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 5955.100                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 5955.060                 | 5925 to 6425 | Pass    |
|      |                  |         | 6175            | /     | /      | 20               | 102           | 6175.000                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6175.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6175.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6175.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6175.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6175.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6175.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6175.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6175.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6175.000                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6175.000                 | 5925 to 6425 | Pass    |
|      |                  |         | 6415            | /     | /      | 20               | 102           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6415.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6414.980                 | 5925 to 6425 | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 5955            | RU242 | Left   | 20               | 102           | 5955.100                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 5954.980                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 5954.980                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 5954.980                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 5954.980                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 5955.020                 | 5925 to 6425 | Pass    |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  |                     |      | 6175 | RU242 | Left | 20  | 102 | 6175.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 120 | 6175.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 138 | 6175.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6175.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6175.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6175.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6175.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6175.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6175.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6175.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6175.040 | 5925 to 6425 | Pass |
|  |                     |      | 6415 | RU242 | Left | 20  | 102 | 6415.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 120 | 6415.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 138 | 6415.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6415.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6415.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6415.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6415.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6415.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6415.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6415.020 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6415.000 | 5925 to 6425 | Pass |
|  | 802.11ax<br>(HEW40) | MIMO | 5965 | RU484 | Left | 20  | 102 | 5965.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 120 | 5965.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 138 | 5965.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 5965.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 5965.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 5965.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 5965.120 | 5925 to 6425 | Pass |
|  |                     |      | 6165 | RU484 | Left | 20  | 102 | 6165.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 138 | 6165.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6165.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |                     |      | 6405 | RU484 | Left | 20  | 102 | 6405.000 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 120 | 6405.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      |     | 138 | 6405.120 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6405.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6405.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6405.040 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6405.080 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6405.040 | 5925 to 6425 | Pass |
|  | 802.11ax            | MIMO | 5985 | RU996 | Left | 20  | 102 | 5985.075 | 5925 to 6425 | Pass |

|         |  |                      |       |          |              |          |              |              |          |              |      |
|---------|--|----------------------|-------|----------|--------------|----------|--------------|--------------|----------|--------------|------|
| (HEW80) |  |                      |       |          |              |          |              | 120          | 5985.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          |              | 138          | 5985.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -30          | 120          | 5985.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -20          | 120          | 5985.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -10          | 120          | 5985.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 0            | 120          | 5985.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 10           | 120          | 5985.000 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 30           | 120          | 5985.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 40           | 120          | 5985.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 50           | 120          | 5985.150 | 5925 to 6425 | Pass |
|         |  | 6145                 | RU996 | Left     | 20           | 102      | 6145.000     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          |              | 120      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          |              | 138      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | -30          | 120      | 6145.000     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | -20          | 120      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | -10          | 120      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 0            | 120      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 10           | 120      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 30           | 120      | 6145.000     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 40           | 120      | 6145.075     | 5925 to 6425 | Pass     |              |      |
|         |  | 50                   | 120   | 6145.075 | 5925 to 6425 | Pass     |              |              |          |              |      |
|         |  | 6385                 | RU996 | Left     | 20           | 102      | 6385.000     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          |              | 120      | 6385.000     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          |              | 138      | 6385.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | -30          | 120      | 6385.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | -20          | 120      | 6385.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | -10          | 120      | 6385.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 0            | 120      | 6385.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 10           | 120      | 6385.000     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 30           | 120      | 6385.075     | 5925 to 6425 | Pass     |              |      |
|         |  |                      |       |          | 40           | 120      | 6385.150     | 5925 to 6425 | Pass     |              |      |
|         |  | 50                   | 120   | 6385.075 | 5925 to 6425 | Pass     |              |              |          |              |      |
|         |  | 802.11ax<br>(HEW160) | MIMO  | 6025     | 2xRU996      | Left     | 20           | 102          | 6025.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          |              | 120          | 6025.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          |              | 138          | 6025.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -30          | 120          | 6025.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -20          | 120          | 6025.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -10          | 120          | 6025.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 0            | 120          | 6025.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 10           | 120          | 6025.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 30           | 120          | 6025.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 40           | 120          | 6025.000 | 5925 to 6425 | Pass |
|         |  |                      |       | 50       | 120          | 6025.075 | 5925 to 6425 | Pass         |          |              |      |
|         |  |                      |       | 6185     | 2xRU996      | Left     | 20           | 102          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          |              | 120          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          |              | 138          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -30          | 120          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -20          | 120          | 6185.000 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | -10          | 120          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 0            | 120          | 6185.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 10           | 120          | 6185.000 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 30           | 120          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          | 40           | 120          | 6185.075 | 5925 to 6425 | Pass |
|         |  |                      |       | 50       | 120          | 6185.075 | 5925 to 6425 | Pass         |          |              |      |
|         |  |                      |       | 6345     | 2xRU996      | Left     | 20           | 102          | 6345.150 | 5925 to 6425 | Pass |
|         |  |                      |       |          |              |          |              | 120          | 6345.075 | 5925 to 6425 | Pass |

|  |  |  |  |  |  |     |     |          |              |      |
|--|--|--|--|--|--|-----|-----|----------|--------------|------|
|  |  |  |  |  |  |     | 138 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | -30 | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | -20 | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | -10 | 120 | 6345.150 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | 0   | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | 10  | 120 | 6345.150 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | 30  | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | 40  | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |  |  |  | 50  | 120 | 6345.075 | 5925 to 6425 | Pass |

## 5.1.2 Ant2

| Ant2 |                  |         |                 |       |        |                  |               |                          |              |         |
|------|------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a          | SISO    | 5955            | /     | /      | 20               | 102           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 5954.980                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 5955.000                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 5955.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 5954.980                 | 5925 to 6425 | Pass    |
|      |                  |         | 6175            | /     | /      | 20               | 102           | 6175.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6175.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6175.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6175.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6175.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6175.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6175.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6175.000                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6175.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6175.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6175.000                 | 5925 to 6425 | Pass    |
|      |                  |         | 6415            | /     | /      | 20               | 102           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6415.000                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6415.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6415.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6415.060                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6414.960                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6414.980                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6415.020                 | 5925 to 6425 | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 5955            | RU242 | Left   | 20               | 102           | 5955.080                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 5955.000                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 5955.040                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 5955.020                 | 5925 to 6425 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 5955.060                 | 5925 to 6425 | Pass    |

|  |  |  |      |       |      |     |     |          |              |      |
|--|--|--|------|-------|------|-----|-----|----------|--------------|------|
|  |  |  |      |       |      | 10  | 120 | 5955.020 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 30  | 120 | 5955.020 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 40  | 120 | 5955.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 50  | 120 | 5955.040 | 5925 to 6425 | Pass |
|  |  |  | 6175 | RU242 | Left | 20  | 102 | 6175.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 120 | 6175.020 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 138 | 6175.000 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -30 | 120 | 6174.980 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -20 | 120 | 6175.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -10 | 120 | 6175.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 0   | 120 | 6175.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 10  | 120 | 6175.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 30  | 120 | 6175.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 40  | 120 | 6175.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 50  | 120 | 6175.060 | 5925 to 6425 | Pass |
|  |  |  | 6415 | RU242 | Left | 20  | 102 | 6415.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 120 | 6415.060 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 138 | 6415.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -30 | 120 | 6415.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -20 | 120 | 6414.960 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -10 | 120 | 6415.020 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 0   | 120 | 6415.060 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 10  | 120 | 6415.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 30  | 120 | 6415.060 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 40  | 120 | 6414.960 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 50  | 120 | 6415.060 | 5925 to 6425 | Pass |
|  |  |  | 5965 | RU484 | Left | 20  | 102 | 5965.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 138 | 5965.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -30 | 120 | 5965.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -20 | 120 | 5965.000 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -10 | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 0   | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 10  | 120 | 5965.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 30  | 120 | 5965.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 40  | 120 | 5965.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 50  | 120 | 5965.120 | 5925 to 6425 | Pass |
|  |  |  | 6165 | RU484 | Left | 20  | 102 | 6165.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 120 | 6165.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 138 | 6165.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -30 | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -20 | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -10 | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 0   | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 10  | 120 | 6165.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 30  | 120 | 6165.040 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 40  | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 50  | 120 | 6165.000 | 5925 to 6425 | Pass |
|  |  |  | 6405 | RU484 | Left | 20  | 102 | 6405.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 120 | 6405.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      |     | 138 | 6405.160 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -30 | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -20 | 120 | 6405.080 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | -10 | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 0   | 120 | 6405.160 | 5925 to 6425 | Pass |
|  |  |  |      |       |      | 10  | 120 | 6405.040 | 5925 to 6425 | Pass |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW80)  | MIMO |      |         |      | 30  | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6405.080 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6405.120 | 5925 to 6425 | Pass |
|  |                      |      | 5985 | RU996   | Left | 20  | 102 | 5985.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 138 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 5985.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 5985.075 | 5925 to 6425 | Pass |
|  |                      |      | 6145 | RU996   | Left | 20  | 102 | 6145.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 120 | 6145.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 138 | 6145.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6145.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6145.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6145.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6145.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6145.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6145.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6145.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6145.000 | 5925 to 6425 | Pass |
|  |                      |      | 6385 | RU996   | Left | 20  | 102 | 6385.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 120 | 6385.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 138 | 6385.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6385.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6385.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6385.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6385.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6385.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6385.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6385.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6385.000 | 5925 to 6425 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6025 | 2xRU996 | Left | 20  | 102 | 6025.225 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 120 | 6025.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 138 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6025.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6025.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6025.150 | 5925 to 6425 | Pass |
|  |                      |      | 6185 | 2xRU996 | Left | 20  | 102 | 6185.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 120 | 6185.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      |     | 138 | 6185.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6185.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6185.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6185.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6185.075 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6185.000 | 5925 to 6425 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6185.075 | 5925 to 6425 | Pass |

|  |  |  |      |         |      |     |     |          |              |      |
|--|--|--|------|---------|------|-----|-----|----------|--------------|------|
|  |  |  | 6345 | 2xRU996 | Left | 40  | 120 | 6185.000 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 50  | 120 | 6185.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 20  | 102 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      |     | 120 | 6345.150 | 5925 to 6425 | Pass |
|  |  |  |      |         |      |     | 138 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | -30 | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | -20 | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | -10 | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 0   | 120 | 6345.150 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 10  | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 30  | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 40  | 120 | 6345.075 | 5925 to 6425 | Pass |
|  |  |  |      |         |      | 50  | 120 | 6345.150 | 5925 to 6425 | Pass |

## 5.1.3 Ant1

| Ant1 |                  |         |                 |       |        |                  |               |                          |              |         |
|------|------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a          | SISO    | 6435            | /     | /      | 20               | 102           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6434.960                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6434.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6435.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6435.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6434.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6435.080                 | 6425 to 6525 | Pass    |
|      |                  |         | 6475            | /     | /      | 20               | 102           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6475.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6475.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6475.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6474.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6475.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6475.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6475.000                 | 6425 to 6525 | Pass    |
|      |                  |         | 6515            | /     | /      | 20               | 102           | 6515.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6515.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6515.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6515.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6515.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6515.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6515.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6515.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6515.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6515.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6515.060                 | 6425 to 6525 | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6435            | RU242 | Left   | 20               | 102           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6435.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6435.000                 | 6425 to 6525 | Pass    |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  |                     |      |      |       |      | -30 | 120 | 6435.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6435.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6434.960 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6435.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6435.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6435.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6435.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6435.020 | 6425 to 6525 | Pass |
|  |                     |      | 6475 | RU242 | Left | 20  | 102 | 6475.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6475.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6475.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6475.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6475.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6474.960 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6475.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6475.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6474.960 | 6425 to 6525 | Pass |
|  |                     |      | 6515 | RU242 | Left | 20  | 102 | 6515.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6515.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6515.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6515.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6515.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6514.960 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6515.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6515.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6515.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6515.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6514.960 | 6425 to 6525 | Pass |
|  | 802.11ax<br>(HEW40) | MIMO | 6445 | RU484 | Left | 20  | 102 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6445.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6445.120 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      | 6485 | RU484 | Left | 20  | 102 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6485.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6485.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6485.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6485.040 | 6425 to 6525 | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6465 | RU996 | Left | 20  | 102 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6465.150 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6465.075 | 6425 to 6525 | Pass |

|  |  |  |  |  |  |     |     |          |              |      |
|--|--|--|--|--|--|-----|-----|----------|--------------|------|
|  |  |  |  |  |  | -20 | 120 | 6465.000 | 6425 to 6525 | Pass |
|  |  |  |  |  |  | -10 | 120 | 6465.000 | 6425 to 6525 | Pass |
|  |  |  |  |  |  | 0   | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |  |  |  |  |  | 10  | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |  |  |  |  |  | 30  | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |  |  |  |  |  | 40  | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |  |  |  |  |  | 50  | 120 | 6465.075 | 6425 to 6525 | Pass |

## 5.1.4 Ant2

| Ant2 |                  |         |                 |       |        |                  |               |                          |              |         |
|------|------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a          | SISO    | 6435            | /     | /      | 20               | 102           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6435.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6435.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6434.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6434.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6435.080                 | 6425 to 6525 | Pass    |
|      |                  |         | 6475            | /     | /      | 20               | 102           | 6474.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6474.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6475.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6475.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6474.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6475.080                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6475.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6475.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6475.020                 | 6425 to 6525 | Pass    |
|      |                  |         | 6515            | /     | /      | 20               | 102           | 6515.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6515.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6515.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6514.960                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6515.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6515.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6515.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6515.060                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6514.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6515.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6515.000                 | 6425 to 6525 | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6435            | RU242 | Left   | 20               | 102           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6435.000                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6435.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6435.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6435.040                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6434.980                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6435.020                 | 6425 to 6525 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6434.960                 | 6425 to 6525 | Pass    |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW40) | MIMO | 6475 | RU242 | Left | 40  | 120 | 6435.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6435.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 20  | 102 | 6475.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6475.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6475.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6475.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6475.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6475.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6475.000 | 6425 to 6525 | Pass |
|  |                     |      | 6515 | RU242 | Left | 20  | 102 | 6515.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6515.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6515.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6515.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6515.060 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6515.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6515.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6515.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6515.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6515.020 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6515.020 | 6425 to 6525 | Pass |
|  | 802.11ax<br>(HEW40) | MIMO | 6445 | RU484 | Left | 20  | 102 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6445.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6445.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6445.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6445.080 | 6425 to 6525 | Pass |
|  |                     |      | 6485 | RU484 | Left | 20  | 102 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6485.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6485.080 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6485.120 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6485.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6485.040 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6485.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6485.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6485.040 | 6425 to 6525 | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6465 | RU996 | Left | 20  | 102 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 120 | 6465.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      |     | 138 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6465.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6465.150 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6465.000 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6465.075 | 6425 to 6525 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6465.000 | 6425 to 6525 | Pass |

|  |  |  |  |  |  |    |     |          |              |      |
|--|--|--|--|--|--|----|-----|----------|--------------|------|
|  |  |  |  |  |  | 50 | 120 | 6465.000 | 6425 to 6525 | Pass |
|--|--|--|--|--|--|----|-----|----------|--------------|------|

## 5.1.5 Ant1

| Ant1 |                  |         |                 |       |        |                  |               |                          |              |         |
|------|------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a          | SISO    | 6535            | /     | /      | 20               | 102           | 6535.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6534.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6535.060                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6535.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6535.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6534.960                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6535.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6535.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         | 6695            | /     | /      | 20               | 102           | 6695.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6695.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6695.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6695.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6694.960                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6695.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6694.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6695.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6695.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6694.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6695.040                 | 6525 to 6875 | Pass    |
|      |                  |         | 6855            | /     | /      | 20               | 102           | 6854.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6855.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6855.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6854.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6854.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6854.940                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6855.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6855.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6855.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6854.960                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6854.980                 | 6525 to 6875 | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6535            | RU242 | Left   | 20               | 102           | 6535.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6535.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6535.060                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -20              | 120           | 6535.000                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -10              | 120           | 6535.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 0                | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 10               | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 30               | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 40               | 120           | 6535.040                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | 50               | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |                  |         | 6695            | RU242 | Left   | 20               | 102           | 6694.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 120           | 6694.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        |                  | 138           | 6694.980                 | 6525 to 6875 | Pass    |
|      |                  |         |                 |       |        | -30              | 120           | 6695.020                 | 6525 to 6875 | Pass    |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW40) | MIMO | 6855 | RU242 | Left | -20 | 120 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6694.980 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6694.920 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6694.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      | 6855 | RU242 | Left | 20  | 102 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6855.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6855.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6855.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6855.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6855.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6855.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6855.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6855.020 | 6525 to 6875 | Pass |
|  | 802.11ax<br>(HEW40) | MIMO | 6565 | RU484 | Left | 20  | 102 | 6565.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6565.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6565.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6565.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6564.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6565.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6565.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      | 6685 | RU484 | Left | 20  | 102 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6685.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6685.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6685.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6685.120 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6685.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6685.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6685.000 | 6525 to 6875 | Pass |
|  |                     |      | 6845 | RU484 | Left | 20  | 102 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6845.120 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6845.120 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6845.000 | 6525 to 6875 | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6625 | RU996 | Left | 20  | 102 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6625.075 | 6525 to 6875 | Pass |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  |                      |      |      |         |      | -10 | 120 | 6625.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                      |      | 6705 | RU996   | Left | 20  | 102 | 6705.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 120 | 6705.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 138 | 6705.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6705.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6705.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6705.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6705.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                      |      | 6785 | RU996   | Left | 20  | 102 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 138 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6785.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6785.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6785.075 | 6525 to 6875 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6665 | 2xRU996 | Left | 20  | 102 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 138 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6665.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6665.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6665.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6665.075 | 6525 to 6875 | Pass |

## 5.1.6 Ant2

| Ant2 |         |         |                 |    |        |                  |               |                          |              |         |
|------|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a | SISO    | 6535            | /  | /      | 20               | 102           | 6534.980                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        |                  | 120           | 6534.980                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        |                  | 138           | 6535.040                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | -30              | 120           | 6535.060                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | -20              | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | -10              | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | 0                | 120           | 6535.000                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | 10               | 120           | 6535.040                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | 30               | 120           | 6535.020                 | 6525 to 6875 | Pass    |
|      |         |         |                 |    |        | 40               | 120           | 6534.980                 | 6525 to 6875 | Pass    |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  |                     |      | 6695 | /     | /    | 50  | 120 | 6535.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 20  | 102 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6695.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6695.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6695.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6695.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6695.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      | 6855 | /     | /    | 20  | 102 | 6855.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6855.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6854.960 | 6525 to 6875 | Pass |
|  | 802.11ax<br>(HEW20) | MIMO | 6535 | RU242 | Left | 20  | 102 | 6535.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6535.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6535.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6535.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6535.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6535.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6535.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6535.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6535.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6535.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6535.020 | 6525 to 6875 | Pass |
|  |                     |      | 6695 | RU242 | Left | 20  | 102 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6694.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6694.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6694.940 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6694.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6695.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6695.000 | 6525 to 6875 | Pass |
|  |                     |      | 6855 | RU242 | Left | 20  | 102 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6855.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6855.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6855.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6855.020 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6855.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6855.060 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6855.060 | 6525 to 6875 | Pass |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW40) | MIMO | 6565 | RU484 | Left | 20  | 102 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6564.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6565.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6565.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6565.040 | 6525 to 6875 | Pass |
|  |                     |      | 6685 | RU484 | Left | 20  | 102 | 6685.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6684.960 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6684.920 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6685.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6685.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6685.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6685.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6684.960 | 6525 to 6875 | Pass |
|  |                     |      | 6845 | RU484 | Left | 20  | 102 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6845.120 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6845.040 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6845.120 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6845.080 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6845.080 | 6525 to 6875 | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6625 | RU996 | Left | 20  | 102 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6625.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6625.150 | 6525 to 6875 | Pass |
|  |                     |      | 6705 | RU996 | Left | 20  | 102 | 6705.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      |     | 138 | 6705.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6705.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6705.150 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6705.000 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6705.075 | 6525 to 6875 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6705.150 | 6525 to 6875 | Pass |
|  |                     |      | 6785 | RU996 | Left | 20  | 102 | 6785.075 | 6525 to 6875 | Pass |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  |                      |      |      |         |      |     | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 138 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6785.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6785.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6785.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6785.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6785.000 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6785.000 | 6525 to 6875 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6665 | 2xRU996 | Left | 20  | 102 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 120 | 6665.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      |     | 138 | 6665.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6665.150 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6665.075 | 6525 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6665.150 | 6525 to 6875 | Pass |

## 5.1.7 Ant1

| Ant1 |         |         |                 |    |        |                  |               |                          |              |         |
|------|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a | SISO    | 6895            | /  | /      | 20               | 102           | 6895.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        |                  | 120           | 6895.060                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        |                  | 138           | 6894.980                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -30              | 120           | 6895.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -20              | 120           | 6895.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -10              | 120           | 6895.040                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 0                | 120           | 6895.080                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 10               | 120           | 6894.980                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 30               | 120           | 6895.020                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 40               | 120           | 6894.980                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 50               | 120           | 6895.060                 | 6875 to 7125 | Pass    |
|      |         |         | 6995            | /  | /      | 20               | 102           | 6995.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        |                  | 120           | 6994.960                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        |                  | 138           | 6995.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -30              | 120           | 6995.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -20              | 120           | 6995.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -10              | 120           | 6995.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 0                | 120           | 6994.980                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 10               | 120           | 6995.000                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 30               | 120           | 6995.020                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 40               | 120           | 6995.020                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | 50               | 120           | 6994.940                 | 6875 to 7125 | Pass    |
|      |         |         | 7115            | /  | /      | 20               | 102           | 7115.060                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        |                  | 120           | 7114.980                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        |                  | 138           | 7115.020                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -30              | 120           | 7115.020                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -20              | 120           | 7115.020                 | 6875 to 7125 | Pass    |
|      |         |         |                 |    |        | -10              | 120           | 7115.040                 | 6875 to 7125 | Pass    |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW20) | MIMO |      |       |      | 0   | 120 | 7115.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 7115.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 7114.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 7115.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 7115.000 | 6875 to 7125 | Pass |
|  |                     |      | 6895 | RU242 | Left | 20  | 102 | 6895.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 6895.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 6894.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6894.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6895.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6895.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6895.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6894.920 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6895.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6894.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6895.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 20  | 102 | 6995.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 6994.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 6994.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6995.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6995.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6994.960 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6995.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6995.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6994.960 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6995.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6994.980 | 6875 to 7125 | Pass |
|  |                     |      | 7115 | RU242 | Left | 20  | 102 | 7115.060 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 7115.060 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 7114.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 7114.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 7115.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 7115.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 7115.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 7114.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 7115.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 7115.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 7115.000 | 6875 to 7125 | Pass |
|  | 802.11ax<br>(HEW40) | MIMO | 6925 | RU484 | Left | 20  | 102 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 6925.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6925.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6925.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6925.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6925.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6925.080 | 6875 to 7125 | Pass |
|  |                     |      | 7005 | RU484 | Left | 20  | 102 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 7005.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 7005.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 7005.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 7005.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 7005.040 | 6875 to 7125 | Pass |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW80)  | MIMO |      |         |      | 10  | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 7005.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 7005.080 | 6875 to 7125 | Pass |
|  |                      |      | 7085 | RU484   | Left | 20  | 102 | 7085.040 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 7085.040 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 7085.040 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 7085.120 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                      |      | 6945 | RU996   | Left | 20  | 102 | 6945.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6945.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6945.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6945.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6945.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6945.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6945.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6945.150 | 6875 to 7125 | Pass |
|  |                      |      | 7025 | RU996   | Left | 20  | 102 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 7025.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 7025.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 7025.000 | 6875 to 7125 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6985 | 2xRU996 | Left | 20  | 102 | 6985.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6985.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6985.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6985.075 | 6875 to 7125 | Pass |

## 5.1.8 Ant2

| Ant2 |         |         |                 |    |        |                  |               |                          |              |         |
|------|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a | SISO    | 6895            | /  | /      | 20               | 102           | 6895.000                 | 6875 to 7125 | Pass    |

|                     |      |      |       |          |              |      |          |              |              |              |      |
|---------------------|------|------|-------|----------|--------------|------|----------|--------------|--------------|--------------|------|
| 802.11ax<br>(HEW20) | MIMO |      |       |          |              |      |          | 120          | 6894.980     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      |          | 138          | 6895.020     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | -30      | 120          | 6895.020     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | -20      | 120          | 6895.000     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | -10      | 120          | 6895.000     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | 0        | 120          | 6895.020     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | 10       | 120          | 6894.980     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | 30       | 120          | 6895.000     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | 40       | 120          | 6895.060     | 6875 to 7125 | Pass |
|                     |      |      |       |          |              |      | 50       | 120          | 6895.020     | 6875 to 7125 | Pass |
|                     |      | 6995 | /     | /        |              | 20   | 102      | 6995.060     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 120      | 6994.980     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 138      | 6994.960     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -30  | 120      | 6994.960     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -20  | 120      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -10  | 120      | 6995.020     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 0    | 120      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 10   | 120      | 6994.960     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 30   | 120      | 6995.040     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 40   | 120      | 6995.020     | 6875 to 7125 | Pass         |      |
|                     |      | 50   | 120   | 6995.000 | 6875 to 7125 | Pass |          |              |              |              |      |
|                     |      | 7115 | /     | /        |              | 20   | 102      | 7115.040     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 120      | 7115.060     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 138      | 7115.060     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -30  | 120      | 7115.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -20  | 120      | 7114.980     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -10  | 120      | 7115.060     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 0    | 120      | 7115.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 10   | 120      | 7115.020     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 30   | 120      | 7114.980     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 40   | 120      | 7114.960     | 6875 to 7125 | Pass         |      |
|                     |      | 50   | 120   | 7115.020 | 6875 to 7125 | Pass |          |              |              |              |      |
|                     |      | 6895 | RU242 | Left     |              | 20   | 102      | 6894.940     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 120      | 6894.980     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 138      | 6895.040     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -30  | 120      | 6895.020     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -20  | 120      | 6895.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -10  | 120      | 6895.020     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 0    | 120      | 6895.020     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 10   | 120      | 6895.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 30   | 120      | 6894.980     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 40   | 120      | 6895.020     | 6875 to 7125 | Pass         |      |
|                     |      | 50   | 120   | 6895.000 | 6875 to 7125 | Pass |          |              |              |              |      |
|                     |      | 6995 | RU242 | Left     |              | 20   | 102      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 120      | 6995.060     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              |      | 138      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -30  | 120      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -20  | 120      | 6994.960     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | -10  | 120      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 0    | 120      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 10   | 120      | 6995.000     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 30   | 120      | 6994.980     | 6875 to 7125 | Pass         |      |
|                     |      |      |       |          |              | 40   | 120      | 6994.980     | 6875 to 7125 | Pass         |      |
|                     |      | 50   | 120   | 6994.960 | 6875 to 7125 | Pass |          |              |              |              |      |
|                     |      | 7115 | RU242 | Left     | 20           | 102  | 7115.000 | 6875 to 7125 | Pass         |              |      |
|                     |      |      |       |          |              | 120  | 7114.980 | 6875 to 7125 | Pass         |              |      |

|  |                     |      |      |       |      |     |     |          |              |      |
|--|---------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|  | 802.11ax<br>(HEW40) | MIMO | 6925 | RU484 | Left |     | 138 | 7114.920 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 7114.960 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 7114.980 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 7115.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 7115.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 7114.960 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 7114.960 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 7115.020 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 7115.020 | 6875 to 7125 | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6925 | RU484 | Left | 20  | 102 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 6925.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6925.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6925.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6925.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6925.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6925.040 | 6875 to 7125 | Pass |
|  |                     |      | 7005 | RU484 | Left | 20  | 102 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 7005.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 7005.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 7005.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 7005.040 | 6875 to 7125 | Pass |
|  |                     |      | 7085 | RU484 | Left | 20  | 102 | 7085.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 7085.120 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 7085.120 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 7085.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 7085.040 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 7085.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 7085.080 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 7085.000 | 6875 to 7125 | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6945 | RU996 | Left | 20  | 102 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -30 | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -20 | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | -10 | 120 | 6945.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 0   | 120 | 6945.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 10  | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 30  | 120 | 6945.150 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 40  | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      | 50  | 120 | 6945.075 | 6875 to 7125 | Pass |
|  |                     |      | 7025 | RU996 | Left | 20  | 102 | 7025.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                     |      |      |       |      |     | 138 | 7025.075 | 6875 to 7125 | Pass |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  |                      |      |      |         |      | -30 | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 7025.000 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 7025.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 7025.000 | 6875 to 7125 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6985 | 2xRU996 | Left | 20  | 102 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6985.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6985.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6985.150 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6985.075 | 6875 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6985.075 | 6875 to 7125 | Pass |

## 5.1.9 Ant1

| Ant1 |                     |         |                 |       |        |                  |               |                          |              |         |
|------|---------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode                | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a             | SISO    | 6875            | /     | /      | 20               | 102           | 6875.060                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 10               | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 30               | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 40               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 50               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      | 802.11ax<br>(HEW20) | MIMO    | 6875            | RU242 | Left   | 20               | 102           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 10               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 30               | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 40               | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 50               | 120           | 6875.060                 | 6525 to 7125 | Pass    |
|      | 802.11ax<br>(HEW40) | MIMO    | 6885            | RU484 | Left   | 20               | 102           | 6885.080                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6885.080                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6885.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6885.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6885.080                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6885.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6885.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 10               | 120           | 6885.080                 | 6525 to 7125 | Pass    |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  |                      |      |      |         |      | 30  | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6885.080 | 6525 to 7125 | Pass |
|  | 802.11ax<br>(HEW80)  | MIMO | 6865 | RU996   | Left | 20  | 102 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6865.000 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6865.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6865.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6865.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6865.075 | 6525 to 7125 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6825 | 2xRU996 | Left | 20  | 102 | 6825.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6825.000 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6825.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6825.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6825.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6825.075 | 6525 to 7125 | Pass |

## 5.1.10 Ant2

| Ant2 |                     |         |                 |       |        |                  |               |                          |              |         |
|------|---------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode                | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11a             | SISO    | 6875            | /     | /      | 20               | 102           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6875.000                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6875.060                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 10               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 30               | 120           | 6874.960                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 40               | 120           | 6875.060                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 50               | 120           | 6875.060                 | 6525 to 7125 | Pass    |
|      | 802.11ax<br>(HEW20) | MIMO    | 6875            | RU242 | Left   | 20               | 102           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6875.060                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6875.060                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6874.980                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6875.080                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6875.060                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 10               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 30               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 40               | 120           | 6875.020                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        | 50               | 120           | 6875.040                 | 6525 to 7125 | Pass    |
|      | 802.11ax<br>(HEW40) | MIMO    | 6885            | RU484 | Left   | 20               | 102           | 6885.040                 | 6525 to 7125 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6885.080                 | 6525 to 7125 | Pass    |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  |                      |      |      |         |      |     | 138 | 6885.000 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6885.040 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6885.040 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6885.080 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6885.080 | 6525 to 7125 | Pass |
|  | 802.11ax<br>(HEW80)  | MIMO | 6865 | RU996   | Left | 20  | 102 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6865.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6865.000 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6865.000 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6865.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6865.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6865.075 | 6525 to 7125 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6825 | 2xRU996 | Left | 20  | 102 | 6825.150 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      |     | 138 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6824.925 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6825.000 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6825.075 | 6525 to 7125 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6825.075 | 6525 to 7125 | Pass |

## 5.1.11 Ant1

| Ant1 |                     |         |                 |       |        |                  |               |                          |              |         |
|------|---------------------|---------|-----------------|-------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode                | TX Type | Frequency (MHz) | RU    | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11ax<br>(HEW40) | MIMO    | 6525            | RU484 | Left   | 20               | 102           | 6525.160                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6525.040                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6525.120                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6525.120                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6525.160                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | 10               | 120           | 6525.120                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | 30               | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | 40               | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | 50               | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      | 802.11ax<br>(HEW80) | MIMO    | 6545            | RU996 | Left   | 20               | 102           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        |                  | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        |                  | 138           | 6545.150                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | -30              | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | -20              | 120           | 6545.150                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | -10              | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                     |         |                 |       |        | 0                | 120           | 6545.075                 | 6425 to 6875 | Pass    |

|  |                      |      |      |         |      |     |     |          |              |      |
|--|----------------------|------|------|---------|------|-----|-----|----------|--------------|------|
|  |                      |      |      |         |      | 10  | 120 | 6545.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6545.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6545.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6545.075 | 6425 to 6875 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6505 | 2xRU996 | Left | 20  | 102 | 6505.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      |     | 120 | 6505.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      |     | 138 | 6505.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | -30 | 120 | 6505.150 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | -20 | 120 | 6505.000 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | -10 | 120 | 6505.000 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 0   | 120 | 6505.000 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 10  | 120 | 6505.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 30  | 120 | 6505.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 40  | 120 | 6505.075 | 6425 to 6875 | Pass |
|  |                      |      |      |         |      | 50  | 120 | 6505.075 | 6425 to 6875 | Pass |

## 5.1.12 Ant2

| Ant2 |                      |         |                 |         |        |                  |               |                          |              |         |
|------|----------------------|---------|-----------------|---------|--------|------------------|---------------|--------------------------|--------------|---------|
| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| NTNV | 802.11ax<br>(HEW40)  | MIMO    | 6525            | RU484   | Left   | 20               | 102           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        |                  | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        |                  | 138           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -30              | 120           | 6525.160                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -20              | 120           | 6525.120                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -10              | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 0                | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 10               | 120           | 6525.080                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 30               | 120           | 6525.040                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 40               | 120           | 6525.120                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 50               | 120           | 6525.160                 | 6425 to 6875 | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6545            | RU996   | Left   | 20               | 102           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        |                  | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        |                  | 138           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -30              | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -20              | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -10              | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 0                | 120           | 6545.000                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 10               | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 30               | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 40               | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 50               | 120           | 6545.075                 | 6425 to 6875 | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6505            | 2xRU996 | Left   | 20               | 102           | 6505.000                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        |                  | 120           | 6505.000                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        |                  | 138           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -30              | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -20              | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | -10              | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 0                | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 10               | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 30               | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 40               | 120           | 6505.075                 | 6425 to 6875 | Pass    |
|      |                      |         |                 |         |        | 50               | 120           | 6505.000                 | 6425 to 6875 | Pass    |

## 6. Emission Mask

### 6.1 Test Result

#### 6.1.1 EMask

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | ANT | Test Result         | Limit | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----|---------------------|-------|---------|
| NTNV | 802.11a           | SISO    | 5955            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6175            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6415            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 5955            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6175            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6415            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 5965            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6165            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6405            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 5985            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6145            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6385            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6025            | 2xRU996 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6185            | 2xRU996 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                   |         | 6345            | 2xRU996 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                   |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |

#### 6.1.2 EMask

| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | ANT | Test Result         | Limit | Verdict |
|------|------------------|---------|-----------------|-------|--------|-----|---------------------|-------|---------|
| NTNV | 802.11a          | SISO    | 6435            | /     | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                  |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |
|      |                  |         | 6475            | /     | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                  |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |
|      |                  |         | 6515            | /     | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                  |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6435            | RU242 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                  |         | 6475            | RU242 | Left   | 1   | Refer To Test Graph |       | Pass    |

|  |                     |      |      |       |      |   |                     |      |
|--|---------------------|------|------|-------|------|---|---------------------|------|
|  | 802.11ax<br>(HEW40) | MIMO | 6515 | RU242 | Left | 1 | Refer To Test Graph | Pass |
|  |                     |      |      |       |      | 2 | Refer To Test Graph | Pass |
|  |                     |      | 6445 | RU484 | Left | 1 | Refer To Test Graph | Pass |
|  |                     |      |      |       |      | 2 | Refer To Test Graph | Pass |
|  | 802.11ax<br>(HEW80) | MIMO | 6485 | RU484 | Left | 1 | Refer To Test Graph | Pass |
|  |                     |      |      |       |      | 2 | Refer To Test Graph | Pass |
|  |                     |      | 6465 | RU996 | Left | 1 | Refer To Test Graph | Pass |
|  |                     |      |      |       |      | 2 | Refer To Test Graph | Pass |

## 6.1.3 EMask

| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | ANT | Test Result         | Limit | Verdict |
|------|----------------------|---------|-----------------|---------|--------|-----|---------------------|-------|---------|
| NTNV | 802.11a              | SISO    | 6535            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6695            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6855            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW20)  | MIMO    | 6535            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6695            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6855            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW40)  | MIMO    | 6565            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6685            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6845            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6625            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6705            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      |                      |         | 6785            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6665            | 2xRU996 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |

## 6.1.4 EMask

| ENV  | Mode                | TX Type | Frequency (MHz) | RU    | RU Pos | ANT | Test Result         | Limit | Verdict |
|------|---------------------|---------|-----------------|-------|--------|-----|---------------------|-------|---------|
| NTNV | 802.11a             | SISO    | 6895            | /     | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                     |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |
|      |                     |         | 6995            | /     | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                     |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |
|      |                     |         | 7115            | /     | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                     |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW20) | MIMO    | 6895            | RU242 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                     |         |                 |       |        | 2   | Refer To Test Graph |       | Pass    |

|  |                      |      |      |         |      |   |                     |      |
|--|----------------------|------|------|---------|------|---|---------------------|------|
|  | 802.11ax<br>(HEW40)  | MIMO | 7115 | RU242   | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |
|  |                      |      | 6925 | RU484   | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |
|  |                      |      | 7005 | RU484   | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |
|  | 802.11ax<br>(HEW80)  | MIMO | 7085 | RU484   | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |
|  |                      |      | 6945 | RU996   | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |
|  |                      |      | 7025 | RU996   | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6985 | 2xRU996 | Left | 2 | Refer To Test Graph | Pass |
|  |                      |      |      |         |      | 1 | Refer To Test Graph | Pass |

### 6.1.5 EMask

| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | ANT | Test Result         | Limit | Verdict |
|------|----------------------|---------|-----------------|---------|--------|-----|---------------------|-------|---------|
| NTNV | 802.11a              | SISO    | 6875            | /       | /      | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW20)  | MIMO    | 6875            | RU242   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW40)  | MIMO    | 6885            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6865            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6825            | 2xRU996 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |


### 6.1.6 EMask

| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | ANT | Test Result         | Limit | Verdict |
|------|----------------------|---------|-----------------|---------|--------|-----|---------------------|-------|---------|
| NTNV | 802.11ax<br>(HEW40)  | MIMO    | 6525            | RU484   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6545            | RU996   | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6505            | 2xRU996 | Left   | 1   | Refer To Test Graph |       | Pass    |
|      |                      |         |                 |         |        | 2   | Refer To Test Graph |       | Pass    |


## 6.2 Test Graph

### 6.2.1 EMask


802.11a\_LCH\_5955MHz\_Ant1\_NTNV




802.11a\_LCH\_5955MHz\_Ant2\_NTNV




802.11a\_MCH\_6175MHz\_Ant1\_NTNV




802.11a\_MCH\_6175MHz\_Ant2\_NTNV




802.11a\_HCH\_6415MHz\_Ant1\_NTNV




802.11a\_HCH\_6415MHz\_Ant2\_NTNV




802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_HCH\_6385MHz\_RU996\_Left Ant1\_NTNV




802.11ax(HEW80)\_HCH\_6385MHz\_RU996\_Left Ant2\_NTNV




802.11ax(HEW160)\_LCH\_6025MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_LCH\_6025MHz\_2xRU996\_Left\_Ant2\_NTNV




802.11ax(HEW160)\_MCH\_6185MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_MCH\_6185MHz\_2xRU996\_Left\_Ant2\_NTNV



802.11ax(HEW160)\_HCH\_6345MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_HCH\_6345MHz\_2xRU996\_Left\_Ant2\_NTNV




## 6.2.2 EMask


802.11a\_LCH\_6435MHz\_Ant1\_NTNV




802.11a\_LCH\_6435MHz\_Ant2\_NTNV




802.11a\_MCH\_6475MHz\_Ant1\_NTNV




802.11a\_MCH\_6475MHz\_Ant2\_NTNV




802.11a\_HCH\_6515MHz\_Ant1\_NTNV




802.11a\_HCH\_6515MHz\_Ant2\_NTNV




802.11ax(HEW20)\_LCH\_6435MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_6435MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_MCH\_6475MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_6475MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_HCH\_6515MHz\_RU242\_Left Ant1\_NTNV




802.11ax(HEW20)\_HCH\_6515MHz\_RU242\_Left Ant2\_NTNV




802.11ax(HEW40)\_LCH\_6445MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_6445MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_MCH\_6485MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_MCH\_6485MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_LCH\_6465MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_LCH\_6465MHz\_RU996\_Left\_Ant2\_NTNV




## 6.2.3 EMask




802.11a\_MCH\_6695MHz\_Ant1\_NTNV




802.11a\_MCH\_6695MHz\_Ant2\_NTNV




802.11a\_HCH\_6855MHz\_Ant1\_NTNV




802.11a\_HCH\_6855MHz\_Ant2\_NTNV




802.11ax(HEW20)\_LCH\_6535MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_6535MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_MCH\_6695MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_6695MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_HCH\_6855MHz\_RU242\_Left Ant1\_NTNV




802.11ax(HEW20)\_HCH\_6855MHz\_RU242\_Left Ant2\_NTNV




802.11ax(HEW40)\_LCH\_6565MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_6565MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_MCH\_6685MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_MCH\_6685MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_HCH\_6845MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_6845MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_LCH\_6625MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_LCH\_6625MHz\_RU996\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_MCH\_6705MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_MCH\_6705MHz\_RU996\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_HCH\_6785MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_HCH\_6785MHz\_RU996\_Left\_Ant2\_NTNV



802.11ax(HEW160)\_MCH\_6665MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_MCH\_6665MHz\_2xRU996\_Left\_Ant2\_NTNV




## 6.2.4 EMask


802.11a\_LCH\_6895MHz\_Ant1\_NTNV




802.11a\_LCH\_6895MHz\_Ant2\_NTNV




802.11a\_MCH\_6995MHz\_Ant1\_NTNV




802.11a\_MCH\_6995MHz\_Ant2\_NTNV




802.11a\_HCH\_7115MHz\_Ant1\_NTNV




802.11a\_HCH\_7115MHz\_Ant2\_NTNV




802.11ax(HEW20)\_LCH\_6895MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_6895MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_MCH\_6995MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_6995MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_HCH\_7115MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_7115MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_LCH\_6925MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_6925MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_MCH\_7005MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_MCH\_7005MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_HCH\_7085MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_7085MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_LCH\_6945MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_LCH\_6945MHz\_RU996\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_HCH\_7025MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_HCH\_7025MHz\_RU996\_Left\_Ant2\_NTNV



802.11ax(HEW160)\_MCH\_6985MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_MCH\_6985MHz\_2xRU996\_Left\_Ant2\_NTNV




## 6.2.5 EMask


802.11a\_HCH\_6875MHz\_Ant1\_NTNV




802.11a\_HCH\_6875MHz\_Ant2\_NTNV




802.11ax(HEW20)\_HCH\_6875MHz\_RU242\_Left Ant1\_NTNV




802.11ax(HEW20)\_HCH\_6875MHz\_RU242\_Left Ant2\_NTNV




802.11ax(HEW40)\_HCH\_6885MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_6885MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_HCH\_6865MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HEW80)\_HCH\_6865MHz\_RU996\_Left\_Ant2\_NTNV



802.11ax(HEW160)\_HCH\_6825MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_HCH\_6825MHz\_2xRU996\_Left\_Ant2\_NTNV




## 6.2.6 EMask


802.11ax(HEW40)\_HCH\_6525MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_6525MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW80)\_HCH\_6545MHz\_RU996\_Left Ant1\_NTNV



802.11ax(HEW80)\_HCH\_6545MHz\_RU996\_Left Ant2\_NTNV



802.11ax(HEW160)\_HCH\_6505MHz\_2xRU996\_Left\_Ant1\_NTNV



802.11ax(HEW160)\_HCH\_6505MHz\_2xRU996\_Left\_Ant2\_NTNV

