Test Band = NSA 7A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4077.75	41.55	-45.82	30.92	-68.62	-13.00	55.62	132	181	Horizontal
2	5220.75	40.04	-45.24	32.97	-67.49	-13.00	54.49	184	105	Horizontal
3	6691.5	39.52	-43.86	35.62	-63.97	-13.00	50.97	175	212	Horizontal
4	8502.75	36.28	-41.61	37.55	-63.05	-13.00	50.05	169	0	Horizontal
5	10251.75	29.15	-39.29	38.82	-66.57	-13.00	53.57	213	314	Horizontal
6	14559.75	24.21	-35.11	39.97	-66.19	-13.00	53.19	208	0	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3486	48.91	-46.26	29.51	-63.11	-13.00	50.11	129	357	Vertical
2	4245	41.60	-45.67	31.19	-68.13	-13.00	55.13	263	317	Vertical
3	6531.75	39.61	-44.53	35.16	-65.02	-13.00	52.02	174	124	Vertical
4	8547.75	35.26	-41.48	37.64	-63.84	-13.00	50.84	156	346	Vertical
5	12238.5	25.91	-37.46	39.12	-67.69	-13.00	54.69	278	317	Vertical
6	16389	26.78	-34.51	37.71	-65.27	-13.00	52.27	213	274	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NSA 7A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3917.25	41.92	-46.24	30.61	-68.97	-13.00	55.97	154	297	Horizontal
2	5255.25	39.98	-45.18	32.94	-67.52	-13.00	54.52	186	133	Horizontal
3	7005.75	39.49	-43.59	36.09	-63.26	-13.00	50.26	233	313	Horizontal
4	9045.75	34.04	-40.70	38.23	-63.69	-13.00	50.69	197	351	Horizontal
5	10331.25	28.74	-39.07	38.84	-66.74	-13.00	53.74	145	222	Horizontal
6	13843.5	25.40	-35.99	40.00	-65.85	-13.00	52.85	168	359	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3594.75	42.29	-46.14	29.61	-69.50	-13.00	56.50	219	357	Vertical
2	5699.25	39.84	-44.85	33.38	-66.89	-13.00	53.89	164	123	Vertical
3	7656	38.52	-43.04	36.50	-63.28	-13.00	50.28	284	287	Vertical
4	9988.5	29.99	-39.25	38.47	-66.05	-13.00	53.05	175	1	Vertical
5	12272.25	25.06	-37.43	39.11	-68.52	-13.00	55.52	122	1	Vertical
6	15311.25	24.22	-34.32	38.82	-66.54	-13.00	53.54	163	34	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NSA 7A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3485.25	43.02	-46.26	29.51	-69.00	-13.00	56.00	209	120	Horizontal
2	6063.75	39.97	-44.59	34.15	-65.73	-13.00	52.73	186	29	Horizontal
3	8547.75	35.01	-41.48	37.64	-64.09	-13.00	51.09	253	179	Horizontal
4	11781	24.32	-36.94	38.76	-69.12	-13.00	56.12	274	284	Horizontal
5	14349.75	24.22	-35.48	40.12	-66.41	-13.00	53.41	175	238	Horizontal
6	16443.75	26.67	-34.21	37.81	-64.99	-13.00	51.99	223	164	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3829.5	41.18	-46.03	30.40	-69.71	-13.00	56.71	196	272	Vertical
2	6102	39.44	-44.46	34.17	-66.11	-13.00	53.11	230	212	Vertical
3	7656	38.69	-43.04	36.50	-63.11	-13.00	50.11	142	287	Vertical
4	10335.75	29.01	-39.06	38.84	-66.47	-13.00	53.47	176	356	Vertical
5	13380	24.92	-36.42	40.13	-66.64	-13.00	53.64	219	152	Vertical
6	14532.75	23.60	-34.99	39.99	-66.66	-13.00	53.66	287	92	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 2A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.1800	41.01	-45.51	29.98	-69.78	-13.00	56.78	217	166	Horizontal
2	5553.2700	40.61	-45.15	32.97	-66.83	-13.00	53.83	213	271	Horizontal
3	7404.3600	38.23	-43.40	36.49	-63.94	-13.00	50.94	209	346	Horizontal
4	8555.4500	36.08	-41.46	37.66	-62.98	-13.00	49.98	185	136	Horizontal
5	10266.5400	31.71	-39.23	38.83	-63.95	-13.00	50.95	206	354	Horizontal
6	11977.6300	27.63	-37.51	38.95	-66.20	-13.00	53.20	174	105	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.1800	40.81	-45.51	29.98	-69.98	-13.00	56.98	155	225	Vertical
2	5553.2700	40.46	-45.15	32.97	-66.98	-13.00	53.98	218	147	Vertical
3	7404.3600	38.29	-43.40	36.49	-63.88	-13.00	50.88	169	328	Vertical
4	8555.4500	35.81	-41.46	37.66	-63.25	-13.00	50.25	306	360	Vertical
5	10266.5400	31.86	-39.23	38.83	-63.80	-13.00	50.80	244	90	Vertical
6	11977.6300	27.31	-37.51	38.95	-66.52	-13.00	53.52	174	328	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 2A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.1800	41.13	-45.68	30.12	-69.69	-13.00	56.69	159	300	Horizontal
2	5613.2700	39.70	-45.04	33.07	-67.53	-13.00	54.53	217	240	Horizontal
3	7484.3600	37.20	-43.18	36.45	-64.79	-13.00	51.79	184	16	Horizontal
4	8680.4500	36.21	-41.62	37.88	-62.79	-13.00	49.79	156	360	Horizontal
5	10416.5400	31.61	-38.97	38.88	-63.75	-13.00	50.75	216	212	Horizontal
6	12152.6300	28.72	-37.42	39.09	-64.87	-13.00	51.87	203	16	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.1800	40.03	-45.68	30.12	-70.79	-13.00	57.79	278	359	Vertical
2	5613.2700	38.99	-45.04	33.07	-68.24	-13.00	55.24	198	360	Vertical
3	7484.3600	37.29	-43.18	36.45	-64.70	-13.00	51.70	218	220	Vertical
4	8680.4500	37.52	-41.62	37.88	-61.48	-13.00	48.48	203	116	Vertical
5	10416.5400	31.60	-38.97	38.88	-63.76	-13.00	50.76	166	268	Vertical
6	12152.6300	28.58	-37.42	39.09	-65.01	-13.00	52.01	242	133	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 2A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.1800	40.71	-45.85	30.27	-70.13	-13.00	57.13	184	357	Horizontal
2	5673.2700	39.98	-44.91	33.29	-66.90	-13.00	53.90	175	284	Horizontal
3	7564.3600	37.80	-43.00	36.41	-64.06	-13.00	51.06	209	44	Horizontal
4	8805.4500	35.86	-41.25	38.08	-62.57	-13.00	49.57	256	357	Horizontal
5	10566.5400	30.94	-38.58	39.03	-63.87	-13.00	50.87	241	284	Horizontal
6	12327.6300	28.13	-37.45	39.09	-65.49	-13.00	52.49	185	352	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3782.1800	41.23	-45.85	30.27	-69.61	-13.00	56.61	171	90	Vertical
2	5673.2700	39.36	-44.91	33.29	-67.52	-13.00	54.52	215	135	Vertical
3	7564.3600	38.02	-43.00	36.41	-63.84	-13.00	50.84	289	3	Vertical
4	8805.4500	34.88	-41.25	38.08	-63.55	-13.00	50.55	263	149	Vertical
5	10566.5400	31.42	-38.58	39.03	-63.39	-13.00	50.39	142	14	Vertical
6	12327.6300	28.53	-37.45	39.09	-65.09	-13.00	52.09	108	14	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 5A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1650.1800	28.26	-24.81	25.37	-66.44	-13.00	53.44	124	271	Horizontal
2	2475.2700	28.63	-23.55	27.69	-62.49	-13.00	49.49	178	3	Horizontal
3	3300.3600	43.00	-46.46	29.55	-69.16	-13.00	56.16	255	4	Horizontal
4	5136.2700	39.06	-45.34	32.96	-68.58	-13.00	55.58	293	1	Horizontal
5	6848.3600	38.83	-44.14	35.90	-64.67	-13.00	51.67	252	9	Horizontal
6	8560.4500	35.18	-41.44	37.67	-63.86	-13.00	50.86	306	106	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1650.1800	28.06	-24.81	25.37	-66.64	-13.00	53.64	225	360	Vertical
2	2475.2700	28.70	-23.55	27.69	-62.42	-13.00	49.42	191	360	Vertical
3	3300.3600	42.63	-46.46	29.55	-69.53	-13.00	56.53	247	35	Vertical
4	5136.2700	39.34	-45.34	32.96	-68.30	-13.00	55.30	185	64	Vertical
5	6848.3600	38.52	-44.14	35.90	-64.98	-13.00	51.98	126	316	Vertical
6	8560.4500	34.58	-41.44	37.67	-64.46	-13.00	51.46	203	242	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 5A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1655.1800	28.07	-24.80	25.37	-66.62	-13.00	53.62	178	4	Horizontal
2	2482.7700	28.99	-23.55	27.71	-62.10	-13.00	49.10	295	320	Horizontal
3	3310.3600	42.81	-46.44	29.54	-69.35	-13.00	56.35	165	0	Horizontal
4	5181.2700	39.41	-45.30	32.98	-68.17	-13.00	55.17	128	303	Horizontal
5	6908.3600	39.01	-44.05	35.97	-64.33	-13.00	51.33	241	18	Horizontal
6	8635.4500	33.96	-41.46	37.81	-64.95	-13.00	51.95	163	357	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1655.1800	28.23	-24.80	25.37	-66.46	-13.00	53.46	306	60	Vertical
2	2482.7700	28.59	-23.55	27.71	-62.50	-13.00	49.50	185	360	Vertical
3	3310.3600	42.68	-46.44	29.54	-69.48	-13.00	56.48	196	123	Vertical
4	5181.2700	39.69	-45.30	32.98	-67.89	-13.00	54.89	235	272	Vertical
5	6908.3600	38.23	-44.05	35.97	-65.11	-13.00	52.11	182	212	Vertical
6	8635.4500	33.66	-41.46	37.81	-65.25	-13.00	52.25	166	300	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 5A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1660.1800	28.39	-24.79	25.37	-66.29	-13.00	53.29	229	360	Horizontal
2	2490.2700	28.28	-23.54	27.74	-62.78	-13.00	49.78	156	358	Horizontal
3	3320.3600	42.98	-46.42	29.53	-69.17	-13.00	56.17	238	356	Horizontal
4	5226.2700	39.80	-45.23	32.96	-67.72	-13.00	54.72	194	104	Horizontal
5	6968.3600	38.13	-43.72	36.04	-64.81	-13.00	51.81	272	104	Horizontal
6	8710.4500	33.37	-41.64	37.93	-65.60	-13.00	52.60	155	56	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1660.1800	28.18	-24.79	25.37	-66.50	-13.00	53.50	287	106	Vertical
2	2490.2700	28.67	-23.54	27.74	-62.39	-13.00	49.39	195	234	Vertical
3	3320.3600	42.67	-46.42	29.53	-69.48	-13.00	56.48	236	90	Vertical
4	5226.2700	40.03	-45.23	32.96	-67.49	-13.00	54.49	241	301	Vertical
5	6968.3600	38.49	-43.72	36.04	-64.45	-13.00	51.45	155	211	Vertical
6	8710.4500	33.04	-41.64	37.93	-65.93	-13.00	52.93	207	285	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 7A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3772.5	42.54	-45.80	30.23	-68.29	-25.00	43.29	126	284	Horizontal
2	4417.5	42.49	-45.80	31.53	-67.04	-25.00	42.04	145	104	Horizontal
3	5250.75	41.20	-45.18	32.94	-66.30	-25.00	41.30	125	360	Horizontal
4	5886	41.38	-44.94	33.91	-64.91	-25.00	39.91	136	165	Horizontal
5	8022	36.42	-42.13	37.02	-63.95	-25.00	38.95	259	329	Horizontal
6	10695.75	27.93	-37.91	39.14	-66.10	-25.00	41.10	188	239	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4007.25	42.83	-46.02	30.81	-67.64	-25.00	42.64	211	329	Vertical
2	4837.5	41.42	-45.54	32.43	-66.95	-25.00	41.95	154	4	Vertical
3	7576.5	50.17	-42.98	36.40	-51.67	-25.00	26.67	126	29	Vertical
4	8573.25	35.75	-41.41	37.69	-63.22	-25.00	38.22	155	151	Vertical
5	10665	28.25	-38.09	39.11	-65.98	-25.00	40.98	164	360	Vertical
6	12189	26.50	-37.47	39.12	-67.11	-25.00	42.11	192	359	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 7A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4218.75	42.47	-45.73	31.14	-67.38	-25.00	42.38	215	330	Horizontal
2	5265	41.00	-45.16	32.93	-66.49	-25.00	41.49	145	330	Horizontal
3	6668.25	39.92	-43.98	35.58	-63.74	-25.00	38.74	126	209	Horizontal
4	9985.5	30.42	-39.25	38.47	-65.62	-25.00	40.62	258	74	Horizontal
5	12064.5	25.86	-37.44	39.02	-67.82	-25.00	42.82	196	14	Horizontal
6	15800.25	24.53	-33.02	38.20	-65.55	-25.00	40.55	185	165	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3942.75	42.12	-46.18	30.67	-68.65	-25.00	43.65	215	269	Vertical
2	4843.5	49.34	-45.54	32.44	-59.01	-25.00	34.01	142	57	Vertical
3	7576.5	50.40	-42.98	36.40	-51.44	-25.00	26.44	136	88	Vertical
4	9454.5	33.85	-40.05	38.48	-62.98	-25.00	37.98	258	134	Vertical
5	11265	28.11	-37.41	39.11	-65.45	-25.00	40.45	169	360	Vertical
6	12849	26.14	-36.97	39.68	-66.41	-25.00	41.41	191	312	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 7A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3864.75	42.51	-46.15	30.48	-68.42	-25.00	43.42	245	352	Horizontal
2	4843.5	43.68	-45.54	32.44	-64.67	-25.00	39.67	156	30	Horizontal
3	6060	40.96	-44.60	34.15	-64.75	-25.00	39.75	188	194	Horizontal
4	7026	39.94	-43.72	36.15	-62.89	-25.00	37.89	195	194	Horizontal
5	10333.5	29.37	-39.06	38.84	-66.11	-25.00	41.11	174	4	Horizontal
6	13855.5	25.81	-35.87	40.01	-65.31	-25.00	40.31	153	329	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4062	42.57	-45.87	30.89	-67.66	-25.00	42.66	145	360	Vertical
2	4843.5	48.49	-45.54	32.44	-59.86	-25.00	34.86	126	313	Vertical
3	6182.25	41.24	-44.70	34.19	-64.53	-25.00	39.53	185	239	Vertical
4	7576.5	49.68	-42.98	36.40	-52.16	-25.00	27.16	176	313	Vertical
5	8937	35.27	-41.15	38.16	-62.98	-25.00	37.98	129	209	Vertical
6	10709.25	27.56	-37.95	39.15	-66.50	-25.00	41.50	199	224	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 12A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	56.47	-48.12	25.40	-61.51	-13.00	48.51	245	47	Horizontal
2	3125.1429	49.67	-46.63	29.56	-62.67	-13.00	49.67	136	165	Horizontal
3	4531.4286	44.19	-45.66	31.64	-65.09	-13.00	52.09	258	308	Horizontal
4	4915.4286	42.13	-45.62	32.64	-66.10	-13.00	53.10	195	268	Horizontal
5	6092	40.08	-44.67	34.16	-65.69	-13.00	52.69	144	11	Horizontal
6	7534.2857	37.08	-43.26	36.42	-65.02	-13.00	52.02	172	356	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	59.27	-48.12	25.40	-58.71	-13.00	45.71	188	192	Vertical
2	3125.1429	47.29	-46.63	29.56	-65.05	-13.00	52.05	125	347	Vertical
3	4531.4286	46.33	-45.66	31.64	-62.95	-13.00	49.95	136	325	Vertical
4	4844	49.71	-45.61	32.44	-58.72	-13.00	45.72	233	64	Vertical
5	5731.4286	40.40	-44.60	33.50	-65.96	-13.00	52.96	261	360	Vertical
6	7187.4286	39.88	-43.91	36.57	-62.73	-13.00	49.73	188	181	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 12A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	57.08	-48.12	25.40	-60.90	-13.00	47.90	254	58	Horizontal
2	2300	43.37	-47.50	27.39	-72.00	-13.00	59.00	126	228	Horizontal
3	2867.4286	43.67	-46.68	28.77	-69.50	-13.00	56.50	136	163	Horizontal
4	3597.1429	42.75	-46.35	29.61	-69.25	-13.00	56.25	256	2	Horizontal
5	4789.1429	41.09	-45.66	32.29	-67.54	-13.00	54.54	211	268	Horizontal
6	6300.5714	39.58	-44.61	34.41	-65.88	-13.00	52.88	192	202	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	59.27	-48.12	25.40	-58.71	-13.00	45.71	215	183	Vertical
2	3125.1429	47.45	-46.63	29.56	-64.89	-13.00	51.89	142	349	Vertical
3	4531.4286	46.87	-45.66	31.64	-62.41	-13.00	49.41	136	52	Vertical
4	4844	48.53	-45.61	32.44	-59.90	-13.00	46.90	256	52	Vertical
5	5156	42.95	-45.16	32.97	-64.51	-13.00	51.51	291	183	Vertical
6	7343.4286	37.92	-43.38	36.52	-64.20	-13.00	51.20	188	183	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 12A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	57.30	-48.12	25.40	-60.68	-13.00	47.68	255	60	Horizontal
2	3125.1429	49.14	-46.63	29.56	-63.20	-13.00	50.20	148	165	Horizontal
3	4843.4286	45.44	-45.61	32.44	-62.99	-13.00	49.99	165	112	Horizontal
4	5867.4286	40.50	-44.87	33.88	-65.75	-13.00	52.75	129	6	Horizontal
5	6840.5714	39.28	-44.14	35.89	-64.23	-13.00	51.23	184	126	Horizontal
6	7392	37.12	-43.28	36.49	-64.92	-13.00	51.92	172	112	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1718.8571	59.93	-48.12	25.40	-58.05	-13.00	45.05	255	195	Vertical
2	3125.1429	47.46	-46.63	29.56	-64.88	-13.00	51.88	142	347	Vertical
3	4531.4286	46.03	-45.66	31.64	-63.25	-13.00	50.25	136	51	Vertical
4	4844	48.68	-45.61	32.44	-59.75	-13.00	46.75	259	65	Vertical
5	5156.5714	42.45	-45.16	32.97	-65.00	-13.00	52.00	111	182	Vertical
6	6668	39.86	-44.20	35.58	-64.02	-13.00	51.02	178	91	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 25A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3726	46.30	-45.61	30.06	-64.51	-13.00	51.51	145	44	Horizontal
2	5589	43.80	-45.09	33.01	-63.54	-13.00	50.54	219	104	Horizontal
3	8407.5	39.99	-41.46	37.35	-59.39	-13.00	46.39	263	268	Horizontal
4	10587	35.79	-38.51	39.05	-58.94	-13.00	45.94	214	359	Horizontal
5	13692.75	34.39	-36.15	40.06	-56.96	-13.00	43.96	185	329	Horizontal
6	15817.5	32.53	-33.24	38.17	-57.80	-13.00	44.80	261	299	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3726	48.93	-45.61	30.06	-61.88	-13.00	48.88	177	356	Vertical
2	4531.5	44.75	-45.70	31.64	-64.57	-13.00	51.57	182	356	Vertical
3	5589.75	46.39	-45.09	33.01	-60.95	-13.00	47.95	165	57	Vertical
4	7656	42.09	-43.04	36.50	-59.71	-13.00	46.71	123	120	Vertical
5	11212.5	34.79	-37.39	39.11	-58.75	-13.00	45.75	295	360	Vertical
6	13713.75	34.43	-36.19	40.04	-56.98	-13.00	43.98	174	238	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 25A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3726	45.05	-45.61	30.06	-65.76	-13.00	52.76	228	44	Horizontal
2	4843.5	43.57	-45.54	32.44	-64.78	-13.00	51.78	194	30	Horizontal
3	5589	44.72	-45.09	33.01	-62.62	-13.00	49.62	126	44	Horizontal
4	7429.5	40.72	-43.33	36.48	-61.40	-13.00	48.40	305	87	Horizontal
5	9636.75	37.45	-39.59	38.40	-59.00	-13.00	46.00	127	340	Horizontal
6	12317.25	34.64	-37.44	39.09	-58.96	-13.00	45.96	258	360	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3726	48.85	-45.61	30.06	-61.96	-13.00	48.96	247	3	Vertical
2	4531.5	44.74	-45.70	31.64	-64.58	-13.00	51.58	184	328	Vertical
3	5589.75	46.52	-45.09	33.01	-60.82	-13.00	47.82	156	360	Vertical
4	7656	41.95	-43.04	36.50	-59.85	-13.00	46.85	236	133	Vertical
5	9988.5	36.63	-39.25	38.47	-59.41	-13.00	46.41	295	116	Vertical
6	13687.5	34.14	-36.15	40.07	-57.20	-13.00	44.20	284	116	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 25A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3582.75	44.08	-46.15	29.59	-67.74	-13.00	54.74	144	305	Horizontal
2	5556	41.82	-45.14	32.97	-65.61	-13.00	52.61	219	360	Horizontal
3	7422	40.76	-43.35	36.48	-61.37	-13.00	48.37	263	195	Horizontal
4	9401.25	37.01	-39.84	38.49	-59.60	-13.00	46.60	258	74	Horizontal
5	13701.75	34.47	-36.16	40.05	-56.90	-13.00	43.90	142	274	Horizontal
6	17010	33.41	-33.31	38.51	-56.65	-13.00	43.65	210	243	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4043.25	43.09	-45.92	30.86	-67.22	-13.00	54.22	288	360	Vertical
2	6441	40.74	-44.49	34.79	-64.22	-13.00	51.22	149	4	Vertical
3	7656	42.32	-43.04	36.50	-59.48	-13.00	46.48	266	46	Vertical
4	9366.75	37.71	-39.96	38.47	-59.04	-13.00	46.04	285	227	Vertical
5	13688.25	34.27	-36.15	40.07	-57.07	-13.00	44.07	165	319	Vertical
6	16998	33.34	-33.20	38.50	-56.63	-13.00	43.63	145	136	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 41A_n66A_ TM1
Test Channel = Low

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4477.5	41.56	-45.73	31.59	-67.85	-25.00	42.85	245	73	Horizontal
2	5824.5	40.15	-44.80	33.80	-66.12	-25.00	41.12	136	222	Horizontal
3	7392.75	38.05	-43.43	36.49	-64.15	-25.00	39.15	251	296	Horizontal
4	8691.75	34.19	-41.66	37.90	-64.83	-25.00	39.83	184	339	Horizontal
5	11859.75	24.31	-37.04	38.82	-69.17	-25.00	44.17	196	251	Horizontal
6	14383.5	23.60	-35.02	40.09	-66.59	-25.00	41.59	172	145	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4218.75	44.73	-45.73	31.14	-65.12	-25.00	40.12	214	28	Vertical
2	4752.75	41.10	-45.57	32.18	-67.55	-25.00	42.55	186	283	Vertical
3	5908.5	41.29	-44.96	33.96	-64.97	-25.00	39.97	266	177	Vertical
4	7427.25	37.76	-43.34	36.48	-64.36	-25.00	39.36	216	44	Vertical
5	9484.5	33.69	-40.17	38.47	-63.27	-25.00	38.27	192	60	Vertical
6	12111.75	25.64	-37.36	39.06	-67.92	-25.00	42.92	175	360	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 41A_n66A_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3491.25	52.04	-46.26	29.51	-59.97	-25.00	34.97	125	102	Horizontal
2	3978.75	42.30	-46.09	30.75	-68.30	-25.00	43.30	136	325	Horizontal
3	4843.5	44.79	-45.54	32.44	-63.56	-25.00	38.56	256	3	Horizontal
4	5990.25	40.74	-44.84	34.11	-65.25	-25.00	40.25	145	177	Horizontal
5	7541.25	37.30	-43.05	36.42	-64.59	-25.00	39.59	188	359	Horizontal
6	10742.25	26.68	-38.19	39.17	-67.59	-25.00	42.59	192	102	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3487.5	59.19	-46.26	29.51	-52.82	-25.00	27.82	215	163	Vertical
2	4218.75	43.87	-45.73	31.14	-65.98	-25.00	40.98	136	14	Vertical
3	4843.5	47.26	-45.54	32.44	-61.09	-25.00	36.09	255	60	Vertical
4	6044.25	40.63	-44.66	34.15	-65.15	-25.00	40.15	149	295	Vertical
5	7344	38.01	-43.60	36.52	-64.33	-25.00	39.33	186	207	Vertical
6	9511.5	33.21	-40.17	38.46	-63.75	-25.00	38.75	266	88	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA 41A_n66A_ TM1
Test Channel = High

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3491.25	53.10	-46.26	29.51	-58.91	-25.00	33.91	214	72	Horizontal
2	4843.5	44.98	-45.54	32.44	-63.37	-25.00	38.37	175	267	Horizontal
3	5439.75	41.66	-45.28	32.84	-66.03	-25.00	41.03	146	100	Horizontal
4	7020.75	39.23	-43.69	36.13	-63.58	-25.00	38.58	136	236	Horizontal
5	9427.5	32.85	-39.94	38.48	-63.87	-25.00	38.87	125	26	Horizontal
6	11219.25	26.94	-37.40	39.11	-66.61	-25.00	41.61	192	340	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3492	44.82	-46.26	29.51	-67.19	-25.00	42.19	211	166	Vertical
2	4218.75	45.32	-45.73	31.14	-64.53	-25.00	39.53	145	14	Vertical
3	4843.5	46.49	-45.54	32.44	-61.86	-25.00	36.86	189	61	Vertical
4	6603	39.78	-44.33	35.45	-64.37	-25.00	39.37	196	135	Vertical
5	7656	39.44	-43.04	36.50	-62.36	-25.00	37.36	256	299	Vertical
6	9468.75	32.97	-40.11	38.47	-63.92	-25.00	38.92	133	195	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA n26A-n66A_ TM1
Test Channel = Low Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3528	44.96	-48.29	28.74	-69.85	-13.00	56.85	Horizontal
2	4866.75	43.73	-48.02	31.18	-68.37	-13.00	55.37	Horizontal
3	6042	43.93	-47.45	32.94	-65.84	-13.00	52.84	Horizontal
4	7313.25	43.38	-46.16	36.35	-61.69	-13.00	48.69	Horizontal
5	8359.5	41.49	-44.29	36.70	-61.35	-13.00	48.35	Horizontal
6	14760.75	36.15	-36.78	40.29	-55.60	-13.00	42.60	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3509.25	45.21	-48.29	28.71	-69.63	-13.00	56.63	Vertical
2	4574.25	44.54	-47.99	30.48	-68.24	-13.00	55.24	Vertical
3	5676	43.84	-47.54	32.74	-66.23	-13.00	53.23	Vertical
4	7835.25	42.28	-45.10	36.40	-61.68	-13.00	48.68	Vertical
5	9299.25	41.48	-42.88	37.87	-58.80	-13.00	45.80	Vertical
6	14831.25	36.25	-37.01	40.24	-55.79	-13.00	42.79	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA n26A-n66A_ TM1
Test Channel = Mid Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	45.40	-48.31	28.69	-69.48	-13.00	56.48	Horizontal
2	4489.5	44.99	-47.99	30.28	-67.98	-13.00	54.98	Horizontal
3	6021.75	43.92	-47.47	32.87	-65.94	-13.00	52.94	Horizontal
4	7704	42.59	-45.20	36.56	-61.31	-13.00	48.31	Horizontal
5	10281	38.64	-41.34	38.75	-59.21	-13.00	46.21	Horizontal
6	14821.5	36.49	-36.96	40.24	-55.49	-13.00	42.49	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3519	44.96	-48.29	28.73	-69.86	-13.00	56.86	Vertical
2	4734.75	44.21	-47.98	30.86	-68.16	-13.00	55.16	Vertical
3	6169.5	43.96	-47.50	33.38	-65.42	-13.00	52.42	Vertical
4	7797	42.53	-44.92	36.44	-61.21	-13.00	48.21	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA n26A-n66A_ TM1
Test Channel = High Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3345.75	45.20	-48.20	28.64	-69.63	-13.00	56.63	Horizontal
2	4429.5	44.59	-48.07	30.17	-68.57	-13.00	55.57	Horizontal
3	5589	43.99	-47.69	32.72	-66.24	-13.00	53.24	Horizontal
4	7621.5	41.87	-44.71	36.65	-61.44	-13.00	48.44	Horizontal
5	10245.75	39.37	-41.69	38.72	-58.86	-13.00	45.86	Horizontal
6	14728.5	35.68	-36.73	40.32	-55.99	-13.00	42.99	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3425.25	45.54	-48.38	28.67	-69.43	-13.00	56.43	Vertical
2	4380	44.74	-48.04	30.08	-68.48	-13.00	55.48	Vertical
3	5493.75	44.21	-47.62	32.69	-65.98	-13.00	52.98	Vertical
4	6700.5	43.28	-46.55	34.94	-63.59	-13.00	50.59	Vertical
5	8777.25	41.97	-44.02	37.29	-60.02	-13.00	47.02	Vertical
6	12021.75	37.59	-39.47	39.19	-57.95	-13.00	44.95	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA n71A-n66A_ TM1
Test Channel = Low Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3807.75	44.40	-48.19	29.13	-69.92	-13.00	56.92	Horizontal
2	4774.5	44.08	-48.00	30.96	-68.22	-13.00	55.22	Horizontal
3	5571.75	43.90	-47.67	32.71	-66.32	-13.00	53.32	Horizontal
4	7093.5	42.14	-45.88	35.82	-63.18	-13.00	50.18	Horizontal
5	8255.25	40.94	-44.38	36.56	-62.15	-13.00	49.15	Horizontal
6	10060.5	38.29	-41.80	38.55	-60.22	-13.00	47.22	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3915	44.30	-48.27	29.28	-69.95	-13.00	56.95	Vertical
2	5200.5	43.45	-47.89	31.98	-67.72	-13.00	54.72	Vertical
3	7185	42.25	-46.14	36.04	-63.11	-13.00	50.11	Vertical
4	9317.25	40.53	-42.91	37.89	-59.75	-13.00	46.75	Vertical
5	11388.75	36.70	-40.12	39.32	-59.36	-13.00	46.36	Vertical
6	13657.5	34.20	-38.43	40.11	-59.38	-13.00	46.38	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA n71A-n66A_ TM1
Test Channel = Mid Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3774	44.68	-48.27	29.08	-69.76	-13.00	56.76	Horizontal
2	4701	44.60	-47.96	30.78	-67.84	-13.00	54.84	Horizontal
3	6699	43.06	-46.56	34.94	-63.82	-13.00	50.82	Horizontal
4	9297	39.67	-42.90	37.87	-60.62	-13.00	47.62	Horizontal
5	11397.75	36.76	-40.09	39.32	-59.27	-13.00	46.27	Horizontal
6	13674	34.05	-38.25	40.15	-59.31	-13.00	46.31	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3817.5	44.55	-48.20	29.14	-69.76	-13.00	56.76	Vertical
2	4678.5	44.17	-47.97	30.73	-68.33	-13.00	55.33	Vertical
3	6390	42.94	-46.97	34.13	-65.16	-13.00	52.16	Vertical
4	7703.25	42.28	-45.20	36.56	-61.62	-13.00	48.62	Vertical
5	9477	39.50	-42.53	38.03	-60.26	-13.00	47.26	Vertical
6	11169	36.98	-40.35	39.37	-59.26	-13.00	46.26	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Band = NR CA n71A-n66A_ TM1
Test Channel = High Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3597	44.70	-48.28	28.84	-70.00	-13.00	57.00	Horizontal
2	5322.75	43.68	-47.77	32.27	-67.07	-13.00	54.07	Horizontal
3	6617.25	43.53	-46.96	34.76	-63.94	-13.00	50.94	Horizontal
4	7851	41.88	-45.19	36.38	-62.19	-13.00	49.19	Horizontal
5	9502.5	39.49	-42.37	38.05	-60.08	-13.00	47.08	Horizontal
6	13666.5	34.16	-38.33	40.13	-59.30	-13.00	46.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3814.5	44.59	-48.20	29.14	-69.73	-13.00	56.73	Vertical
2	5041.5	43.79	-47.93	31.60	-67.80	-13.00	54.80	Vertical
3	6702	43.12	-46.56	34.94	-63.75	-13.00	50.75	Vertical
4	8479.5	41.50	-44.25	36.87	-61.13	-13.00	48.13	Vertical
5	10393.5	38.04	-41.23	38.85	-59.60	-13.00	46.60	Vertical
6	12171.75	35.94	-39.77	39.10	-59.99	-13.00	46.99	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86–512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86–512) 62992980 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VH	NT	-0.100000	-0.000057	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VN	NT	-5.800000	-0.003324	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VL	NT	-6.400000	-0.003668	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VH	NT	1.800000	0.001032	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VN	NT	3.500000	0.002006	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VL	NT	4.200000	0.002407	PASS

Frequency Error VS. Temperature

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-30	-4.000000	-0.002292	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-20	1.300000	0.000745	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-10	-5.300000	-0.003037	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	0	0.800000	0.000458	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	10	-2.600000	-0.001490	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	20	1.200000	0.000688	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	30	-0.700000	-0.000401	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	40	-1.200000	-0.000688	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	50	1.200000	0.000688	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-30	-2.700000	-0.001547	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-20	-0.200000	-0.000115	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-10	-3.600000	-0.002063	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	0	-1.800000	-0.001032	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	10	-0.600000	-0.000344	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	20	-3.500000	-0.002006	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	30	-1.700000	-0.000974	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	40	-3.700000	-0.002120	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	50	-1.800000	-0.001032	PASS

---End of Attachment---

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)