

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.08	1.60	24.68	<=33.01	Pass
			2	23.29	1.60	24.89	<=33.01	Pass
			5	23.30	1.60	24.90	<=33.01	Pass
		3	0	23.26	1.60	24.86	<=33.01	Pass
			2	23.22	1.60	24.82	<=33.01	Pass
			3	23.16	1.60	24.76	<=33.01	Pass
		6	0	22.22	1.60	23.82	<=33.01	Pass
	1880	1	0	23.14	1.60	24.74	<=33.01	Pass
			2	23.13	1.60	24.73	<=33.01	Pass
			5	23.16	1.60	24.76	<=33.01	Pass
		3	0	23.10	1.60	24.70	<=33.01	Pass
			2	23.17	1.60	24.77	<=33.01	Pass
			3	23.18	1.60	24.78	<=33.01	Pass
		6	0	22.19	1.60	23.79	<=33.01	Pass
	1909.3	1	0	23.29	1.60	24.89	<=33.01	Pass
			2	23.20	1.60	24.80	<=33.01	Pass
			5	23.27	1.60	24.87	<=33.01	Pass
		3	0	23.28	1.60	24.88	<=33.01	Pass
			2	23.34	1.60	24.94	<=33.01	Pass
			3	23.30	1.60	24.90	<=33.01	Pass
		6	0	22.29	1.60	23.89	<=33.01	Pass
16QAM	1850.7	1	0	22.88	1.60	24.48	<=33.01	Pass
			2	22.65	1.60	24.25	<=33.01	Pass
			5	22.60	1.60	24.20	<=33.01	Pass
		3	0	22.43	1.60	24.03	<=33.01	Pass
			2	22.41	1.60	24.01	<=33.01	Pass
			3	22.43	1.60	24.03	<=33.01	Pass
		6	0	21.44	1.60	23.04	<=33.01	Pass
	1880	1	0	22.50	1.60	24.10	<=33.01	Pass
			2	22.84	1.60	24.44	<=33.01	Pass
			5	22.38	1.60	23.98	<=33.01	Pass
		3	0	22.29	1.60	23.89	<=33.01	Pass
			2	22.31	1.60	23.91	<=33.01	Pass
			3	22.66	1.60	24.26	<=33.01	Pass
		6	0	21.30	1.60	22.90	<=33.01	Pass
	1909.3	1	0	22.83	1.60	24.43	<=33.01	Pass
			2	22.93	1.60	24.53	<=33.01	Pass
			5	22.82	1.60	24.42	<=33.01	Pass
		3	0	22.71	1.60	24.31	<=33.01	Pass
			2	22.31	1.60	23.91	<=33.01	Pass
			3	22.68	1.60	24.28	<=33.01	Pass
		6	0	21.32	1.60	22.92	<=33.01	Pass
64QAM	1850.7	1	0	22.09	1.60	23.69	<=33.01	Pass
			2	22.42	1.60	24.02	<=33.01	Pass
			5	22.38	1.60	23.98	<=33.01	Pass
		3	0	22.26	1.60	23.86	<=33.01	Pass
			2	22.51	1.60	24.11	<=33.01	Pass
			3	22.40	1.60	24.00	<=33.01	Pass

	1880	6	0	21.37	1.60	22.97	<=33.01	Pass
			0	22.08	1.60	23.68	<=33.01	Pass
			2	22.37	1.60	23.97	<=33.01	Pass
			5	22.26	1.60	23.86	<=33.01	Pass
		3	0	22.32	1.60	23.92	<=33.01	Pass
			2	22.37	1.60	23.97	<=33.01	Pass
			3	22.31	1.60	23.91	<=33.01	Pass
			6	21.25	1.60	22.85	<=33.01	Pass
	1909.3	1	0	22.37	1.60	23.97	<=33.01	Pass
			2	22.29	1.60	23.89	<=33.01	Pass
			5	22.32	1.60	23.92	<=33.01	Pass
		3	0	22.30	1.60	23.90	<=33.01	Pass
			2	22.40	1.60	24.00	<=33.01	Pass
			3	22.35	1.60	23.95	<=33.01	Pass
256QAM	1850.7	1	0	21.37	1.60	22.97	<=33.01	Pass
			0	18.28	1.60	19.88	<=33.01	Pass
			2	18.49	1.60	20.09	<=33.01	Pass
		3	5	18.21	1.60	19.81	<=33.01	Pass
			0	18.44	1.60	20.04	<=33.01	Pass
			2	18.45	1.60	20.05	<=33.01	Pass
		6	3	18.37	1.60	19.97	<=33.01	Pass
			0	18.37	1.60	19.97	<=33.01	Pass
	1880	1	0	18.29	1.60	19.89	<=33.01	Pass
			2	18.39	1.60	19.99	<=33.01	Pass
			5	18.52	1.60	20.12	<=33.01	Pass
		3	0	18.35	1.60	19.95	<=33.01	Pass
			2	18.25	1.60	19.85	<=33.01	Pass
			3	18.25	1.60	19.85	<=33.01	Pass
		6	0	18.25	1.60	19.85	<=33.01	Pass
	1909.3	1	0	18.38	1.60	19.98	<=33.01	Pass
			2	18.43	1.60	20.03	<=33.01	Pass
			5	18.34	1.60	19.94	<=33.01	Pass
		3	0	18.55	1.60	20.15	<=33.01	Pass
			2	18.43	1.60	20.03	<=33.01	Pass
			3	18.40	1.60	20.00	<=33.01	Pass
		6	0	18.44	1.60	20.04	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.44	1.60	25.04	<=33.01	Pass
			7	23.38	1.60	24.98	<=33.01	Pass
			14	23.40	1.60	25.00	<=33.01	Pass
		8	0	22.28	1.60	23.88	<=33.01	Pass
			4	22.22	1.60	23.82	<=33.01	Pass
			7	22.24	1.60	23.84	<=33.01	Pass
		15	0	22.19	1.60	23.79	<=33.01	Pass
	1880	1	0	23.19	1.60	24.79	<=33.01	Pass
			7	23.22	1.60	24.82	<=33.01	Pass
			14	23.09	1.60	24.69	<=33.01	Pass
		8	0	22.16	1.60	23.76	<=33.01	Pass
			4	22.30	1.60	23.90	<=33.01	Pass
			7	22.32	1.60	23.92	<=33.01	Pass

	1908.5	15	0	22.19	1.60	23.79	<=33.01	Pass
		1	0	23.30	1.60	24.90	<=33.01	Pass
			7	23.59	1.60	25.19	<=33.01	Pass
			14	23.33	1.60	24.93	<=33.01	Pass
		8	0	22.37	1.60	23.97	<=33.01	Pass
			4	22.35	1.60	23.95	<=33.01	Pass
			7	22.43	1.60	24.03	<=33.01	Pass
16QAM	1851.5	15	0	22.36	1.60	23.96	<=33.01	Pass
		1	0	22.45	1.60	24.05	<=33.01	Pass
			7	22.82	1.60	24.42	<=33.01	Pass
			14	22.73	1.60	24.33	<=33.01	Pass
			0	21.39	1.60	22.99	<=33.01	Pass
		8	4	21.33	1.60	22.93	<=33.01	Pass
			7	21.32	1.60	22.92	<=33.01	Pass
	1880	15	0	21.26	1.60	22.86	<=33.01	Pass
		1	0	22.38	1.60	23.98	<=33.01	Pass
			7	22.65	1.60	24.25	<=33.01	Pass
			14	22.46	1.60	24.06	<=33.01	Pass
		8	0	21.39	1.60	22.99	<=33.01	Pass
			4	21.27	1.60	22.87	<=33.01	Pass
			7	21.37	1.60	22.97	<=33.01	Pass
		15	0	21.24	1.60	22.84	<=33.01	Pass
	1908.5	1	0	22.65	1.60	24.25	<=33.01	Pass
			7	22.61	1.60	24.21	<=33.01	Pass
			14	22.66	1.60	24.26	<=33.01	Pass
		8	0	21.44	1.60	23.04	<=33.01	Pass
			4	21.57	1.60	23.17	<=33.01	Pass
			7	21.48	1.60	23.08	<=33.01	Pass
		15	0	21.41	1.60	23.01	<=33.01	Pass
64QAM	1851.5	1	0	22.29	1.60	23.89	<=33.01	Pass
			7	22.46	1.60	24.06	<=33.01	Pass
			14	22.56	1.60	24.16	<=33.01	Pass
		8	0	21.35	1.60	22.95	<=33.01	Pass
			4	21.28	1.60	22.88	<=33.01	Pass
			7	21.33	1.60	22.93	<=33.01	Pass
		15	0	21.23	1.60	22.83	<=33.01	Pass
	1880	1	0	22.22	1.60	23.82	<=33.01	Pass
			7	22.35	1.60	23.95	<=33.01	Pass
			14	22.24	1.60	23.84	<=33.01	Pass
		8	0	21.29	1.60	22.89	<=33.01	Pass
			4	21.31	1.60	22.91	<=33.01	Pass
			7	21.32	1.60	22.92	<=33.01	Pass
		15	0	21.24	1.60	22.84	<=33.01	Pass
	1908.5	1	0	22.39	1.60	23.99	<=33.01	Pass
			7	22.59	1.60	24.19	<=33.01	Pass
			14	22.36	1.60	23.96	<=33.01	Pass
		8	0	21.41	1.60	23.01	<=33.01	Pass
			4	21.41	1.60	23.01	<=33.01	Pass
			7	21.48	1.60	23.08	<=33.01	Pass
		15	0	21.41	1.60	23.01	<=33.01	Pass
256QAM	1851.5	1	0	18.17	1.60	19.77	<=33.01	Pass
			7	18.44	1.60	20.04	<=33.01	Pass
			14	18.29	1.60	19.89	<=33.01	Pass
		8	0	18.27	1.60	19.87	<=33.01	Pass
			4	18.26	1.60	19.86	<=33.01	Pass
			7	18.27	1.60	19.87	<=33.01	Pass
		15	0	18.32	1.60	19.92	<=33.01	Pass
	1880	1	0	18.22	1.60	19.82	<=33.01	Pass

		8	7	18.30	1.60	19.90	<=33.01	Pass
			14	18.30	1.60	19.90	<=33.01	Pass
			0	18.16	1.60	19.76	<=33.01	Pass
			4	18.38	1.60	19.98	<=33.01	Pass
			7	18.32	1.60	19.92	<=33.01	Pass
	1908.5	15	0	18.32	1.60	19.92	<=33.01	Pass
			0	18.47	1.60	20.07	<=33.01	Pass
			7	18.44	1.60	20.04	<=33.01	Pass
		1	14	18.47	1.60	20.07	<=33.01	Pass
			0	18.33	1.60	19.93	<=33.01	Pass
			4	18.42	1.60	20.02	<=33.01	Pass
		8	7	18.40	1.60	20.00	<=33.01	Pass
			0	18.34	1.60	19.94	<=33.01	Pass
			0					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.34	1.60	24.94	<=33.01	Pass
			13	23.44	1.60	25.04	<=33.01	Pass
			24	23.26	1.60	24.86	<=33.01	Pass
		12	0	22.33	1.60	23.93	<=33.01	Pass
			6	22.26	1.60	23.86	<=33.01	Pass
			13	22.26	1.60	23.86	<=33.01	Pass
		25	0	22.19	1.60	23.79	<=33.01	Pass
	1880	1	0	23.24	1.60	24.84	<=33.01	Pass
			13	23.38	1.60	24.98	<=33.01	Pass
			24	23.27	1.60	24.87	<=33.01	Pass
		12	0	22.27	1.60	23.87	<=33.01	Pass
			6	22.24	1.60	23.84	<=33.01	Pass
			13	22.32	1.60	23.92	<=33.01	Pass
		25	0	22.25	1.60	23.85	<=33.01	Pass
	1907.5	1	0	23.53	1.60	25.13	<=33.01	Pass
			13	23.51	1.60	25.11	<=33.01	Pass
			24	23.38	1.60	24.98	<=33.01	Pass
		12	0	22.39	1.60	23.99	<=33.01	Pass
			6	22.40	1.60	24.00	<=33.01	Pass
			13	22.39	1.60	23.99	<=33.01	Pass
		25	0	22.45	1.60	24.05	<=33.01	Pass
16QAM	1852.5	1	0	22.68	1.60	24.28	<=33.01	Pass
			13	22.70	1.60	24.30	<=33.01	Pass
			24	22.63	1.60	24.23	<=33.01	Pass
		12	0	21.38	1.60	22.98	<=33.01	Pass
			6	21.30	1.60	22.90	<=33.01	Pass
			13	21.34	1.60	22.94	<=33.01	Pass
		25	0	21.25	1.60	22.85	<=33.01	Pass
	1880	1	0	22.63	1.60	24.23	<=33.01	Pass
			13	22.67	1.60	24.27	<=33.01	Pass
			24	22.83	1.60	24.43	<=33.01	Pass
		12	0	21.31	1.60	22.91	<=33.01	Pass
			6	21.29	1.60	22.89	<=33.01	Pass
			13	21.40	1.60	23.00	<=33.01	Pass
		25	0	21.27	1.60	22.87	<=33.01	Pass
	1907.5	1	0	22.65	1.60	24.25	<=33.01	Pass

			13	22.88	1.60	24.48	<=33.01	Pass	
			24	22.68	1.60	24.28	<=33.01	Pass	
			0	21.46	1.60	23.06	<=33.01	Pass	
		12	6	21.44	1.60	23.04	<=33.01	Pass	
			13	21.42	1.60	23.02	<=33.01	Pass	
			25	0	21.50	1.60	23.10	<=33.01	Pass
64QAM	1852.5	1	0	22.39	1.60	23.99	<=33.01	Pass	
			13	22.40	1.60	24.00	<=33.01	Pass	
			24	22.34	1.60	23.94	<=33.01	Pass	
		12	0	21.28	1.60	22.88	<=33.01	Pass	
			6	21.28	1.60	22.88	<=33.01	Pass	
			13	21.20	1.60	22.80	<=33.01	Pass	
		25	0	21.33	1.60	22.93	<=33.01	Pass	
		1880	1	0	22.48	1.60	24.08	<=33.01	Pass
				13	22.54	1.60	24.14	<=33.01	Pass
	24			22.42	1.60	24.02	<=33.01	Pass	
	12		0	21.19	1.60	22.79	<=33.01	Pass	
			6	21.37	1.60	22.97	<=33.01	Pass	
			13	21.37	1.60	22.97	<=33.01	Pass	
	25	0	21.27	1.60	22.87	<=33.01	Pass		
	1907.5	1	0	22.37	1.60	23.97	<=33.01	Pass	
			13	22.60	1.60	24.20	<=33.01	Pass	
			24	22.44	1.60	24.04	<=33.01	Pass	
		12	0	21.43	1.60	23.03	<=33.01	Pass	
			6	21.45	1.60	23.05	<=33.01	Pass	
			13	21.49	1.60	23.09	<=33.01	Pass	
	25	0	21.44	1.60	23.04	<=33.01	Pass		
	256QAM	1852.5	1	0	18.19	1.60	19.79	<=33.01	Pass
				13	18.64	1.60	20.24	<=33.01	Pass
				24	18.35	1.60	19.95	<=33.01	Pass
12			0	18.38	1.60	19.98	<=33.01	Pass	
			6	18.28	1.60	19.88	<=33.01	Pass	
			13	18.29	1.60	19.89	<=33.01	Pass	
25			0	18.32	1.60	19.92	<=33.01	Pass	
1880			1	0	18.27	1.60	19.87	<=33.01	Pass
				13	18.58	1.60	20.18	<=33.01	Pass
		24		18.31	1.60	19.91	<=33.01	Pass	
		12	0	18.25	1.60	19.85	<=33.01	Pass	
			6	18.35	1.60	19.95	<=33.01	Pass	
			13	18.30	1.60	19.90	<=33.01	Pass	
25		0	18.24	1.60	19.84	<=33.01	Pass		
1907.5		1	0	18.42	1.60	20.02	<=33.01	Pass	
			13	18.51	1.60	20.11	<=33.01	Pass	
			24	18.37	1.60	19.97	<=33.01	Pass	
		12	0	18.30	1.60	19.90	<=33.01	Pass	
			6	18.49	1.60	20.09	<=33.01	Pass	
			13	18.49	1.60	20.09	<=33.01	Pass	
		25	0	18.37	1.60	19.97	<=33.01	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.40	1.60	25.00	<=33.01	Pass

			25	23.34	1.60	24.94	<=33.01	Pass
			49	23.39	1.60	24.99	<=33.01	Pass
			0	22.45	1.60	24.05	<=33.01	Pass
			13	22.34	1.60	23.94	<=33.01	Pass
			25	22.32	1.60	23.92	<=33.01	Pass
		50	0	22.33	1.60	23.93	<=33.01	Pass
		1880	0	23.32	1.60	24.92	<=33.01	Pass
			25	23.53	1.60	25.13	<=33.01	Pass
			49	23.24	1.60	24.84	<=33.01	Pass
			0	22.38	1.60	23.98	<=33.01	Pass
		25	13	22.31	1.60	23.91	<=33.01	Pass
			25	22.22	1.60	23.82	<=33.01	Pass
			0	22.25	1.60	23.85	<=33.01	Pass
		1905	0	23.22	1.60	24.82	<=33.01	Pass
			25	23.44	1.60	25.04	<=33.01	Pass
			49	23.47	1.60	25.07	<=33.01	Pass
			0	22.54	1.60	24.14	<=33.01	Pass
			13	22.49	1.60	24.09	<=33.01	Pass
			25	22.40	1.60	24.00	<=33.01	Pass
			0	22.46	1.60	24.06	<=33.01	Pass
			0	22.55	1.60	24.15	<=33.01	Pass
			25	22.57	1.60	24.17	<=33.01	Pass
			49	22.35	1.60	23.95	<=33.01	Pass
16QAM	1855	1	0	21.37	1.60	22.97	<=33.01	Pass
			13	21.40	1.60	23.00	<=33.01	Pass
			25	21.38	1.60	22.98	<=33.01	Pass
			0	21.36	1.60	22.96	<=33.01	Pass
			0	22.49	1.60	24.09	<=33.01	Pass
		25	25	22.53	1.60	24.13	<=33.01	Pass
			49	22.68	1.60	24.28	<=33.01	Pass
			0	21.31	1.60	22.91	<=33.01	Pass
			13	21.36	1.60	22.96	<=33.01	Pass
			25	21.24	1.60	22.84	<=33.01	Pass
	1880	1	0	21.29	1.60	22.89	<=33.01	Pass
			0	22.57	1.60	24.17	<=33.01	Pass
			25	22.64	1.60	24.24	<=33.01	Pass
			49	22.66	1.60	24.26	<=33.01	Pass
			0	21.48	1.60	23.08	<=33.01	Pass
		25	13	21.46	1.60	23.06	<=33.01	Pass
			25	21.42	1.60	23.02	<=33.01	Pass
			0	21.41	1.60	23.01	<=33.01	Pass
			0	22.39	1.60	23.99	<=33.01	Pass
			25	22.45	1.60	24.05	<=33.01	Pass
64QAM	1855	1	49	22.43	1.60	24.03	<=33.01	Pass
			0	21.34	1.60	22.94	<=33.01	Pass
			13	21.39	1.60	22.99	<=33.01	Pass
			25	21.38	1.60	22.98	<=33.01	Pass
			0	21.38	1.60	22.98	<=33.01	Pass
		25	0	22.23	1.60	23.83	<=33.01	Pass
			25	22.42	1.60	24.02	<=33.01	Pass
			49	22.53	1.60	24.13	<=33.01	Pass
			0	21.32	1.60	22.92	<=33.01	Pass
			13	21.37	1.60	22.97	<=33.01	Pass
	1880	1	25	21.29	1.60	22.89	<=33.01	Pass
			0	21.28	1.60	22.88	<=33.01	Pass
			0	22.44	1.60	24.04	<=33.01	Pass
			25	22.43	1.60	24.03	<=33.01	Pass
			49	22.51	1.60	24.11	<=33.01	Pass
		25	0	21.32	1.60	22.92	<=33.01	Pass
			13	21.37	1.60	22.97	<=33.01	Pass
			25	21.29	1.60	22.89	<=33.01	Pass
			0	21.28	1.60	22.88	<=33.01	Pass
			0	22.44	1.60	24.04	<=33.01	Pass
			25	22.43	1.60	24.03	<=33.01	Pass

		25	0	21.39	1.60	22.99	<=33.01	Pass	
			13	21.42	1.60	23.02	<=33.01	Pass	
			25	21.33	1.60	22.93	<=33.01	Pass	
		50	0	21.40	1.60	23.00	<=33.01	Pass	
256QAM	1855	1	0	18.47	1.60	20.07	<=33.01	Pass	
			25	18.33	1.60	19.93	<=33.01	Pass	
			49	18.37	1.60	19.97	<=33.01	Pass	
		25	0	18.38	1.60	19.98	<=33.01	Pass	
			13	18.40	1.60	20.00	<=33.01	Pass	
			25	18.34	1.60	19.94	<=33.01	Pass	
		50	0	18.26	1.60	19.86	<=33.01	Pass	
		1880	1	0	18.39	1.60	19.99	<=33.01	Pass
				25	18.38	1.60	19.98	<=33.01	Pass
				49	18.26	1.60	19.86	<=33.01	Pass
	25		0	18.35	1.60	19.95	<=33.01	Pass	
			13	18.29	1.60	19.89	<=33.01	Pass	
			25	18.27	1.60	19.87	<=33.01	Pass	
	50		0	18.19	1.60	19.79	<=33.01	Pass	
	1905	1	0	18.41	1.60	20.01	<=33.01	Pass	
			25	18.52	1.60	20.12	<=33.01	Pass	
			49	18.56	1.60	20.16	<=33.01	Pass	
		25	0	18.45	1.60	20.05	<=33.01	Pass	
			13	18.47	1.60	20.07	<=33.01	Pass	
			25	18.36	1.60	19.96	<=33.01	Pass	
		50	0	18.39	1.60	19.99	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.18	1.60	24.78	<=33.01	Pass
			38	23.63	1.60	25.23	<=33.01	Pass
			74	23.17	1.60	24.77	<=33.01	Pass
		36	0	22.31	1.60	23.91	<=33.01	Pass
			18	22.36	1.60	23.96	<=33.01	Pass
			39	22.33	1.60	23.93	<=33.01	Pass
		75	0	22.29	1.60	23.89	<=33.01	Pass
	1880	1	0	23.29	1.60	24.89	<=33.01	Pass
			38	23.31	1.60	24.91	<=33.01	Pass
			74	23.23	1.60	24.83	<=33.01	Pass
		36	0	22.25	1.60	23.85	<=33.01	Pass
			18	22.25	1.60	23.85	<=33.01	Pass
			39	22.24	1.60	23.84	<=33.01	Pass
		75	0	22.21	1.60	23.81	<=33.01	Pass
	1902.5	1	0	23.27	1.60	24.87	<=33.01	Pass
			38	23.35	1.60	24.95	<=33.01	Pass
			74	23.43	1.60	25.03	<=33.01	Pass
		36	0	22.38	1.60	23.98	<=33.01	Pass
			18	22.42	1.60	24.02	<=33.01	Pass
			39	22.39	1.60	23.99	<=33.01	Pass
		75	0	22.39	1.60	23.99	<=33.01	Pass
16QAM	1857.5	1	0	22.46	1.60	24.06	<=33.01	Pass
			38	22.54	1.60	24.14	<=33.01	Pass
			74	22.64	1.60	24.24	<=33.01	Pass

		36	0	21.29	1.60	22.89	<=33.01	Pass
			18	21.34	1.60	22.94	<=33.01	Pass
			39	21.28	1.60	22.88	<=33.01	Pass
		75	0	21.34	1.60	22.94	<=33.01	Pass
	1880	1	0	22.42	1.60	24.02	<=33.01	Pass
			38	22.49	1.60	24.09	<=33.01	Pass
			74	22.49	1.60	24.09	<=33.01	Pass
		36	0	21.29	1.60	22.89	<=33.01	Pass
			18	21.29	1.60	22.89	<=33.01	Pass
			39	21.20	1.60	22.80	<=33.01	Pass
		75	0	21.15	1.60	22.75	<=33.01	Pass
	1902.5	1	0	22.39	1.60	23.99	<=33.01	Pass
			38	22.76	1.60	24.36	<=33.01	Pass
			74	22.66	1.60	24.26	<=33.01	Pass
		36	0	21.37	1.60	22.97	<=33.01	Pass
			18	21.50	1.60	23.10	<=33.01	Pass
			39	21.31	1.60	22.91	<=33.01	Pass
		75	0	21.44	1.60	23.04	<=33.01	Pass
64QAM	1857.5	1	0	22.35	1.60	23.95	<=33.01	Pass
			38	22.55	1.60	24.15	<=33.01	Pass
			74	22.49	1.60	24.09	<=33.01	Pass
		36	0	21.27	1.60	22.87	<=33.01	Pass
			18	21.33	1.60	22.93	<=33.01	Pass
			39	21.29	1.60	22.89	<=33.01	Pass
		75	0	21.33	1.60	22.93	<=33.01	Pass
	1880	1	0	22.33	1.60	23.93	<=33.01	Pass
			38	22.28	1.60	23.88	<=33.01	Pass
			74	22.43	1.60	24.03	<=33.01	Pass
		36	0	21.29	1.60	22.89	<=33.01	Pass
			18	21.30	1.60	22.90	<=33.01	Pass
			39	21.20	1.60	22.80	<=33.01	Pass
		75	0	21.23	1.60	22.83	<=33.01	Pass
	1902.5	1	0	22.43	1.60	24.03	<=33.01	Pass
			38	22.80	1.60	24.40	<=33.01	Pass
			74	22.50	1.60	24.10	<=33.01	Pass
		36	0	21.37	1.60	22.97	<=33.01	Pass
			18	21.48	1.60	23.08	<=33.01	Pass
			39	21.37	1.60	22.97	<=33.01	Pass
		75	0	21.42	1.60	23.02	<=33.01	Pass
256QAM	1857.5	1	0	18.41	1.60	20.01	<=33.01	Pass
			38	18.43	1.60	20.03	<=33.01	Pass
			74	18.36	1.60	19.96	<=33.01	Pass
		36	0	18.25	1.60	19.85	<=33.01	Pass
			18	18.33	1.60	19.93	<=33.01	Pass
			39	18.32	1.60	19.92	<=33.01	Pass
		75	0	18.27	1.60	19.87	<=33.01	Pass
	1880	1	0	18.33	1.60	19.93	<=33.01	Pass
			38	18.48	1.60	20.08	<=33.01	Pass
			74	18.32	1.60	19.92	<=33.01	Pass
		36	0	18.22	1.60	19.82	<=33.01	Pass
			18	18.28	1.60	19.88	<=33.01	Pass
			39	18.20	1.60	19.80	<=33.01	Pass
		75	0	18.19	1.60	19.79	<=33.01	Pass
	1902.5	1	0	18.49	1.60	20.09	<=33.01	Pass
			38	18.39	1.60	19.99	<=33.01	Pass
			74	18.37	1.60	19.97	<=33.01	Pass
		36	0	18.38	1.60	19.98	<=33.01	Pass
			18	18.55	1.60	20.15	<=33.01	Pass

			39	18.29	1.60	19.89	<=33.01	Pass
		75	0	18.37	1.60	19.97	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.36	1.60	24.96	<=33.01	Pass
			50	23.82	1.60	25.42	<=33.01	Pass
			99	23.32	1.60	24.92	<=33.01	Pass
		50	0	22.25	1.60	23.85	<=33.01	Pass
			25	22.34	1.60	23.94	<=33.01	Pass
			50	22.25	1.60	23.85	<=33.01	Pass
		100	0	22.24	1.60	23.84	<=33.01	Pass
	1880	1	0	23.23	1.60	24.83	<=33.01	Pass
			50	23.18	1.60	24.78	<=33.01	Pass
			99	23.33	1.60	24.93	<=33.01	Pass
		50	0	22.26	1.60	23.86	<=33.01	Pass
			25	22.20	1.60	23.80	<=33.01	Pass
			50	22.21	1.60	23.81	<=33.01	Pass
		100	0	22.19	1.60	23.79	<=33.01	Pass
	1900	1	0	23.31	1.60	24.91	<=33.01	Pass
			50	23.63	1.60	25.23	<=33.01	Pass
			99	23.39	1.60	24.99	<=33.01	Pass
		50	0	22.43	1.60	24.03	<=33.01	Pass
			25	22.43	1.60	24.03	<=33.01	Pass
			50	22.41	1.60	24.01	<=33.01	Pass
		100	0	22.48	1.60	24.08	<=33.01	Pass
16QAM	1860	1	0	22.44	1.60	24.04	<=33.01	Pass
			50	22.75	1.60	24.35	<=33.01	Pass
			99	22.48	1.60	24.08	<=33.01	Pass
		50	0	21.29	1.60	22.89	<=33.01	Pass
			25	21.32	1.60	22.92	<=33.01	Pass
			50	21.19	1.60	22.79	<=33.01	Pass
		100	0	21.29	1.60	22.89	<=33.01	Pass
	1880	1	0	22.46	1.60	24.06	<=33.01	Pass
			50	22.61	1.60	24.21	<=33.01	Pass
			99	22.58	1.60	24.18	<=33.01	Pass
		50	0	21.27	1.60	22.87	<=33.01	Pass
			25	21.31	1.60	22.91	<=33.01	Pass
			50	21.25	1.60	22.85	<=33.01	Pass
		100	0	21.21	1.60	22.81	<=33.01	Pass
	1900	1	0	22.61	1.60	24.21	<=33.01	Pass
			50	22.65	1.60	24.25	<=33.01	Pass
			99	22.69	1.60	24.29	<=33.01	Pass
		50	0	21.38	1.60	22.98	<=33.01	Pass
			25	21.51	1.60	23.11	<=33.01	Pass
			50	21.44	1.60	23.04	<=33.01	Pass
		100	0	21.43	1.60	23.03	<=33.01	Pass
64QAM	1860	1	0	22.35	1.60	23.95	<=33.01	Pass
			50	22.43	1.60	24.03	<=33.01	Pass
			99	22.38	1.60	23.98	<=33.01	Pass
		50	0	21.29	1.60	22.89	<=33.01	Pass
			25	21.32	1.60	22.92	<=33.01	Pass

			50	21.20	1.60	22.80	<=33.01	Pass	
		100	0	21.28	1.60	22.88	<=33.01	Pass	
	1880	1	0	22.30	1.60	23.90	<=33.01	Pass	
			50	22.29	1.60	23.89	<=33.01	Pass	
			99	22.58	1.60	24.18	<=33.01	Pass	
			0	21.27	1.60	22.87	<=33.01	Pass	
		50	25	21.21	1.60	22.81	<=33.01	Pass	
			50	21.22	1.60	22.82	<=33.01	Pass	
			100	0	21.20	1.60	22.80	<=33.01	Pass
		1900	1	0	22.43	1.60	24.03	<=33.01	Pass
	50			22.59	1.60	24.19	<=33.01	Pass	
	99			22.51	1.60	24.11	<=33.01	Pass	
	50		0	21.39	1.60	22.99	<=33.01	Pass	
			25	21.40	1.60	23.00	<=33.01	Pass	
			50	21.35	1.60	22.95	<=33.01	Pass	
	100		0	21.43	1.60	23.03	<=33.01	Pass	
256QAM	1860		1	0	18.14	1.60	19.74	<=33.01	Pass
		50		18.57	1.60	20.17	<=33.01	Pass	
		99		18.34	1.60	19.94	<=33.01	Pass	
		50	0	18.17	1.60	19.77	<=33.01	Pass	
			25	18.27	1.60	19.87	<=33.01	Pass	
			50	18.21	1.60	19.81	<=33.01	Pass	
		100	0	18.25	1.60	19.85	<=33.01	Pass	
		1880	1	0	18.25	1.60	19.85	<=33.01	Pass
				50	18.51	1.60	20.11	<=33.01	Pass
				99	18.17	1.60	19.77	<=33.01	Pass
	50		0	18.23	1.60	19.83	<=33.01	Pass	
			25	18.27	1.60	19.87	<=33.01	Pass	
			50	18.17	1.60	19.77	<=33.01	Pass	
	100		0	18.17	1.60	19.77	<=33.01	Pass	
	1900	1	0	18.50	1.60	20.10	<=33.01	Pass	
			50	18.58	1.60	20.18	<=33.01	Pass	
			99	18.33	1.60	19.93	<=33.01	Pass	
		50	0	18.39	1.60	19.99	<=33.01	Pass	
			25	18.43	1.60	20.03	<=33.01	Pass	
			50	18.28	1.60	19.88	<=33.01	Pass	
		100	0	18.47	1.60	20.07	<=33.01	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

---End of Attachment---