

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.36	0.70	21.91	<=38.45	Pass
			2	23.54	0.70	22.09	<=38.45	Pass
			5	23.43	0.70	21.98	<=38.45	Pass
		3	0	23.31	0.70	21.86	<=38.45	Pass
			2	23.36	0.70	21.91	<=38.45	Pass
			3	23.43	0.70	21.98	<=38.45	Pass
		6	0	22.38	0.70	20.93	<=38.45	Pass
	836.5	1	0	23.50	0.70	22.05	<=38.45	Pass
			2	23.56	0.70	22.11	<=38.45	Pass
			5	23.69	0.70	22.24	<=38.45	Pass
		3	0	23.46	0.70	22.01	<=38.45	Pass
			2	23.41	0.70	21.96	<=38.45	Pass
			3	23.30	0.70	21.85	<=38.45	Pass
		6	0	22.36	0.70	20.91	<=38.45	Pass
	848.3	1	0	23.40	0.70	21.95	<=38.45	Pass
			2	23.11	0.70	21.66	<=38.45	Pass
			5	23.48	0.70	22.03	<=38.45	Pass
		3	0	23.40	0.70	21.95	<=38.45	Pass
			2	23.29	0.70	21.84	<=38.45	Pass
			3	23.36	0.70	21.91	<=38.45	Pass
		6	0	22.33	0.70	20.88	<=38.45	Pass
16QAM	824.7	1	0	22.66	0.70	21.21	<=38.45	Pass
			2	22.82	0.70	21.37	<=38.45	Pass
			5	22.90	0.70	21.45	<=38.45	Pass
		3	0	22.69	0.70	21.24	<=38.45	Pass
			2	22.55	0.70	21.10	<=38.45	Pass
			3	22.72	0.70	21.27	<=38.45	Pass
		6	0	21.45	0.70	20.00	<=38.45	Pass
	836.5	1	0	22.82	0.70	21.37	<=38.45	Pass
			2	22.65	0.70	21.20	<=38.45	Pass
			5	22.63	0.70	21.18	<=38.45	Pass
		3	0	22.56	0.70	21.11	<=38.45	Pass
			2	22.58	0.70	21.13	<=38.45	Pass
			3	22.50	0.70	21.05	<=38.45	Pass
		6	0	21.55	0.70	20.10	<=38.45	Pass
	848.3	1	0	22.93	0.70	21.48	<=38.45	Pass
			2	22.84	0.70	21.39	<=38.45	Pass
			5	22.87	0.70	21.42	<=38.45	Pass
		3	0	22.73	0.70	21.28	<=38.45	Pass
			2	22.63	0.70	21.18	<=38.45	Pass
			3	22.59	0.70	21.14	<=38.45	Pass
		6	0	21.85	0.70	20.40	<=38.45	Pass
64QAM	824.7	1	0	21.73	0.70	20.28	<=38.45	Pass
			2	21.53	0.70	20.08	<=38.45	Pass
			5	21.49	0.70	20.04	<=38.45	Pass
		3	0	21.67	0.70	20.22	<=38.45	Pass
			2	21.72	0.70	20.27	<=38.45	Pass
			3	21.59	0.70	20.14	<=38.45	Pass

		6	0	20.42	0.70	18.97	<=38.45	Pass	
	836.5	1	0	21.62	0.70	20.17	<=38.45	Pass	
			2	21.74	0.70	20.29	<=38.45	Pass	
			5	21.44	0.70	19.99	<=38.45	Pass	
			0	21.48	0.70	20.03	<=38.45	Pass	
		3	2	21.66	0.70	20.21	<=38.45	Pass	
			3	21.72	0.70	20.27	<=38.45	Pass	
			6	0	20.45	0.70	19.00	<=38.45	Pass
	848.3	1	0	21.57	0.70	20.12	<=38.45	Pass	
			2	21.54	0.70	20.09	<=38.45	Pass	
			5	21.65	0.70	20.20	<=38.45	Pass	
		3	0	21.45	0.70	20.00	<=38.45	Pass	
			2	21.63	0.70	20.18	<=38.45	Pass	
			3	21.54	0.70	20.09	<=38.45	Pass	
		6	0	20.49	0.70	19.04	<=38.45	Pass	
256QAM	824.7	1	0	18.07	0.70	16.62	<=38.45	Pass	
			2	18.54	0.70	17.09	<=38.45	Pass	
			5	18.30	0.70	16.85	<=38.45	Pass	
		3	0	18.47	0.70	17.02	<=38.45	Pass	
			2	18.44	0.70	16.99	<=38.45	Pass	
			3	18.47	0.70	17.02	<=38.45	Pass	
		6	0	18.38	0.70	16.93	<=38.45	Pass	
	836.5	1	0	18.71	0.70	17.26	<=38.45	Pass	
			2	18.48	0.70	17.03	<=38.45	Pass	
			5	18.60	0.70	17.15	<=38.45	Pass	
		3	0	18.53	0.70	17.08	<=38.45	Pass	
			2	18.50	0.70	17.05	<=38.45	Pass	
			3	18.46	0.70	17.01	<=38.45	Pass	
		6	0	18.42	0.70	16.97	<=38.45	Pass	
	848.3	1	0	18.65	0.70	17.20	<=38.45	Pass	
			2	18.50	0.70	17.05	<=38.45	Pass	
			5	18.80	0.70	17.35	<=38.45	Pass	
		3	0	18.48	0.70	17.03	<=38.45	Pass	
			2	18.83	0.70	17.38	<=38.45	Pass	
			3	18.31	0.70	16.86	<=38.45	Pass	
		6	0	18.54	0.70	17.09	<=38.45	Pass	
	Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.34	0.70	21.89	<=38.45	Pass
			7	23.40	0.70	21.95	<=38.45	Pass
			14	23.41	0.70	21.96	<=38.45	Pass
		8	0	22.47	0.70	21.02	<=38.45	Pass
			4	22.45	0.70	21.00	<=38.45	Pass
			7	22.43	0.70	20.98	<=38.45	Pass
		15	0	22.40	0.70	20.95	<=38.45	Pass
	836.5	1	0	23.31	0.70	21.86	<=38.45	Pass
			7	23.26	0.70	21.81	<=38.45	Pass
			14	23.38	0.70	21.93	<=38.45	Pass
		8	0	22.30	0.70	20.85	<=38.45	Pass
			4	22.38	0.70	20.93	<=38.45	Pass
			7	22.41	0.70	20.96	<=38.45	Pass

	847.5	15	0	22.47	0.70	21.02	<=38.45	Pass
		1	0	23.34	0.70	21.89	<=38.45	Pass
			7	23.43	0.70	21.98	<=38.45	Pass
			14	23.29	0.70	21.84	<=38.45	Pass
		8	0	22.40	0.70	20.95	<=38.45	Pass
			4	22.38	0.70	20.93	<=38.45	Pass
			7	22.44	0.70	20.99	<=38.45	Pass
16QAM	825.5	15	0	22.45	0.70	21.00	<=38.45	Pass
		1	0	22.56	0.70	21.11	<=38.45	Pass
			7	22.89	0.70	21.44	<=38.45	Pass
			14	22.51	0.70	21.06	<=38.45	Pass
			0	21.53	0.70	20.08	<=38.45	Pass
		8	4	21.61	0.70	20.16	<=38.45	Pass
			7	21.38	0.70	19.93	<=38.45	Pass
	836.5	15	0	21.47	0.70	20.02	<=38.45	Pass
		1	0	22.84	0.70	21.39	<=38.45	Pass
			7	22.74	0.70	21.29	<=38.45	Pass
			14	22.72	0.70	21.27	<=38.45	Pass
			0	21.34	0.70	19.89	<=38.45	Pass
		8	4	21.55	0.70	20.10	<=38.45	Pass
			7	21.44	0.70	19.99	<=38.45	Pass
		15	0	21.48	0.70	20.03	<=38.45	Pass
	847.5	1	0	22.82	0.70	21.37	<=38.45	Pass
			7	22.93	0.70	21.48	<=38.45	Pass
			14	22.94	0.70	21.49	<=38.45	Pass
			0	21.46	0.70	20.01	<=38.45	Pass
		8	4	21.63	0.70	20.18	<=38.45	Pass
			7	21.54	0.70	20.09	<=38.45	Pass
		15	0	21.49	0.70	20.04	<=38.45	Pass
64QAM	825.5	1	0	21.53	0.70	20.08	<=38.45	Pass
			7	21.60	0.70	20.15	<=38.45	Pass
			14	21.54	0.70	20.09	<=38.45	Pass
			0	20.44	0.70	18.99	<=38.45	Pass
		8	4	20.53	0.70	19.08	<=38.45	Pass
			7	20.44	0.70	18.99	<=38.45	Pass
		15	0	20.49	0.70	19.04	<=38.45	Pass
	836.5	1	0	21.72	0.70	20.27	<=38.45	Pass
			7	21.65	0.70	20.20	<=38.45	Pass
			14	21.81	0.70	20.36	<=38.45	Pass
			0	20.39	0.70	18.94	<=38.45	Pass
		8	4	20.53	0.70	19.08	<=38.45	Pass
			7	20.50	0.70	19.05	<=38.45	Pass
		15	0	20.47	0.70	19.02	<=38.45	Pass
	847.5	1	0	21.58	0.70	20.13	<=38.45	Pass
			7	21.79	0.70	20.34	<=38.45	Pass
			14	21.73	0.70	20.28	<=38.45	Pass
			0	20.38	0.70	18.93	<=38.45	Pass
		8	4	20.45	0.70	19.00	<=38.45	Pass
			7	20.48	0.70	19.03	<=38.45	Pass
		15	0	20.39	0.70	18.94	<=38.45	Pass
256QAM	825.5	1	0	18.40	0.70	16.95	<=38.45	Pass
			7	18.55	0.70	17.10	<=38.45	Pass
			14	18.39	0.70	16.94	<=38.45	Pass
			0	18.44	0.70	16.99	<=38.45	Pass
		8	4	18.46	0.70	17.01	<=38.45	Pass
			7	18.37	0.70	16.92	<=38.45	Pass
		15	0	18.45	0.70	17.00	<=38.45	Pass
	836.5	1	0	18.38	0.70	16.93	<=38.45	Pass

	847.5	8	7	18.53	0.70	17.08	<=38.45	Pass
			14	18.33	0.70	16.88	<=38.45	Pass
			0	18.42	0.70	16.97	<=38.45	Pass
			4	18.46	0.70	17.01	<=38.45	Pass
			7	18.38	0.70	16.93	<=38.45	Pass
		15	0	18.47	0.70	17.02	<=38.45	Pass
		1	0	18.59	0.70	17.14	<=38.45	Pass
			7	18.54	0.70	17.09	<=38.45	Pass
			14	18.70	0.70	17.25	<=38.45	Pass
		8	0	18.39	0.70	16.94	<=38.45	Pass
			4	18.48	0.70	17.03	<=38.45	Pass
			7	18.44	0.70	16.99	<=38.45	Pass
		15	0	18.42	0.70	16.97	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.41	0.70	21.96	<=38.45	Pass
			13	23.55	0.70	22.10	<=38.45	Pass
			24	23.44	0.70	21.99	<=38.45	Pass
		12	0	22.44	0.70	20.99	<=38.45	Pass
			6	22.44	0.70	20.99	<=38.45	Pass
			13	22.41	0.70	20.96	<=38.45	Pass
		25	0	22.43	0.70	20.98	<=38.45	Pass
	836.5	1	0	23.46	0.70	22.01	<=38.45	Pass
			13	23.78	0.70	22.33	<=38.45	Pass
			24	23.37	0.70	21.92	<=38.45	Pass
		12	0	22.46	0.70	21.01	<=38.45	Pass
			6	22.53	0.70	21.08	<=38.45	Pass
			13	22.48	0.70	21.03	<=38.45	Pass
		25	0	22.44	0.70	20.99	<=38.45	Pass
	846.5	1	0	23.41	0.70	21.96	<=38.45	Pass
			13	23.46	0.70	22.01	<=38.45	Pass
			24	23.45	0.70	22.00	<=38.45	Pass
		12	0	22.46	0.70	21.01	<=38.45	Pass
			6	22.38	0.70	20.93	<=38.45	Pass
			13	22.46	0.70	21.01	<=38.45	Pass
		25	0	22.40	0.70	20.95	<=38.45	Pass
16QAM	826.5	1	0	22.73	0.70	21.28	<=38.45	Pass
			13	22.67	0.70	21.22	<=38.45	Pass
			24	22.78	0.70	21.33	<=38.45	Pass
		12	0	21.46	0.70	20.01	<=38.45	Pass
			6	21.45	0.70	20.00	<=38.45	Pass
			13	21.47	0.70	20.02	<=38.45	Pass
		25	0	21.46	0.70	20.01	<=38.45	Pass
	836.5	1	0	22.57	0.70	21.12	<=38.45	Pass
			13	22.99	0.70	21.54	<=38.45	Pass
			24	22.81	0.70	21.36	<=38.45	Pass
		12	0	21.39	0.70	19.94	<=38.45	Pass
			6	21.53	0.70	20.08	<=38.45	Pass
			13	21.41	0.70	19.96	<=38.45	Pass
		25	0	21.51	0.70	20.06	<=38.45	Pass
	846.5	1	0	22.76	0.70	21.31	<=38.45	Pass

			13	22.77	0.70	21.32	<=38.45	Pass		
			24	22.96	0.70	21.51	<=38.45	Pass		
			12	0	21.39	0.70	19.94	<=38.45	Pass	
				6	21.44	0.70	19.99	<=38.45	Pass	
				13	21.48	0.70	20.03	<=38.45	Pass	
			25	0	21.44	0.70	19.99	<=38.45	Pass	
64QAM	826.5	1	0	21.81	0.70	20.36	<=38.45	Pass		
			13	21.70	0.70	20.25	<=38.45	Pass		
			24	21.55	0.70	20.10	<=38.45	Pass		
		12	0	20.48	0.70	19.03	<=38.45	Pass		
			6	20.51	0.70	19.06	<=38.45	Pass		
			13	20.45	0.70	19.00	<=38.45	Pass		
		25	0	20.50	0.70	19.05	<=38.45	Pass		
		836.5	1	0	21.66	0.70	20.21	<=38.45	Pass	
				13	21.61	0.70	20.16	<=38.45	Pass	
	24			21.67	0.70	20.22	<=38.45	Pass		
	12		0	20.41	0.70	18.96	<=38.45	Pass		
			6	20.52	0.70	19.07	<=38.45	Pass		
			13	20.41	0.70	18.96	<=38.45	Pass		
	25	0	20.45	0.70	19.00	<=38.45	Pass			
	846.5	1	0	21.58	0.70	20.13	<=38.45	Pass		
			13	21.76	0.70	20.31	<=38.45	Pass		
			24	21.78	0.70	20.33	<=38.45	Pass		
		12	0	20.39	0.70	18.94	<=38.45	Pass		
			6	20.46	0.70	19.01	<=38.45	Pass		
			13	20.51	0.70	19.06	<=38.45	Pass		
		25	0	20.50	0.70	19.05	<=38.45	Pass		
		256QAM	826.5	1	0	18.47	0.70	17.02	<=38.45	Pass
					13	18.60	0.70	17.15	<=38.45	Pass
	24				18.56	0.70	17.11	<=38.45	Pass	
12	0			18.57	0.70	17.12	<=38.45	Pass		
	6			18.45	0.70	17.00	<=38.45	Pass		
	13			18.47	0.70	17.02	<=38.45	Pass		
25	0			18.44	0.70	16.99	<=38.45	Pass		
836.5	1		0	18.53	0.70	17.08	<=38.45	Pass		
			13	18.66	0.70	17.21	<=38.45	Pass		
			24	18.54	0.70	17.09	<=38.45	Pass		
	12		0	18.48	0.70	17.03	<=38.45	Pass		
			6	18.44	0.70	16.99	<=38.45	Pass		
			13	18.44	0.70	16.99	<=38.45	Pass		
	25		0	18.49	0.70	17.04	<=38.45	Pass		
	846.5		1	0	18.50	0.70	17.05	<=38.45	Pass	
13		18.56		0.70	17.11	<=38.45	Pass			
24		18.61		0.70	17.16	<=38.45	Pass			
12		0	18.48	0.70	17.03	<=38.45	Pass			
		6	18.40	0.70	16.95	<=38.45	Pass			
		13	18.52	0.70	17.07	<=38.45	Pass			
25		0	18.37	0.70	16.92	<=38.45	Pass			
Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.40	0.70	21.95	<=38.45	Pass

			25	23.26	0.70	21.81	<=38.45	Pass
			49	23.53	0.70	22.08	<=38.45	Pass
		25	0	22.39	0.70	20.94	<=38.45	Pass
			13	22.46	0.70	21.01	<=38.45	Pass
			25	22.49	0.70	21.04	<=38.45	Pass
		50	0	22.51	0.70	21.06	<=38.45	Pass
			0	23.44	0.70	21.99	<=38.45	Pass
		836.5	25	23.29	0.70	21.84	<=38.45	Pass
			49	23.39	0.70	21.94	<=38.45	Pass
			0	22.43	0.70	20.98	<=38.45	Pass
			13	22.50	0.70	21.05	<=38.45	Pass
			25	22.43	0.70	20.98	<=38.45	Pass
			50	0	22.47	21.02	<=38.45	Pass
	844	1	0	23.65	0.70	22.20	<=38.45	Pass
			25	23.39	0.70	21.94	<=38.45	Pass
			49	23.17	0.70	21.72	<=38.45	Pass
		25	0	22.35	0.70	20.90	<=38.45	Pass
			13	22.45	0.70	21.00	<=38.45	Pass
			25	22.48	0.70	21.03	<=38.45	Pass
		50	0	22.35	0.70	20.90	<=38.45	Pass
			0	22.77	0.70	21.32	<=38.45	Pass
		829	25	22.67	0.70	21.22	<=38.45	Pass
			49	22.40	0.70	20.95	<=38.45	Pass
			0	21.50	0.70	20.05	<=38.45	Pass
			13	21.48	0.70	20.03	<=38.45	Pass
			25	21.53	0.70	20.08	<=38.45	Pass
			50	0	21.44	19.99	<=38.45	Pass
16QAM	836.5	1	0	22.68	0.70	21.23	<=38.45	Pass
			25	22.47	0.70	21.02	<=38.45	Pass
			49	22.62	0.70	21.17	<=38.45	Pass
		25	0	21.45	0.70	20.00	<=38.45	Pass
			13	21.54	0.70	20.09	<=38.45	Pass
			25	21.47	0.70	20.02	<=38.45	Pass
		50	0	21.49	0.70	20.04	<=38.45	Pass
			0	22.84	0.70	21.39	<=38.45	Pass
		844	25	22.53	0.70	21.08	<=38.45	Pass
			49	22.66	0.70	21.21	<=38.45	Pass
			0	21.40	0.70	19.95	<=38.45	Pass
			13	21.46	0.70	20.01	<=38.45	Pass
			25	21.51	0.70	20.06	<=38.45	Pass
			50	0	21.35	19.90	<=38.45	Pass
64QAM	829	1	0	21.67	0.70	20.22	<=38.45	Pass
			25	21.79	0.70	20.34	<=38.45	Pass
			49	21.54	0.70	20.09	<=38.45	Pass
		25	0	20.42	0.70	18.97	<=38.45	Pass
			13	20.48	0.70	19.03	<=38.45	Pass
			25	20.44	0.70	18.99	<=38.45	Pass
		50	0	20.44	0.70	18.99	<=38.45	Pass
			0	21.57	0.70	20.12	<=38.45	Pass
		836.5	25	21.53	0.70	20.08	<=38.45	Pass
			49	21.65	0.70	20.20	<=38.45	Pass
			0	20.39	0.70	18.94	<=38.45	Pass
			13	20.52	0.70	19.07	<=38.45	Pass
			25	20.43	0.70	18.98	<=38.45	Pass
			50	0	20.46	19.01	<=38.45	Pass
	844	1	0	21.58	0.70	20.13	<=38.45	Pass
			25	21.50	0.70	20.05	<=38.45	Pass
			49	21.50	0.70	20.05	<=38.45	Pass

		25	0	20.37	0.70	18.92	<=38.45	Pass
			13	20.42	0.70	18.97	<=38.45	Pass
			25	20.49	0.70	19.04	<=38.45	Pass
		50	0	20.44	0.70	18.99	<=38.45	Pass
256QAM	829	1	0	18.33	0.70	16.88	<=38.45	Pass
			25	18.47	0.70	17.02	<=38.45	Pass
			49	18.55	0.70	17.10	<=38.45	Pass
		25	0	18.38	0.70	16.93	<=38.45	Pass
			13	18.47	0.70	17.02	<=38.45	Pass
			25	18.47	0.70	17.02	<=38.45	Pass
		50	0	18.40	0.70	16.95	<=38.45	Pass
	836.5	1	0	18.20	0.70	16.75	<=38.45	Pass
			25	18.43	0.70	16.98	<=38.45	Pass
			49	18.62	0.70	17.17	<=38.45	Pass
		25	0	18.41	0.70	16.96	<=38.45	Pass
			13	18.54	0.70	17.09	<=38.45	Pass
			25	18.47	0.70	17.02	<=38.45	Pass
		50	0	18.40	0.70	16.95	<=38.45	Pass
	844	1	0	18.52	0.70	17.07	<=38.45	Pass
			25	18.48	0.70	17.03	<=38.45	Pass
			49	18.59	0.70	17.14	<=38.45	Pass
		25	0	18.36	0.70	16.91	<=38.45	Pass
			13	18.39	0.70	16.94	<=38.45	Pass
			25	18.40	0.70	16.95	<=38.45	Pass
		50	0	18.41	0.70	16.96	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.55	0.70	22.10	<=38.45	Pass
			38	23.35	0.70	21.90	<=38.45	Pass
			74	23.40	0.70	21.95	<=38.45	Pass
		36	0	22.29	0.70	20.84	<=38.45	Pass
			18	22.35	0.70	20.90	<=38.45	Pass
			39	22.40	0.70	20.95	<=38.45	Pass
		75	0	22.38	0.70	20.93	<=38.45	Pass
	836.5	1	0	23.35	0.70	21.90	<=38.45	Pass
			38	24.06	0.70	22.61	<=38.45	Pass
			74	23.36	0.70	21.91	<=38.45	Pass
		36	0	22.27	0.70	20.82	<=38.45	Pass
			18	22.45	0.70	21.00	<=38.45	Pass
			39	22.47	0.70	21.02	<=38.45	Pass
		75	0	22.33	0.70	20.88	<=38.45	Pass
	841.5	1	0	23.63	0.70	22.18	<=38.45	Pass
			38	23.50	0.70	22.05	<=38.45	Pass
			74	23.21	0.70	21.76	<=38.45	Pass
		36	0	22.28	0.70	20.83	<=38.45	Pass
			18	22.40	0.70	20.95	<=38.45	Pass
			39	22.44	0.70	20.99	<=38.45	Pass
		75	0	22.36	0.70	20.91	<=38.45	Pass
16QAM	831.5	1	0	22.64	0.70	21.19	<=38.45	Pass
			38	22.71	0.70	21.26	<=38.45	Pass
			74	22.67	0.70	21.22	<=38.45	Pass

		36	0	21.33	0.70	19.88	<=38.45	Pass		
			18	21.29	0.70	19.84	<=38.45	Pass		
			39	21.39	0.70	19.94	<=38.45	Pass		
		75	0	21.42	0.70	19.97	<=38.45	Pass		
			836.5	1	0	22.60	0.70	21.15	<=38.45	Pass
					38	22.61	0.70	21.16	<=38.45	Pass
		74			22.62	0.70	21.17	<=38.45	Pass	
		36		0	21.30	0.70	19.85	<=38.45	Pass	
				18	21.43	0.70	19.98	<=38.45	Pass	
	39			21.32	0.70	19.87	<=38.45	Pass		
	75	0	21.39	0.70	19.94	<=38.45	Pass			
		841.5	1	0	22.45	0.70	21.00	<=38.45	Pass	
				38	22.78	0.70	21.33	<=38.45	Pass	
	74			22.42	0.70	20.97	<=38.45	Pass		
	36		0	21.31	0.70	19.86	<=38.45	Pass		
			18	21.43	0.70	19.98	<=38.45	Pass		
			39	21.41	0.70	19.96	<=38.45	Pass		
	75		0	21.39	0.70	19.94	<=38.45	Pass		
64QAM			831.5	1	0	21.71	0.70	20.26	<=38.45	Pass
					38	21.47	0.70	20.02	<=38.45	Pass
	74	21.23			0.70	19.78	<=38.45	Pass		
	36	0		20.34	0.70	18.89	<=38.45	Pass		
		18		20.41	0.70	18.96	<=38.45	Pass		
		39		20.33	0.70	18.88	<=38.45	Pass		
	75	0		20.43	0.70	18.98	<=38.45	Pass		
		836.5		1	0	21.60	0.70	20.15	<=38.45	Pass
					38	21.70	0.70	20.25	<=38.45	Pass
	74		21.51		0.70	20.06	<=38.45	Pass		
	36		0	20.41	0.70	18.96	<=38.45	Pass		
			18	20.45	0.70	19.00	<=38.45	Pass		
			39	20.40	0.70	18.95	<=38.45	Pass		
	75	0	20.46	0.70	19.01	<=38.45	Pass			
		841.5	1	0	21.61	0.70	20.16	<=38.45	Pass	
				38	21.71	0.70	20.26	<=38.45	Pass	
	74			21.57	0.70	20.12	<=38.45	Pass		
	36		0	20.34	0.70	18.89	<=38.45	Pass		
18			20.40	0.70	18.95	<=38.45	Pass			
39			20.48	0.70	19.03	<=38.45	Pass			
75	0		20.35	0.70	18.90	<=38.45	Pass			
	256QAM		831.5	1	0	18.47	0.70	17.02	<=38.45	Pass
					38	18.65	0.70	17.20	<=38.45	Pass
74		18.30			0.70	16.85	<=38.45	Pass		
36		0		18.28	0.70	16.83	<=38.45	Pass		
		18		18.35	0.70	16.90	<=38.45	Pass		
		39		18.44	0.70	16.99	<=38.45	Pass		
75		0		18.40	0.70	16.95	<=38.45	Pass		
		836.5		1	0	18.31	0.70	16.86	<=38.45	Pass
					38	18.52	0.70	17.07	<=38.45	Pass
74			18.37		0.70	16.92	<=38.45	Pass		
36			0	18.30	0.70	16.85	<=38.45	Pass		
			18	18.37	0.70	16.92	<=38.45	Pass		
			39	18.78	0.70	17.33	<=38.45	Pass		
75		0	18.49	0.70	17.04	<=38.45	Pass			
		841.5	1	0	18.48	0.70	17.03	<=38.45	Pass	
				38	18.37	0.70	16.92	<=38.45	Pass	
74				18.59	0.70	17.14	<=38.45	Pass		
36			0	18.39	0.70	16.94	<=38.45	Pass		
	18		18.39	0.70	16.94	<=38.45	Pass			

			39	18.40	0.70	16.95	<=38.45	Pass
		75	0	18.45	0.70	17.00	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

---End of Attachment---