

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.43	1.40	24.83	<=30	Pass
			2	23.43	1.40	24.83	<=30	Pass
			5	23.42	1.40	24.82	<=30	Pass
		3	0	23.44	1.40	24.84	<=30	Pass
			2	23.38	1.40	24.78	<=30	Pass
			3	23.43	1.40	24.83	<=30	Pass
		6	0	22.38	1.40	23.78	<=30	Pass
	1745	1	0	23.38	1.40	24.78	<=30	Pass
			2	23.54	1.40	24.94	<=30	Pass
			5	23.39	1.40	24.79	<=30	Pass
		3	0	23.43	1.40	24.83	<=30	Pass
			2	23.33	1.40	24.73	<=30	Pass
			3	23.42	1.40	24.82	<=30	Pass
		6	0	22.38	1.40	23.78	<=30	Pass
	1779.3	1	0	23.42	1.40	24.82	<=30	Pass
			2	23.31	1.40	24.71	<=30	Pass
			5	23.37	1.40	24.77	<=30	Pass
		3	0	23.42	1.40	24.82	<=30	Pass
			2	23.33	1.40	24.73	<=30	Pass
			3	23.28	1.40	24.68	<=30	Pass
		6	0	22.43	1.40	23.83	<=30	Pass
16QAM	1710.7	1	0	22.80	1.40	24.20	<=30	Pass
			2	22.87	1.40	24.27	<=30	Pass
			5	22.78	1.40	24.18	<=30	Pass
		3	0	22.47	1.40	23.87	<=30	Pass
			2	22.62	1.40	24.02	<=30	Pass
			3	22.66	1.40	24.06	<=30	Pass
		6	0	21.53	1.40	22.93	<=30	Pass
	1745	1	0	22.97	1.40	24.37	<=30	Pass
			2	23.05	1.40	24.45	<=30	Pass
			5	23.01	1.40	24.41	<=30	Pass
		3	0	22.56	1.40	23.96	<=30	Pass
			2	22.51	1.40	23.91	<=30	Pass
			3	22.62	1.40	24.02	<=30	Pass
		6	0	21.59	1.40	22.99	<=30	Pass
	1779.3	1	0	22.81	1.40	24.21	<=30	Pass
			2	22.78	1.40	24.18	<=30	Pass
			5	23.25	1.40	24.65	<=30	Pass
		3	0	22.55	1.40	23.95	<=30	Pass
			2	22.58	1.40	23.98	<=30	Pass
			3	22.92	1.40	24.32	<=30	Pass
		6	0	21.54	1.40	22.94	<=30	Pass
64QAM	1710.7	1	0	21.66	1.40	23.06	<=30	Pass
			2	21.84	1.40	23.24	<=30	Pass
			5	21.66	1.40	23.06	<=30	Pass
		3	0	21.81	1.40	23.21	<=30	Pass
			2	21.60	1.40	23.00	<=30	Pass
			3	21.60	1.40	23.00	<=30	Pass

		6	0	20.50	1.40	21.90	<=30	Pass
		1	0	21.76	1.40	23.16	<=30	Pass
			2	21.78	1.40	23.18	<=30	Pass
			5	21.89	1.40	23.29	<=30	Pass
		3	0	21.62	1.40	23.02	<=30	Pass
			2	21.64	1.40	23.04	<=30	Pass
			3	21.61	1.40	23.01	<=30	Pass
		6	0	20.48	1.40	21.88	<=30	Pass
		1	0	21.71	1.40	23.11	<=30	Pass
			2	21.60	1.40	23.00	<=30	Pass
			5	21.64	1.40	23.04	<=30	Pass
		3	0	21.50	1.40	22.90	<=30	Pass
			2	21.81	1.40	23.21	<=30	Pass
			3	21.64	1.40	23.04	<=30	Pass
		6	0	20.57	1.40	21.97	<=30	Pass
256QAM	1710.7	1	0	18.63	1.40	20.03	<=30	Pass
			2	18.40	1.40	19.80	<=30	Pass
			5	18.59	1.40	19.99	<=30	Pass
		3	0	18.57	1.40	19.97	<=30	Pass
			2	18.58	1.40	19.98	<=30	Pass
			3	18.47	1.40	19.87	<=30	Pass
		6	0	18.51	1.40	19.91	<=30	Pass
	1745	1	0	18.45	1.40	19.85	<=30	Pass
			2	18.63	1.40	20.03	<=30	Pass
			5	18.53	1.40	19.93	<=30	Pass
		3	0	18.58	1.40	19.98	<=30	Pass
			2	18.56	1.40	19.96	<=30	Pass
			3	18.57	1.40	19.97	<=30	Pass
		6	0	18.44	1.40	19.84	<=30	Pass
	1779.3	1	0	18.51	1.40	19.91	<=30	Pass
			2	18.81	1.40	20.21	<=30	Pass
			5	18.26	1.40	19.66	<=30	Pass
		3	0	18.68	1.40	20.08	<=30	Pass
			2	18.65	1.40	20.05	<=30	Pass
			3	18.36	1.40	19.76	<=30	Pass
		6	0	18.50	1.40	19.90	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.41	1.40	24.81	<=30	Pass
			7	23.50	1.40	24.90	<=30	Pass
			14	23.38	1.40	24.78	<=30	Pass
		8	0	22.55	1.40	23.95	<=30	Pass
			4	22.51	1.40	23.91	<=30	Pass
			7	22.48	1.40	23.88	<=30	Pass
		15	0	22.42	1.40	23.82	<=30	Pass
	1745	1	0	23.30	1.40	24.70	<=30	Pass
			7	23.42	1.40	24.82	<=30	Pass
			14	23.35	1.40	24.75	<=30	Pass
		8	0	22.48	1.40	23.88	<=30	Pass
			4	22.49	1.40	23.89	<=30	Pass
			7	22.45	1.40	23.85	<=30	Pass

	1778.5	15	0	22.47	1.40	23.87	<=30	Pass
		1	0	23.37	1.40	24.77	<=30	Pass
			7	23.58	1.40	24.98	<=30	Pass
			14	23.51	1.40	24.91	<=30	Pass
		8	0	22.47	1.40	23.87	<=30	Pass
			4	22.49	1.40	23.89	<=30	Pass
			7	22.45	1.40	23.85	<=30	Pass
		15	0	22.47	1.40	23.87	<=30	Pass
16QAM	1711.5	1	0	22.90	1.40	24.30	<=30	Pass
			7	23.00	1.40	24.40	<=30	Pass
			14	22.99	1.40	24.39	<=30	Pass
		8	0	21.66	1.40	23.06	<=30	Pass
			4	21.51	1.40	22.91	<=30	Pass
			7	21.60	1.40	23.00	<=30	Pass
		15	0	21.48	1.40	22.88	<=30	Pass
	1745	1	0	22.75	1.40	24.15	<=30	Pass
			7	22.73	1.40	24.13	<=30	Pass
			14	22.65	1.40	24.05	<=30	Pass
		8	0	21.57	1.40	22.97	<=30	Pass
			4	21.56	1.40	22.96	<=30	Pass
			7	21.56	1.40	22.96	<=30	Pass
		15	0	21.47	1.40	22.87	<=30	Pass
	1778.5	1	0	22.71	1.40	24.11	<=30	Pass
			7	22.83	1.40	24.23	<=30	Pass
			14	22.97	1.40	24.37	<=30	Pass
		8	0	21.64	1.40	23.04	<=30	Pass
			4	21.64	1.40	23.04	<=30	Pass
			7	21.66	1.40	23.06	<=30	Pass
		15	0	21.56	1.40	22.96	<=30	Pass
64QAM	1711.5	1	0	21.68	1.40	23.08	<=30	Pass
			7	21.87	1.40	23.27	<=30	Pass
			14	21.60	1.40	23.00	<=30	Pass
		8	0	20.57	1.40	21.97	<=30	Pass
			4	20.59	1.40	21.99	<=30	Pass
			7	20.50	1.40	21.90	<=30	Pass
		15	0	20.46	1.40	21.86	<=30	Pass
	1745	1	0	21.49	1.40	22.89	<=30	Pass
			7	21.78	1.40	23.18	<=30	Pass
			14	21.58	1.40	22.98	<=30	Pass
		8	0	20.59	1.40	21.99	<=30	Pass
			4	20.60	1.40	22.00	<=30	Pass
			7	20.51	1.40	21.91	<=30	Pass
		15	0	20.42	1.40	21.82	<=30	Pass
	1778.5	1	0	21.78	1.40	23.18	<=30	Pass
			7	21.86	1.40	23.26	<=30	Pass
			14	21.76	1.40	23.16	<=30	Pass
		8	0	20.42	1.40	21.82	<=30	Pass
			4	20.56	1.40	21.96	<=30	Pass
			7	20.46	1.40	21.86	<=30	Pass
		15	0	20.45	1.40	21.85	<=30	Pass
256QAM	1711.5	1	0	18.44	1.40	19.84	<=30	Pass
			7	18.73	1.40	20.13	<=30	Pass
			14	18.28	1.40	19.68	<=30	Pass
		8	0	18.59	1.40	19.99	<=30	Pass
			4	18.55	1.40	19.95	<=30	Pass
			7	18.50	1.40	19.90	<=30	Pass
		15	0	18.44	1.40	19.84	<=30	Pass
	1745	1	0	18.43	1.40	19.83	<=30	Pass

		8	7	18.69	1.40	20.09	<=30	Pass
			14	18.36	1.40	19.76	<=30	Pass
			0	18.57	1.40	19.97	<=30	Pass
			4	18.61	1.40	20.01	<=30	Pass
			7	18.50	1.40	19.90	<=30	Pass
	1778.5	15	0	18.57	1.40	19.97	<=30	Pass
			0	18.33	1.40	19.73	<=30	Pass
			7	18.67	1.40	20.07	<=30	Pass
		8	14	18.46	1.40	19.86	<=30	Pass
			0	18.40	1.40	19.80	<=30	Pass
			4	18.54	1.40	19.94	<=30	Pass
			7	18.62	1.40	20.02	<=30	Pass
		15	0	18.47	1.40	19.87	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.51	1.40	24.91	<=30	Pass
			13	23.56	1.40	24.96	<=30	Pass
			24	23.71	1.40	25.11	<=30	Pass
		12	0	22.51	1.40	23.91	<=30	Pass
			6	22.49	1.40	23.89	<=30	Pass
			13	22.44	1.40	23.84	<=30	Pass
		25	0	22.42	1.40	23.82	<=30	Pass
	1745	1	0	23.45	1.40	24.85	<=30	Pass
			13	23.57	1.40	24.97	<=30	Pass
			24	23.48	1.40	24.88	<=30	Pass
		12	0	22.50	1.40	23.90	<=30	Pass
			6	22.53	1.40	23.93	<=30	Pass
			13	22.45	1.40	23.85	<=30	Pass
		25	0	22.46	1.40	23.86	<=30	Pass
	1777.5	1	0	23.34	1.40	24.74	<=30	Pass
			13	23.54	1.40	24.94	<=30	Pass
			24	23.57	1.40	24.97	<=30	Pass
		12	0	22.41	1.40	23.81	<=30	Pass
			6	22.49	1.40	23.89	<=30	Pass
			13	22.51	1.40	23.91	<=30	Pass
		25	0	22.50	1.40	23.90	<=30	Pass
16QAM	1712.5	1	0	22.57	1.40	23.97	<=30	Pass
			13	23.03	1.40	24.43	<=30	Pass
			24	22.82	1.40	24.22	<=30	Pass
		12	0	21.52	1.40	22.92	<=30	Pass
			6	21.46	1.40	22.86	<=30	Pass
			13	21.57	1.40	22.97	<=30	Pass
		25	0	21.48	1.40	22.88	<=30	Pass
	1745	1	0	22.82	1.40	24.22	<=30	Pass
			13	22.89	1.40	24.29	<=30	Pass
			24	22.76	1.40	24.16	<=30	Pass
		12	0	21.54	1.40	22.94	<=30	Pass
			6	21.59	1.40	22.99	<=30	Pass
			13	21.49	1.40	22.89	<=30	Pass
		25	0	21.46	1.40	22.86	<=30	Pass
	1777.5	1	0	22.62	1.40	24.02	<=30	Pass

			13	22.89	1.40	24.29	<=30	Pass	
			24	23.02	1.40	24.42	<=30	Pass	
			12	0	21.46	1.40	22.86	<=30	Pass
				6	21.53	1.40	22.93	<=30	Pass
				13	21.61	1.40	23.01	<=30	Pass
			25	0	21.53	1.40	22.93	<=30	Pass
64QAM	1712.5	1	0	21.69	1.40	23.09	<=30	Pass	
			13	21.85	1.40	23.25	<=30	Pass	
			24	21.58	1.40	22.98	<=30	Pass	
		12	0	20.50	1.40	21.90	<=30	Pass	
			6	20.53	1.40	21.93	<=30	Pass	
			13	20.53	1.40	21.93	<=30	Pass	
		25	0	20.42	1.40	21.82	<=30	Pass	
		1745	1	0	21.75	1.40	23.15	<=30	Pass
				13	21.82	1.40	23.22	<=30	Pass
	24			21.75	1.40	23.15	<=30	Pass	
	12		0	20.52	1.40	21.92	<=30	Pass	
			6	20.51	1.40	21.91	<=30	Pass	
			13	20.52	1.40	21.92	<=30	Pass	
	25	0	20.52	1.40	21.92	<=30	Pass		
	1777.5	1	0	21.57	1.40	22.97	<=30	Pass	
			13	21.71	1.40	23.11	<=30	Pass	
			24	21.79	1.40	23.19	<=30	Pass	
		12	0	20.43	1.40	21.83	<=30	Pass	
			6	20.49	1.40	21.89	<=30	Pass	
			13	20.56	1.40	21.96	<=30	Pass	
	25	0	20.50	1.40	21.90	<=30	Pass		
	256QAM	1712.5	1	0	18.61	1.40	20.01	<=30	Pass
				13	18.55	1.40	19.95	<=30	Pass
				24	18.56	1.40	19.96	<=30	Pass
12			0	18.42	1.40	19.82	<=30	Pass	
			6	18.50	1.40	19.90	<=30	Pass	
			13	18.51	1.40	19.91	<=30	Pass	
25			0	18.45	1.40	19.85	<=30	Pass	
1745			1	0	18.59	1.40	19.99	<=30	Pass
				13	18.62	1.40	20.02	<=30	Pass
		24		18.49	1.40	19.89	<=30	Pass	
		12	0	18.44	1.40	19.84	<=30	Pass	
			6	18.48	1.40	19.88	<=30	Pass	
			13	18.39	1.40	19.79	<=30	Pass	
25		0	18.50	1.40	19.90	<=30	Pass		
1777.5		1	0	18.20	1.40	19.60	<=30	Pass	
			13	18.76	1.40	20.16	<=30	Pass	
			24	18.54	1.40	19.94	<=30	Pass	
		12	0	18.49	1.40	19.89	<=30	Pass	
			6	18.55	1.40	19.95	<=30	Pass	
			13	18.46	1.40	19.86	<=30	Pass	
		25	0	18.51	1.40	19.91	<=30	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.54	1.40	24.94	<=30	Pass

			25	23.56	1.40	24.96	<=30	Pass	
			49	23.56	1.40	24.96	<=30	Pass	
			25	0	22.50	1.40	23.90	<=30	Pass
				13	22.47	1.40	23.87	<=30	Pass
				25	22.39	1.40	23.79	<=30	Pass
		50	0	22.38	1.40	23.78	<=30	Pass	
		1745	1	0	23.40	1.40	24.80	<=30	Pass
				25	23.41	1.40	24.81	<=30	Pass
				49	23.51	1.40	24.91	<=30	Pass
			25	0	22.50	1.40	23.90	<=30	Pass
	13			22.44	1.40	23.84	<=30	Pass	
	25			22.40	1.40	23.80	<=30	Pass	
	50	0	22.45	1.40	23.85	<=30	Pass		
	1775	1	0	23.36	1.40	24.76	<=30	Pass	
			25	23.40	1.40	24.80	<=30	Pass	
			49	23.57	1.40	24.97	<=30	Pass	
		25	0	22.50	1.40	23.90	<=30	Pass	
			13	22.48	1.40	23.88	<=30	Pass	
			25	22.47	1.40	23.87	<=30	Pass	
		50	0	22.46	1.40	23.86	<=30	Pass	
16QAM		1715	1	0	22.74	1.40	24.14	<=30	Pass
				25	22.86	1.40	24.26	<=30	Pass
	49			22.48	1.40	23.88	<=30	Pass	
	25		0	21.53	1.40	22.93	<=30	Pass	
			13	21.43	1.40	22.83	<=30	Pass	
			25	21.51	1.40	22.91	<=30	Pass	
	50		0	21.42	1.40	22.82	<=30	Pass	
	1745	1	0	22.63	1.40	24.03	<=30	Pass	
			25	22.84	1.40	24.24	<=30	Pass	
			49	22.75	1.40	24.15	<=30	Pass	
25		0	21.43	1.40	22.83	<=30	Pass		
		13	21.45	1.40	22.85	<=30	Pass		
		25	21.54	1.40	22.94	<=30	Pass		
50	0	21.46	1.40	22.86	<=30	Pass			
1775	1	0	22.64	1.40	24.04	<=30	Pass		
		25	22.76	1.40	24.16	<=30	Pass		
		49	22.79	1.40	24.19	<=30	Pass		
	25	0	21.53	1.40	22.93	<=30	Pass		
		13	21.52	1.40	22.92	<=30	Pass		
		25	21.50	1.40	22.90	<=30	Pass		
50	0	21.51	1.40	22.91	<=30	Pass			
64QAM	1715	1	0	21.64	1.40	23.04	<=30	Pass	
			25	21.65	1.40	23.05	<=30	Pass	
			49	21.88	1.40	23.28	<=30	Pass	
		25	0	20.58	1.40	21.98	<=30	Pass	
			13	20.48	1.40	21.88	<=30	Pass	
			25	20.36	1.40	21.76	<=30	Pass	
		50	0	20.48	1.40	21.88	<=30	Pass	
	1745	1	0	21.59	1.40	22.99	<=30	Pass	
			25	21.66	1.40	23.06	<=30	Pass	
			49	21.66	1.40	23.06	<=30	Pass	
		25	0	20.46	1.40	21.86	<=30	Pass	
			13	20.47	1.40	21.87	<=30	Pass	
			25	20.52	1.40	21.92	<=30	Pass	
	50	0	20.48	1.40	21.88	<=30	Pass		
	1775	1	0	21.56	1.40	22.96	<=30	Pass	
			25	21.67	1.40	23.07	<=30	Pass	
			49	21.61	1.40	23.01	<=30	Pass	

256QAM		25	0	20.44	1.40	21.84	<=30	Pass
			13	20.55	1.40	21.95	<=30	Pass
			25	20.55	1.40	21.95	<=30	Pass
		50	0	20.44	1.40	21.84	<=30	Pass
	1715	1	0	18.50	1.40	19.90	<=30	Pass
			25	18.44	1.40	19.84	<=30	Pass
			49	18.70	1.40	20.10	<=30	Pass
		25	0	18.49	1.40	19.89	<=30	Pass
			13	18.41	1.40	19.81	<=30	Pass
			25	18.49	1.40	19.89	<=30	Pass
		50	0	18.43	1.40	19.83	<=30	Pass
	1745	1	0	18.48	1.40	19.88	<=30	Pass
			25	18.59	1.40	19.99	<=30	Pass
			49	18.59	1.40	19.99	<=30	Pass
		25	0	18.56	1.40	19.96	<=30	Pass
			13	18.48	1.40	19.88	<=30	Pass
			25	18.48	1.40	19.88	<=30	Pass
		50	0	18.47	1.40	19.87	<=30	Pass
	1775	1	0	18.24	1.40	19.64	<=30	Pass
			25	18.72	1.40	20.12	<=30	Pass
			49	18.66	1.40	20.06	<=30	Pass
		25	0	18.44	1.40	19.84	<=30	Pass
			13	18.57	1.40	19.97	<=30	Pass
			25	18.46	1.40	19.86	<=30	Pass
		50	0	18.56	1.40	19.96	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.54	1.40	24.94	<=30	Pass
			38	23.87	1.40	25.27	<=30	Pass
			74	23.80	1.40	25.20	<=30	Pass
		36	0	22.39	1.40	23.79	<=30	Pass
			18	22.40	1.40	23.80	<=30	Pass
			39	22.35	1.40	23.75	<=30	Pass
		75	0	22.48	1.40	23.88	<=30	Pass
	1745	1	0	23.40	1.40	24.80	<=30	Pass
			38	23.40	1.40	24.80	<=30	Pass
			74	23.53	1.40	24.93	<=30	Pass
		36	0	22.30	1.40	23.70	<=30	Pass
			18	22.36	1.40	23.76	<=30	Pass
			39	22.35	1.40	23.75	<=30	Pass
		75	0	22.44	1.40	23.84	<=30	Pass
	1772.5	1	0	23.51	1.40	24.91	<=30	Pass
			38	24.07	1.40	25.47	<=30	Pass
			74	23.33	1.40	24.73	<=30	Pass
		36	0	22.38	1.40	23.78	<=30	Pass
			18	22.43	1.40	23.83	<=30	Pass
			39	22.43	1.40	23.83	<=30	Pass
		75	0	22.41	1.40	23.81	<=30	Pass
16QAM	1717.5	1	0	22.64	1.40	24.04	<=30	Pass
			38	22.74	1.40	24.14	<=30	Pass
			74	22.51	1.40	23.91	<=30	Pass

		36	0	21.43	1.40	22.83	<=30	Pass	
			18	21.52	1.40	22.92	<=30	Pass	
			39	21.39	1.40	22.79	<=30	Pass	
		75	0	21.42	1.40	22.82	<=30	Pass	
			38	22.70	1.40	24.10	<=30	Pass	
			74	22.55	1.40	23.95	<=30	Pass	
		36	0	21.42	1.40	22.82	<=30	Pass	
			18	21.40	1.40	22.80	<=30	Pass	
			39	21.50	1.40	22.90	<=30	Pass	
		75	0	21.45	1.40	22.85	<=30	Pass	
		38	22.65	1.40	24.05	<=30	Pass		
		74	22.44	1.40	23.84	<=30	Pass		
	36	0	21.30	1.40	22.70	<=30	Pass		
		18	21.48	1.40	22.88	<=30	Pass		
		39	21.45	1.40	22.85	<=30	Pass		
	75	0	21.34	1.40	22.74	<=30	Pass		
	64QAM	1717.5	1	0	21.56	1.40	22.96	<=30	Pass
				38	21.64	1.40	23.04	<=30	Pass
				74	21.65	1.40	23.05	<=30	Pass
			36	0	20.39	1.40	21.79	<=30	Pass
				18	20.50	1.40	21.90	<=30	Pass
39				20.37	1.40	21.77	<=30	Pass	
75			0	20.47	1.40	21.87	<=30	Pass	
38			21.74	1.40	23.14	<=30	Pass		
74			21.75	1.40	23.15	<=30	Pass		
36		0	20.41	1.40	21.81	<=30	Pass		
		18	20.41	1.40	21.81	<=30	Pass		
		39	20.49	1.40	21.89	<=30	Pass		
75		0	20.38	1.40	21.78	<=30	Pass		
38		21.52	1.40	22.92	<=30	Pass			
74		21.53	1.40	22.93	<=30	Pass			
36		0	20.33	1.40	21.73	<=30	Pass		
		18	20.41	1.40	21.81	<=30	Pass		
		39	20.42	1.40	21.82	<=30	Pass		
75		0	20.38	1.40	21.78	<=30	Pass		
256QAM		1717.5	1	0	18.56	1.40	19.96	<=30	Pass
				38	18.57	1.40	19.97	<=30	Pass
	74			18.50	1.40	19.90	<=30	Pass	
	36		0	18.51	1.40	19.91	<=30	Pass	
			18	18.54	1.40	19.94	<=30	Pass	
			39	18.47	1.40	19.87	<=30	Pass	
	75		0	18.51	1.40	19.91	<=30	Pass	
	38	18.55	1.40	19.95	<=30	Pass			
	74	18.28	1.40	19.68	<=30	Pass			
	36	0	18.41	1.40	19.81	<=30	Pass		
		18	18.48	1.40	19.88	<=30	Pass		
		39	18.46	1.40	19.86	<=30	Pass		
	75	0	18.34	1.40	19.74	<=30	Pass		
	38	18.54	1.40	19.94	<=30	Pass			
	74	18.35	1.40	19.75	<=30	Pass			
	36	0	18.39	1.40	19.79	<=30	Pass		
		18	18.43	1.40	19.83	<=30	Pass		

			39	18.33	1.40	19.73	<=30	Pass
		75	0	18.39	1.40	19.79	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.30	1.40	24.70	<=30	Pass
			50	24.10	1.40	25.50	<=30	Pass
			99	23.69	1.40	25.09	<=30	Pass
		50	0	22.40	1.40	23.80	<=30	Pass
			25	22.48	1.40	23.88	<=30	Pass
			50	22.37	1.40	23.77	<=30	Pass
		100	0	22.40	1.40	23.80	<=30	Pass
	1745	1	0	23.46	1.40	24.86	<=30	Pass
			50	23.48	1.40	24.88	<=30	Pass
			99	23.45	1.40	24.85	<=30	Pass
		50	0	22.34	1.40	23.74	<=30	Pass
			25	22.40	1.40	23.80	<=30	Pass
			50	22.42	1.40	23.82	<=30	Pass
		100	0	22.36	1.40	23.76	<=30	Pass
	1770	1	0	23.37	1.40	24.77	<=30	Pass
			50	23.90	1.40	25.30	<=30	Pass
			99	23.42	1.40	24.82	<=30	Pass
		50	0	22.40	1.40	23.80	<=30	Pass
			25	22.44	1.40	23.84	<=30	Pass
			50	22.43	1.40	23.83	<=30	Pass
		100	0	22.40	1.40	23.80	<=30	Pass
16QAM	1720	1	0	22.47	1.40	23.87	<=30	Pass
			50	22.66	1.40	24.06	<=30	Pass
			99	22.59	1.40	23.99	<=30	Pass
		50	0	21.42	1.40	22.82	<=30	Pass
			25	21.52	1.40	22.92	<=30	Pass
			50	21.41	1.40	22.81	<=30	Pass
		100	0	21.44	1.40	22.84	<=30	Pass
	1745	1	0	22.43	1.40	23.83	<=30	Pass
			50	22.83	1.40	24.23	<=30	Pass
			99	22.65	1.40	24.05	<=30	Pass
		50	0	21.36	1.40	22.76	<=30	Pass
			25	21.41	1.40	22.81	<=30	Pass
			50	21.33	1.40	22.73	<=30	Pass
		100	0	21.44	1.40	22.84	<=30	Pass
	1770	1	0	22.72	1.40	24.12	<=30	Pass
			50	22.54	1.40	23.94	<=30	Pass
			99	22.52	1.40	23.92	<=30	Pass
		50	0	21.42	1.40	22.82	<=30	Pass
			25	21.48	1.40	22.88	<=30	Pass
			50	21.39	1.40	22.79	<=30	Pass
		100	0	21.40	1.40	22.80	<=30	Pass
64QAM	1720	1	0	21.37	1.40	22.77	<=30	Pass
			50	21.63	1.40	23.03	<=30	Pass
			99	21.67	1.40	23.07	<=30	Pass
		50	0	20.39	1.40	21.79	<=30	Pass
			25	20.47	1.40	21.87	<=30	Pass

			50	20.33	1.40	21.73	<=30	Pass	
		100	0	20.49	1.40	21.89	<=30	Pass	
	1745	1	0	21.39	1.40	22.79	<=30	Pass	
			50	21.83	1.40	23.23	<=30	Pass	
			99	21.55	1.40	22.95	<=30	Pass	
		50	0	20.44	1.40	21.84	<=30	Pass	
			25	20.41	1.40	21.81	<=30	Pass	
			50	20.43	1.40	21.83	<=30	Pass	
	100	0	20.40	1.40	21.80	<=30	Pass		
	1770	1	0	21.37	1.40	22.77	<=30	Pass	
			50	21.51	1.40	22.91	<=30	Pass	
			99	21.79	1.40	23.19	<=30	Pass	
		50	0	20.36	1.40	21.76	<=30	Pass	
			25	20.46	1.40	21.86	<=30	Pass	
			50	20.43	1.40	21.83	<=30	Pass	
100	0	20.41	1.40	21.81	<=30	Pass			
256QAM	1720	1	0	18.48	1.40	19.88	<=30	Pass	
			50	18.53	1.40	19.93	<=30	Pass	
			99	18.38	1.40	19.78	<=30	Pass	
		50	0	18.40	1.40	19.80	<=30	Pass	
			25	18.50	1.40	19.90	<=30	Pass	
			50	18.35	1.40	19.75	<=30	Pass	
	100	0	18.40	1.40	19.80	<=30	Pass		
	1745	1	0	18.30	1.40	19.70	<=30	Pass	
			50	18.86	1.40	20.26	<=30	Pass	
			99	18.53	1.40	19.93	<=30	Pass	
		50	0	18.28	1.40	19.68	<=30	Pass	
			25	18.39	1.40	19.79	<=30	Pass	
			50	18.43	1.40	19.83	<=30	Pass	
	100	0	18.48	1.40	19.88	<=30	Pass		
	1770	1	0	18.55	1.40	19.95	<=30	Pass	
			50	18.59	1.40	19.99	<=30	Pass	
			99	18.48	1.40	19.88	<=30	Pass	
		50	0	18.39	1.40	19.79	<=30	Pass	
			25	18.43	1.40	19.83	<=30	Pass	
			50	18.44	1.40	19.84	<=30	Pass	
	100	0	18.40	1.40	19.80	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

---End of Attachment---