

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B71_5MHz_ERP

Band: 71 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	665.5	1	0	23.27	1.22	22.34	<=34.77	Pass
			13	23.24	1.22	22.31	<=34.77	Pass
			24	23.10	1.22	22.17	<=34.77	Pass
		12	0	22.29	1.22	21.36	<=34.77	Pass
			6	22.35	1.22	21.42	<=34.77	Pass
			13	22.29	1.22	21.36	<=34.77	Pass
		25	0	22.26	1.22	21.33	<=34.77	Pass
	680.5	1	0	23.23	1.22	22.30	<=34.77	Pass
			13	23.37	1.22	22.44	<=34.77	Pass
			24	23.28	1.22	22.35	<=34.77	Pass
		12	0	22.33	1.22	21.40	<=34.77	Pass
			6	22.27	1.22	21.34	<=34.77	Pass
			13	22.32	1.22	21.39	<=34.77	Pass
		25	0	22.33	1.22	21.40	<=34.77	Pass
	695.5	1	0	23.21	1.22	22.28	<=34.77	Pass
			13	23.36	1.22	22.43	<=34.77	Pass
			24	23.30	1.22	22.37	<=34.77	Pass
		12	0	22.28	1.22	21.35	<=34.77	Pass
			6	22.33	1.22	21.40	<=34.77	Pass
			13	22.29	1.22	21.36	<=34.77	Pass
		25	0	22.31	1.22	21.38	<=34.77	Pass
16QAM	665.5	1	0	22.67	1.22	21.74	<=34.77	Pass
			13	22.47	1.22	21.54	<=34.77	Pass
			24	22.38	1.22	21.45	<=34.77	Pass
		12	0	21.31	1.22	20.38	<=34.77	Pass
			6	21.38	1.22	20.45	<=34.77	Pass
			13	21.32	1.22	20.39	<=34.77	Pass
		25	0	21.30	1.22	20.37	<=34.77	Pass
	680.5	1	0	22.69	1.22	21.76	<=34.77	Pass
			13	22.59	1.22	21.66	<=34.77	Pass
			24	22.48	1.22	21.55	<=34.77	Pass
		12	0	21.32	1.22	20.39	<=34.77	Pass
			6	21.31	1.22	20.38	<=34.77	Pass
			13	21.32	1.22	20.39	<=34.77	Pass
		25	0	21.27	1.22	20.34	<=34.77	Pass
	695.5	1	0	22.76	1.22	21.83	<=34.77	Pass
			13	22.73	1.22	21.80	<=34.77	Pass
			24	22.53	1.22	21.60	<=34.77	Pass
		12	0	21.39	1.22	20.46	<=34.77	Pass
			6	21.44	1.22	20.51	<=34.77	Pass
			13	21.41	1.22	20.48	<=34.77	Pass
		25	0	21.30	1.22	20.37	<=34.77	Pass
64QAM	665.5	1	0	21.44	1.22	20.51	<=34.77	Pass
			13	21.46	1.22	20.53	<=34.77	Pass
			24	21.41	1.22	20.48	<=34.77	Pass
		12	0	20.25	1.22	19.32	<=34.77	Pass
			6	20.24	1.22	19.31	<=34.77	Pass
			13	20.27	1.22	19.34	<=34.77	Pass

		25	0	20.26	1.22	19.33	<=34.77	Pass
	680.5	1	0	21.56	1.22	20.63	<=34.77	Pass
			13	21.48	1.22	20.55	<=34.77	Pass
			24	21.51	1.22	20.58	<=34.77	Pass
			0	20.39	1.22	19.46	<=34.77	Pass
		12	6	20.24	1.22	19.31	<=34.77	Pass
			13	20.33	1.22	19.40	<=34.77	Pass
			25	0	20.22	1.22	19.29	<=34.77
	695.5	1	0	21.44	1.22	20.51	<=34.77	Pass
			13	21.58	1.22	20.65	<=34.77	Pass
			24	21.59	1.22	20.66	<=34.77	Pass
			0	20.27	1.22	19.34	<=34.77	Pass
		12	6	20.31	1.22	19.38	<=34.77	Pass
			13	20.31	1.22	19.38	<=34.77	Pass
			25	0	20.41	1.22	19.48	<=34.77
	256QAM	665.5	1	0	18.43	1.22	17.50	<=34.77
13				18.21	1.22	17.28	<=34.77	Pass
24				18.32	1.22	17.39	<=34.77	Pass
0				18.30	1.22	17.37	<=34.77	Pass
12			6	18.36	1.22	17.43	<=34.77	Pass
			13	18.24	1.22	17.31	<=34.77	Pass
			25	0	18.30	1.22	17.37	<=34.77
680.5		1	0	18.45	1.22	17.52	<=34.77	Pass
			13	18.53	1.22	17.60	<=34.77	Pass
			24	18.18	1.22	17.25	<=34.77	Pass
			0	18.35	1.22	17.42	<=34.77	Pass
		12	6	18.28	1.22	17.35	<=34.77	Pass
			13	18.36	1.22	17.43	<=34.77	Pass
			25	0	18.28	1.22	17.35	<=34.77
695.5		1	0	18.25	1.22	17.32	<=34.77	Pass
			13	18.54	1.22	17.61	<=34.77	Pass
			24	18.23	1.22	17.30	<=34.77	Pass
			0	18.32	1.22	17.39	<=34.77	Pass
		12	6	18.41	1.22	17.48	<=34.77	Pass
			13	18.37	1.22	17.44	<=34.77	Pass
			25	0	18.32	1.22	17.39	<=34.77
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B71_10MHz_ERP

Band: 71 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	668	1	0	23.22	1.22	22.29	<=34.77	Pass
			25	23.09	1.22	22.16	<=34.77	Pass
			49	23.22	1.22	22.29	<=34.77	Pass
		25	0	22.26	1.22	21.33	<=34.77	Pass
			13	22.30	1.22	21.37	<=34.77	Pass
			25	22.21	1.22	21.28	<=34.77	Pass
		50	0	22.20	1.22	21.27	<=34.77	Pass
	680.5	1	0	23.34	1.22	22.41	<=34.77	Pass
			25	23.31	1.22	22.38	<=34.77	Pass
			49	23.37	1.22	22.44	<=34.77	Pass
		25	0	22.31	1.22	21.38	<=34.77	Pass
			13	22.21	1.22	21.28	<=34.77	Pass
			25	22.28	1.22	21.35	<=34.77	Pass
		25	0	22.28	1.22	21.35	<=34.77	Pass

	693	50	0	22.22	1.22	21.29	<=34.77	Pass
		1	0	23.30	1.22	22.37	<=34.77	Pass
			25	23.24	1.22	22.31	<=34.77	Pass
			49	23.19	1.22	22.26	<=34.77	Pass
		25	0	22.29	1.22	21.36	<=34.77	Pass
			13	22.33	1.22	21.40	<=34.77	Pass
			25	22.27	1.22	21.34	<=34.77	Pass
16QAM	668	50	0	22.28	1.22	21.35	<=34.77	Pass
		1	0	22.37	1.22	21.44	<=34.77	Pass
			25	22.46	1.22	21.53	<=34.77	Pass
			49	22.43	1.22	21.50	<=34.77	Pass
		25	0	21.26	1.22	20.33	<=34.77	Pass
			13	21.32	1.22	20.39	<=34.77	Pass
			25	21.23	1.22	20.30	<=34.77	Pass
	680.5	50	0	21.31	1.22	20.38	<=34.77	Pass
		1	0	22.47	1.22	21.54	<=34.77	Pass
			25	22.63	1.22	21.70	<=34.77	Pass
			49	22.39	1.22	21.46	<=34.77	Pass
		25	0	21.30	1.22	20.37	<=34.77	Pass
			13	21.33	1.22	20.40	<=34.77	Pass
			25	21.34	1.22	20.41	<=34.77	Pass
	693	50	0	21.34	1.22	20.41	<=34.77	Pass
		1	0	22.60	1.22	21.67	<=34.77	Pass
			25	22.59	1.22	21.66	<=34.77	Pass
			49	22.55	1.22	21.62	<=34.77	Pass
		25	0	21.28	1.22	20.35	<=34.77	Pass
			13	21.33	1.22	20.40	<=34.77	Pass
			25	21.36	1.22	20.43	<=34.77	Pass
64QAM	668	50	0	21.41	1.22	20.48	<=34.77	Pass
		1	0	21.49	1.22	20.56	<=34.77	Pass
			25	21.32	1.22	20.39	<=34.77	Pass
			49	21.23	1.22	20.30	<=34.77	Pass
		25	0	20.30	1.22	19.37	<=34.77	Pass
			13	20.34	1.22	19.41	<=34.77	Pass
			25	20.15	1.22	19.22	<=34.77	Pass
	680.5	50	0	20.33	1.22	19.40	<=34.77	Pass
		1	0	21.34	1.22	20.41	<=34.77	Pass
			25	21.27	1.22	20.34	<=34.77	Pass
			49	21.52	1.22	20.59	<=34.77	Pass
		25	0	20.29	1.22	19.36	<=34.77	Pass
			13	20.29	1.22	19.36	<=34.77	Pass
			25	20.28	1.22	19.35	<=34.77	Pass
	693	50	0	20.20	1.22	19.27	<=34.77	Pass
		1	0	21.45	1.22	20.52	<=34.77	Pass
			25	21.59	1.22	20.66	<=34.77	Pass
			49	21.42	1.22	20.49	<=34.77	Pass
		25	0	20.28	1.22	19.35	<=34.77	Pass
			13	20.30	1.22	19.37	<=34.77	Pass
			25	20.33	1.22	19.40	<=34.77	Pass
256QAM	668	50	0	20.39	1.22	19.46	<=34.77	Pass
		1	0	18.37	1.22	17.44	<=34.77	Pass
			25	18.31	1.22	17.38	<=34.77	Pass
			49	18.26	1.22	17.33	<=34.77	Pass
		25	0	18.19	1.22	17.26	<=34.77	Pass
			13	18.29	1.22	17.36	<=34.77	Pass
			25	18.26	1.22	17.33	<=34.77	Pass
	680.5	50	0	18.26	1.22	17.33	<=34.77	Pass
		1	0	18.48	1.22	17.55	<=34.77	Pass
			0					

			25	18.37	1.22	17.44	<=34.77	Pass
			49	18.36	1.22	17.43	<=34.77	Pass
		25	0	18.27	1.22	17.34	<=34.77	Pass
			13	18.31	1.22	17.38	<=34.77	Pass
			25	18.35	1.22	17.42	<=34.77	Pass
		50	0	18.30	1.22	17.37	<=34.77	Pass
	693	1	0	18.23	1.22	17.30	<=34.77	Pass
			25	18.42	1.22	17.49	<=34.77	Pass
			49	18.36	1.22	17.43	<=34.77	Pass
		25	0	18.23	1.22	17.30	<=34.77	Pass
			13	18.33	1.22	17.40	<=34.77	Pass
			25	18.18	1.22	17.25	<=34.77	Pass
		50	0	18.42	1.22	17.49	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B71_15MHz_ERP

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	670.5	1	0	23.26	1.22	22.33	<=34.77	Pass
			38	23.71	1.22	22.78	<=34.77	Pass
			74	23.00	1.22	22.07	<=34.77	Pass
		36	0	22.26	1.22	21.33	<=34.77	Pass
			18	22.27	1.22	21.34	<=34.77	Pass
			39	22.23	1.22	21.30	<=34.77	Pass
		75	0	22.27	1.22	21.34	<=34.77	Pass
	680.5	1	0	23.18	1.22	22.25	<=34.77	Pass
			38	23.47	1.22	22.54	<=34.77	Pass
			74	23.13	1.22	22.20	<=34.77	Pass
		36	0	22.27	1.22	21.34	<=34.77	Pass
			18	22.28	1.22	21.35	<=34.77	Pass
			39	22.26	1.22	21.33	<=34.77	Pass
		75	0	22.27	1.22	21.34	<=34.77	Pass
	690.5	1	0	23.16	1.22	22.23	<=34.77	Pass
			38	23.87	1.22	22.94	<=34.77	Pass
			74	23.25	1.22	22.32	<=34.77	Pass
		36	0	22.24	1.22	21.31	<=34.77	Pass
			18	22.32	1.22	21.39	<=34.77	Pass
			39	22.23	1.22	21.30	<=34.77	Pass
		75	0	22.31	1.22	21.38	<=34.77	Pass
16QAM	670.5	1	0	22.26	1.22	21.33	<=34.77	Pass
			38	22.42	1.22	21.49	<=34.77	Pass
			74	22.47	1.22	21.54	<=34.77	Pass
		36	0	21.27	1.22	20.34	<=34.77	Pass
			18	21.30	1.22	20.37	<=34.77	Pass
			39	21.21	1.22	20.28	<=34.77	Pass
		75	0	21.28	1.22	20.35	<=34.77	Pass
	680.5	1	0	22.52	1.22	21.59	<=34.77	Pass
			38	22.38	1.22	21.45	<=34.77	Pass
			74	22.27	1.22	21.34	<=34.77	Pass
		36	0	21.26	1.22	20.33	<=34.77	Pass
			18	21.30	1.22	20.37	<=34.77	Pass
			39	21.37	1.22	20.44	<=34.77	Pass
		75	0	21.18	1.22	20.25	<=34.77	Pass
	690.5	1	0	22.45	1.22	21.52	<=34.77	Pass

			38	22.47	1.22	21.54	<=34.77	Pass
			74	22.25	1.22	21.32	<=34.77	Pass
			0	21.27	1.22	20.34	<=34.77	Pass
			18	21.35	1.22	20.42	<=34.77	Pass
			39	21.25	1.22	20.32	<=34.77	Pass
			75	0	1.22	20.40	<=34.77	Pass
		36	0	21.20	1.22	20.27	<=34.77	Pass
			38	21.48	1.22	20.55	<=34.77	Pass
			74	21.17	1.22	20.24	<=34.77	Pass
			0	20.24	1.22	19.31	<=34.77	Pass
			18	20.28	1.22	19.35	<=34.77	Pass
			39	20.21	1.22	19.28	<=34.77	Pass
64QAM	670.5	1	0	21.33	1.22	20.40	<=34.77	Pass
			38	21.48	1.22	20.55	<=34.77	Pass
			74	21.17	1.22	20.24	<=34.77	Pass
		36	0	20.24	1.22	19.31	<=34.77	Pass
			18	20.28	1.22	19.35	<=34.77	Pass
			39	20.21	1.22	19.28	<=34.77	Pass
		75	0	20.36	1.22	19.43	<=34.77	Pass
			0	21.52	1.22	20.59	<=34.77	Pass
			38	21.48	1.22	20.55	<=34.77	Pass
		36	74	21.39	1.22	20.46	<=34.77	Pass
			0	20.23	1.22	19.30	<=34.77	Pass
			18	20.29	1.22	19.36	<=34.77	Pass
	680.5	1	39	20.28	1.22	19.35	<=34.77	Pass
			0	20.24	1.22	19.31	<=34.77	Pass
			0	21.47	1.22	20.54	<=34.77	Pass
		36	38	21.43	1.22	20.50	<=34.77	Pass
			74	21.34	1.22	20.41	<=34.77	Pass
			0	20.19	1.22	19.26	<=34.77	Pass
		75	18	20.34	1.22	19.41	<=34.77	Pass
			39	20.31	1.22	19.38	<=34.77	Pass
			0	20.32	1.22	19.39	<=34.77	Pass
	690.5	1	0	18.37	1.22	17.44	<=34.77	Pass
			38	18.15	1.22	17.22	<=34.77	Pass
			74	18.23	1.22	17.30	<=34.77	Pass
		36	0	18.28	1.22	17.35	<=34.77	Pass
			18	18.31	1.22	17.38	<=34.77	Pass
			39	18.25	1.22	17.32	<=34.77	Pass
		75	0	18.32	1.22	17.39	<=34.77	Pass
			0	18.34	1.22	17.41	<=34.77	Pass
			38	18.33	1.22	17.40	<=34.77	Pass
		36	74	18.34	1.22	17.41	<=34.77	Pass
			0	18.38	1.22	17.45	<=34.77	Pass
			18	18.22	1.22	17.29	<=34.77	Pass
256QAM	670.5	1	39	18.28	1.22	17.35	<=34.77	Pass
			0	18.32	1.22	17.39	<=34.77	Pass
			0	18.26	1.22	17.33	<=34.77	Pass
		36	38	18.45	1.22	17.52	<=34.77	Pass
			74	18.14	1.22	17.21	<=34.77	Pass
			0	18.24	1.22	17.31	<=34.77	Pass
		75	18	18.40	1.22	17.47	<=34.77	Pass
			39	18.32	1.22	17.39	<=34.77	Pass
			0	18.39	1.22	17.46	<=34.77	Pass
	680.5	1	0	18.37	1.22	17.44	<=34.77	Pass
			38	18.15	1.22	17.22	<=34.77	Pass
			74	18.23	1.22	17.30	<=34.77	Pass
		36	0	18.28	1.22	17.35	<=34.77	Pass
			18	18.31	1.22	17.38	<=34.77	Pass
			39	18.25	1.22	17.32	<=34.77	Pass
		75	0	18.32	1.22	17.39	<=34.77	Pass
			0	18.34	1.22	17.41	<=34.77	Pass
			38	18.33	1.22	17.40	<=34.77	Pass
		36	74	18.34	1.22	17.41	<=34.77	Pass
			0	18.38	1.22	17.45	<=34.77	Pass
			18	18.22	1.22	17.29	<=34.77	Pass
	690.5	1	39	18.28	1.22	17.35	<=34.77	Pass
			0	18.32	1.22	17.39	<=34.77	Pass
			0	18.26	1.22	17.33	<=34.77	Pass
		36	38	18.45	1.22	17.52	<=34.77	Pass
			74	18.14	1.22	17.21	<=34.77	Pass
			0	18.24	1.22	17.31	<=34.77	Pass
		75	18	18.40	1.22	17.47	<=34.77	Pass
			39	18.32	1.22	17.39	<=34.77	Pass
			0	18.39	1.22	17.46	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B71_20MHz_ERP

Band: 71 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	673	1	0	23.18	1.22	22.25	<=34.77	Pass

			50	23.20	1.22	22.27	<=34.77	Pass	
			99	23.25	1.22	22.32	<=34.77	Pass	
			50	0	22.28	1.22	21.35	<=34.77	Pass
				25	22.26	1.22	21.33	<=34.77	Pass
				50	22.23	1.22	21.30	<=34.77	Pass
		100	0	22.23	1.22	21.30	<=34.77	Pass	
	683	1	0	23.24	1.22	22.31	<=34.77	Pass	
			50	23.32	1.22	22.39	<=34.77	Pass	
			99	23.14	1.22	22.21	<=34.77	Pass	
		50	0	22.33	1.22	21.40	<=34.77	Pass	
			25	22.37	1.22	21.44	<=34.77	Pass	
			50	22.18	1.22	21.25	<=34.77	Pass	
	100	0	22.25	1.22	21.32	<=34.77	Pass		
	688	1	0	23.26	1.22	22.33	<=34.77	Pass	
			50	23.69	1.22	22.76	<=34.77	Pass	
			99	23.43	1.22	22.50	<=34.77	Pass	
		50	0	22.23	1.22	21.30	<=34.77	Pass	
			25	22.27	1.22	21.34	<=34.77	Pass	
			50	22.29	1.22	21.36	<=34.77	Pass	
	100	0	22.28	1.22	21.35	<=34.77	Pass		
16QAM	673	1	0	22.40	1.22	21.47	<=34.77	Pass	
			50	22.56	1.22	21.63	<=34.77	Pass	
			99	22.54	1.22	21.61	<=34.77	Pass	
		50	0	21.27	1.22	20.34	<=34.77	Pass	
			25	21.38	1.22	20.45	<=34.77	Pass	
			50	21.31	1.22	20.38	<=34.77	Pass	
	100	0	21.25	1.22	20.32	<=34.77	Pass		
	683	1	0	22.31	1.22	21.38	<=34.77	Pass	
			50	22.44	1.22	21.51	<=34.77	Pass	
			99	22.39	1.22	21.46	<=34.77	Pass	
		50	0	21.30	1.22	20.37	<=34.77	Pass	
			25	21.28	1.22	20.35	<=34.77	Pass	
			50	21.30	1.22	20.37	<=34.77	Pass	
	100	0	21.23	1.22	20.30	<=34.77	Pass		
	688	1	0	22.66	1.22	21.73	<=34.77	Pass	
			50	22.43	1.22	21.50	<=34.77	Pass	
			99	22.32	1.22	21.39	<=34.77	Pass	
		50	0	21.27	1.22	20.34	<=34.77	Pass	
			25	21.36	1.22	20.43	<=34.77	Pass	
			50	21.28	1.22	20.35	<=34.77	Pass	
100	0	21.28	1.22	20.35	<=34.77	Pass			
64QAM	673	1	0	21.49	1.22	20.56	<=34.77	Pass	
			50	21.43	1.22	20.50	<=34.77	Pass	
			99	21.31	1.22	20.38	<=34.77	Pass	
		50	0	20.31	1.22	19.38	<=34.77	Pass	
			25	20.35	1.22	19.42	<=34.77	Pass	
			50	20.24	1.22	19.31	<=34.77	Pass	
	100	0	20.34	1.22	19.41	<=34.77	Pass		
	683	1	0	21.32	1.22	20.39	<=34.77	Pass	
			50	21.24	1.22	20.31	<=34.77	Pass	
			99	21.27	1.22	20.34	<=34.77	Pass	
		50	0	20.30	1.22	19.37	<=34.77	Pass	
			25	20.28	1.22	19.35	<=34.77	Pass	
			50	20.29	1.22	19.36	<=34.77	Pass	
	100	0	20.33	1.22	19.40	<=34.77	Pass		
	688	1	0	21.65	1.22	20.72	<=34.77	Pass	
			50	21.48	1.22	20.55	<=34.77	Pass	
			99	21.39	1.22	20.46	<=34.77	Pass	

		50	0	20.30	1.22	19.37	<=34.77	Pass	
			25	20.35	1.22	19.42	<=34.77	Pass	
			50	20.27	1.22	19.34	<=34.77	Pass	
		100	0	20.35	1.22	19.42	<=34.77	Pass	
256QAM	673	1	0	18.42	1.22	17.49	<=34.77	Pass	
			50	18.37	1.22	17.44	<=34.77	Pass	
			99	18.12	1.22	17.19	<=34.77	Pass	
		50	0	18.23	1.22	17.30	<=34.77	Pass	
			25	18.25	1.22	17.32	<=34.77	Pass	
			50	18.25	1.22	17.32	<=34.77	Pass	
		100	0	18.27	1.22	17.34	<=34.77	Pass	
		683	1	0	18.24	1.22	17.31	<=34.77	Pass
				50	18.35	1.22	17.42	<=34.77	Pass
				99	18.30	1.22	17.37	<=34.77	Pass
	50		0	18.34	1.22	17.41	<=34.77	Pass	
			25	18.24	1.22	17.31	<=34.77	Pass	
			50	18.33	1.22	17.40	<=34.77	Pass	
	100		0	18.21	1.22	17.28	<=34.77	Pass	
	688		1	0	18.29	1.22	17.36	<=34.77	Pass
				50	18.46	1.22	17.53	<=34.77	Pass
				99	18.22	1.22	17.29	<=34.77	Pass
		50	0	18.27	1.22	17.34	<=34.77	Pass	
			25	18.33	1.22	17.40	<=34.77	Pass	
			50	18.29	1.22	17.36	<=34.77	Pass	
		100	0	18.34	1.22	17.41	<=34.77	Pass	
		Note1: ERP=Conducted Power+Antenna Gain-2.15							

Note1: ERP=Conducted Power+Antenna Gain-2.15

---End of Attachment---