

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B4_1.4MHz_EIRP

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.31	1.20	24.51	<=30	Pass
			2	23.32	1.20	24.52	<=30	Pass
			5	23.32	1.20	24.52	<=30	Pass
		3	0	23.28	1.20	24.48	<=30	Pass
			2	23.38	1.20	24.58	<=30	Pass
			3	23.35	1.20	24.55	<=30	Pass
		6	0	22.43	1.20	23.63	<=30	Pass
	1732.5	1	0	23.36	1.20	24.56	<=30	Pass
			2	23.28	1.20	24.48	<=30	Pass
			5	23.37	1.20	24.57	<=30	Pass
		3	0	23.33	1.20	24.53	<=30	Pass
			2	23.67	1.20	24.87	<=30	Pass
			3	23.30	1.20	24.50	<=30	Pass
		6	0	22.39	1.20	23.59	<=30	Pass
	1754.3	1	0	23.35	1.20	24.55	<=30	Pass
			2	23.40	1.20	24.60	<=30	Pass
			5	23.33	1.20	24.53	<=30	Pass
		3	0	23.33	1.20	24.53	<=30	Pass
			2	23.33	1.20	24.53	<=30	Pass
			3	23.30	1.20	24.50	<=30	Pass
		6	0	22.41	1.20	23.61	<=30	Pass
16QAM	1710.7	1	0	22.71	1.20	23.91	<=30	Pass
			2	23.04	1.20	24.24	<=30	Pass
			5	23.03	1.20	24.23	<=30	Pass
		3	0	22.57	1.20	23.77	<=30	Pass
			2	22.57	1.20	23.77	<=30	Pass
			3	22.57	1.20	23.77	<=30	Pass
		6	0	21.49	1.20	22.69	<=30	Pass
	1732.5	1	0	22.78	1.20	23.98	<=30	Pass
			2	23.08	1.20	24.28	<=30	Pass
			5	22.79	1.20	23.99	<=30	Pass
		3	0	22.81	1.20	24.01	<=30	Pass
			2	22.48	1.20	23.68	<=30	Pass
			3	22.68	1.20	23.88	<=30	Pass
		6	0	21.49	1.20	22.69	<=30	Pass
	1754.3	1	0	22.88	1.20	24.08	<=30	Pass
			2	22.80	1.20	24.00	<=30	Pass
			5	22.67	1.20	23.87	<=30	Pass
		3	0	22.43	1.20	23.63	<=30	Pass
			2	22.77	1.20	23.97	<=30	Pass
			3	22.47	1.20	23.67	<=30	Pass
		6	0	21.52	1.20	22.72	<=30	Pass
64QAM	1710.7	1	0	22.47	1.20	23.67	<=30	Pass
			2	22.35	1.20	23.55	<=30	Pass
			5	22.51	1.20	23.71	<=30	Pass
		3	0	22.42	1.20	23.62	<=30	Pass
			2	22.51	1.20	23.71	<=30	Pass
			3	22.48	1.20	23.68	<=30	Pass

		6	0	21.50	1.20	22.70	<=30	Pass
	1732.5	1	0	22.66	1.20	23.86	<=30	Pass
			2	22.48	1.20	23.68	<=30	Pass
			5	22.49	1.20	23.69	<=30	Pass
			3	0	22.40	1.20	23.60	<=30
		3	2	22.50	1.20	23.70	<=30	Pass
			3	22.52	1.20	23.72	<=30	Pass
			6	0	21.43	1.20	22.63	<=30
	1754.3	1	0	22.53	1.20	23.73	<=30	Pass
			2	22.69	1.20	23.89	<=30	Pass
			5	22.45	1.20	23.65	<=30	Pass
		3	0	22.43	1.20	23.63	<=30	Pass
			2	22.55	1.20	23.75	<=30	Pass
			3	22.42	1.20	23.62	<=30	Pass
		6	0	21.49	1.20	22.69	<=30	Pass
	256QAM	1710.7	1	0	18.20	1.20	19.40	<=30
2				18.56	1.20	19.76	<=30	Pass
5				18.46	1.20	19.66	<=30	Pass
3			0	18.43	1.20	19.63	<=30	Pass
			2	18.55	1.20	19.75	<=30	Pass
			3	18.43	1.20	19.63	<=30	Pass
6			0	18.41	1.20	19.61	<=30	Pass
1732.5		1	0	18.46	1.20	19.66	<=30	Pass
			2	18.64	1.20	19.84	<=30	Pass
			5	18.63	1.20	19.83	<=30	Pass
		3	0	18.57	1.20	19.77	<=30	Pass
			2	18.58	1.20	19.78	<=30	Pass
			3	18.55	1.20	19.75	<=30	Pass
6		0	18.44	1.20	19.64	<=30	Pass	
1754.3		1	0	18.55	1.20	19.75	<=30	Pass
			2	18.84	1.20	20.04	<=30	Pass
			5	18.55	1.20	19.75	<=30	Pass
		3	0	18.35	1.20	19.55	<=30	Pass
			2	18.51	1.20	19.71	<=30	Pass
			3	18.51	1.20	19.71	<=30	Pass
6		0	18.40	1.20	19.60	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.43	1.20	24.63	<=30	Pass
			7	23.50	1.20	24.70	<=30	Pass
			14	23.64	1.20	24.84	<=30	Pass
		8	0	22.41	1.20	23.61	<=30	Pass
			4	22.48	1.20	23.68	<=30	Pass
			7	22.49	1.20	23.69	<=30	Pass
		15	0	22.44	1.20	23.64	<=30	Pass
	1732.5	1	0	23.29	1.20	24.49	<=30	Pass
			7	23.48	1.20	24.68	<=30	Pass
			14	23.51	1.20	24.71	<=30	Pass
		8	0	22.45	1.20	23.65	<=30	Pass
			4	22.46	1.20	23.66	<=30	Pass
			7	22.56	1.20	23.76	<=30	Pass

	1753.5	15	0	22.54	1.20	23.74	<=30	Pass
		1	0	23.41	1.20	24.61	<=30	Pass
			7	23.40	1.20	24.60	<=30	Pass
			14	23.58	1.20	24.78	<=30	Pass
		8	0	22.55	1.20	23.75	<=30	Pass
			4	22.47	1.20	23.67	<=30	Pass
			7	22.46	1.20	23.66	<=30	Pass
16QAM	1711.5	1	0	22.70	1.20	23.90	<=30	Pass
			7	22.73	1.20	23.93	<=30	Pass
			14	22.71	1.20	23.91	<=30	Pass
		8	0	21.55	1.20	22.75	<=30	Pass
			4	21.56	1.20	22.76	<=30	Pass
			7	21.59	1.20	22.79	<=30	Pass
		15	0	21.44	1.20	22.64	<=30	Pass
	1732.5	1	0	22.68	1.20	23.88	<=30	Pass
			7	22.88	1.20	24.08	<=30	Pass
			14	22.75	1.20	23.95	<=30	Pass
		8	0	21.60	1.20	22.80	<=30	Pass
			4	21.53	1.20	22.73	<=30	Pass
			7	21.71	1.20	22.91	<=30	Pass
		15	0	21.52	1.20	22.72	<=30	Pass
	1753.5	1	0	22.65	1.20	23.85	<=30	Pass
			7	22.81	1.20	24.01	<=30	Pass
			14	22.73	1.20	23.93	<=30	Pass
		8	0	21.54	1.20	22.74	<=30	Pass
			4	21.66	1.20	22.86	<=30	Pass
			7	21.47	1.20	22.67	<=30	Pass
		15	0	21.44	1.20	22.64	<=30	Pass
64QAM	1711.5	1	0	22.36	1.20	23.56	<=30	Pass
			7	22.73	1.20	23.93	<=30	Pass
			14	22.54	1.20	23.74	<=30	Pass
		8	0	21.51	1.20	22.71	<=30	Pass
			4	21.51	1.20	22.71	<=30	Pass
			7	21.53	1.20	22.73	<=30	Pass
		15	0	21.60	1.20	22.80	<=30	Pass
	1732.5	1	0	22.50	1.20	23.70	<=30	Pass
			7	22.69	1.20	23.89	<=30	Pass
			14	22.61	1.20	23.81	<=30	Pass
		8	0	21.53	1.20	22.73	<=30	Pass
			4	21.61	1.20	22.81	<=30	Pass
			7	21.49	1.20	22.69	<=30	Pass
		15	0	21.48	1.20	22.68	<=30	Pass
	1753.5	1	0	22.51	1.20	23.71	<=30	Pass
			7	22.66	1.20	23.86	<=30	Pass
			14	22.64	1.20	23.84	<=30	Pass
		8	0	21.38	1.20	22.58	<=30	Pass
			4	21.51	1.20	22.71	<=30	Pass
			7	21.51	1.20	22.71	<=30	Pass
		15	0	21.52	1.20	22.72	<=30	Pass
256QAM	1711.5	1	0	18.42	1.20	19.62	<=30	Pass
			7	18.61	1.20	19.81	<=30	Pass
			14	18.42	1.20	19.62	<=30	Pass
		8	0	18.35	1.20	19.55	<=30	Pass
			4	18.54	1.20	19.74	<=30	Pass
			7	18.51	1.20	19.71	<=30	Pass
		15	0	18.46	1.20	19.66	<=30	Pass
	1732.5	1	0	18.55	1.20	19.75	<=30	Pass

		8	7	18.57	1.20	19.77	<=30	Pass
			14	18.68	1.20	19.88	<=30	Pass
			0	18.50	1.20	19.70	<=30	Pass
			4	18.57	1.20	19.77	<=30	Pass
			7	18.56	1.20	19.76	<=30	Pass
	1753.5	15	0	18.55	1.20	19.75	<=30	Pass
			0	18.39	1.20	19.59	<=30	Pass
			7	18.60	1.20	19.80	<=30	Pass
		1	14	18.53	1.20	19.73	<=30	Pass
			0	18.52	1.20	19.72	<=30	Pass
			4	18.58	1.20	19.78	<=30	Pass
		8	7	18.59	1.20	19.79	<=30	Pass
			0	18.46	1.20	19.66	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.37	1.20	24.57	<=30	Pass
			13	23.47	1.20	24.67	<=30	Pass
			24	23.39	1.20	24.59	<=30	Pass
		12	0	22.43	1.20	23.63	<=30	Pass
			6	22.47	1.20	23.67	<=30	Pass
			13	22.43	1.20	23.63	<=30	Pass
		25	0	22.42	1.20	23.62	<=30	Pass
	1732.5	1	0	23.46	1.20	24.66	<=30	Pass
			13	23.51	1.20	24.71	<=30	Pass
			24	23.61	1.20	24.81	<=30	Pass
		12	0	22.53	1.20	23.73	<=30	Pass
			6	22.57	1.20	23.77	<=30	Pass
			13	22.49	1.20	23.69	<=30	Pass
		25	0	22.40	1.20	23.60	<=30	Pass
	1752.5	1	0	23.47	1.20	24.67	<=30	Pass
			13	23.67	1.20	24.87	<=30	Pass
			24	23.43	1.20	24.63	<=30	Pass
		12	0	22.45	1.20	23.65	<=30	Pass
			6	22.54	1.20	23.74	<=30	Pass
			13	22.45	1.20	23.65	<=30	Pass
		25	0	22.49	1.20	23.69	<=30	Pass
16QAM	1712.5	1	0	22.62	1.20	23.82	<=30	Pass
			13	22.91	1.20	24.11	<=30	Pass
			24	22.76	1.20	23.96	<=30	Pass
		12	0	21.46	1.20	22.66	<=30	Pass
			6	21.51	1.20	22.71	<=30	Pass
			13	21.52	1.20	22.72	<=30	Pass
		25	0	21.45	1.20	22.65	<=30	Pass
	1732.5	1	0	22.83	1.20	24.03	<=30	Pass
			13	22.79	1.20	23.99	<=30	Pass
			24	22.68	1.20	23.88	<=30	Pass
		12	0	21.47	1.20	22.67	<=30	Pass
			6	21.59	1.20	22.79	<=30	Pass
			13	21.53	1.20	22.73	<=30	Pass
		25	0	21.43	1.20	22.63	<=30	Pass
	1752.5	1	0	22.65	1.20	23.85	<=30	Pass

		12	13	22.71	1.20	23.91	<=30	Pass		
			24	22.76	1.20	23.96	<=30	Pass		
			0	21.54	1.20	22.74	<=30	Pass		
			6	21.53	1.20	22.73	<=30	Pass		
			13	21.41	1.20	22.61	<=30	Pass		
			25	0	21.43	1.20	22.63	<=30	Pass	
64QAM	1712.5	1	0	22.38	1.20	23.58	<=30	Pass		
			13	22.67	1.20	23.87	<=30	Pass		
			24	22.47	1.20	23.67	<=30	Pass		
		12	0	21.47	1.20	22.67	<=30	Pass		
			6	21.66	1.20	22.86	<=30	Pass		
			13	21.44	1.20	22.64	<=30	Pass		
		25	0	21.49	1.20	22.69	<=30	Pass		
		1732.5	1	0	22.43	1.20	23.63	<=30	Pass	
				13	22.78	1.20	23.98	<=30	Pass	
	24			22.63	1.20	23.83	<=30	Pass		
	12		0	21.57	1.20	22.77	<=30	Pass		
			6	21.61	1.20	22.81	<=30	Pass		
			13	21.52	1.20	22.72	<=30	Pass		
	25		0	21.42	1.20	22.62	<=30	Pass		
	1752.5		1	0	22.42	1.20	23.62	<=30	Pass	
				13	22.63	1.20	23.83	<=30	Pass	
		24		22.61	1.20	23.81	<=30	Pass		
		12	0	21.53	1.20	22.73	<=30	Pass		
			6	21.57	1.20	22.77	<=30	Pass		
			13	21.44	1.20	22.64	<=30	Pass		
		25	0	21.54	1.20	22.74	<=30	Pass		
		256QAM	1712.5	1	0	18.59	1.20	19.79	<=30	Pass
					13	18.56	1.20	19.76	<=30	Pass
	24				18.31	1.20	19.51	<=30	Pass	
12	0			18.42	1.20	19.62	<=30	Pass		
	6			18.58	1.20	19.78	<=30	Pass		
	13			18.40	1.20	19.60	<=30	Pass		
25	0			18.42	1.20	19.62	<=30	Pass		
1732.5	1			0	18.55	1.20	19.75	<=30	Pass	
				13	18.70	1.20	19.90	<=30	Pass	
			24	18.48	1.20	19.68	<=30	Pass		
	12		0	18.53	1.20	19.73	<=30	Pass		
			6	18.53	1.20	19.73	<=30	Pass		
			13	18.47	1.20	19.67	<=30	Pass		
	25		0	18.48	1.20	19.68	<=30	Pass		
	1752.5		1	0	18.65	1.20	19.85	<=30	Pass	
				13	18.64	1.20	19.84	<=30	Pass	
24				18.33	1.20	19.53	<=30	Pass		
12			0	18.44	1.20	19.64	<=30	Pass		
			6	18.59	1.20	19.79	<=30	Pass		
			13	18.41	1.20	19.61	<=30	Pass		
25			0	18.47	1.20	19.67	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.33	1.20	24.53	<=30	Pass

			25	23.54	1.20	24.74	<=30	Pass	
			49	23.48	1.20	24.68	<=30	Pass	
			25	0	22.40	1.20	23.60	<=30	Pass
				13	22.47	1.20	23.67	<=30	Pass
				25	22.46	1.20	23.66	<=30	Pass
		50	0	22.47	1.20	23.67	<=30	Pass	
		1732.5	1	0	23.44	1.20	24.64	<=30	Pass
				25	23.59	1.20	24.79	<=30	Pass
				49	23.59	1.20	24.79	<=30	Pass
			25	0	22.54	1.20	23.74	<=30	Pass
	13			22.49	1.20	23.69	<=30	Pass	
	25			22.46	1.20	23.66	<=30	Pass	
	50	0	22.38	1.20	23.58	<=30	Pass		
	1750	1	0	23.46	1.20	24.66	<=30	Pass	
			25	23.37	1.20	24.57	<=30	Pass	
			49	23.48	1.20	24.68	<=30	Pass	
		25	0	22.57	1.20	23.77	<=30	Pass	
			13	22.51	1.20	23.71	<=30	Pass	
			25	22.46	1.20	23.66	<=30	Pass	
		50	0	22.54	1.20	23.74	<=30	Pass	
16QAM		1715	1	0	22.62	1.20	23.82	<=30	Pass
				25	22.87	1.20	24.07	<=30	Pass
	49			22.61	1.20	23.81	<=30	Pass	
	25		0	21.53	1.20	22.73	<=30	Pass	
			13	21.51	1.20	22.71	<=30	Pass	
			25	21.52	1.20	22.72	<=30	Pass	
	50		0	21.51	1.20	22.71	<=30	Pass	
	1732.5	1	0	22.69	1.20	23.89	<=30	Pass	
			25	22.77	1.20	23.97	<=30	Pass	
			49	22.65	1.20	23.85	<=30	Pass	
25		0	21.57	1.20	22.77	<=30	Pass		
		13	21.51	1.20	22.71	<=30	Pass		
		25	21.52	1.20	22.72	<=30	Pass		
50	0	21.53	1.20	22.73	<=30	Pass			
1750	1	0	22.56	1.20	23.76	<=30	Pass		
		25	22.78	1.20	23.98	<=30	Pass		
		49	22.72	1.20	23.92	<=30	Pass		
	25	0	21.55	1.20	22.75	<=30	Pass		
		13	21.53	1.20	22.73	<=30	Pass		
		25	21.49	1.20	22.69	<=30	Pass		
50	0	21.46	1.20	22.66	<=30	Pass			
64QAM	1715	1	0	22.50	1.20	23.70	<=30	Pass	
			25	22.55	1.20	23.75	<=30	Pass	
			49	22.62	1.20	23.82	<=30	Pass	
		25	0	21.51	1.20	22.71	<=30	Pass	
			13	21.59	1.20	22.79	<=30	Pass	
			25	21.50	1.20	22.70	<=30	Pass	
		50	0	21.50	1.20	22.70	<=30	Pass	
	1732.5	1	0	22.50	1.20	23.70	<=30	Pass	
			25	22.48	1.20	23.68	<=30	Pass	
			49	22.61	1.20	23.81	<=30	Pass	
		25	0	21.58	1.20	22.78	<=30	Pass	
			13	21.46	1.20	22.66	<=30	Pass	
			25	21.48	1.20	22.68	<=30	Pass	
	50	0	21.52	1.20	22.72	<=30	Pass		
	1750	1	0	22.64	1.20	23.84	<=30	Pass	
			25	22.51	1.20	23.71	<=30	Pass	
			49	22.42	1.20	23.62	<=30	Pass	

256QAM		25	0	21.52	1.20	22.72	<=30	Pass
			13	21.55	1.20	22.75	<=30	Pass
			25	21.53	1.20	22.73	<=30	Pass
		50	0	21.49	1.20	22.69	<=30	Pass
	1715	1	0	18.56	1.20	19.76	<=30	Pass
			25	18.55	1.20	19.75	<=30	Pass
			49	18.78	1.20	19.98	<=30	Pass
		25	0	18.49	1.20	19.69	<=30	Pass
			13	18.56	1.20	19.76	<=30	Pass
			25	18.50	1.20	19.70	<=30	Pass
		50	0	18.49	1.20	19.69	<=30	Pass
	1732.5	1	0	18.43	1.20	19.63	<=30	Pass
			25	18.64	1.20	19.84	<=30	Pass
			49	18.54	1.20	19.74	<=30	Pass
		25	0	18.47	1.20	19.67	<=30	Pass
			13	18.45	1.20	19.65	<=30	Pass
			25	18.41	1.20	19.61	<=30	Pass
		50	0	18.45	1.20	19.65	<=30	Pass
	1750	1	0	18.44	1.20	19.64	<=30	Pass
			25	18.68	1.20	19.88	<=30	Pass
			49	18.65	1.20	19.85	<=30	Pass
		25	0	18.54	1.20	19.74	<=30	Pass
			13	18.49	1.20	19.69	<=30	Pass
			25	18.45	1.20	19.65	<=30	Pass
		50	0	18.48	1.20	19.68	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.49	1.20	24.69	<=30	Pass
			38	23.48	1.20	24.68	<=30	Pass
			74	23.78	1.20	24.98	<=30	Pass
		36	0	22.38	1.20	23.58	<=30	Pass
			18	22.47	1.20	23.67	<=30	Pass
			39	22.34	1.20	23.54	<=30	Pass
		75	0	22.46	1.20	23.66	<=30	Pass
	1732.5	1	0	23.51	1.20	24.71	<=30	Pass
			38	23.52	1.20	24.72	<=30	Pass
			74	23.39	1.20	24.59	<=30	Pass
		36	0	22.39	1.20	23.59	<=30	Pass
			18	22.39	1.20	23.59	<=30	Pass
			39	22.38	1.20	23.58	<=30	Pass
		75	0	22.41	1.20	23.61	<=30	Pass
	1747.5	1	0	23.51	1.20	24.71	<=30	Pass
			38	23.36	1.20	24.56	<=30	Pass
			74	23.39	1.20	24.59	<=30	Pass
		36	0	22.41	1.20	23.61	<=30	Pass
			18	22.44	1.20	23.64	<=30	Pass
			39	22.45	1.20	23.65	<=30	Pass
		75	0	22.48	1.20	23.68	<=30	Pass
16QAM	1717.5	1	0	22.56	1.20	23.76	<=30	Pass
			38	22.52	1.20	23.72	<=30	Pass
			74	22.62	1.20	23.82	<=30	Pass

		36	0	21.44	1.20	22.64	<=30	Pass	
			18	21.44	1.20	22.64	<=30	Pass	
			39	21.47	1.20	22.67	<=30	Pass	
		75	0	21.49	1.20	22.69	<=30	Pass	
			1	0	22.77	1.20	23.97	<=30	Pass
				38	22.63	1.20	23.83	<=30	Pass
		74		22.65	1.20	23.85	<=30	Pass	
		36	0	21.42	1.20	22.62	<=30	Pass	
			18	21.44	1.20	22.64	<=30	Pass	
	39		21.44	1.20	22.64	<=30	Pass		
	75	0	21.39	1.20	22.59	<=30	Pass		
		1732.5	1	0	22.77	1.20	23.97	<=30	Pass
				38	22.63	1.20	23.83	<=30	Pass
	74			22.65	1.20	23.85	<=30	Pass	
	36		0	21.42	1.20	22.62	<=30	Pass	
			18	21.44	1.20	22.64	<=30	Pass	
			39	21.44	1.20	22.64	<=30	Pass	
	75	0	21.39	1.20	22.59	<=30	Pass		
1747.5		1	0	22.62	1.20	23.82	<=30	Pass	
			38	22.84	1.20	24.04	<=30	Pass	
	74		22.74	1.20	23.94	<=30	Pass		
	36	0	21.45	1.20	22.65	<=30	Pass		
		18	21.53	1.20	22.73	<=30	Pass		
		39	21.51	1.20	22.71	<=30	Pass		
75	0	21.42	1.20	22.62	<=30	Pass			

64QAM	1717.5	1	0	22.46	1.20	23.66	<=30	Pass		
			38	22.44	1.20	23.64	<=30	Pass		
			74	22.48	1.20	23.68	<=30	Pass		
		36	0	21.43	1.20	22.63	<=30	Pass		
			18	21.43	1.20	22.63	<=30	Pass		
			39	21.39	1.20	22.59	<=30	Pass		
		75	0	21.43	1.20	22.63	<=30	Pass		
			1732.5	1	0	22.52	1.20	23.72	<=30	Pass
					38	22.43	1.20	23.63	<=30	Pass
	74	22.41			1.20	23.61	<=30	Pass		
	36	0		21.42	1.20	22.62	<=30	Pass		
		18		21.45	1.20	22.65	<=30	Pass		
		39		21.35	1.20	22.55	<=30	Pass		
	75	0	21.49	1.20	22.69	<=30	Pass			
		1747.5	1	0	22.67	1.20	23.87	<=30	Pass	
				38	22.51	1.20	23.71	<=30	Pass	
	74			22.48	1.20	23.68	<=30	Pass		
	36		0	21.45	1.20	22.65	<=30	Pass		
			18	21.48	1.20	22.68	<=30	Pass		
			39	21.48	1.20	22.68	<=30	Pass		
	75	0	21.52	1.20	22.72	<=30	Pass			

256QAM	1717.5	1	0	18.51	1.20	19.71	<=30	Pass		
			38	18.50	1.20	19.70	<=30	Pass		
			74	18.38	1.20	19.58	<=30	Pass		
		36	0	18.40	1.20	19.60	<=30	Pass		
			18	18.40	1.20	19.60	<=30	Pass		
			39	18.39	1.20	19.59	<=30	Pass		
		75	0	18.49	1.20	19.69	<=30	Pass		
			1732.5	1	0	18.57	1.20	19.77	<=30	Pass
					38	18.60	1.20	19.80	<=30	Pass
	74	18.48			1.20	19.68	<=30	Pass		
	36	0		18.43	1.20	19.63	<=30	Pass		
		18		18.42	1.20	19.62	<=30	Pass		
		39		18.33	1.20	19.53	<=30	Pass		
	75	0	18.35	1.20	19.55	<=30	Pass			
		1747.5	1	0	18.49	1.20	19.69	<=30	Pass	
				38	18.65	1.20	19.85	<=30	Pass	
	74			18.46	1.20	19.66	<=30	Pass		
	36		0	18.47	1.20	19.67	<=30	Pass		
18			18.45	1.20	19.65	<=30	Pass			

			39	18.50	1.20	19.70	<=30	Pass
		75	0	18.52	1.20	19.72	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.32	1.20	24.52	<=30	Pass
			50	23.52	1.20	24.72	<=30	Pass
			99	23.69	1.20	24.89	<=30	Pass
		50	0	22.38	1.20	23.58	<=30	Pass
			25	22.37	1.20	23.57	<=30	Pass
			50	22.36	1.20	23.56	<=30	Pass
		100	0	22.32	1.20	23.52	<=30	Pass
	1732.5	1	0	23.35	1.20	24.55	<=30	Pass
			50	23.22	1.20	24.42	<=30	Pass
			99	23.45	1.20	24.65	<=30	Pass
		50	0	22.41	1.20	23.61	<=30	Pass
			25	22.44	1.20	23.64	<=30	Pass
			50	22.42	1.20	23.62	<=30	Pass
		100	0	22.35	1.20	23.55	<=30	Pass
	1745	1	0	23.30	1.20	24.50	<=30	Pass
			50	23.52	1.20	24.72	<=30	Pass
			99	23.34	1.20	24.54	<=30	Pass
		50	0	22.40	1.20	23.60	<=30	Pass
			25	22.49	1.20	23.69	<=30	Pass
			50	22.40	1.20	23.60	<=30	Pass
		100	0	22.44	1.20	23.64	<=30	Pass
16QAM	1720	1	0	22.52	1.20	23.72	<=30	Pass
			50	22.70	1.20	23.90	<=30	Pass
			99	22.59	1.20	23.79	<=30	Pass
		50	0	21.42	1.20	22.62	<=30	Pass
			25	21.44	1.20	22.64	<=30	Pass
			50	21.45	1.20	22.65	<=30	Pass
		100	0	21.37	1.20	22.57	<=30	Pass
	1732.5	1	0	22.49	1.20	23.69	<=30	Pass
			50	22.57	1.20	23.77	<=30	Pass
			99	22.65	1.20	23.85	<=30	Pass
		50	0	21.44	1.20	22.64	<=30	Pass
			25	21.35	1.20	22.55	<=30	Pass
			50	21.44	1.20	22.64	<=30	Pass
		100	0	21.37	1.20	22.57	<=30	Pass
	1745	1	0	22.53	1.20	23.73	<=30	Pass
			50	22.70	1.20	23.90	<=30	Pass
			99	22.73	1.20	23.93	<=30	Pass
		50	0	21.42	1.20	22.62	<=30	Pass
			25	21.49	1.20	22.69	<=30	Pass
			50	21.43	1.20	22.63	<=30	Pass
		100	0	21.48	1.20	22.68	<=30	Pass
64QAM	1720	1	0	22.35	1.20	23.55	<=30	Pass
			50	22.42	1.20	23.62	<=30	Pass
			99	22.37	1.20	23.57	<=30	Pass
		50	0	21.41	1.20	22.61	<=30	Pass
			25	21.42	1.20	22.62	<=30	Pass

			50	21.40	1.20	22.60	<=30	Pass	
		100	0	21.42	1.20	22.62	<=30	Pass	
	1732.5	1	0	22.21	1.20	23.41	<=30	Pass	
			50	22.79	1.20	23.99	<=30	Pass	
			99	22.52	1.20	23.72	<=30	Pass	
			0	21.43	1.20	22.63	<=30	Pass	
		50	25	21.46	1.20	22.66	<=30	Pass	
			50	21.42	1.20	22.62	<=30	Pass	
			100	0	21.38	1.20	22.58	<=30	Pass
	1745	1	0	22.38	1.20	23.58	<=30	Pass	
			50	22.57	1.20	23.77	<=30	Pass	
			99	22.60	1.20	23.80	<=30	Pass	
		50	0	21.50	1.20	22.70	<=30	Pass	
			25	21.51	1.20	22.71	<=30	Pass	
			50	21.42	1.20	22.62	<=30	Pass	
		100	0	21.47	1.20	22.67	<=30	Pass	
256QAM	1720	1	0	18.39	1.20	19.59	<=30	Pass	
			50	18.68	1.20	19.88	<=30	Pass	
			99	18.40	1.20	19.60	<=30	Pass	
		50	0	18.41	1.20	19.61	<=30	Pass	
			25	18.41	1.20	19.61	<=30	Pass	
			50	18.38	1.20	19.58	<=30	Pass	
		100	0	18.42	1.20	19.62	<=30	Pass	
	1732.5	1	0	18.58	1.20	19.78	<=30	Pass	
			50	18.65	1.20	19.85	<=30	Pass	
			99	18.66	1.20	19.86	<=30	Pass	
		50	0	18.40	1.20	19.60	<=30	Pass	
			25	18.45	1.20	19.65	<=30	Pass	
			50	18.43	1.20	19.63	<=30	Pass	
		100	0	18.32	1.20	19.52	<=30	Pass	
	1745	1	0	18.37	1.20	19.57	<=30	Pass	
			50	18.53	1.20	19.73	<=30	Pass	
			99	18.50	1.20	19.70	<=30	Pass	
		50	0	18.42	1.20	19.62	<=30	Pass	
			25	18.52	1.20	19.72	<=30	Pass	
			50	18.34	1.20	19.54	<=30	Pass	
		100	0	18.49	1.20	19.69	<=30	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

---End of Attachment---