

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_5B_NTNV_ERP

Band: CA_5B / NTN										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:3 CC2:5	CC1: QPSK CC2: QPSK	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	22.30	-30.62	22.30	0.70	20.85	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.25	7.24	14.22	0.70	12.77	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.10	12.12	19.07	0.70	17.62	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.11	19.57	24.03	0.70	22.58	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	22.25	19.57	24.12	0.70	22.67	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	22.25	-31.51	22.25	0.70	20.80	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.16	7.15	14.13	0.70	12.68	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	17.97	12.01	18.95	0.70	17.50	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	22.12	19.55	24.03	0.70	22.58	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	21.86	19.33	23.79	0.70	22.34	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	21.92	-31.37	21.92	0.70	20.47	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	12.89	6.84	13.85	0.70	12.40	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	17.66	11.73	18.65	0.70	17.20	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.69	19.04	23.58	0.70	22.13	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	21.63	19.04	23.54	0.70	22.09	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	22.77	-29.87	22.77	0.70	21.32	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.34	7.03	14.25	0.70	12.80	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	17.91	11.94	18.89	0.70	17.44	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.62	19.03	23.52	0.70	22.07	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	21.45	18.70	23.30	0.70	21.85	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 0@0	22.57	-31.87	22.57	0.70	21.12	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.67	7.14	14.54	0.70	13.09	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	17.96	11.79	18.90	0.70	17.45	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.16	18.48	23.03	0.70	21.58	<=38.45	Pass
			CC1: 15@0	21.14	18.35	22.98	0.70	21.53	<=38.45	Pass

		CC1:842.6 CC2:846.5	CC2: 25@0							
			CC1: 1@0 CC2: 0@0	22.52	-30.64	22.52	0.70	21.07	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.82	7.32	14.70	0.70	13.25	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.09	11.98	19.04	0.70	17.59	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.76	19.08	23.63	0.70	22.18	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	21.57	19.01	23.49	0.70	22.04	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:825.5 CC2:829.4	CC1: 1@0 CC2: 0@0	22.39	-30.68	22.39	0.70	20.94	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.68	7.25	14.57	0.70	13.12	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.27	12.25	19.24	0.70	17.79	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	21.18	18.46	23.04	0.70	21.59	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	20.96	18.31	22.84	0.70	21.39	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.35	-31.58	22.35	0.70	20.90	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 1@0 CC2: 1@24	13.66	7.39	14.58	0.70	13.13	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	18.26	12.01	19.19	0.70	17.74	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	20.69	17.91	22.53	0.70	21.08	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	20.65	17.94	22.51	0.70	21.06	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.27	-31.42	22.27	0.70	20.82	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.76	7.18	14.62	0.70	13.17	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 8@0 CC2: 12@13	18.09	11.99	19.04	0.70	17.59	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	20.96	18.26	22.83	0.70	21.38	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	20.71	18.02	22.58	0.70	21.13	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	21.79	-30.76	21.79	0.70	20.34	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.40	6.99	14.30	0.70	12.85	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:825.5 CC2:829.4	CC1: 8@0 CC2: 12@13	20.82	14.82	21.79	0.70	20.34	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	20.15	17.46	22.02	0.70	20.57	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	19.99	17.34	21.87	0.70	20.42	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.19	-31.72	22.19	0.70	20.74	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.26	7.13	14.21	0.70	12.76	<=38.45	Pass
		CC1:834.1 CC2:838	CC1: 8@0 CC2: 12@13	20.91	14.96	21.89	0.70	20.44	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	19.91	17.15	21.75	0.70	20.30	<=38.45	Pass

			CC1: 15@0 CC2: 25@0	19.87	17.14	21.72	0.70	20.27	<=38.45	Pass
		CC1:842.6 CC2:846.5	CC1: 1@0 CC2: 0@0	21.96	-31.32	21.96	0.70	20.51	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.27	6.80	14.15	0.70	12.70	<=38.45	Pass
			CC1: 8@0 CC2: 12@13	19.62	17.01	21.52	0.70	20.07	<=38.45	Pass
			CC1: 8@7 CC2: 12@0	19.96	17.24	21.82	0.70	20.37	<=38.45	Pass
			CC1: 15@0 CC2: 25@0	19.70	17.09	21.60	0.70	20.15	<=38.45	Pass
CC1:5 CC2:3	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	22.41	-34.27	22.41	0.70	20.96	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.47	7.38	14.42	0.70	12.97	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.23	12.29	19.21	0.70	17.76	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.29	19.63	24.17	0.70	22.72	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.48	19.74	24.33	0.70	22.88	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	22.34	-35.56	22.34	0.70	20.89	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.35	7.29	14.31	0.70	12.86	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.23	12.25	19.21	0.70	17.76	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.28	19.52	24.13	0.70	22.68	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.31	19.58	24.17	0.70	22.72	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	22.27	-35.78	22.27	0.70	20.82	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.22	7.18	14.19	0.70	12.74	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.12	12.15	19.10	0.70	17.65	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.06	19.29	23.91	0.70	22.46	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.19	19.43	24.04	0.70	22.59	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 0@0	22.82	-34.17	22.82	0.70	21.37	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	14.06	7.50	14.92	0.70	13.47	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.36	12.33	19.33	0.70	17.88	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	22.35	19.71	24.24	0.70	22.79	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	22.19	19.33	24.00	0.70	22.55	<=38.45	Pass
		CC1:835.1 CC2:839	CC1: 1@0 CC2: 0@0	22.77	-35.08	22.77	0.70	21.32	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.80	7.33	14.68	0.70	13.23	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.20	12.23	19.18	0.70	17.73	<=38.45	Pass
			CC1: 12@13	21.57	18.88	23.44	0.70	21.99	<=38.45	Pass

			CC2: 8@0							
			CC1: 25@0 CC2: 15@0	21.68	18.86	23.51	0.70	22.06	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	22.84	-35.29	22.84	0.70	21.39	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.93	7.40	14.80	0.70	13.35	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.30	12.25	19.26	0.70	17.81	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	21.95	19.09	23.76	0.70	22.31	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	21.82	19.03	23.66	0.70	22.21	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.79	-34.53	22.79	0.70	21.34	<=38.45	Pass
		CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 1@14	13.88	7.26	14.74	0.70	13.29	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.42	12.42	19.39	0.70	17.94	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	21.55	18.87	23.42	0.70	21.97	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	21.37	18.61	23.21	0.70	21.76	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.65	-35.50	22.65	0.70	21.20	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:835.1 CC2:839	CC1: 1@0 CC2: 1@14	13.88	7.45	14.77	0.70	13.32	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.39	12.39	19.36	0.70	17.91	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	21.03	18.28	22.87	0.70	21.42	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	20.99	18.30	22.86	0.70	21.41	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	22.54	-35.90	22.54	0.70	21.09	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 1@14	13.96	7.45	14.83	0.70	13.38	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	18.29	12.22	19.25	0.70	17.80	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	21.03	18.13	22.83	0.70	21.38	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	20.85	18.08	22.69	0.70	21.24	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	16.96	8.19	17.51	0.70	16.06	<=38.45	Pass
		CC1:826.5 CC2:830.4	CC1: 1@0 CC2: 1@14	13.52	7.34	14.46	0.70	13.01	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	20.22	17.64	22.13	0.70	20.68	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	20.52	17.87	22.40	0.70	20.95	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	20.38	17.69	22.25	0.70	20.80	<=38.45	Pass
			CC1: 1@0 CC2: 0@0	17.11	8.13	17.63	0.70	16.18	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:835.1 CC2:839	CC1: 1@0 CC2: 1@14	13.47	7.28	14.40	0.70	12.95	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	21.21	15.13	22.17	0.70	20.72	<=38.45	Pass

			CC1: 12@13 CC2: 8@0	20.16	17.43	22.01	0.70	20.56	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	20.13	17.35	21.97	0.70	20.52	<=38.45	Pass
		CC1:843.6 CC2:847.5	CC1: 1@0 CC2: 0@0	16.97	7.96	17.49	0.70	16.04	<=38.45	Pass
			CC1: 1@0 CC2: 1@14	13.44	6.92	14.31	0.70	12.86	<=38.45	Pass
			CC1: 12@0 CC2: 8@7	21.04	14.95	22.00	0.70	20.55	<=38.45	Pass
			CC1: 12@13 CC2: 8@0	20.07	17.20	21.88	0.70	20.43	<=38.45	Pass
			CC1: 25@0 CC2: 15@0	19.99	17.17	21.82	0.70	20.37	<=38.45	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	22.41	-30.87	22.41	0.70	20.96	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.55	7.49	14.51	0.70	13.06	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.29	12.23	19.25	0.70	17.80	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	21.30	15.74	22.27	0.70	20.82	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.21	15.45	22.19	0.70	20.74	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	22.32	-31.82	22.32	0.70	20.87	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.39	7.36	14.36	0.70	12.91	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.24	12.18	19.20	0.70	17.75	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	21.30	15.64	22.27	0.70	20.82	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.27	15.45	22.24	0.70	20.79	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	22.30	-32.21	22.30	0.70	20.85	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.47	7.33	14.42	0.70	12.97	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.28	12.15	19.23	0.70	17.78	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	21.22	15.70	22.21	0.70	20.76	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	21.32	15.23	22.24	0.70	20.79	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	22.87	-30.68	22.87	0.70	21.42	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	14.06	7.46	14.92	0.70	13.47	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.38	12.23	19.32	0.70	17.87	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.27	14.67	21.24	0.70	19.79	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.35	14.38	21.28	0.70	19.83	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	22.74	-31.54	22.74	0.70	21.29	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	14.05	7.39	14.90	0.70	13.45	<=38.45	Pass
			CC1: 12@0	18.31	12.19	19.26	0.70	17.81	<=38.45	Pass

			CC2: 25@25							
			CC1: 12@13 CC2: 25@0	20.39	14.70	21.34	0.70	19.89	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.34	14.45	21.30	0.70	19.85	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	22.69	-32.27	22.69	0.70	21.24	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	14.06	7.20	14.87	0.70	13.42	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.39	12.21	19.32	0.70	17.87	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.33	14.66	21.29	0.70	19.84	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.32	14.42	21.27	0.70	19.82	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	22.48	-31.05	22.48	0.70	21.03	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.75	7.43	14.66	0.70	13.21	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.36	12.35	19.33	0.70	17.88	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.30	14.61	21.25	0.70	19.80	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.32	14.38	21.26	0.70	19.81	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	21.78	-32.84	21.78	0.70	20.33	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.91	9.92	14.68	0.70	13.23	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.35	12.18	19.29	0.70	17.84	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.35	14.63	21.30	0.70	19.85	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.23	14.35	21.19	0.70	19.74	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	22.02	-32.92	22.02	0.70	20.57	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.73	7.42	14.64	0.70	13.19	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	18.46	12.33	19.40	0.70	17.95	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	20.36	14.64	21.30	0.70	19.85	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	20.27	14.28	21.21	0.70	19.76	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:826.5 CC2:833.7	CC1: 1@0 CC2: 0@0	18.71	-34.30	18.71	0.70	17.26	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.57	7.23	14.48	0.70	13.03	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	17.83	11.72	18.78	0.70	17.33	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.32	12.61	19.27	0.70	17.82	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.29	12.42	19.24	0.70	17.79	<=38.45	Pass
		CC1:831.7 CC2:838.9	CC1: 1@0 CC2: 0@0	18.55	-35.15	18.55	0.70	17.10	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.39	7.07	14.30	0.70	12.85	<=38.45	Pass

			CC1: 12@0 CC2: 25@25	17.83	11.68	18.77	0.70	17.32	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.28	12.77	19.28	0.70	17.83	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.18	12.41	19.17	0.70	17.72	<=38.45	Pass
		CC1:836.8 CC2:844	CC1: 1@0 CC2: 0@0	18.71	-34.76	18.71	0.70	17.26	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.48	7.05	14.37	0.70	12.92	<=38.45	Pass
			CC1: 12@0 CC2: 25@25	17.80	11.63	18.74	0.70	17.29	<=38.45	Pass
			CC1: 12@13 CC2: 25@0	18.23	12.56	19.18	0.70	17.73	<=38.45	Pass
			CC1: 25@0 CC2: 50@0	18.32	12.44	19.28	0.70	17.83	<=38.45	Pass
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	22.39	-39.09	22.39	0.70	20.94	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.49	7.43	14.45	0.70	13.00	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.33	12.24	19.29	0.70	17.84	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.27	15.26	22.21	0.70	20.76	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.30	15.20	22.24	0.70	20.79	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	22.32	-39.51	22.32	0.70	20.87	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.45	7.40	14.41	0.70	12.96	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.33	12.18	19.27	0.70	17.82	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.29	15.07	22.20	0.70	20.75	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.31	15.22	22.26	0.70	20.81	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.37	-39.93	22.37	0.70	20.92	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.44	7.33	14.39	0.70	12.94	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.26	12.15	19.21	0.70	17.76	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	21.23	15.10	22.16	0.70	20.71	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	21.27	15.11	22.20	0.70	20.75	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	22.76	-38.60	22.76	0.70	21.31	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	14.06	7.56	14.94	0.70	13.49	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.27	12.29	19.24	0.70	17.79	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.32	14.19	21.24	0.70	19.79	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.29	14.28	21.25	0.70	19.80	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	22.92	-38.91	22.92	0.70	21.47	<=38.45	Pass
			CC1: 1@0	14.23	7.42	15.05	0.70	13.60	<=38.45	Pass

			CC2: 1@24							
			CC1: 25@0 CC2: 12@13	18.34	12.17	19.28	0.70	17.83	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.30	14.17	21.23	0.70	19.78	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.41	14.12	21.31	0.70	19.86	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	22.81	-38.88	22.81	0.70	21.36	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	14.22	7.30	15.02	0.70	13.57	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.30	12.13	19.24	0.70	17.79	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.15	13.97	21.07	0.70	19.62	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.26	14.23	21.22	0.70	19.77	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	22.68	-38.64	22.68	0.70	21.23	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.83	7.52	14.74	0.70	13.29	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.32	12.25	19.28	0.70	17.83	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.43	14.11	21.32	0.70	19.87	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.38	14.05	21.28	0.70	19.83	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	21.57	-39.98	21.57	0.70	20.12	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.86	7.40	14.74	0.70	13.29	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.25	12.13	19.20	0.70	17.75	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	20.39	14.16	21.30	0.70	19.85	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.33	14.18	21.26	0.70	19.81	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	21.66	-40.18	21.66	0.70	20.21	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.73	7.26	14.61	0.70	13.16	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	18.12	12.07	19.09	0.70	17.64	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	19.98	13.89	20.91	0.70	19.46	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	20.29	14.14	21.22	0.70	19.77	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:836.2	CC1: 1@0 CC2: 0@0	18.71	-40.58	18.71	0.70	17.26	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.71	7.17	14.58	0.70	13.13	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	17.81	11.75	18.77	0.70	17.32	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.31	12.28	19.25	0.70	17.80	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.35	12.20	19.28	0.70	17.83	<=38.45	Pass
		CC1:834.2 CC2:841.4	CC1: 1@0 CC2: 0@0	18.76	-41.13	18.76	0.70	17.31	<=38.45	Pass

			CC1: 1@0 CC2: 1@24	13.69	7.13	14.56	0.70	13.11	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	17.72	11.65	18.68	0.70	17.23	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.26	12.24	19.21	0.70	17.76	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	18.28	12.13	19.21	0.70	17.76	<=38.45	Pass
		CC1:839.3 CC2:846.5	CC1: 1@0 CC2: 0@0	18.80	-41.34	18.80	0.70	17.35	<=38.45	Pass
			CC1: 1@0 CC2: 1@24	13.39	7.20	14.32	0.70	12.87	<=38.45	Pass
			CC1: 25@0 CC2: 12@13	17.79	11.65	18.74	0.70	17.29	<=38.45	Pass
			CC1: 25@25 CC2: 12@0	18.28	12.02	19.18	0.70	17.73	<=38.45	Pass
			CC1: 50@0 CC2: 25@0	17.86	11.81	18.81	0.70	17.36	<=38.45	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	22.47	-32.34	22.47	0.70	21.02	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.98	6.89	13.94	0.70	12.49	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.29	12.12	19.23	0.70	17.78	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	22.18	16.18	23.15	0.70	21.70	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.88	14.81	21.84	0.70	20.39	<=38.45	Pass
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	22.40	-33.05	22.40	0.70	20.95	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.87	6.72	13.81	0.70	12.36	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.25	12.11	19.20	0.70	17.75	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	22.19	16.12	23.15	0.70	21.70	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.19	15.08	22.14	0.70	20.69	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	22.42	-33.42	22.42	0.70	20.97	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.91	6.75	13.85	0.70	12.40	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.30	12.08	19.23	0.70	17.78	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	22.17	16.07	23.12	0.70	21.67	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	21.28	15.19	22.23	0.70	20.78	<=38.45	Pass
	CC1: 16QAM CC2: 16QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	22.82	-32.19	22.82	0.70	21.37	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.35	6.93	14.24	0.70	12.79	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.28	12.11	19.22	0.70	17.77	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.21	15.23	22.19	0.70	20.74	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.34	14.25	21.30	0.70	19.85	<=38.45	Pass
		CC1:831.6	CC1: 1@0	22.88	-32.87	22.88	0.70	21.43	<=38.45	Pass

		CC2:841.5	CC2: 0@0							
			CC1: 1@0 CC2: 1@49	13.51	6.69	14.33	0.70	12.88	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.30	12.09	19.23	0.70	17.78	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.34	15.08	22.26	0.70	20.81	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.26	14.08	21.20	0.70	19.75	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	22.82	-33.00	22.82	0.70	21.37	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.42	6.77	14.27	0.70	12.82	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.28	12.05	19.21	0.70	17.76	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	21.26	15.14	22.21	0.70	20.76	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.29	14.16	21.24	0.70	19.79	<=38.45	Pass
	CC1: 64QAM CC2: 64QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	22.61	-32.27	22.61	0.70	21.16	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.27	6.65	14.12	0.70	12.67	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.21	12.18	19.18	0.70	17.73	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.35	14.24	21.30	0.70	19.85	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.31	14.05	21.23	0.70	19.78	<=38.45	Pass
		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	21.75	-33.48	21.75	0.70	20.30	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.33	6.71	14.18	0.70	12.73	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.17	12.11	19.13	0.70	17.68	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.42	14.24	21.35	0.70	19.90	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.33	14.20	21.28	0.70	19.83	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	21.61	-34.48	21.61	0.70	20.16	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.15	6.65	14.03	0.70	12.58	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	18.29	12.18	19.24	0.70	17.79	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	20.32	14.14	21.26	0.70	19.81	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	20.27	14.13	21.21	0.70	19.76	<=38.45	Pass
	CC1: 256QAM CC2: 256QAM	CC1:829 CC2:838.9	CC1: 1@0 CC2: 0@0	18.71	-35.72	18.71	0.70	17.26	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	13.10	6.46	13.95	0.70	12.50	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	17.77	11.67	18.72	0.70	17.27	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	18.30	12.22	19.26	0.70	17.81	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.19	12.09	19.14	0.70	17.69	<=38.45	Pass

		CC1:831.6 CC2:841.5	CC1: 1@0 CC2: 0@0	18.66	-35.80	18.66	0.70	17.21	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.97	6.59	13.87	0.70	12.42	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	17.75	11.57	18.68	0.70	17.23	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	18.34	12.26	19.30	0.70	17.85	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.18	12.10	19.14	0.70	17.69	<=38.45	Pass
		CC1:834.1 CC2:844	CC1: 1@0 CC2: 0@0	18.55	-36.19	18.55	0.70	17.10	<=38.45	Pass
			CC1: 1@0 CC2: 1@49	12.93	6.36	13.80	0.70	12.35	<=38.45	Pass
			CC1: 25@0 CC2: 25@25	17.83	11.55	18.75	0.70	17.30	<=38.45	Pass
			CC1: 25@25 CC2: 25@0	18.32	12.15	19.26	0.70	17.81	<=38.45	Pass
			CC1: 50@0 CC2: 50@0	18.26	12.26	19.23	0.70	17.78	<=38.45	Pass
Note1: EIRP=Conducted Power+Antenna Gain-2.15										

---End of Attachment---