

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_S_10M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3555	Outer_Full	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_Full	23.61	/	/	17.49	/	/	<=23	Pass
		Inner_1RB_Left	23.55	/	/	17.43	/	/	<=23	Pass
		Inner_1RB_Right	23.66	/	/	17.54	/	/	<=23	Pass
	3624.99	Outer_Full	23.50	/	/	17.38	/	/	<=23	Pass
		Inner_Full	24.06	/	/	17.94	/	/	<=23	Pass
		Inner_1RB_Left	24.08	/	/	17.96	/	/	<=23	Pass
		Inner_1RB_Right	24.10	/	/	17.98	/	/	<=23	Pass
	3694.98	Outer_Full	23.41	/	/	17.29	/	/	<=23	Pass
		Inner_Full	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Left	23.98	/	/	17.86	/	/	<=23	Pass
		Inner_1RB_Right	24.04	/	/	17.92	/	/	<=23	Pass
DFT-s-OFDM QPSK	3555	Outer_Full	22.48	/	/	16.36	/	/	<=23	Pass
		Inner_Full	23.45	/	/	17.33	/	/	<=23	Pass
		Inner_1RB_Left	23.41	/	/	17.29	/	/	<=23	Pass
		Inner_1RB_Right	23.58	/	/	17.46	/	/	<=23	Pass
	3624.99	Outer_Full	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_Full	24.01	/	/	17.89	/	/	<=23	Pass
		Inner_1RB_Left	24.07	/	/	17.95	/	/	<=23	Pass
		Inner_1RB_Right	24.09	/	/	17.97	/	/	<=23	Pass
	3694.98	Outer_Full	22.92	/	/	16.80	/	/	<=23	Pass
		Inner_Full	24.00	/	/	17.88	/	/	<=23	Pass
		Inner_1RB_Left	23.90	/	/	17.78	/	/	<=23	Pass
		Inner_1RB_Right	24.07	/	/	17.95	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3555	Outer_Full	21.55	/	/	15.43	/	/	<=23	Pass
		Inner_Full	22.58	/	/	16.46	/	/	<=23	Pass
		Inner_1RB_Left	22.70	/	/	16.58	/	/	<=23	Pass
		Inner_1RB_Right	22.79	/	/	16.67	/	/	<=23	Pass
	3624.99	Outer_Full	22.01	/	/	15.89	/	/	<=23	Pass
		Inner_Full	22.98	/	/	16.86	/	/	<=23	Pass
		Inner_1RB_Left	23.02	/	/	16.90	/	/	<=23	Pass
		Inner_1RB_Right	23.06	/	/	16.94	/	/	<=23	Pass
	3694.98	Outer_Full	21.90	/	/	15.78	/	/	<=23	Pass
		Inner_Full	22.94	/	/	16.82	/	/	<=23	Pass
		Inner_1RB_Left	22.89	/	/	16.77	/	/	<=23	Pass
		Inner_1RB_Right	23.02	/	/	16.90	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3555	Outer_Full	21.03	/	/	14.91	/	/	<=23	Pass
		Inner_Full	20.92	/	/	14.80	/	/	<=23	Pass
		Inner_1RB_Left	20.97	/	/	14.85	/	/	<=23	Pass
		Inner_1RB_Right	21.08	/	/	14.96	/	/	<=23	Pass
	3624.99	Outer_Full	21.50	/	/	15.38	/	/	<=23	Pass
		Inner_Full	21.39	/	/	15.27	/	/	<=23	Pass
		Inner_1RB_Left	21.47	/	/	15.35	/	/	<=23	Pass
		Inner_1RB_Right	21.47	/	/	15.35	/	/	<=23	Pass
	3694.98	Outer_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_Full	21.38	/	/	15.26	/	/	<=23	Pass
		Inner_1RB_Left	21.33	/	/	15.21	/	/	<=23	Pass
		Inner_1RB_Right	21.42	/	/	15.30	/	/	<=23	Pass

DFT-s-OFDM 256 QAM	3555	Outer_Full	18.91	/	/	12.79	/	/	<=23	Pass
		Inner_Full	18.90	/	/	12.78	/	/	<=23	Pass
		Inner_1RB_Left	18.84	/	/	12.72	/	/	<=23	Pass
		Inner_1RB_Right	18.89	/	/	12.77	/	/	<=23	Pass
	3624.99	Outer_Full	19.43	/	/	13.31	/	/	<=23	Pass
		Inner_Full	19.39	/	/	13.27	/	/	<=23	Pass
		Inner_1RB_Left	19.30	/	/	13.18	/	/	<=23	Pass
		Inner_1RB_Right	19.37	/	/	13.25	/	/	<=23	Pass
	3694.98	Outer_Full	19.34	/	/	13.22	/	/	<=23	Pass
		Inner_Full	19.26	/	/	13.14	/	/	<=23	Pass
		Inner_1RB_Left	19.21	/	/	13.09	/	/	<=23	Pass
		Inner_1RB_Right	19.28	/	/	13.16	/	/	<=23	Pass
CP-OFDM QPSK	3555	Outer_Full	20.56	/	/	14.44	/	/	<=23	Pass
		Inner_Full	21.98	/	/	15.86	/	/	<=23	Pass
		Inner_1RB_Left	21.96	/	/	15.84	/	/	<=23	Pass
		Inner_1RB_Right	22.05	/	/	15.93	/	/	<=23	Pass
	3624.99	Outer_Full	21.07	/	/	14.95	/	/	<=23	Pass
		Inner_Full	22.52	/	/	16.40	/	/	<=23	Pass
		Inner_1RB_Left	22.52	/	/	16.40	/	/	<=23	Pass
		Inner_1RB_Right	22.59	/	/	16.47	/	/	<=23	Pass
	3694.98	Outer_Full	20.95	/	/	14.83	/	/	<=23	Pass
		Inner_Full	22.49	/	/	16.37	/	/	<=23	Pass
		Inner_1RB_Left	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_1RB_Right	22.53	/	/	16.41	/	/	<=23	Pass
CP-OFDM 16 QAM	3555	Outer_Full	20.60	/	/	14.48	/	/	<=23	Pass
		Inner_Full	21.57	/	/	15.45	/	/	<=23	Pass
		Inner_1RB_Left	21.61	/	/	15.49	/	/	<=23	Pass
		Inner_1RB_Right	21.73	/	/	15.61	/	/	<=23	Pass
	3624.99	Outer_Full	21.08	/	/	14.96	/	/	<=23	Pass
		Inner_Full	22.06	/	/	15.94	/	/	<=23	Pass
		Inner_1RB_Left	22.16	/	/	16.04	/	/	<=23	Pass
		Inner_1RB_Right	22.22	/	/	16.10	/	/	<=23	Pass
	3694.98	Outer_Full	20.93	/	/	14.81	/	/	<=23	Pass
		Inner_Full	22.00	/	/	15.88	/	/	<=23	Pass
		Inner_1RB_Left	22.08	/	/	15.96	/	/	<=23	Pass
		Inner_1RB_Right	22.19	/	/	16.07	/	/	<=23	Pass
CP-OFDM 64 QAM	3555	Outer_Full	20.00	/	/	13.88	/	/	<=23	Pass
		Inner_Full	19.99	/	/	13.87	/	/	<=23	Pass
		Inner_1RB_Left	20.10	/	/	13.98	/	/	<=23	Pass
		Inner_1RB_Right	20.24	/	/	14.12	/	/	<=23	Pass
	3624.99	Outer_Full	20.48	/	/	14.36	/	/	<=23	Pass
		Inner_Full	20.48	/	/	14.36	/	/	<=23	Pass
		Inner_1RB_Left	20.67	/	/	14.55	/	/	<=23	Pass
		Inner_1RB_Right	20.68	/	/	14.56	/	/	<=23	Pass
	3694.98	Outer_Full	20.35	/	/	14.23	/	/	<=23	Pass
		Inner_Full	20.34	/	/	14.22	/	/	<=23	Pass
		Inner_1RB_Left	20.47	/	/	14.35	/	/	<=23	Pass
		Inner_1RB_Right	20.58	/	/	14.46	/	/	<=23	Pass
CP-OFDM 256 QAM	3555	Outer_Full	16.97	/	/	10.85	/	/	<=23	Pass
		Inner_Full	16.95	/	/	10.83	/	/	<=23	Pass
		Inner_1RB_Left	16.91	/	/	10.79	/	/	<=23	Pass
		Inner_1RB_Right	17.00	/	/	10.88	/	/	<=23	Pass
	3624.99	Outer_Full	17.39	/	/	11.27	/	/	<=23	Pass
		Inner_Full	17.42	/	/	11.30	/	/	<=23	Pass
		Inner_1RB_Left	17.46	/	/	11.34	/	/	<=23	Pass
		Inner_1RB_Right	17.40	/	/	11.28	/	/	<=23	Pass
	3694.98	Outer_Full	17.38	/	/	11.26	/	/	<=23	Pass
		Inner_Full	17.35	/	/	11.23	/	/	<=23	Pass

		Inner_1RB_Left	17.25	/	/	11.13	/	/	<=23	Pass
		Inner_1RB_Right	17.43	/	/	11.31	/	/	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 30_S_15M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3557.52	Outer_Full	23.05	/	/	16.93	/	/	<=23	Pass
		Inner_Full	23.54	/	/	17.42	/	/	<=23	Pass
		Inner_1RB_Left	23.37	/	/	17.25	/	/	<=23	Pass
		Inner_1RB_Right	23.56	/	/	17.44	/	/	<=23	Pass
	3624.99	Outer_Full	23.46	/	/	17.34	/	/	<=23	Pass
		Inner_Full	24.12	/	/	18.00	/	/	<=23	Pass
		Inner_1RB_Left	24.06	/	/	17.94	/	/	<=23	Pass
		Inner_1RB_Right	23.97	/	/	17.85	/	/	<=23	Pass
	3692.49	Outer_Full	23.38	/	/	17.26	/	/	<=23	Pass
		Inner_Full	24.07	/	/	17.95	/	/	<=23	Pass
		Inner_1RB_Left	23.94	/	/	17.82	/	/	<=23	Pass
		Inner_1RB_Right	24.04	/	/	17.92	/	/	<=23	Pass
DFT-s-OFDM QPSK	3557.52	Outer_Full	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_Full	23.56	/	/	17.44	/	/	<=23	Pass
		Inner_1RB_Left	23.49	/	/	17.37	/	/	<=23	Pass
		Inner_1RB_Right	23.50	/	/	17.38	/	/	<=23	Pass
	3624.99	Outer_Full	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_Full	24.12	/	/	18.00	/	/	<=23	Pass
		Inner_1RB_Left	24.01	/	/	17.89	/	/	<=23	Pass
		Inner_1RB_Right	24.05	/	/	17.93	/	/	<=23	Pass
	3692.49	Outer_Full	22.88	/	/	16.76	/	/	<=23	Pass
		Inner_Full	24.00	/	/	17.88	/	/	<=23	Pass
		Inner_1RB_Left	23.93	/	/	17.81	/	/	<=23	Pass
		Inner_1RB_Right	23.95	/	/	17.83	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3557.52	Outer_Full	21.43	/	/	15.31	/	/	<=23	Pass
		Inner_Full	22.52	/	/	16.40	/	/	<=23	Pass
		Inner_1RB_Left	22.44	/	/	16.32	/	/	<=23	Pass
		Inner_1RB_Right	22.41	/	/	16.29	/	/	<=23	Pass
	3624.99	Outer_Full	22.02	/	/	15.90	/	/	<=23	Pass
		Inner_Full	22.79	/	/	16.67	/	/	<=23	Pass
		Inner_1RB_Left	23.16	/	/	17.04	/	/	<=23	Pass
		Inner_1RB_Right	23.11	/	/	16.99	/	/	<=23	Pass
	3692.49	Outer_Full	21.88	/	/	15.76	/	/	<=23	Pass
		Inner_Full	22.85	/	/	16.73	/	/	<=23	Pass
		Inner_1RB_Left	22.88	/	/	16.76	/	/	<=23	Pass
		Inner_1RB_Right	23.00	/	/	16.88	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3557.52	Outer_Full	20.90	/	/	14.78	/	/	<=23	Pass
		Inner_Full	21.01	/	/	14.89	/	/	<=23	Pass
		Inner_1RB_Left	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_1RB_Right	20.89	/	/	14.77	/	/	<=23	Pass
	3624.99	Outer_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_Full	21.47	/	/	15.35	/	/	<=23	Pass
		Inner_1RB_Left	21.41	/	/	15.29	/	/	<=23	Pass
		Inner_1RB_Right	21.44	/	/	15.32	/	/	<=23	Pass
	3692.49	Outer_Full	21.33	/	/	15.21	/	/	<=23	Pass
		Inner_Full	21.39	/	/	15.27	/	/	<=23	Pass

DFT-s-OFDM 256 QAM		Inner_1RB_Left	21.37	/	/	15.25	/	/	<=23	Pass
		Inner_1RB_Right	21.43	/	/	15.31	/	/	<=23	Pass
	3557.52	Outer_Full	18.83	/	/	12.71	/	/	<=23	Pass
		Inner_Full	18.80	/	/	12.68	/	/	<=23	Pass
		Inner_1RB_Left	18.78	/	/	12.66	/	/	<=23	Pass
		Inner_1RB_Right	18.76	/	/	12.64	/	/	<=23	Pass
	3624.99	Outer_Full	19.42	/	/	13.30	/	/	<=23	Pass
		Inner_Full	19.37	/	/	13.25	/	/	<=23	Pass
		Inner_1RB_Left	19.34	/	/	13.22	/	/	<=23	Pass
		Inner_1RB_Right	19.28	/	/	13.16	/	/	<=23	Pass
	3692.49	Outer_Full	19.32	/	/	13.20	/	/	<=23	Pass
		Inner_Full	19.32	/	/	13.20	/	/	<=23	Pass
		Inner_1RB_Left	19.24	/	/	13.12	/	/	<=23	Pass
		Inner_1RB_Right	19.29	/	/	13.17	/	/	<=23	Pass
CP-OFDM QPSK	3557.52	Outer_Full	20.57	/	/	14.45	/	/	<=23	Pass
		Inner_Full	22.04	/	/	15.92	/	/	<=23	Pass
		Inner_1RB_Left	21.93	/	/	15.81	/	/	<=23	Pass
		Inner_1RB_Right	21.88	/	/	15.76	/	/	<=23	Pass
	3624.99	Outer_Full	20.94	/	/	14.82	/	/	<=23	Pass
		Inner_Full	22.63	/	/	16.51	/	/	<=23	Pass
		Inner_1RB_Left	22.56	/	/	16.44	/	/	<=23	Pass
		Inner_1RB_Right	22.41	/	/	16.29	/	/	<=23	Pass
	3692.49	Outer_Full	21.01	/	/	14.89	/	/	<=23	Pass
		Inner_Full	22.52	/	/	16.40	/	/	<=23	Pass
		Inner_1RB_Left	22.39	/	/	16.27	/	/	<=23	Pass
		Inner_1RB_Right	22.51	/	/	16.39	/	/	<=23	Pass
CP-OFDM 16 QAM	3557.52	Outer_Full	20.49	/	/	14.37	/	/	<=23	Pass
		Inner_Full	21.46	/	/	15.34	/	/	<=23	Pass
		Inner_1RB_Left	21.46	/	/	15.34	/	/	<=23	Pass
		Inner_1RB_Right	21.47	/	/	15.35	/	/	<=23	Pass
	3624.99	Outer_Full	20.94	/	/	14.82	/	/	<=23	Pass
		Inner_Full	22.07	/	/	15.95	/	/	<=23	Pass
		Inner_1RB_Left	22.03	/	/	15.91	/	/	<=23	Pass
		Inner_1RB_Right	21.99	/	/	15.87	/	/	<=23	Pass
	3692.49	Outer_Full	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_Full	21.96	/	/	15.84	/	/	<=23	Pass
		Inner_1RB_Left	22.09	/	/	15.97	/	/	<=23	Pass
		Inner_1RB_Right	22.13	/	/	16.01	/	/	<=23	Pass
CP-OFDM 64 QAM	3557.52	Outer_Full	19.90	/	/	13.78	/	/	<=23	Pass
		Inner_Full	19.92	/	/	13.80	/	/	<=23	Pass
		Inner_1RB_Left	20.04	/	/	13.92	/	/	<=23	Pass
		Inner_1RB_Right	19.98	/	/	13.86	/	/	<=23	Pass
	3624.99	Outer_Full	20.37	/	/	14.25	/	/	<=23	Pass
		Inner_Full	20.39	/	/	14.27	/	/	<=23	Pass
		Inner_1RB_Left	20.59	/	/	14.47	/	/	<=23	Pass
		Inner_1RB_Right	20.49	/	/	14.37	/	/	<=23	Pass
	3692.49	Outer_Full	20.33	/	/	14.21	/	/	<=23	Pass
		Inner_Full	20.36	/	/	14.24	/	/	<=23	Pass
		Inner_1RB_Left	20.51	/	/	14.39	/	/	<=23	Pass
		Inner_1RB_Right	20.53	/	/	14.41	/	/	<=23	Pass
CP-OFDM 256 QAM	3557.52	Outer_Full	16.90	/	/	10.78	/	/	<=23	Pass
		Inner_Full	16.99	/	/	10.87	/	/	<=23	Pass
		Inner_1RB_Left	16.94	/	/	10.82	/	/	<=23	Pass
		Inner_1RB_Right	16.80	/	/	10.68	/	/	<=23	Pass
	3624.99	Outer_Full	17.43	/	/	11.31	/	/	<=23	Pass
		Inner_Full	17.31	/	/	11.19	/	/	<=23	Pass
		Inner_1RB_Left	17.37	/	/	11.25	/	/	<=23	Pass
		Inner_1RB_Right	17.32	/	/	11.20	/	/	<=23	Pass

	3692.49	Outer_Full	17.40	/	/	11.28	/	/	<=23	Pass
		Inner_Full	17.28	/	/	11.16	/	/	<=23	Pass
		Inner_1RB_Left	17.28	/	/	11.16	/	/	<=23	Pass
		Inner_1RB_Right	17.31	/	/	11.19	/	/	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 30_S_20M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	22.96	/	/	16.84	/	/	<=23	Pass
		Inner_Full	23.57	/	/	17.45	/	/	<=23	Pass
		Inner_1RB_Left	23.46	/	/	17.34	/	/	<=23	Pass
		Inner_1RB_Right	23.53	/	/	17.41	/	/	<=23	Pass
	3624.99	Outer_Full	23.54	/	/	17.42	/	/	<=23	Pass
		Inner_Full	24.01	/	/	17.89	/	/	<=23	Pass
		Inner_1RB_Left	24.06	/	/	17.94	/	/	<=23	Pass
		Inner_1RB_Right	23.98	/	/	17.86	/	/	<=23	Pass
	3690	Outer_Full	23.44	/	/	17.32	/	/	<=23	Pass
		Inner_Full	23.93	/	/	17.81	/	/	<=23	Pass
		Inner_1RB_Left	23.84	/	/	17.72	/	/	<=23	Pass
		Inner_1RB_Right	23.96	/	/	17.84	/	/	<=23	Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	22.49	/	/	16.37	/	/	<=23	Pass
		Inner_Full	23.42	/	/	17.30	/	/	<=23	Pass
		Inner_1RB_Left	23.42	/	/	17.30	/	/	<=23	Pass
		Inner_1RB_Right	23.46	/	/	17.34	/	/	<=23	Pass
	3624.99	Outer_Full	23.01	/	/	16.89	/	/	<=23	Pass
		Inner_Full	24.04	/	/	17.92	/	/	<=23	Pass
		Inner_1RB_Left	24.04	/	/	17.92	/	/	<=23	Pass
		Inner_1RB_Right	23.98	/	/	17.86	/	/	<=23	Pass
	3690	Outer_Full	22.97	/	/	16.85	/	/	<=23	Pass
		Inner_Full	23.92	/	/	17.80	/	/	<=23	Pass
		Inner_1RB_Left	23.83	/	/	17.71	/	/	<=23	Pass
		Inner_1RB_Right	23.98	/	/	17.86	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3560.01	Outer_Full	21.44	/	/	15.32	/	/	<=23	Pass
		Inner_Full	22.40	/	/	16.28	/	/	<=23	Pass
		Inner_1RB_Left	22.51	/	/	16.39	/	/	<=23	Pass
		Inner_1RB_Right	22.49	/	/	16.37	/	/	<=23	Pass
	3624.99	Outer_Full	21.97	/	/	15.85	/	/	<=23	Pass
		Inner_Full	22.92	/	/	16.80	/	/	<=23	Pass
		Inner_1RB_Left	23.00	/	/	16.88	/	/	<=23	Pass
		Inner_1RB_Right	22.99	/	/	16.87	/	/	<=23	Pass
	3690	Outer_Full	21.80	/	/	15.68	/	/	<=23	Pass
		Inner_Full	22.88	/	/	16.76	/	/	<=23	Pass
		Inner_1RB_Left	22.88	/	/	16.76	/	/	<=23	Pass
		Inner_1RB_Right	22.94	/	/	16.82	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3560.01	Outer_Full	20.89	/	/	14.77	/	/	<=23	Pass
		Inner_Full	20.95	/	/	14.83	/	/	<=23	Pass
		Inner_1RB_Left	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_1RB_Right	20.93	/	/	14.81	/	/	<=23	Pass
	3624.99	Outer_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_1RB_Left	21.34	/	/	15.22	/	/	<=23	Pass
		Inner_1RB_Right	21.41	/	/	15.29	/	/	<=23	Pass

	3690	Outer_Full	21.38	/	/	15.26	/	/	<=23	Pass
		Inner_Full	21.37	/	/	15.25	/	/	<=23	Pass
		Inner_1RB_Left	21.26	/	/	15.14	/	/	<=23	Pass
		Inner_1RB_Right	21.34	/	/	15.22	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3560.01	Outer_Full	18.84	/	/	12.72	/	/	<=23	Pass
		Inner_Full	18.93	/	/	12.81	/	/	<=23	Pass
		Inner_1RB_Left	18.78	/	/	12.66	/	/	<=23	Pass
		Inner_1RB_Right	18.83	/	/	12.71	/	/	<=23	Pass
	3624.99	Outer_Full	19.42	/	/	13.30	/	/	<=23	Pass
		Inner_Full	19.38	/	/	13.26	/	/	<=23	Pass
		Inner_1RB_Left	19.16	/	/	13.04	/	/	<=23	Pass
		Inner_1RB_Right	19.27	/	/	13.15	/	/	<=23	Pass
	3690	Outer_Full	19.33	/	/	13.21	/	/	<=23	Pass
		Inner_Full	19.32	/	/	13.20	/	/	<=23	Pass
		Inner_1RB_Left	19.10	/	/	12.98	/	/	<=23	Pass
		Inner_1RB_Right	19.16	/	/	13.04	/	/	<=23	Pass
CP-OFDM QPSK	3560.01	Outer_Full	20.57	/	/	14.45	/	/	<=23	Pass
		Inner_Full	22.10	/	/	15.98	/	/	<=23	Pass
		Inner_1RB_Left	21.86	/	/	15.74	/	/	<=23	Pass
		Inner_1RB_Right	21.93	/	/	15.81	/	/	<=23	Pass
	3624.99	Outer_Full	21.03	/	/	14.91	/	/	<=23	Pass
		Inner_Full	22.57	/	/	16.45	/	/	<=23	Pass
		Inner_1RB_Left	22.57	/	/	16.45	/	/	<=23	Pass
		Inner_1RB_Right	22.56	/	/	16.44	/	/	<=23	Pass
	3690	Outer_Full	20.83	/	/	14.71	/	/	<=23	Pass
		Inner_Full	22.44	/	/	16.32	/	/	<=23	Pass
		Inner_1RB_Left	22.39	/	/	16.27	/	/	<=23	Pass
		Inner_1RB_Right	22.52	/	/	16.40	/	/	<=23	Pass
CP-OFDM 16 QAM	3560.01	Outer_Full	20.37	/	/	14.25	/	/	<=23	Pass
		Inner_Full	21.55	/	/	15.43	/	/	<=23	Pass
		Inner_1RB_Left	21.51	/	/	15.39	/	/	<=23	Pass
		Inner_1RB_Right	21.47	/	/	15.35	/	/	<=23	Pass
	3624.99	Outer_Full	20.88	/	/	14.76	/	/	<=23	Pass
		Inner_Full	22.04	/	/	15.92	/	/	<=23	Pass
		Inner_1RB_Left	22.02	/	/	15.90	/	/	<=23	Pass
		Inner_1RB_Right	22.13	/	/	16.01	/	/	<=23	Pass
	3690	Outer_Full	20.81	/	/	14.69	/	/	<=23	Pass
		Inner_Full	21.99	/	/	15.87	/	/	<=23	Pass
		Inner_1RB_Left	21.95	/	/	15.83	/	/	<=23	Pass
		Inner_1RB_Right	22.06	/	/	15.94	/	/	<=23	Pass
CP-OFDM 64 QAM	3560.01	Outer_Full	19.89	/	/	13.77	/	/	<=23	Pass
		Inner_Full	20.07	/	/	13.95	/	/	<=23	Pass
		Inner_1RB_Left	20.07	/	/	13.95	/	/	<=23	Pass
		Inner_1RB_Right	20.03	/	/	13.91	/	/	<=23	Pass
	3624.99	Outer_Full	20.43	/	/	14.31	/	/	<=23	Pass
		Inner_Full	20.39	/	/	14.27	/	/	<=23	Pass
		Inner_1RB_Left	20.52	/	/	14.40	/	/	<=23	Pass
		Inner_1RB_Right	20.42	/	/	14.30	/	/	<=23	Pass
	3690	Outer_Full	20.37	/	/	14.25	/	/	<=23	Pass
		Inner_Full	20.35	/	/	14.23	/	/	<=23	Pass
		Inner_1RB_Left	20.41	/	/	14.29	/	/	<=23	Pass
		Inner_1RB_Right	20.42	/	/	14.30	/	/	<=23	Pass
CP-OFDM 256 QAM	3560.01	Outer_Full	16.89	/	/	10.77	/	/	<=23	Pass
		Inner_Full	16.94	/	/	10.82	/	/	<=23	Pass
		Inner_1RB_Left	16.92	/	/	10.80	/	/	<=23	Pass
		Inner_1RB_Right	16.86	/	/	10.74	/	/	<=23	Pass
	3624.99	Outer_Full	17.46	/	/	11.34	/	/	<=23	Pass
		Inner_Full	17.45	/	/	11.33	/	/	<=23	Pass

		Inner_1RB_Left	17.31	/	/	11.19	/	/	<=23	Pass
		Inner_1RB_Right	17.32	/	/	11.20	/	/	<=23	Pass
	3690	Outer_Full	17.32	/	/	11.20	/	/	<=23	Pass
		Inner_Full	17.33	/	/	11.21	/	/	<=23	Pass
		Inner_1RB_Left	17.18	/	/	11.06	/	/	<=23	Pass
		Inner_1RB_Right	17.32	/	/	11.20	/	/	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 30_S_30M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3565.02	Outer_Full	22.91	/	/	16.79	/	/	<=23	Pass
		Inner_Full	23.43	/	/	17.31	/	/	<=23	Pass
		Inner_1RB_Left	23.46	/	/	17.34	/	/	<=23	Pass
		Inner_1RB_Right	23.50	/	/	17.38	/	/	<=23	Pass
	3624.99	Outer_Full	23.50	/	/	17.38	/	/	<=23	Pass
		Inner_Full	23.93	/	/	17.81	/	/	<=23	Pass
		Inner_1RB_Left	24.13	/	/	18.01	/	/	<=23	Pass
		Inner_1RB_Right	24.04	/	/	17.92	/	/	<=23	Pass
	3684.99	Outer_Full	23.36	/	/	17.24	/	/	<=23	Pass
		Inner_Full	23.98	/	/	17.86	/	/	<=23	Pass
		Inner_1RB_Left	23.96	/	/	17.84	/	/	<=23	Pass
		Inner_1RB_Right	24.09	/	/	17.97	/	/	<=23	Pass
DFT-s-OFDM QPSK	3565.02	Outer_Full	22.42	/	/	16.30	/	/	<=23	Pass
		Inner_Full	23.40	/	/	17.28	/	/	<=23	Pass
		Inner_1RB_Left	23.51	/	/	17.39	/	/	<=23	Pass
		Inner_1RB_Right	23.52	/	/	17.40	/	/	<=23	Pass
	3624.99	Outer_Full	22.89	/	/	16.77	/	/	<=23	Pass
		Inner_Full	23.95	/	/	17.83	/	/	<=23	Pass
		Inner_1RB_Left	24.12	/	/	18.00	/	/	<=23	Pass
		Inner_1RB_Right	24.05	/	/	17.93	/	/	<=23	Pass
	3684.99	Outer_Full	22.86	/	/	16.74	/	/	<=23	Pass
		Inner_Full	23.94	/	/	17.82	/	/	<=23	Pass
		Inner_1RB_Left	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Right	24.08	/	/	17.96	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3565.02	Outer_Full	21.46	/	/	15.34	/	/	<=23	Pass
		Inner_Full	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_1RB_Left	22.53	/	/	16.41	/	/	<=23	Pass
		Inner_1RB_Right	22.55	/	/	16.43	/	/	<=23	Pass
	3624.99	Outer_Full	21.92	/	/	15.80	/	/	<=23	Pass
		Inner_Full	22.91	/	/	16.79	/	/	<=23	Pass
		Inner_1RB_Left	23.15	/	/	17.03	/	/	<=23	Pass
		Inner_1RB_Right	23.08	/	/	16.96	/	/	<=23	Pass
	3684.99	Outer_Full	21.88	/	/	15.76	/	/	<=23	Pass
		Inner_Full	22.87	/	/	16.75	/	/	<=23	Pass
		Inner_1RB_Left	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_1RB_Right	22.94	/	/	16.82	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3565.02	Outer_Full	20.97	/	/	14.85	/	/	<=23	Pass
		Inner_Full	20.90	/	/	14.78	/	/	<=23	Pass
		Inner_1RB_Left	20.98	/	/	14.86	/	/	<=23	Pass
		Inner_1RB_Right	21.00	/	/	14.88	/	/	<=23	Pass
	3624.99	Outer_Full	21.44	/	/	15.32	/	/	<=23	Pass
		Inner_Full	21.35	/	/	15.23	/	/	<=23	Pass

	3684.99	Inner_1RB_Left	21.61	/	/	15.49	/	/	<=23	Pass
		Inner_1RB_Right	21.53	/	/	15.41	/	/	<=23	Pass
		Outer_Full	21.40	/	/	15.28	/	/	<=23	Pass
		Inner_Full	21.34	/	/	15.22	/	/	<=23	Pass
		Inner_1RB_Left	21.38	/	/	15.26	/	/	<=23	Pass
		Inner_1RB_Right	21.47	/	/	15.35	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3565.02	Outer_Full	18.90	/	/	12.78	/	/	<=23	Pass
		Inner_Full	18.85	/	/	12.73	/	/	<=23	Pass
		Inner_1RB_Left	18.81	/	/	12.69	/	/	<=23	Pass
		Inner_1RB_Right	18.88	/	/	12.76	/	/	<=23	Pass
	3624.99	Outer_Full	19.40	/	/	13.28	/	/	<=23	Pass
		Inner_Full	19.31	/	/	13.19	/	/	<=23	Pass
		Inner_1RB_Left	19.35	/	/	13.23	/	/	<=23	Pass
		Inner_1RB_Right	19.34	/	/	13.22	/	/	<=23	Pass
	3684.99	Outer_Full	19.36	/	/	13.24	/	/	<=23	Pass
		Inner_Full	19.19	/	/	13.07	/	/	<=23	Pass
		Inner_1RB_Left	19.29	/	/	13.17	/	/	<=23	Pass
		Inner_1RB_Right	19.37	/	/	13.25	/	/	<=23	Pass
CP-OFDM QPSK	3565.02	Outer_Full	20.37	/	/	14.25	/	/	<=23	Pass
		Inner_Full	22.00	/	/	15.88	/	/	<=23	Pass
		Inner_1RB_Left	22.06	/	/	15.94	/	/	<=23	Pass
		Inner_1RB_Right	22.02	/	/	15.90	/	/	<=23	Pass
	3624.99	Outer_Full	20.91	/	/	14.79	/	/	<=23	Pass
		Inner_Full	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_1RB_Left	22.69	/	/	16.57	/	/	<=23	Pass
		Inner_1RB_Right	22.60	/	/	16.48	/	/	<=23	Pass
	3684.99	Outer_Full	20.87	/	/	14.75	/	/	<=23	Pass
		Inner_Full	22.41	/	/	16.29	/	/	<=23	Pass
		Inner_1RB_Left	22.50	/	/	16.38	/	/	<=23	Pass
		Inner_1RB_Right	22.61	/	/	16.49	/	/	<=23	Pass
CP-OFDM 16 QAM	3565.02	Outer_Full	20.45	/	/	14.33	/	/	<=23	Pass
		Inner_Full	21.40	/	/	15.28	/	/	<=23	Pass
		Inner_1RB_Left	21.61	/	/	15.49	/	/	<=23	Pass
		Inner_1RB_Right	21.62	/	/	15.50	/	/	<=23	Pass
	3624.99	Outer_Full	20.95	/	/	14.83	/	/	<=23	Pass
		Inner_Full	21.92	/	/	15.80	/	/	<=23	Pass
		Inner_1RB_Left	22.17	/	/	16.05	/	/	<=23	Pass
		Inner_1RB_Right	22.18	/	/	16.06	/	/	<=23	Pass
	3684.99	Outer_Full	20.89	/	/	14.77	/	/	<=23	Pass
		Inner_Full	21.83	/	/	15.71	/	/	<=23	Pass
		Inner_1RB_Left	22.05	/	/	15.93	/	/	<=23	Pass
		Inner_1RB_Right	22.18	/	/	16.06	/	/	<=23	Pass
CP-OFDM 64 QAM	3565.02	Outer_Full	19.95	/	/	13.83	/	/	<=23	Pass
		Inner_Full	19.94	/	/	13.82	/	/	<=23	Pass
		Inner_1RB_Left	20.12	/	/	14.00	/	/	<=23	Pass
		Inner_1RB_Right	20.10	/	/	13.98	/	/	<=23	Pass
	3624.99	Outer_Full	20.38	/	/	14.26	/	/	<=23	Pass
		Inner_Full	20.39	/	/	14.27	/	/	<=23	Pass
		Inner_1RB_Left	20.65	/	/	14.53	/	/	<=23	Pass
		Inner_1RB_Right	20.60	/	/	14.48	/	/	<=23	Pass
	3684.99	Outer_Full	20.36	/	/	14.24	/	/	<=23	Pass
		Inner_Full	20.29	/	/	14.17	/	/	<=23	Pass
		Inner_1RB_Left	20.47	/	/	14.35	/	/	<=23	Pass
		Inner_1RB_Right	20.56	/	/	14.44	/	/	<=23	Pass
CP-OFDM 256 QAM	3565.02	Outer_Full	16.98	/	/	10.86	/	/	<=23	Pass
		Inner_Full	16.93	/	/	10.81	/	/	<=23	Pass
		Inner_1RB_Left	16.97	/	/	10.85	/	/	<=23	Pass
		Inner_1RB_Right	16.93	/	/	10.81	/	/	<=23	Pass

	3624.99	Outer_Full	17.46	/	/	11.34	/	/	<=23	Pass
		Inner_Full	17.40	/	/	11.28	/	/	<=23	Pass
		Inner_1RB_Left	17.46	/	/	11.34	/	/	<=23	Pass
		Inner_1RB_Right	17.40	/	/	11.28	/	/	<=23	Pass
	3684.99	Outer_Full	17.39	/	/	11.27	/	/	<=23	Pass
		Inner_Full	17.34	/	/	11.22	/	/	<=23	Pass
		Inner_1RB_Left	17.35	/	/	11.23	/	/	<=23	Pass
		Inner_1RB_Right	17.42	/	/	11.30	/	/	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.5 30_S_40M_NTNV_EIRP

5G NR n48 SCS=30kHz SISO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	23.03	/	/	16.91	/	/	<=23	Pass
		Inner_Full	23.47	/	/	17.35	/	/	<=23	Pass
		Inner_1RB_Left	23.39	/	/	17.27	/	/	<=23	Pass
		Inner_1RB_Right	23.72	/	/	17.60	/	/	<=23	Pass
	3624.99	Outer_Full	23.52	/	/	17.40	/	/	<=23	Pass
		Inner_Full	23.96	/	/	17.84	/	/	<=23	Pass
		Inner_1RB_Left	23.95	/	/	17.83	/	/	<=23	Pass
		Inner_1RB_Right	24.04	/	/	17.92	/	/	<=23	Pass
	3679.98	Outer_Full	23.44	/	/	17.32	/	/	<=23	Pass
		Inner_Full	23.96	/	/	17.84	/	/	<=23	Pass
		Inner_1RB_Left	23.84	/	/	17.72	/	/	<=23	Pass
		Inner_1RB_Right	24.00	/	/	17.88	/	/	<=23	Pass
DFT-s-OFDM QPSK	3570	Outer_Full	22.46	/	/	16.34	/	/	<=23	Pass
		Inner_Full	23.41	/	/	17.29	/	/	<=23	Pass
		Inner_1RB_Left	23.39	/	/	17.27	/	/	<=23	Pass
		Inner_1RB_Right	23.77	/	/	17.65	/	/	<=23	Pass
	3624.99	Outer_Full	23.02	/	/	16.90	/	/	<=23	Pass
		Inner_Full	23.97	/	/	17.85	/	/	<=23	Pass
		Inner_1RB_Left	23.95	/	/	17.83	/	/	<=23	Pass
		Inner_1RB_Right	24.01	/	/	17.89	/	/	<=23	Pass
	3679.98	Outer_Full	22.95	/	/	16.83	/	/	<=23	Pass
		Inner_Full	23.98	/	/	17.86	/	/	<=23	Pass
		Inner_1RB_Left	23.86	/	/	17.74	/	/	<=23	Pass
		Inner_1RB_Right	24.02	/	/	17.90	/	/	<=23	Pass
DFT-s-OFDM 16 QAM	3570	Outer_Full	21.49	/	/	15.37	/	/	<=23	Pass
		Inner_Full	22.50	/	/	16.38	/	/	<=23	Pass
		Inner_1RB_Left	22.45	/	/	16.33	/	/	<=23	Pass
		Inner_1RB_Right	22.79	/	/	16.67	/	/	<=23	Pass
	3624.99	Outer_Full	21.90	/	/	15.78	/	/	<=23	Pass
		Inner_Full	22.94	/	/	16.82	/	/	<=23	Pass
		Inner_1RB_Left	22.97	/	/	16.85	/	/	<=23	Pass
		Inner_1RB_Right	23.06	/	/	16.94	/	/	<=23	Pass
	3679.98	Outer_Full	21.85	/	/	15.73	/	/	<=23	Pass
		Inner_Full	22.87	/	/	16.75	/	/	<=23	Pass
		Inner_1RB_Left	22.78	/	/	16.66	/	/	<=23	Pass
		Inner_1RB_Right	22.85	/	/	16.73	/	/	<=23	Pass
DFT-s-OFDM 64 QAM	3570	Outer_Full	21.03	/	/	14.91	/	/	<=23	Pass
		Inner_Full	20.96	/	/	14.84	/	/	<=23	Pass
		Inner_1RB_Left	20.86	/	/	14.74	/	/	<=23	Pass
		Inner_1RB_Right	21.16	/	/	15.04	/	/	<=23	Pass

	3624.99	Outer_Full	21.42	/	/	15.30	/	/	<=23	Pass
		Inner_Full	21.39	/	/	15.27	/	/	<=23	Pass
		Inner_1RB_Left	21.43	/	/	15.31	/	/	<=23	Pass
		Inner_1RB_Right	21.46	/	/	15.34	/	/	<=23	Pass
	3679.98	Outer_Full	21.39	/	/	15.27	/	/	<=23	Pass
		Inner_Full	21.31	/	/	15.19	/	/	<=23	Pass
		Inner_1RB_Left	21.17	/	/	15.05	/	/	<=23	Pass
		Inner_1RB_Right	21.43	/	/	15.31	/	/	<=23	Pass
DFT-s-OFDM 256 QAM	3570	Outer_Full	18.94	/	/	12.82	/	/	<=23	Pass
		Inner_Full	18.95	/	/	12.83	/	/	<=23	Pass
		Inner_1RB_Left	18.82	/	/	12.70	/	/	<=23	Pass
		Inner_1RB_Right	19.12	/	/	13.00	/	/	<=23	Pass
	3624.99	Outer_Full	19.44	/	/	13.32	/	/	<=23	Pass
		Inner_Full	19.36	/	/	13.24	/	/	<=23	Pass
		Inner_1RB_Left	19.24	/	/	13.12	/	/	<=23	Pass
		Inner_1RB_Right	19.28	/	/	13.16	/	/	<=23	Pass
	3679.98	Outer_Full	19.38	/	/	13.26	/	/	<=23	Pass
		Inner_Full	19.26	/	/	13.14	/	/	<=23	Pass
		Inner_1RB_Left	19.12	/	/	13.00	/	/	<=23	Pass
		Inner_1RB_Right	19.22	/	/	13.10	/	/	<=23	Pass
CP-OFDM QPSK	3570	Outer_Full	20.59	/	/	14.47	/	/	<=23	Pass
		Inner_Full	22.00	/	/	15.88	/	/	<=23	Pass
		Inner_1RB_Left	22.01	/	/	15.89	/	/	<=23	Pass
		Inner_1RB_Right	22.25	/	/	16.13	/	/	<=23	Pass
	3624.99	Outer_Full	20.98	/	/	14.86	/	/	<=23	Pass
		Inner_Full	22.49	/	/	16.37	/	/	<=23	Pass
		Inner_1RB_Left	22.47	/	/	16.35	/	/	<=23	Pass
		Inner_1RB_Right	22.54	/	/	16.42	/	/	<=23	Pass
	3679.98	Outer_Full	20.89	/	/	14.77	/	/	<=23	Pass
		Inner_Full	22.36	/	/	16.24	/	/	<=23	Pass
		Inner_1RB_Left	22.31	/	/	16.19	/	/	<=23	Pass
		Inner_1RB_Right	22.41	/	/	16.29	/	/	<=23	Pass
CP-OFDM 16 QAM	3570	Outer_Full	20.50	/	/	14.38	/	/	<=23	Pass
		Inner_Full	21.45	/	/	15.33	/	/	<=23	Pass
		Inner_1RB_Left	21.48	/	/	15.36	/	/	<=23	Pass
		Inner_1RB_Right	21.76	/	/	15.64	/	/	<=23	Pass
	3624.99	Outer_Full	20.99	/	/	14.87	/	/	<=23	Pass
		Inner_Full	21.97	/	/	15.85	/	/	<=23	Pass
		Inner_1RB_Left	22.13	/	/	16.01	/	/	<=23	Pass
		Inner_1RB_Right	22.12	/	/	16.00	/	/	<=23	Pass
	3679.98	Outer_Full	20.90	/	/	14.78	/	/	<=23	Pass
		Inner_Full	21.89	/	/	15.77	/	/	<=23	Pass
		Inner_1RB_Left	21.99	/	/	15.87	/	/	<=23	Pass
		Inner_1RB_Right	22.05	/	/	15.93	/	/	<=23	Pass
CP-OFDM 64 QAM	3570	Outer_Full	20.01	/	/	13.89	/	/	<=23	Pass
		Inner_Full	19.93	/	/	13.81	/	/	<=23	Pass
		Inner_1RB_Left	20.02	/	/	13.90	/	/	<=23	Pass
		Inner_1RB_Right	20.37	/	/	14.25	/	/	<=23	Pass
	3624.99	Outer_Full	20.44	/	/	14.32	/	/	<=23	Pass
		Inner_Full	20.42	/	/	14.30	/	/	<=23	Pass
		Inner_1RB_Left	20.53	/	/	14.41	/	/	<=23	Pass
		Inner_1RB_Right	20.61	/	/	14.49	/	/	<=23	Pass
	3679.98	Outer_Full	20.34	/	/	14.22	/	/	<=23	Pass
		Inner_Full	20.26	/	/	14.14	/	/	<=23	Pass
		Inner_1RB_Left	20.31	/	/	14.19	/	/	<=23	Pass
		Inner_1RB_Right	20.41	/	/	14.29	/	/	<=23	Pass
CP-OFDM 256 QAM	3570	Outer_Full	17.01	/	/	10.89	/	/	<=23	Pass
		Inner_Full	16.94	/	/	10.82	/	/	<=23	Pass

	3624.99	Inner_1RB_Left	16.85	/	/	10.73	/	/	<=23	Pass
		Inner_1RB_Right	17.16	/	/	11.04	/	/	<=23	Pass
		Outer_Full	17.48	/	/	11.36	/	/	<=23	Pass
		Inner_Full	17.42	/	/	11.30	/	/	<=23	Pass
		Inner_1RB_Left	17.39	/	/	11.27	/	/	<=23	Pass
		Inner_1RB_Right	17.36	/	/	11.24	/	/	<=23	Pass
	3679.98	Outer_Full	17.41	/	/	11.29	/	/	<=23	Pass
		Inner_Full	17.29	/	/	11.17	/	/	<=23	Pass
		Inner_1RB_Left	17.17	/	/	11.05	/	/	<=23	Pass
		Inner_1RB_Right	17.28	/	/	11.16	/	/	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.6 30_M_10M_NTNV_EIRP

5G NR n48 SCS=30kHz MIMO 10MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
CP-OFDM QPSK	3555	Outer Full	16.70	17.45	20.10	10.58	11.33	13.98	<=23	Pass
		Inner Full	18.14	18.92	21.56	12.02	12.80	15.44	<=23	Pass
		Inner 1RB Left	18.33	18.99	21.68	12.21	12.87	15.56	<=23	Pass
		Inner 1RB Right	18.23	19.02	21.65	12.11	12.90	15.53	<=23	Pass
	3694.98	Outer Full	17.18	17.36	20.28	11.06	11.24	14.16	<=23	Pass
		Inner Full	18.74	18.79	21.77	12.62	12.67	15.66	<=23	Pass
		Inner 1RB Left	18.65	18.83	21.75	12.53	12.71	15.63	<=23	Pass
		Inner 1RB Right	18.86	18.93	21.90	12.74	12.81	15.79	<=23	Pass
CP-OFDM 16 QAM	3555	Outer Full	16.69	17.44	20.09	10.57	11.32	13.97	<=23	Pass
		Inner Full	17.68	18.45	21.09	11.56	12.33	14.97	<=23	Pass
		Inner 1RB Left	17.78	18.59	21.22	11.66	12.47	15.09	<=23	Pass
		Inner 1RB Right	18.02	18.82	21.45	11.90	12.70	15.33	<=23	Pass
	3694.98	Outer Full	17.25	17.45	20.36	11.13	11.33	14.24	<=23	Pass
		Inner Full	18.16	18.35	21.27	12.04	12.23	15.15	<=23	Pass
		Inner 1RB Left	18.34	18.57	21.47	12.22	12.45	15.35	<=23	Pass
		Inner 1RB Right	18.49	18.55	21.53	12.37	12.43	15.41	<=23	Pass
CP-OFDM 64 QAM	3555	Outer Full	16.19	17.03	19.64	10.07	10.91	13.52	<=23	Pass
		Inner Full	16.30	17.06	19.71	10.18	10.94	13.59	<=23	Pass
		Inner 1RB Left	16.17	16.96	19.59	10.05	10.84	13.47	<=23	Pass
		Inner 1RB Right	16.25	17.13	19.72	10.13	11.01	13.60	<=23	Pass
	3694.98	Outer Full	16.72	16.89	19.82	10.60	10.77	13.70	<=23	Pass
		Inner Full	16.81	16.93	19.88	10.69	10.81	13.76	<=23	Pass
		Inner 1RB Left	16.69	16.88	19.80	10.57	10.76	13.68	<=23	Pass
		Inner 1RB Right	16.77	16.97	19.88	10.65	10.85	13.76	<=23	Pass
CP-OFDM 256 QAM	3555	Outer Full	13.17	13.93	16.58	7.05	7.81	10.46	<=23	Pass
		Inner Full	13.17	13.95	16.59	7.05	7.83	10.47	<=23	Pass
		Inner 1RB Left	13.22	14.07	16.67	7.10	7.95	10.56	<=23	Pass
		Inner 1RB Right	13.22	13.95	16.61	7.10	7.83	10.49	<=23	Pass
	3624.99	Outer Full	13.66	13.95	16.82	7.54	7.83	10.70	<=23	Pass
		Inner Full	13.66	13.96	16.82	7.54	7.84	10.70	<=23	Pass
		Inner 1RB Left	13.34	13.62	16.49	7.22	7.50	10.37	<=23	Pass
		Inner 1RB Right	13.27	13.58	16.44	7.15	7.46	10.32	<=23	Pass
	3694.98	Outer Full	13.63	13.81	16.73	7.51	7.69	10.61	<=23	Pass
		Inner Full	13.68	13.88	16.79	7.56	7.76	10.67	<=23	Pass
		Inner 1RB Left	13.68	13.79	16.75	7.56	7.67	10.63	<=23	Pass
		Inner 1RB Right	13.74	13.91	16.84	7.62	7.79	10.72	<=23	Pass
CP-OFDM QPSK	3624.99	Outer Full	17.18	17.51	20.36	11.06	11.39	14.24	<=23	Pass
		Inner Full	18.80	18.96	21.89	12.68	12.84	15.77	<=23	Pass

		Inner_1RB_Left	18.90	18.97	21.94	12.78	12.85	15.83	<=23	Pass
		Inner_1RB_Right	18.81	19.07	21.95	12.69	12.95	15.83	<=23	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	17.23	17.58	20.42	11.11	11.46	14.30	<=23	Pass
		Inner_Full	18.20	18.43	21.32	12.08	12.31	15.21	<=23	Pass
		Inner_1RB_Left	18.46	18.74	21.61	12.34	12.62	15.49	<=23	Pass
		Inner_1RB_Right	18.49	18.86	21.69	12.37	12.74	15.57	<=23	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	16.77	17.09	19.94	10.65	10.97	13.82	<=23	Pass
		Inner_Full	16.76	17.07	19.93	10.64	10.95	13.81	<=23	Pass
		Inner_1RB_Left	16.61	16.94	19.79	10.49	10.82	13.67	<=23	Pass
		Inner_1RB_Right	16.70	16.99	19.86	10.58	10.87	13.74	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.7 30_M_15M_NTNV_EIRP

5G NR n48 SCS=30kHz MIMO 15MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
CP-OFDM QPSK	3557.52	Outer Full	16.77	17.49	20.16	10.65	11.37	14.04	<=23	Pass
		Inner Full	18.37	19.09	21.76	12.25	12.97	15.64	<=23	Pass
		Inner 1RB Left	18.25	18.98	21.64	12.13	12.86	15.52	<=23	Pass
		Inner 1RB Right	18.40	19.15	21.80	12.28	13.03	15.68	<=23	Pass
	3624.99	Outer Full	17.25	17.51	20.39	11.13	11.39	14.27	<=23	Pass
		Inner Full	18.90	19.27	22.10	12.78	13.15	15.98	<=23	Pass
		Inner 1RB Left	18.72	18.94	21.84	12.60	12.82	15.72	<=23	Pass
		Inner 1RB Right	18.69	19.00	21.86	12.57	12.88	15.74	<=23	Pass
	3692.49	Outer Full	17.11	17.43	20.29	10.99	11.31	14.16	<=23	Pass
		Inner Full	18.82	18.93	21.89	12.70	12.81	15.77	<=23	Pass
		Inner 1RB Left	18.68	19.02	21.87	12.56	12.90	15.74	<=23	Pass
		Inner 1RB Right	18.65	18.89	21.78	12.53	12.77	15.66	<=23	Pass
CP-OFDM 16 QAM	3557.52	Outer Full	16.77	17.48	20.15	10.65	11.36	14.03	<=23	Pass
		Inner Full	17.79	18.58	21.21	11.67	12.46	15.09	<=23	Pass
		Inner 1RB Left	17.98	18.75	21.39	11.86	12.63	15.27	<=23	Pass
		Inner 1RB Right	17.95	18.74	21.37	11.83	12.62	15.25	<=23	Pass
	3624.99	Outer Full	17.27	17.60	20.45	11.15	11.48	14.33	<=23	Pass
		Inner Full	18.17	18.48	21.34	12.05	12.36	15.22	<=23	Pass
		Inner 1RB Left	18.46	18.71	21.60	12.34	12.59	15.48	<=23	Pass
		Inner 1RB Right	18.34	18.74	21.55	12.22	12.62	15.43	<=23	Pass
	3692.49	Outer Full	17.13	17.36	20.26	11.01	11.24	14.14	<=23	Pass
		Inner Full	18.20	18.39	21.31	12.08	12.27	15.19	<=23	Pass
		Inner 1RB Left	18.23	18.56	21.41	12.11	12.44	15.29	<=23	Pass
		Inner 1RB Right	18.37	18.43	21.41	12.25	12.31	15.29	<=23	Pass
CP-OFDM 64 QAM	3557.52	Outer Full	16.05	16.92	19.52	9.93	10.80	13.40	<=23	Pass
		Inner Full	16.12	16.93	19.55	10.00	10.81	13.43	<=23	Pass
		Inner 1RB Left	16.10	16.93	19.55	9.98	10.81	13.43	<=23	Pass
		Inner 1RB Right	16.19	17.02	19.64	10.07	10.90	13.52	<=23	Pass
	3624.99	Outer Full	16.63	16.86	19.76	10.51	10.74	13.64	<=23	Pass
		Inner Full	16.56	16.84	19.71	10.44	10.72	13.59	<=23	Pass
		Inner 1RB Left	16.67	16.91	19.80	10.55	10.79	13.68	<=23	Pass
		Inner 1RB Right	16.51	16.79	19.66	10.39	10.67	13.54	<=23	Pass
	3692.49	Outer Full	16.61	16.81	19.72	10.49	10.69	13.60	<=23	Pass
		Inner Full	16.60	16.81	19.72	10.48	10.69	13.60	<=23	Pass
		Inner 1RB Left	16.56	16.81	19.70	10.44	10.69	13.58	<=23	Pass
		Inner 1RB Right	16.56	16.72	19.65	10.44	10.60	13.53	<=23	Pass
CP-OFDM 256 QAM	3557.52	Outer Full	13.12	13.92	16.55	7.00	7.80	10.43	<=23	Pass
		Inner Full	13.13	13.92	16.55	7.01	7.80	10.43	<=23	Pass

		Inner_1RB_Left	13.23	14.05	16.67	7.11	7.93	10.55	<=23	Pass
		Inner_1RB_Right	13.21	14.04	16.66	7.09	7.92	10.54	<=23	Pass
	3624.99	Outer_Full	13.73	14.03	16.89	7.61	7.91	10.77	<=23	Pass
		Inner_Full	13.55	13.91	16.74	7.43	7.79	10.62	<=23	Pass
		Inner_1RB_Left	14.05	14.31	17.19	7.93	8.19	11.07	<=23	Pass
		Inner_1RB_Right	13.88	14.14	17.02	7.76	8.02	10.90	<=23	Pass
	3692.49	Outer_Full	13.59	13.84	16.73	7.47	7.72	10.61	<=23	Pass
		Inner_Full	13.58	13.85	16.73	7.46	7.73	10.61	<=23	Pass
		Inner_1RB_Left	13.62	13.89	16.77	7.50	7.77	10.65	<=23	Pass
		Inner_1RB_Right	13.70	13.84	16.78	7.58	7.72	10.66	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.8 30_M_20M_NTNV_EIRP

5G NR n48 SCS=30kHz MIMO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
CP-OFDM QPSK	3560.01	Outer Full	16.76	17.47	20.14	10.64	11.35	14.02	<=23	Pass
		Inner Full	18.29	19.04	21.69	12.17	12.92	15.57	<=23	Pass
		Inner 1RB Left	18.27	18.97	21.64	12.15	12.85	15.52	<=23	Pass
		Inner 1RB Right	18.42	19.11	21.79	12.30	12.99	15.67	<=23	Pass
	3624.99	Outer Full	17.24	17.47	20.37	11.12	11.35	14.25	<=23	Pass
		Inner Full	18.75	19.00	21.89	12.63	12.88	15.77	<=23	Pass
		Inner 1RB Left	18.86	18.94	21.91	12.74	12.82	15.79	<=23	Pass
		Inner 1RB Right	18.76	19.10	21.94	12.64	12.98	15.82	<=23	Pass
	3690	Outer Full	17.13	17.41	20.29	11.01	11.29	14.16	<=23	Pass
		Inner Full	18.63	18.88	21.77	12.51	12.76	15.65	<=23	Pass
		Inner 1RB Left	18.58	18.85	21.73	12.46	12.73	15.61	<=23	Pass
		Inner 1RB Right	18.78	18.91	21.86	12.66	12.79	15.74	<=23	Pass
CP-OFDM 16 QAM	3560.01	Outer Full	16.68	17.42	20.07	10.56	11.30	13.96	<=23	Pass
		Inner Full	17.82	18.55	21.21	11.70	12.43	15.09	<=23	Pass
		Inner 1RB Left	17.86	18.58	21.25	11.74	12.46	15.13	<=23	Pass
		Inner 1RB Right	17.94	18.69	21.34	11.82	12.57	15.22	<=23	Pass
	3624.99	Outer Full	17.15	17.41	20.30	11.03	11.29	14.17	<=23	Pass
		Inner Full	18.25	18.59	21.43	12.13	12.47	15.31	<=23	Pass
		Inner 1RB Left	18.39	18.60	21.50	12.27	12.48	15.39	<=23	Pass
		Inner 1RB Right	18.42	18.77	21.61	12.30	12.65	15.49	<=23	Pass
	3690	Outer Full	17.03	17.31	20.19	10.91	11.19	14.06	<=23	Pass
		Inner Full	18.22	18.41	21.33	12.10	12.29	15.21	<=23	Pass
		Inner 1RB Left	18.16	18.53	21.36	12.04	12.41	15.24	<=23	Pass
		Inner 1RB Right	18.37	18.48	21.44	12.25	12.36	15.32	<=23	Pass
CP-OFDM 64 QAM	3560.01	Outer Full	16.11	16.88	19.52	9.99	10.76	13.40	<=23	Pass
		Inner Full	16.34	17.08	19.73	10.22	10.96	13.62	<=23	Pass
		Inner 1RB Left	16.09	16.86	19.50	9.97	10.74	13.38	<=23	Pass
		Inner 1RB Right	16.27	17.15	19.74	10.15	11.03	13.62	<=23	Pass
	3624.99	Outer Full	16.67	16.99	19.84	10.55	10.87	13.72	<=23	Pass
		Inner Full	16.81	17.08	19.96	10.69	10.96	13.84	<=23	Pass
		Inner 1RB Left	16.73	17.04	19.90	10.61	10.92	13.78	<=23	Pass
		Inner 1RB Right	16.77	17.07	19.94	10.65	10.95	13.81	<=23	Pass
	3690	Outer Full	16.63	16.84	19.75	10.51	10.72	13.63	<=23	Pass
		Inner Full	16.72	16.93	19.83	10.60	10.81	13.72	<=23	Pass
		Inner 1RB Left	16.42	16.76	19.60	10.30	10.64	13.48	<=23	Pass
		Inner 1RB Right	16.61	16.79	19.71	10.49	10.67	13.59	<=23	Pass
CP-OFDM 256 QAM	3560.01	Outer Full	13.30	14.05	16.70	7.18	7.93	10.58	<=23	Pass
		Inner Full	13.17	14.02	16.63	7.05	7.90	10.51	<=23	Pass

	3624.99	Inner 1RB Left	13.24	13.86	16.57	7.12	7.74	10.45	<=23	Pass
		Inner 1RB Right	13.22	13.94	16.61	7.10	7.82	10.49	<=23	Pass
		Outer Full	13.73	14.10	16.93	7.61	7.98	10.81	<=23	Pass
		Inner Full	13.71	14.00	16.87	7.59	7.88	10.75	<=23	Pass
		Inner 1RB Left	13.79	13.98	16.90	7.67	7.86	10.78	<=23	Pass
		Inner 1RB Right	13.68	14.01	16.86	7.56	7.89	10.74	<=23	Pass
	3690	Outer Full	13.64	13.91	16.79	7.52	7.79	10.67	<=23	Pass
		Inner Full	13.64	13.92	16.79	7.52	7.80	10.67	<=23	Pass
		Inner 1RB Left	13.57	13.87	16.73	7.45	7.75	10.61	<=23	Pass
		Inner 1RB Right	13.71	13.78	16.76	7.59	7.66	10.64	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.9 30_M_30M_NTNV_EIRP

5G NR n48 SCS=30kHz MIMO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
CP-OFDM QPSK	3565.02	Outer Full	16.73	17.44	20.11	10.61	11.32	13.99	<=23	Pass
		Inner Full	18.22	19.09	21.69	12.10	12.97	15.57	<=23	Pass
		Inner 1RB Left	18.32	19.09	21.73	12.20	12.97	15.61	<=23	Pass
		Inner 1RB Right	18.52	19.14	21.85	12.40	13.02	15.73	<=23	Pass
	3624.99	Outer Full	17.21	17.47	20.35	11.09	11.35	14.23	<=23	Pass
		Inner Full	18.86	19.06	21.97	12.74	12.94	15.85	<=23	Pass
		Inner 1RB Left	18.89	19.11	22.01	12.77	12.99	15.89	<=23	Pass
		Inner 1RB Right	18.85	19.12	22.00	12.73	13.00	15.88	<=23	Pass
	3684.99	Outer Full	17.07	17.40	20.25	10.95	11.28	14.13	<=23	Pass
		Inner Full	18.68	18.96	21.83	12.56	12.84	15.71	<=23	Pass
		Inner 1RB Left	18.81	18.98	21.91	12.69	12.86	15.79	<=23	Pass
		Inner 1RB Right	18.76	18.92	21.85	12.64	12.80	15.73	<=23	Pass
CP-OFDM 16 QAM	3565.02	Outer Full	16.70	17.44	20.10	10.58	11.32	13.98	<=23	Pass
		Inner Full	17.66	18.46	21.09	11.54	12.34	14.97	<=23	Pass
		Inner 1RB Left	17.90	18.70	21.33	11.78	12.58	15.21	<=23	Pass
		Inner 1RB Right	18.03	18.74	21.41	11.91	12.62	15.29	<=23	Pass
	3624.99	Outer Full	17.27	17.54	20.42	11.15	11.42	14.30	<=23	Pass
		Inner Full	18.17	18.50	21.35	12.05	12.38	15.23	<=23	Pass
		Inner 1RB Left	18.56	18.89	21.74	12.44	12.77	15.62	<=23	Pass
		Inner 1RB Right	18.47	18.68	21.59	12.35	12.56	15.47	<=23	Pass
	3684.99	Outer Full	17.15	17.42	20.29	11.03	11.30	14.18	<=23	Pass
		Inner Full	18.15	18.34	21.26	12.03	12.22	15.14	<=23	Pass
		Inner 1RB Left	18.41	18.65	21.54	12.29	12.53	15.42	<=23	Pass
		Inner 1RB Right	18.41	18.60	21.52	12.29	12.48	15.40	<=23	Pass
CP-OFDM 64 QAM	3565.02	Outer Full	16.07	16.91	19.52	9.95	10.79	13.40	<=23	Pass
		Inner Full	16.05	16.88	19.50	9.93	10.76	13.38	<=23	Pass
		Inner 1RB Left	16.17	17.00	19.61	10.05	10.88	13.50	<=23	Pass
		Inner 1RB Right	16.24	16.92	19.60	10.12	10.80	13.48	<=23	Pass
	3624.99	Outer Full	16.62	16.86	19.75	10.50	10.74	13.63	<=23	Pass
		Inner Full	16.59	16.89	19.75	10.47	10.77	13.63	<=23	Pass
		Inner 1RB Left	16.71	16.98	19.86	10.59	10.86	13.74	<=23	Pass
		Inner 1RB Right	16.72	17.17	19.96	10.60	11.05	13.84	<=23	Pass
	3684.99	Outer Full	16.58	16.87	19.74	10.46	10.75	13.62	<=23	Pass
		Inner Full	16.59	16.84	19.73	10.47	10.72	13.61	<=23	Pass
		Inner 1RB Left	16.59	17.03	19.83	10.47	10.91	13.71	<=23	Pass
		Inner 1RB Right	16.76	16.93	19.85	10.64	10.81	13.74	<=23	Pass
CP-OFDM 256 QAM	3565.02	Outer Full	13.12	13.98	16.58	7.00	7.86	10.46	<=23	Pass
		Inner Full	13.24	14.00	16.65	7.12	7.88	10.53	<=23	Pass

	3624.99	Inner 1RB Left	13.29	14.01	16.68	7.17	7.89	10.56	<=23	Pass
		Inner 1RB Right	13.38	14.03	16.73	7.26	7.91	10.61	<=23	Pass
		Outer Full	13.67	13.96	16.82	7.55	7.84	10.71	<=23	Pass
		Inner Full	13.66	13.99	16.84	7.54	7.87	10.72	<=23	Pass
		Inner 1RB Left	13.90	14.10	17.01	7.78	7.98	10.89	<=23	Pass
		Inner 1RB Right	13.85	14.12	17.00	7.73	8.00	10.88	<=23	Pass
	3684.99	Outer Full	13.65	13.91	16.79	7.53	7.79	10.67	<=23	Pass
		Inner Full	13.55	13.96	16.77	7.43	7.84	10.65	<=23	Pass
		Inner 1RB Left	13.87	14.27	17.08	7.75	8.15	10.96	<=23	Pass
		Inner 1RB Right	13.81	13.85	16.84	7.69	7.73	10.72	<=23	Pass
Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.10 30_M_40M_NTNV_EIRP

5G NR n48 SCS=30kHz MIMO 40MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
CP-OFDM QPSK	3570	Outer Full	16.88	17.46	20.19	10.76	11.34	14.07	<=23	Pass
		Inner Full	18.37	19.09	21.75	12.25	12.97	15.64	<=23	Pass
		Inner 1RB Left	18.39	18.95	21.69	12.27	12.83	15.57	<=23	Pass
		Inner 1RB Right	18.62	19.01	21.83	12.50	12.89	15.71	<=23	Pass
	3624.99	Outer Full	17.24	17.54	20.40	11.12	11.42	14.28	<=23	Pass
		Inner Full	18.90	19.08	22.00	12.78	12.96	15.88	<=23	Pass
		Inner 1RB Left	18.69	18.98	21.85	12.57	12.86	15.73	<=23	Pass
		Inner 1RB Right	18.74	19.16	21.96	12.62	13.04	15.85	<=23	Pass
	3679.98	Outer Full	17.16	17.45	20.32	11.04	11.33	14.20	<=23	Pass
		Inner Full	18.73	18.92	21.84	12.61	12.80	15.72	<=23	Pass
		Inner 1RB Left	18.56	18.85	21.72	12.44	12.73	15.60	<=23	Pass
		Inner 1RB Right	18.84	18.92	21.89	12.72	12.80	15.77	<=23	Pass
CP-OFDM 16 QAM	3570	Outer Full	16.81	17.47	20.16	10.69	11.35	14.04	<=23	Pass
		Inner Full	17.76	18.55	21.18	11.64	12.43	15.06	<=23	Pass
		Inner 1RB Left	17.77	18.63	21.23	11.65	12.51	15.11	<=23	Pass
		Inner 1RB Right	18.15	18.73	21.46	12.03	12.61	15.34	<=23	Pass
	3624.99	Outer Full	17.26	17.53	20.41	11.14	11.41	14.29	<=23	Pass
		Inner Full	18.30	18.63	21.48	12.18	12.51	15.36	<=23	Pass
		Inner 1RB Left	18.42	18.65	21.54	12.30	12.53	15.43	<=23	Pass
		Inner 1RB Right	18.49	18.89	21.70	12.37	12.77	15.58	<=23	Pass
	3679.98	Outer Full	17.12	17.46	20.30	11.00	11.34	14.18	<=23	Pass
		Inner Full	18.17	18.49	21.34	12.05	12.37	15.22	<=23	Pass
		Inner 1RB Left	18.40	18.71	21.56	12.28	12.59	15.45	<=23	Pass
		Inner 1RB Right	18.63	18.84	21.75	12.51	12.72	15.63	<=23	Pass
CP-OFDM 64 QAM	3570	Outer Full	16.24	16.97	19.63	10.12	10.85	13.51	<=23	Pass
		Inner Full	16.17	16.99	19.61	10.05	10.87	13.49	<=23	Pass
		Inner 1RB Left	16.17	16.94	19.58	10.05	10.82	13.46	<=23	Pass
		Inner 1RB Right	16.42	17.00	19.73	10.30	10.88	13.61	<=23	Pass
	3624.99	Outer Full	16.61	16.89	19.76	10.49	10.77	13.64	<=23	Pass
		Inner Full	16.65	16.89	19.78	10.53	10.77	13.66	<=23	Pass
		Inner 1RB Left	16.58	16.84	19.72	10.46	10.72	13.60	<=23	Pass
		Inner 1RB Right	16.55	16.89	19.73	10.43	10.77	13.61	<=23	Pass
	3679.98	Outer Full	16.61	16.87	19.75	10.49	10.75	13.63	<=23	Pass
		Inner Full	16.55	16.92	19.75	10.43	10.80	13.63	<=23	Pass
		Inner 1RB Left	16.62	16.97	19.81	10.50	10.85	13.69	<=23	Pass
		Inner 1RB Right	16.67	16.82	19.76	10.55	10.70	13.64	<=23	Pass
CP-OFDM 256 QAM	3570	Outer Full	13.27	14.03	16.68	7.15	7.91	10.56	<=23	Pass
		Inner Full	13.20	13.99	16.62	7.08	7.87	10.50	<=23	Pass

		Inner 1RB Left	13.25	13.95	16.63	7.13	7.83	10.50	<=23	Pass
		Inner 1RB Right	13.58	14.11	16.86	7.46	7.99	10.74	<=23	Pass
	3624.99	Outer Full	13.63	13.95	16.80	7.51	7.83	10.68	<=23	Pass
		Inner Full	13.68	13.98	16.84	7.56	7.86	10.72	<=23	Pass
		Inner 1RB Left	13.79	14.04	16.93	7.67	7.92	10.81	<=23	Pass
		Inner 1RB Right	13.64	14.04	16.86	7.52	7.92	10.73	<=23	Pass
	3679.98	Outer Full	13.63	13.93	16.79	7.51	7.81	10.67	<=23	Pass
		Inner Full	13.63	13.92	16.79	7.51	7.80	10.67	<=23	Pass
		Inner 1RB Left	13.65	14.01	16.85	7.53	7.89	10.72	<=23	Pass
		Inner 1RB Right	13.72	13.86	16.80	7.60	7.74	10.68	<=23	Pass
	Note1: Antenna Gain: Ant1: -6.12dBi; Ant2: -6.12dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2									

Remark : Total channel power is complied with EIRP limit 23dBm/10MHz.

---End of Attachment---