

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.34	1.70	25.04	<=33.01	Pass
			2	23.23	1.70	24.93	<=33.01	Pass
			5	23.15	1.70	24.85	<=33.01	Pass
		3	0	23.39	1.70	25.09	<=33.01	Pass
			2	23.32	1.70	25.02	<=33.01	Pass
			3	23.14	1.70	24.84	<=33.01	Pass
		6	0	22.29	1.70	23.99	<=33.01	Pass
	1882.5	1	0	23.34	1.70	25.04	<=33.01	Pass
			2	23.23	1.70	24.93	<=33.01	Pass
			5	23.20	1.70	24.90	<=33.01	Pass
		3	0	23.28	1.70	24.98	<=33.01	Pass
			2	23.29	1.70	24.99	<=33.01	Pass
			3	23.24	1.70	24.94	<=33.01	Pass
		6	0	22.19	1.70	23.89	<=33.01	Pass
	1914.3	1	0	23.41	1.70	25.11	<=33.01	Pass
			2	23.36	1.70	25.06	<=33.01	Pass
			5	23.35	1.70	25.05	<=33.01	Pass
		3	0	23.32	1.70	25.02	<=33.01	Pass
			2	23.32	1.70	25.02	<=33.01	Pass
			3	23.31	1.70	25.01	<=33.01	Pass
		6	0	22.38	1.70	24.08	<=33.01	Pass
16QAM	1850.7	1	0	22.82	1.70	24.52	<=33.01	Pass
			2	22.84	1.70	24.54	<=33.01	Pass
			5	22.79	1.70	24.49	<=33.01	Pass
		3	0	22.71	1.70	24.41	<=33.01	Pass
			2	22.60	1.70	24.30	<=33.01	Pass
			3	22.52	1.70	24.22	<=33.01	Pass
		6	0	21.39	1.70	23.09	<=33.01	Pass
	1882.5	1	0	22.48	1.70	24.18	<=33.01	Pass
			2	22.60	1.70	24.30	<=33.01	Pass
			5	22.73	1.70	24.43	<=33.01	Pass
		3	0	22.51	1.70	24.21	<=33.01	Pass
			2	22.47	1.70	24.17	<=33.01	Pass
			3	22.57	1.70	24.27	<=33.01	Pass
		6	0	21.42	1.70	23.12	<=33.01	Pass
	1914.3	1	0	23.00	1.70	24.70	<=33.01	Pass
			2	22.84	1.70	24.54	<=33.01	Pass
			5	22.83	1.70	24.53	<=33.01	Pass
		3	0	22.64	1.70	24.34	<=33.01	Pass
			2	22.62	1.70	24.32	<=33.01	Pass
			3	22.64	1.70	24.34	<=33.01	Pass
		6	0	21.41	1.70	23.11	<=33.01	Pass
64QAM	1850.7	1	0	21.51	1.70	23.21	<=33.01	Pass
			2	21.50	1.70	23.20	<=33.01	Pass
			5	21.57	1.70	23.27	<=33.01	Pass
		3	0	21.54	1.70	23.24	<=33.01	Pass
			2	21.45	1.70	23.15	<=33.01	Pass
			3	21.63	1.70	23.33	<=33.01	Pass

		6	0	20.39	1.70	22.09	<=33.01	Pass	
	1882.5	1	0	21.57	1.70	23.27	<=33.01	Pass	
			2	21.59	1.70	23.29	<=33.01	Pass	
			5	21.79	1.70	23.49	<=33.01	Pass	
			3	0	21.44	1.70	23.14	<=33.01	Pass
		2	21.46	1.70	23.16	<=33.01	Pass		
		3	21.42	1.70	23.12	<=33.01	Pass		
		6	0	20.37	1.70	22.07	<=33.01	Pass	
	1914.3	1	0	21.62	1.70	23.32	<=33.01	Pass	
			2	21.62	1.70	23.32	<=33.01	Pass	
			5	21.54	1.70	23.24	<=33.01	Pass	
		3	0	21.61	1.70	23.31	<=33.01	Pass	
			2	21.92	1.70	23.62	<=33.01	Pass	
			3	21.70	1.70	23.40	<=33.01	Pass	
		6	0	20.43	1.70	22.13	<=33.01	Pass	
256QAM	1850.7	1	0	18.38	1.70	20.08	<=33.01	Pass	
			2	18.53	1.70	20.23	<=33.01	Pass	
			5	18.38	1.70	20.08	<=33.01	Pass	
		3	0	18.41	1.70	20.11	<=33.01	Pass	
			2	18.47	1.70	20.17	<=33.01	Pass	
			3	18.41	1.70	20.11	<=33.01	Pass	
		6	0	18.32	1.70	20.02	<=33.01	Pass	
	1882.5	1	0	18.37	1.70	20.07	<=33.01	Pass	
			2	18.46	1.70	20.16	<=33.01	Pass	
			5	18.31	1.70	20.01	<=33.01	Pass	
		3	0	18.37	1.70	20.07	<=33.01	Pass	
			2	18.28	1.70	19.98	<=33.01	Pass	
			3	18.46	1.70	20.16	<=33.01	Pass	
	6	0	18.31	1.70	20.01	<=33.01	Pass		
	1914.3	1	0	18.75	1.70	20.45	<=33.01	Pass	
			2	18.36	1.70	20.06	<=33.01	Pass	
			5	18.39	1.70	20.09	<=33.01	Pass	
		3	0	18.53	1.70	20.23	<=33.01	Pass	
			2	18.50	1.70	20.20	<=33.01	Pass	
			3	18.69	1.70	20.39	<=33.01	Pass	
		6	0	18.57	1.70	20.27	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.30	1.70	25.00	<=33.01	Pass
			7	23.39	1.70	25.09	<=33.01	Pass
			14	23.48	1.70	25.18	<=33.01	Pass
		8	0	22.40	1.70	24.10	<=33.01	Pass
			4	22.31	1.70	24.01	<=33.01	Pass
			7	22.34	1.70	24.04	<=33.01	Pass
		15	0	22.27	1.70	23.97	<=33.01	Pass
	1882.5	1	0	23.33	1.70	25.03	<=33.01	Pass
			7	23.36	1.70	25.06	<=33.01	Pass
			14	23.49	1.70	25.19	<=33.01	Pass
		8	0	22.38	1.70	24.08	<=33.01	Pass
			4	22.43	1.70	24.13	<=33.01	Pass
			7	22.47	1.70	24.17	<=33.01	Pass
			14	22.47	1.70	24.17	<=33.01	Pass

	1913.5	15	0	22.33	1.70	24.03	<=33.01	Pass
		1	0	23.30	1.70	25.00	<=33.01	Pass
			7	23.80	1.70	25.50	<=33.01	Pass
			14	23.31	1.70	25.01	<=33.01	Pass
		8	0	22.45	1.70	24.15	<=33.01	Pass
			4	22.48	1.70	24.18	<=33.01	Pass
			7	22.51	1.70	24.21	<=33.01	Pass
16QAM	1851.5	15	0	22.45	1.70	24.15	<=33.01	Pass
		1	0	22.66	1.70	24.36	<=33.01	Pass
			7	22.84	1.70	24.54	<=33.01	Pass
			14	22.66	1.70	24.36	<=33.01	Pass
			0	21.61	1.70	23.31	<=33.01	Pass
		8	4	21.43	1.70	23.13	<=33.01	Pass
			7	21.40	1.70	23.10	<=33.01	Pass
	1882.5	15	0	21.34	1.70	23.04	<=33.01	Pass
		1	0	22.54	1.70	24.24	<=33.01	Pass
			7	22.60	1.70	24.30	<=33.01	Pass
			14	22.54	1.70	24.24	<=33.01	Pass
		8	0	21.37	1.70	23.07	<=33.01	Pass
			4	21.45	1.70	23.15	<=33.01	Pass
			7	21.47	1.70	23.17	<=33.01	Pass
	1913.5	15	0	21.38	1.70	23.08	<=33.01	Pass
		1	0	22.68	1.70	24.38	<=33.01	Pass
			7	23.17	1.70	24.87	<=33.01	Pass
			14	22.73	1.70	24.43	<=33.01	Pass
		8	0	21.51	1.70	23.21	<=33.01	Pass
			4	21.51	1.70	23.21	<=33.01	Pass
			7	21.55	1.70	23.25	<=33.01	Pass
64QAM	1851.5	15	0	21.47	1.70	23.17	<=33.01	Pass
		1	0	21.61	1.70	23.31	<=33.01	Pass
			7	21.68	1.70	23.38	<=33.01	Pass
			14	21.56	1.70	23.26	<=33.01	Pass
		8	0	20.49	1.70	22.19	<=33.01	Pass
			4	20.41	1.70	22.11	<=33.01	Pass
			7	20.36	1.70	22.06	<=33.01	Pass
	1882.5	15	0	20.34	1.70	22.04	<=33.01	Pass
		1	0	21.45	1.70	23.15	<=33.01	Pass
			7	21.79	1.70	23.49	<=33.01	Pass
			14	21.47	1.70	23.17	<=33.01	Pass
		8	0	20.30	1.70	22.00	<=33.01	Pass
			4	20.40	1.70	22.10	<=33.01	Pass
			7	20.39	1.70	22.09	<=33.01	Pass
	1913.5	15	0	20.32	1.70	22.02	<=33.01	Pass
		1	0	21.64	1.70	23.34	<=33.01	Pass
			7	21.88	1.70	23.58	<=33.01	Pass
			14	21.63	1.70	23.33	<=33.01	Pass
		8	0	20.47	1.70	22.17	<=33.01	Pass
			4	20.57	1.70	22.27	<=33.01	Pass
			7	20.39	1.70	22.09	<=33.01	Pass
256QAM	1851.5	15	0	20.48	1.70	22.18	<=33.01	Pass
		1	0	18.38	1.70	20.08	<=33.01	Pass
			7	18.49	1.70	20.19	<=33.01	Pass
			14	18.38	1.70	20.08	<=33.01	Pass
		8	0	18.42	1.70	20.12	<=33.01	Pass
			4	18.38	1.70	20.08	<=33.01	Pass
			7	18.33	1.70	20.03	<=33.01	Pass
	1882.5	15	0	18.35	1.70	20.05	<=33.01	Pass
		1	0	18.36	1.70	20.06	<=33.01	Pass
			0	18.36	1.70	20.06	<=33.01	Pass

	1913.5	8	7	18.65	1.70	20.35	<=33.01	Pass
			14	18.55	1.70	20.25	<=33.01	Pass
			0	18.45	1.70	20.15	<=33.01	Pass
			4	18.47	1.70	20.17	<=33.01	Pass
			7	18.39	1.70	20.09	<=33.01	Pass
		15	0	18.31	1.70	20.01	<=33.01	Pass
		1	0	18.56	1.70	20.26	<=33.01	Pass
			7	18.68	1.70	20.38	<=33.01	Pass
			14	18.63	1.70	20.33	<=33.01	Pass
		8	0	18.46	1.70	20.16	<=33.01	Pass
			4	18.58	1.70	20.28	<=33.01	Pass
			7	18.51	1.70	20.21	<=33.01	Pass
		15	0	18.52	1.70	20.22	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.37	1.70	25.07	<=33.01	Pass
			13	23.46	1.70	25.16	<=33.01	Pass
			24	23.31	1.70	25.01	<=33.01	Pass
		12	0	22.33	1.70	24.03	<=33.01	Pass
			6	22.46	1.70	24.16	<=33.01	Pass
			13	22.37	1.70	24.07	<=33.01	Pass
		25	0	22.39	1.70	24.09	<=33.01	Pass
	1882.5	1	0	23.21	1.70	24.91	<=33.01	Pass
			13	23.41	1.70	25.11	<=33.01	Pass
			24	23.34	1.70	25.04	<=33.01	Pass
		12	0	22.34	1.70	24.04	<=33.01	Pass
			6	22.37	1.70	24.07	<=33.01	Pass
			13	22.35	1.70	24.05	<=33.01	Pass
		25	0	22.43	1.70	24.13	<=33.01	Pass
	1912.5	1	0	23.53	1.70	25.23	<=33.01	Pass
			13	23.47	1.70	25.17	<=33.01	Pass
			24	23.39	1.70	25.09	<=33.01	Pass
		12	0	22.50	1.70	24.20	<=33.01	Pass
			6	22.48	1.70	24.18	<=33.01	Pass
			13	22.57	1.70	24.27	<=33.01	Pass
		25	0	22.42	1.70	24.12	<=33.01	Pass
16QAM	1852.5	1	0	22.65	1.70	24.35	<=33.01	Pass
			13	22.93	1.70	24.63	<=33.01	Pass
			24	22.60	1.70	24.30	<=33.01	Pass
		12	0	21.45	1.70	23.15	<=33.01	Pass
			6	21.51	1.70	23.21	<=33.01	Pass
			13	21.34	1.70	23.04	<=33.01	Pass
		25	0	21.46	1.70	23.16	<=33.01	Pass
	1882.5	1	0	22.72	1.70	24.42	<=33.01	Pass
			13	22.88	1.70	24.58	<=33.01	Pass
			24	22.58	1.70	24.28	<=33.01	Pass
		12	0	21.46	1.70	23.16	<=33.01	Pass
			6	21.42	1.70	23.12	<=33.01	Pass
			13	21.41	1.70	23.11	<=33.01	Pass
		25	0	21.38	1.70	23.08	<=33.01	Pass
	1912.5	1	0	22.70	1.70	24.40	<=33.01	Pass

			13	22.86	1.70	24.56	<=33.01	Pass		
			24	22.86	1.70	24.56	<=33.01	Pass		
			12	0	21.47	1.70	23.17	<=33.01	Pass	
		6		21.65	1.70	23.35	<=33.01	Pass		
		13		21.49	1.70	23.19	<=33.01	Pass		
		25	0	21.47	1.70	23.17	<=33.01	Pass		
64QAM	1852.5	1	0	21.59	1.70	23.29	<=33.01	Pass		
			13	21.76	1.70	23.46	<=33.01	Pass		
			24	21.65	1.70	23.35	<=33.01	Pass		
		12	0	20.40	1.70	22.10	<=33.01	Pass		
			6	20.48	1.70	22.18	<=33.01	Pass		
			13	20.23	1.70	21.93	<=33.01	Pass		
		25	0	20.41	1.70	22.11	<=33.01	Pass		
		1882.5	1	0	21.54	1.70	23.24	<=33.01	Pass	
				13	21.69	1.70	23.39	<=33.01	Pass	
	24			21.55	1.70	23.25	<=33.01	Pass		
	12		0	20.34	1.70	22.04	<=33.01	Pass		
			6	20.47	1.70	22.17	<=33.01	Pass		
			13	20.42	1.70	22.12	<=33.01	Pass		
	25		0	20.42	1.70	22.12	<=33.01	Pass		
	1912.5		1	0	21.63	1.70	23.33	<=33.01	Pass	
				13	21.86	1.70	23.56	<=33.01	Pass	
		24		21.63	1.70	23.33	<=33.01	Pass		
		12	0	20.48	1.70	22.18	<=33.01	Pass		
			6	20.51	1.70	22.21	<=33.01	Pass		
			13	20.54	1.70	22.24	<=33.01	Pass		
		25	0	20.41	1.70	22.11	<=33.01	Pass		
		256QAM	1852.5	1	0	18.41	1.70	20.11	<=33.01	Pass
					13	18.57	1.70	20.27	<=33.01	Pass
	24				18.37	1.70	20.07	<=33.01	Pass	
	12			0	18.37	1.70	20.07	<=33.01	Pass	
				6	18.50	1.70	20.20	<=33.01	Pass	
				13	18.41	1.70	20.11	<=33.01	Pass	
25	0			18.43	1.70	20.13	<=33.01	Pass		
1882.5	1			0	18.43	1.70	20.13	<=33.01	Pass	
				13	18.31	1.70	20.01	<=33.01	Pass	
			24	18.43	1.70	20.13	<=33.01	Pass		
	12		0	18.36	1.70	20.06	<=33.01	Pass		
			6	18.40	1.70	20.10	<=33.01	Pass		
			13	18.47	1.70	20.17	<=33.01	Pass		
	25		0	18.42	1.70	20.12	<=33.01	Pass		
	1912.5		1	0	18.57	1.70	20.27	<=33.01	Pass	
				13	18.67	1.70	20.37	<=33.01	Pass	
24				18.64	1.70	20.34	<=33.01	Pass		
12			0	18.47	1.70	20.17	<=33.01	Pass		
			6	18.49	1.70	20.19	<=33.01	Pass		
			13	18.55	1.70	20.25	<=33.01	Pass		
25			0	18.41	1.70	20.11	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.26	1.70	24.96	<=33.01	Pass

			25	23.39	1.70	25.09	<=33.01	Pass
			49	23.18	1.70	24.88	<=33.01	Pass
			0	22.48	1.70	24.18	<=33.01	Pass
			13	22.39	1.70	24.09	<=33.01	Pass
			25	22.38	1.70	24.08	<=33.01	Pass
		50	0	22.37	1.70	24.07	<=33.01	Pass
		1882.5	0	23.22	1.70	24.92	<=33.01	Pass
			25	23.20	1.70	24.90	<=33.01	Pass
			49	23.33	1.70	25.03	<=33.01	Pass
			0	22.47	1.70	24.17	<=33.01	Pass
		25	13	22.44	1.70	24.14	<=33.01	Pass
			25	22.33	1.70	24.03	<=33.01	Pass
			0	22.29	1.70	23.99	<=33.01	Pass
		1910	0	23.39	1.70	25.09	<=33.01	Pass
			25	23.36	1.70	25.06	<=33.01	Pass
			49	23.56	1.70	25.26	<=33.01	Pass
			0	22.55	1.70	24.25	<=33.01	Pass
			13	22.48	1.70	24.18	<=33.01	Pass
			25	22.55	1.70	24.25	<=33.01	Pass
			0	22.48	1.70	24.18	<=33.01	Pass
			0	22.64	1.70	24.34	<=33.01	Pass
			25	22.52	1.70	24.22	<=33.01	Pass
			49	22.50	1.70	24.20	<=33.01	Pass
16QAM	1855	1	0	21.40	1.70	23.10	<=33.01	Pass
			13	21.45	1.70	23.15	<=33.01	Pass
			25	21.45	1.70	23.15	<=33.01	Pass
			0	21.41	1.70	23.11	<=33.01	Pass
			0	22.43	1.70	24.13	<=33.01	Pass
		25	25	22.65	1.70	24.35	<=33.01	Pass
			49	22.38	1.70	24.08	<=33.01	Pass
			0	21.50	1.70	23.20	<=33.01	Pass
			13	21.39	1.70	23.09	<=33.01	Pass
			25	21.32	1.70	23.02	<=33.01	Pass
	1882.5	1	0	21.33	1.70	23.03	<=33.01	Pass
			0	22.55	1.70	24.25	<=33.01	Pass
			25	22.66	1.70	24.36	<=33.01	Pass
			49	22.80	1.70	24.50	<=33.01	Pass
			0	21.47	1.70	23.17	<=33.01	Pass
		25	13	21.61	1.70	23.31	<=33.01	Pass
			25	21.45	1.70	23.15	<=33.01	Pass
			0	21.43	1.70	23.13	<=33.01	Pass
			0	21.52	1.70	23.22	<=33.01	Pass
			25	21.54	1.70	23.24	<=33.01	Pass
64QAM	1855	1	49	21.44	1.70	23.14	<=33.01	Pass
			0	20.47	1.70	22.17	<=33.01	Pass
			13	20.46	1.70	22.16	<=33.01	Pass
			25	20.45	1.70	22.15	<=33.01	Pass
			0	20.46	1.70	22.16	<=33.01	Pass
		25	0	21.40	1.70	23.10	<=33.01	Pass
			25	21.39	1.70	23.09	<=33.01	Pass
			49	21.60	1.70	23.30	<=33.01	Pass
			0	20.46	1.70	22.16	<=33.01	Pass
			13	20.45	1.70	22.15	<=33.01	Pass
	1882.5	1	25	20.30	1.70	22.00	<=33.01	Pass
			0	20.23	1.70	21.93	<=33.01	Pass
			0	21.53	1.70	23.23	<=33.01	Pass
			25	21.82	1.70	23.52	<=33.01	Pass
			49	21.58	1.70	23.28	<=33.01	Pass
		25	0	21.53	1.70	23.23	<=33.01	Pass
			25	21.82	1.70	23.52	<=33.01	Pass
			49	21.58	1.70	23.28	<=33.01	Pass
			0	21.53	1.70	23.23	<=33.01	Pass
			25	21.82	1.70	23.52	<=33.01	Pass
			49	21.58	1.70	23.28	<=33.01	Pass

		25	0	20.52	1.70	22.22	<=33.01	Pass
			13	20.59	1.70	22.29	<=33.01	Pass
			25	20.45	1.70	22.15	<=33.01	Pass
		50	0	20.47	1.70	22.17	<=33.01	Pass
256QAM	1855	1	0	18.66	1.70	20.36	<=33.01	Pass
			25	18.36	1.70	20.06	<=33.01	Pass
			49	18.53	1.70	20.23	<=33.01	Pass
		25	0	18.54	1.70	20.24	<=33.01	Pass
			13	18.43	1.70	20.13	<=33.01	Pass
			25	18.40	1.70	20.10	<=33.01	Pass
		50	0	18.40	1.70	20.10	<=33.01	Pass
	1882.5	1	0	18.58	1.70	20.28	<=33.01	Pass
			25	18.46	1.70	20.16	<=33.01	Pass
			49	18.43	1.70	20.13	<=33.01	Pass
		25	0	18.47	1.70	20.17	<=33.01	Pass
			13	18.45	1.70	20.15	<=33.01	Pass
			25	18.27	1.70	19.97	<=33.01	Pass
		50	0	18.37	1.70	20.07	<=33.01	Pass
	1910	1	0	18.36	1.70	20.06	<=33.01	Pass
			25	18.49	1.70	20.19	<=33.01	Pass
			49	18.62	1.70	20.32	<=33.01	Pass
		25	0	18.61	1.70	20.31	<=33.01	Pass
			13	18.53	1.70	20.23	<=33.01	Pass
			25	18.48	1.70	20.18	<=33.01	Pass
		50	0	18.45	1.70	20.15	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.25	1.70	24.95	<=33.01	Pass
			38	23.36	1.70	25.06	<=33.01	Pass
			74	23.66	1.70	25.36	<=33.01	Pass
		36	0	22.36	1.70	24.06	<=33.01	Pass
			18	22.31	1.70	24.01	<=33.01	Pass
			39	22.27	1.70	23.97	<=33.01	Pass
		75	0	22.26	1.70	23.96	<=33.01	Pass
	1882.5	1	0	23.40	1.70	25.10	<=33.01	Pass
			38	23.84	1.70	25.54	<=33.01	Pass
			74	23.55	1.70	25.25	<=33.01	Pass
		36	0	22.38	1.70	24.08	<=33.01	Pass
			18	22.46	1.70	24.16	<=33.01	Pass
			39	22.29	1.70	23.99	<=33.01	Pass
		75	0	22.34	1.70	24.04	<=33.01	Pass
	1907.5	1	0	23.47	1.70	25.17	<=33.01	Pass
			38	23.42	1.70	25.12	<=33.01	Pass
			74	23.70	1.70	25.40	<=33.01	Pass
		36	0	22.38	1.70	24.08	<=33.01	Pass
			18	22.47	1.70	24.17	<=33.01	Pass
			39	22.45	1.70	24.15	<=33.01	Pass
		75	0	22.48	1.70	24.18	<=33.01	Pass
16QAM	1857.5	1	0	22.55	1.70	24.25	<=33.01	Pass
			38	22.73	1.70	24.43	<=33.01	Pass
			74	22.53	1.70	24.23	<=33.01	Pass

		36	0	21.41	1.70	23.11	<=33.01	Pass
			18	21.29	1.70	22.99	<=33.01	Pass
			39	21.32	1.70	23.02	<=33.01	Pass
		75	0	21.36	1.70	23.06	<=33.01	Pass
	1882.5	1	0	22.45	1.70	24.15	<=33.01	Pass
			38	22.76	1.70	24.46	<=33.01	Pass
			74	22.57	1.70	24.27	<=33.01	Pass
		36	0	21.39	1.70	23.09	<=33.01	Pass
			18	21.41	1.70	23.11	<=33.01	Pass
			39	21.33	1.70	23.03	<=33.01	Pass
		75	0	21.28	1.70	22.98	<=33.01	Pass
	1907.5	1	0	22.51	1.70	24.21	<=33.01	Pass
			38	22.73	1.70	24.43	<=33.01	Pass
			74	22.79	1.70	24.49	<=33.01	Pass
		36	0	21.51	1.70	23.21	<=33.01	Pass
			18	21.51	1.70	23.21	<=33.01	Pass
			39	21.40	1.70	23.10	<=33.01	Pass
		75	0	21.43	1.70	23.13	<=33.01	Pass
64QAM	1857.5	1	0	21.51	1.70	23.21	<=33.01	Pass
			38	21.62	1.70	23.32	<=33.01	Pass
			74	21.41	1.70	23.11	<=33.01	Pass
		36	0	20.39	1.70	22.09	<=33.01	Pass
			18	20.39	1.70	22.09	<=33.01	Pass
			39	20.34	1.70	22.04	<=33.01	Pass
		75	0	20.31	1.70	22.01	<=33.01	Pass
	1882.5	1	0	21.42	1.70	23.12	<=33.01	Pass
			38	21.61	1.70	23.31	<=33.01	Pass
			74	21.55	1.70	23.25	<=33.01	Pass
		36	0	20.27	1.70	21.97	<=33.01	Pass
			18	20.45	1.70	22.15	<=33.01	Pass
			39	20.35	1.70	22.05	<=33.01	Pass
		75	0	20.28	1.70	21.98	<=33.01	Pass
	1907.5	1	0	21.42	1.70	23.12	<=33.01	Pass
			38	21.77	1.70	23.47	<=33.01	Pass
			74	21.53	1.70	23.23	<=33.01	Pass
		36	0	20.46	1.70	22.16	<=33.01	Pass
			18	20.53	1.70	22.23	<=33.01	Pass
			39	20.53	1.70	22.23	<=33.01	Pass
		75	0	20.47	1.70	22.17	<=33.01	Pass
256QAM	1857.5	1	0	18.45	1.70	20.15	<=33.01	Pass
			38	18.51	1.70	20.21	<=33.01	Pass
			74	18.20	1.70	19.90	<=33.01	Pass
		36	0	18.35	1.70	20.05	<=33.01	Pass
			18	18.24	1.70	19.94	<=33.01	Pass
			39	18.23	1.70	19.93	<=33.01	Pass
		75	0	18.32	1.70	20.02	<=33.01	Pass
	1882.5	1	0	18.37	1.70	20.07	<=33.01	Pass
			38	18.31	1.70	20.01	<=33.01	Pass
			74	18.28	1.70	19.98	<=33.01	Pass
		36	0	18.36	1.70	20.06	<=33.01	Pass
			18	18.38	1.70	20.08	<=33.01	Pass
			39	18.31	1.70	20.01	<=33.01	Pass
		75	0	18.22	1.70	19.92	<=33.01	Pass
	1907.5	1	0	18.40	1.70	20.10	<=33.01	Pass
			38	18.54	1.70	20.24	<=33.01	Pass
			74	18.52	1.70	20.22	<=33.01	Pass
		36	0	18.40	1.70	20.10	<=33.01	Pass
			18	18.43	1.70	20.13	<=33.01	Pass
			18	18.43	1.70	20.13	<=33.01	Pass

			39	18.51	1.70	20.21	<=33.01	Pass
		75	0	18.47	1.70	20.17	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.36	1.70	25.06	<=33.01	Pass
			50	23.19	1.70	24.89	<=33.01	Pass
			99	23.74	1.70	25.44	<=33.01	Pass
		50	0	22.39	1.70	24.09	<=33.01	Pass
			25	22.42	1.70	24.12	<=33.01	Pass
			50	22.33	1.70	24.03	<=33.01	Pass
		100	0	22.38	1.70	24.08	<=33.01	Pass
	1882.5	1	0	23.40	1.70	25.10	<=33.01	Pass
			50	23.91	1.70	25.61	<=33.01	Pass
			99	23.42	1.70	25.12	<=33.01	Pass
		50	0	22.35	1.70	24.05	<=33.01	Pass
			25	22.33	1.70	24.03	<=33.01	Pass
			50	22.31	1.70	24.01	<=33.01	Pass
		100	0	22.23	1.70	23.93	<=33.01	Pass
	1905	1	0	23.38	1.70	25.08	<=33.01	Pass
			50	23.36	1.70	25.06	<=33.01	Pass
			99	23.53	1.70	25.23	<=33.01	Pass
		50	0	22.45	1.70	24.15	<=33.01	Pass
			25	22.42	1.70	24.12	<=33.01	Pass
			50	22.50	1.70	24.20	<=33.01	Pass
		100	0	22.46	1.70	24.16	<=33.01	Pass
16QAM	1860	1	0	22.69	1.70	24.39	<=33.01	Pass
			50	22.53	1.70	24.23	<=33.01	Pass
			99	22.68	1.70	24.38	<=33.01	Pass
		50	0	21.42	1.70	23.12	<=33.01	Pass
			25	21.47	1.70	23.17	<=33.01	Pass
			50	21.30	1.70	23.00	<=33.01	Pass
		100	0	21.33	1.70	23.03	<=33.01	Pass
	1882.5	1	0	22.52	1.70	24.22	<=33.01	Pass
			50	22.48	1.70	24.18	<=33.01	Pass
			99	22.54	1.70	24.24	<=33.01	Pass
		50	0	21.35	1.70	23.05	<=33.01	Pass
			25	21.33	1.70	23.03	<=33.01	Pass
			50	21.42	1.70	23.12	<=33.01	Pass
		100	0	21.26	1.70	22.96	<=33.01	Pass
	1905	1	0	22.63	1.70	24.33	<=33.01	Pass
			50	22.75	1.70	24.45	<=33.01	Pass
			99	22.74	1.70	24.44	<=33.01	Pass
		50	0	21.47	1.70	23.17	<=33.01	Pass
			25	21.55	1.70	23.25	<=33.01	Pass
			50	21.53	1.70	23.23	<=33.01	Pass
		100	0	21.45	1.70	23.15	<=33.01	Pass
64QAM	1860	1	0	21.54	1.70	23.24	<=33.01	Pass
			50	21.57	1.70	23.27	<=33.01	Pass
			99	21.39	1.70	23.09	<=33.01	Pass
		50	0	20.37	1.70	22.07	<=33.01	Pass
			25	20.37	1.70	22.07	<=33.01	Pass

			50	20.32	1.70	22.02	<=33.01	Pass
		100	0	20.35	1.70	22.05	<=33.01	Pass
	1882.5	1	0	21.39	1.70	23.09	<=33.01	Pass
			50	21.76	1.70	23.46	<=33.01	Pass
			99	21.48	1.70	23.18	<=33.01	Pass
			0	20.31	1.70	22.01	<=33.01	Pass
		50	25	20.28	1.70	21.98	<=33.01	Pass
			50	20.25	1.70	21.95	<=33.01	Pass
			100	0	20.21	1.70	21.91	<=33.01
	1905	1	0	21.59	1.70	23.29	<=33.01	Pass
			50	21.76	1.70	23.46	<=33.01	Pass
			99	21.63	1.70	23.33	<=33.01	Pass
		50	0	20.40	1.70	22.10	<=33.01	Pass
			25	20.48	1.70	22.18	<=33.01	Pass
			50	20.55	1.70	22.25	<=33.01	Pass
		100	0	20.46	1.70	22.16	<=33.01	Pass
256QAM	1860	1	0	18.40	1.70	20.10	<=33.01	Pass
			50	18.67	1.70	20.37	<=33.01	Pass
			99	18.41	1.70	20.11	<=33.01	Pass
		50	0	18.41	1.70	20.11	<=33.01	Pass
			25	18.40	1.70	20.10	<=33.01	Pass
			50	18.34	1.70	20.04	<=33.01	Pass
		100	0	18.36	1.70	20.06	<=33.01	Pass
	1882.5	1	0	18.33	1.70	20.03	<=33.01	Pass
			50	18.47	1.70	20.17	<=33.01	Pass
			99	18.33	1.70	20.03	<=33.01	Pass
		50	0	18.33	1.70	20.03	<=33.01	Pass
			25	18.42	1.70	20.12	<=33.01	Pass
			50	18.31	1.70	20.01	<=33.01	Pass
		100	0	18.31	1.70	20.01	<=33.01	Pass
	1905	1	0	18.35	1.70	20.05	<=33.01	Pass
			50	18.70	1.70	20.40	<=33.01	Pass
			99	18.30	1.70	20.00	<=33.01	Pass
		50	0	18.40	1.70	20.10	<=33.01	Pass
			25	18.41	1.70	20.11	<=33.01	Pass
			50	18.55	1.70	20.25	<=33.01	Pass
		100	0	18.51	1.70	20.21	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

---End of Attachment---