




802.11ac VHT20 -Channel 36: Peak + Average




802.11ac VHT20 -Channel 48: Peak + Average




802.11ac VHT20 -Channel 52: Peak + Average




802.11ac VHT20 -Channel 64: Peak + Average




802.11ac VHT20 -Channel 100: Peak + Average




802.11ac VHT20-Channel 140: Peak




802.11ac VHT20-Channel 149: Peak




802.11ac VHT20-Channel 165: Peak




802.11ac VHT40-Channel 38: Peak + Average




802.11ac VHT40-Channel 46: Peak + Average




802.11ac VHT40-Channel 54: Peak + Average




802.11ac VHT40-Channel 62: Peak + Average




802.11ac VHT40-Channel 102: Peak + Average




802.11ac VHT40-Channel 134: Peak




802.11ac VHT40-Channel 151: Peak



802.11ac VHT40-Channel 142: Peak




802.11ac VHT40-Channel 159: Peak




/


802.11ac VHT80 –Channel 42: Peak + Average




802.11ac VHT80 –Channel 58: Peak + Average




802.11ac VHT80-Channel 106: Peak




802.11ac VHT80-Channel 122: Peak



802.11ac VHT80-Channel 138: Peak



802.11ac VHT80- Channel 155: Peak



Result of RE

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier.

Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **A symbol ($\text{dB } \mu\text{V/m}$) in the test plot below means ($\text{dB}\mu\text{V/m}$)**
4. **The following graphs display the maximum values of horizontal and vertical by software.**
5. **For below 1GHz**


~ QP Level @Spectrum Overview H
 ~ QP Level @Spectrum Overview V
 ◆ QP Level @Final Results
 — QP Limit

For above 1GHz


~ PK Level @Spectrum Overview H
 ~ PK Level @Spectrum Overview V
 ◆ PK Level @Final Results
 — PK Limit
~ AVG Level @Spectrum Overview H
 ~ AVG Level @Spectrum Overview V
 ◆ AVG Level @Final Results
 — AVG Limit

Continuous TX mode:

During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Radiates Emission from 9kHz to 30MHz




Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.13	25.18	40.00	14.82	1000.00	120.000	103.0	V	98.00	20
54.61	24.62	40.00	15.38	1000.00	120.000	106.0	V	28.00	20
151.49	20.13	43.50	23.37	1000.00	120.000	112.0	H	186.00	15
240.01	40.33	46.00	5.67	1000.00	120.000	109.0	H	0.00	20
360.04	29.28	46.00	16.72	1000.00	120.000	108.0	H	132.00	22
553.68	30.90	46.00	15.10	1000.00	120.000	122.0	V	187.00	26

Radiates Emission from 30MHz to 1GHz

802.11a CH36



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.13	43.46	---	68.20	24.74	500.00	100.0	V	160.00	-4
1330.75	---	35.20	54.00	18.80	500.00	200.0	V	169.00	-3
1696.50	---	33.30	54.00	20.70	500.00	200.0	V	34.00	-2
1995.75	46.70	---	68.20	21.50	500.00	200.0	V	160.00	0
2659.00	54.88	---	68.20	13.32	500.00	200.0	V	237.00	2
2823.50	---	36.77	54.00	17.23	500.00	100.0	H	21.00	3
3515.63	49.55	---	68.20	18.65	500.00	200.0	V	67.00	4
3969.75	---	39.97	54.00	14.03	500.00	200.0	V	0.00	7
4449.25	50.93	---	68.20	17.27	500.00	100.0	V	2.00	7
4951.50	---	45.32	54.00	8.68	500.00	100.0	H	315.00	9
5411.75	---	42.06	54.00	11.94	500.00	200.0	H	357.00	10
5608.63	54.32	---	68.20	13.88	500.00	200.0	V	151.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

Distance

5m




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8248.75	---	38.28	54.00	15.72	500.00	100.0	V	90.00	6
8655.00	50.34	---	68.20	17.86	500.00	100.0	V	10.00	7
9300.00	---	38.16	54.00	15.84	500.00	100.0	V	5.00	7
10031.25	51.24	---	68.20	16.96	500.00	100.0	V	62.00	8
10561.25	50.91	---	68.20	17.29	500.00	200.0	V	177.00	8
10840.00	---	38.58	54.00	15.42	500.00	200.0	H	211.00	9
11671.25	---	40.16	54.00	13.84	500.00	100.0	V	0.00	9
13333.75	---	39.30	54.00	14.70	500.00	100.0	V	53.00	9
13731.25	51.13	---	68.20	17.07	500.00	200.0	V	268.00	10
14488.75	---	40.72	54.00	13.29	500.00	100.0	H	180.00	11
14586.25	54.19	---	68.20	14.01	500.00	100.0	H	0.00	11
17686.25	57.71	---	68.20	10.49	500.00	100.0	V	20.00	18

Radiates Emission from 8GHz to 18GHz


802.11a CH40



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1156.63	---	34.71	54.00	19.29	500.00	200.0	V	159.00	-4
1243.25	43.36	---	68.20	24.84	500.00	100.0	H	1.00	-4
1671.13	---	33.11	54.00	20.89	500.00	200.0	V	116.00	-2
1987.88	45.65	---	68.20	22.55	500.00	100.0	V	11.00	0
2243.38	---	38.68	54.00	15.32	500.00	100.0	V	2.00	1
2617.00	48.19	---	68.20	20.01	500.00	200.0	V	0.00	2
3465.75	50.37	---	68.20	17.83	500.00	100.0	V	33.00	5
3955.75	---	40.04	54.00	13.96	500.00	200.0	H	140.00	6
5438.00	---	42.65	54.00	11.35	500.00	200.0	H	227.00	10
5624.38	54.33	---	68.20	13.87	500.00	200.0	H	197.00	11
7350.75	57.89	---	74.00	16.11	500.00	100.0	H	103.00	15
7354.25	---	47.18	54.00	6.82	500.00	100.0	V	8.00	15

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8387.50	---	38.50	54.00	15.50	500.00	100.0	V	357.00	7
8730.00	50.80	---	68.20	17.40	500.00	200.0	H	136.00	7
9312.50	---	38.73	54.00	15.27	500.00	100.0	H	2.00	7
9935.00	51.75	---	68.20	16.45	500.00	200.0	V	189.00	7
10575.00	51.83	---	68.20	16.37	500.00	200.0	V	98.00	8
11612.50	---	40.95	54.00	13.05	500.00	200.0	V	174.00	9
13363.75	---	42.79	54.00	11.21	500.00	100.0	V	318.00	11
13598.75	55.44	---	68.20	12.76	500.00	200.0	V	0.00	12
13950.00	55.97	---	68.20	12.23	500.00	200.0	H	359.00	12
14470.00	---	43.05	54.00	10.95	500.00	100.0	V	346.00	11
15706.25	---	40.56	54.00	13.44	500.00	200.0	V	174.00	8
16467.50	51.37	---	68.20	16.83	500.00	100.0	V	327.00	9

Radiates Emission from 8GHz to 18GHz


802.11a CH48



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.63	44.23	---	68.20	23.97	500.00	200.0	H	0.00	-4
1393.75	---	34.06	54.00	19.94	500.00	100.0	V	0.00	-3
1671.13	---	33.23	54.00	20.77	500.00	100.0	V	0.00	-2
1897.75	46.10	---	68.20	22.10	500.00	100.0	V	202.00	0
2215.38	---	37.78	54.00	16.22	500.00	100.0	V	16.00	1
2548.75	48.26	---	68.20	19.94	500.00	200.0	H	0.00	3
3525.25	50.87	---	68.20	17.33	500.00	100.0	H	282.00	5
3957.50	---	39.71	54.00	14.29	500.00	100.0	H	180.00	6
5419.63	---	42.69	54.00	11.31	500.00	100.0	H	359.00	10
5653.25	54.23	---	68.20	13.97	500.00	100.0	H	352.00	11
7573.88	57.37	---	74.00	16.63	500.00	100.0	V	2.00	16
7579.13	---	47.10	54.00	6.90	500.00	200.0	H	79.00	16

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8988.75	49.68	---	68.20	18.52	500.00	100.0	V	312.00	6
9058.75	---	38.32	54.00	15.68	500.00	200.0	V	2.00	6
9303.75	---	38.56	54.00	15.44	500.00	200.0	V	0.00	7
9952.50	51.93	---	68.20	16.27	500.00	100.0	H	59.00	7
10575.00	51.19	---	68.20	17.01	500.00	200.0	H	309.00	8
11346.25	---	40.60	54.00	13.40	500.00	100.0	H	130.00	9
13352.50	---	42.41	54.00	11.59	500.00	100.0	V	322.00	11
13468.75	55.50	---	68.20	12.71	500.00	200.0	V	0.00	11
13923.75	55.90	---	68.20	12.30	500.00	200.0	V	13.00	12
14498.75	---	42.54	54.00	11.46	500.00	100.0	V	359.00	11
15701.25	---	40.29	54.00	13.71	500.00	100.0	V	301.00	8
17118.75	53.17	---	68.20	15.03	500.00	100.0	V	202.00	12

Radiates Emission from 8GHz to 18GHz

802.11a CH52




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.13	---	34.03	54.00	19.97	500.00	100.0	V	13.00	-4
1259.00	43.71	---	68.20	24.49	500.00	100.0	V	211.00	-4
1675.50	---	33.27	54.00	20.73	500.00	200.0	V	352.00	-2
1959.88	45.42	---	68.20	22.78	500.00	200.0	V	201.00	0
2284.50	---	38.35	54.00	15.65	500.00	100.0	V	3.00	2
2544.38	49.17	---	68.20	19.03	500.00	100.0	V	18.00	2
3323.13	50.82	---	68.20	17.38	500.00	100.0	V	30.00	5
3875.25	---	39.67	54.00	14.33	500.00	100.0	H	202.00	6
5420.50	---	42.51	54.00	11.49	500.00	200.0	H	48.00	10
5644.50	54.59	---	68.20	13.61	500.00	200.0	H	7.00	11
7290.38	---	47.09	54.00	6.91	500.00	100.0	V	4.00	16
7303.50	58.66	---	74.00	15.34	500.00	200.0	V	357.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8343.75	---	38.23	54.00	15.77	500.00	200.0	V	47.00	6
8736.25	50.43	---	68.20	17.77	500.00	200.0	V	264.00	7
9301.25	---	38.38	54.00	15.62	500.00	100.0	V	358.00	7
9935.00	51.28	---	68.20	16.92	500.00	100.0	V	358.00	7
10577.50	51.06	---	68.20	17.14	500.00	100.0	V	356.00	8
11342.50	---	40.51	54.00	13.49	500.00	100.0	H	24.00	9
13316.25	---	42.20	54.00	11.80	500.00	100.0	V	344.00	11
13676.25	54.78	---	68.20	13.42	500.00	100.0	H	0.00	12
13842.50	55.19	---	68.20	13.01	500.00	200.0	H	312.00	12
14487.50	---	42.15	54.00	11.85	500.00	100.0	V	356.00	11
15712.50	---	39.92	54.00	14.08	500.00	200.0	H	330.00	8
17113.75	53.26	---	68.20	14.94	500.00	100.0	V	348.00	12

Radiates Emission from 8GHz to 18GHz

802.11a CH60




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1174.13	---	35.61	54.00	18.39	500.00	200.0	H	301.00	-4
1256.38	43.61	---	68.20	24.59	500.00	100.0	H	350.00	-4
1570.50	---	35.08	54.00	18.92	500.00	200.0	V	199.00	-2
1984.38	45.70	---	68.20	22.50	500.00	100.0	H	354.00	0
2224.13	---	38.13	54.00	15.87	500.00	100.0	V	0.00	1
2679.13	49.85	---	68.20	18.35	500.00	100.0	V	284.00	3
3324.00	50.43	---	68.20	17.77	500.00	100.0	V	85.00	5
3964.50	---	39.95	54.00	14.05	500.00	200.0	H	86.00	6
5057.38	---	42.57	54.00	11.43	500.00	200.0	V	242.00	10
5634.00	54.50	---	68.20	13.70	500.00	200.0	V	358.00	11
7293.88	---	47.19	54.00	6.81	500.00	100.0	H	275.00	16
7296.50	58.20	---	74.00	15.80	500.00	100.0	H	357.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8207.50	---	38.36	54.00	15.64	500.00	100.0	H	87.00	7
8538.75	49.71	---	68.20	18.49	500.00	100.0	H	12.00	6
9312.50	---	38.50	54.00	15.50	500.00	200.0	V	86.00	7
10402.50	50.99	---	68.20	17.21	500.00	100.0	V	302.00	8
10598.75	51.29	---	68.20	16.91	500.00	100.0	V	348.00	8
11317.50	---	40.20	54.00	13.80	500.00	100.0	V	63.00	9
13361.25	---	42.05	54.00	11.95	500.00	100.0	V	358.00	11
13608.75	54.05	---	68.20	14.15	500.00	100.0	H	38.00	12
13902.50	55.18	---	68.20	13.02	500.00	200.0	H	344.00	12
14487.50	---	41.51	54.00	12.49	500.00	100.0	V	0.00	11
15721.25	---	39.29	54.00	14.71	500.00	200.0	H	337.00	8
17073.75	53.06	---	68.20	15.14	500.00	100.0	H	73.00	12

Radiates Emission from 8GHz to 18GHz

802.11a CH64




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.25	43.47	---	68.20	24.73	500.00	200.0	H	206.00	-4
1330.75	---	34.09	54.00	19.91	500.00	100.0	V	207.00	-3
1695.63	---	33.35	54.00	20.65	500.00	200.0	H	334.00	-2
1980.88	45.10	---	68.20	23.10	500.00	100.0	V	3.00	0
2663.38	49.91	---	68.20	18.29	500.00	200.0	V	24.00	2
2765.75	---	36.90	54.00	17.10	500.00	100.0	V	6.00	3
3326.63	49.67	---	68.20	18.53	500.00	200.0	H	137.00	4
3965.38	---	39.93	54.00	14.07	500.00	200.0	V	82.00	7
4477.25	50.55	---	68.20	17.65	500.00	100.0	H	0.00	7
4801.00	---	40.20	54.00	13.80	500.00	100.0	H	258.00	8
5350.50	---	43.11	54.00	10.90	500.00	200.0	H	349.00	10
5649.75	54.29	---	68.20	13.91	500.00	200.0	H	358.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8233.75	---	38.21	54.00	15.79	500.00	200.0	H	202.00	7
8865.00	49.81	---	68.20	18.39	500.00	100.0	V	36.00	6
9346.25	---	38.11	54.00	15.89	500.00	100.0	V	93.00	7
10032.50	50.61	---	68.20	17.59	500.00	100.0	V	43.00	8
10600.00	50.09	---	68.20	18.11	500.00	200.0	V	0.00	8
11342.50	---	40.40	54.00	13.60	500.00	100.0	V	227.00	9
12263.75	---	36.76	54.00	17.24	500.00	200.0	H	4.00	9
13336.25	---	39.07	54.00	14.93	500.00	100.0	V	93.00	9
13521.25	50.45	---	68.20	17.75	500.00	100.0	V	333.00	10
14410.00	53.07	---	68.20	15.13	500.00	100.0	H	304.00	11
14483.75	---	40.88	54.00	13.12	500.00	200.0	V	357.00	11
17610.00	56.71	---	68.20	11.49	500.00	100.0	V	1.00	17

Radiates Emission from 8GHz to 18GHz

802.11a CH100




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.25	43.63	---	68.20	24.57	500.00	100.0	H	353.00	-4
1329.00	---	34.15	54.00	19.85	500.00	100.0	V	286.00	-3
1678.13	---	33.53	54.00	20.47	500.00	200.0	V	1.00	-2
1927.50	45.37	---	68.20	22.83	500.00	100.0	H	188.00	-1
2662.50	51.93	---	68.20	16.27	500.00	200.0	V	211.00	2
2795.50	---	36.90	54.00	17.10	500.00	200.0	V	211.00	3
2945.13	51.11	---	68.20	17.09	500.00	200.0	V	69.00	3
3966.25	---	39.84	54.00	14.16	500.00	100.0	H	315.00	7
4434.38	50.11	---	68.20	18.09	500.00	100.0	H	346.00	7
4878.88	---	40.82	54.00	13.18	500.00	200.0	V	6.00	9
5250.75	55.12	---	68.20	13.08	500.00	200.0	H	315.00	9
5445.88	---	42.83	54.00	11.17	500.00	200.0	H	341.00	10

Note: The signal beyond the limit is carrier.


Radiates Emission from 1GHz to 8GHz



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8248.75	---	38.46	54.00	15.54	500.00	200.0	V	325.00	6
8622.50	49.65	---	68.20	18.55	500.00	200.0	V	118.00	7
9300.00	---	38.10	54.00	15.90	500.00	200.0	H	188.00	7
9927.50	50.97	---	68.20	17.23	500.00	100.0	H	27.00	8
10593.75	50.09	---	68.20	18.11	500.00	100.0	V	192.00	8
11395.00	---	40.15	54.00	13.85	500.00	200.0	V	142.00	9
12407.50	---	38.83	54.00	15.17	500.00	100.0	V	2.00	9
13336.25	---	39.10	54.00	14.90	500.00	100.0	V	80.00	9
13626.25	50.40	---	68.20	17.80	500.00	100.0	H	359.00	10
13905.00	53.04	---	68.20	15.16	500.00	100.0	V	291.00	11
14487.50	---	40.73	54.00	13.27	500.00	200.0	H	14.00	11
17682.50	56.39	---	68.20	11.81	500.00	200.0	H	55.00	18

Radiates Emission from 8GHz to 18GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1214.38	---	34.33	54.00	19.67	500.00	100.0	H	0.00	-4
1274.75	43.82	---	68.20	24.38	500.00	200.0	V	304.00	-4
1681.63	---	33.75	54.00	20.25	500.00	200.0	V	162.00	-2
1981.75	46.29	---	68.20	21.91	500.00	100.0	V	24.00	0
2186.50	49.63	---	68.20	18.57	500.00	100.0	V	0.00	1
2262.63	---	38.31	54.00	15.69	500.00	200.0	V	191.00	2
3380.88	50.25	---	68.20	17.95	500.00	200.0	H	110.00	5
3830.63	---	39.92	54.00	14.08	500.00	100.0	V	231.00	6
5284.00	54.16	---	68.20	14.04	500.00	100.0	H	354.00	10
5447.63	---	42.65	54.00	11.35	500.00	100.0	V	288.00	10
7255.38	57.95	---	74.00	16.05	500.00	100.0	H	232.00	15
7286.00	---	47.17	54.00	6.84	500.00	100.0	V	13.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8248.75	---	38.14	54.00	15.86	500.00	100.0	V	95.00	6
8863.75	49.94	---	68.20	18.26	500.00	200.0	V	68.00	6
9343.75	---	38.18	54.00	15.82	500.00	100.0	V	306.00	7
10397.50	50.75	---	68.20	17.45	500.00	100.0	H	251.00	8
10551.25	50.41	---	68.20	17.79	500.00	100.0	H	4.00	8
11346.25	---	40.31	54.00	13.69	500.00	100.0	V	306.00	9
13363.75	---	41.71	54.00	12.29	500.00	200.0	V	7.00	11
13622.50	53.74	---	68.20	14.46	500.00	100.0	H	23.00	12
13893.75	56.07	---	68.20	12.13	500.00	100.0	V	353.00	12
14488.75	---	41.61	54.00	12.39	500.00	100.0	V	281.00	11
15722.50	---	39.47	54.00	14.53	500.00	100.0	H	220.00	8
17135.00	53.55	---	68.20	14.65	500.00	100.0	H	99.00	12

Radiates Emission from 8GHz to 18GHz

802.11a CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1231.88	---	34.76	54.00	19.24	500.00	100.0	H	358.00	-4
1247.63	45.24	---	68.20	22.96	500.00	200.0	V	179.00	-4
1682.50	---	33.82	54.00	20.18	500.00	100.0	V	163.00	-2
1977.38	46.78	---	68.20	21.42	500.00	100.0	V	26.00	0
2245.13	---	39.09	54.00	14.91	500.00	100.0	V	7.00	1
2581.13	49.05	---	68.20	19.15	500.00	200.0	V	356.00	3
3542.75	49.76	---	68.20	18.44	500.00	100.0	V	5.00	4
3880.50	---	39.95	54.00	14.05	500.00	100.0	H	336.00	6
5180.75	53.94	---	68.20	14.26	500.00	100.0	V	205.00	10
5456.38	---	42.66	54.00	11.34	500.00	200.0	H	59.00	10
7268.50	58.26	---	74.00	15.74	500.00	200.0	V	265.00	15
7281.63	---	47.32	54.00	6.68	500.00	200.0	V	332.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	38.24	54.00	15.76	500.00	200.0	H	93.00	7
8676.25	49.49	---	68.20	18.71	500.00	100.0	V	356.00	7
9310.00	---	38.35	54.00	15.65	500.00	100.0	H	234.00	7
10428.75	50.79	---	68.20	17.41	500.00	100.0	H	29.00	8
10571.25	51.28	---	68.20	16.92	500.00	200.0	H	344.00	8
11346.25	---	40.22	54.00	13.79	500.00	100.0	V	0.00	9
13361.25	---	41.74	54.00	12.26	500.00	100.0	H	204.00	11
13691.25	53.66	---	68.20	14.54	500.00	100.0	V	350.00	12
13837.50	54.71	---	68.20	13.49	500.00	100.0	H	0.00	12
14492.50	---	40.97	54.00	13.03	500.00	200.0	H	168.00	11
15706.25	---	38.87	54.00	15.13	500.00	100.0	H	250.00	8
17095.00	52.31	---	68.20	15.89	500.00	100.0	H	12.00	12

Radiates Emission from 8GHz to 18GHz

802.11a CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.75	43.45	---	68.20	24.75	500.00	200.0	V	201.00	-4
1329.00	---	33.27	54.00	20.73	500.00	200.0	H	288.00	-3
1694.75	---	33.36	54.00	20.64	500.00	100.0	V	0.00	-2
1903.88	45.20	---	68.20	23.00	500.00	200.0	H	84.00	-1
2660.75	48.98	---	68.20	19.22	500.00	100.0	V	0.00	2
2781.50	---	36.94	54.00	17.06	500.00	200.0	H	11.00	3
3487.63	49.62	---	68.20	18.58	500.00	100.0	H	98.00	4
3968.00	---	39.83	54.00	14.17	500.00	100.0	H	193.00	7
4443.13	49.68	---	68.20	18.52	500.00	100.0	H	0.00	7
4764.25	---	40.27	54.00	13.73	500.00	200.0	V	61.00	8
5407.38	---	42.46	54.00	11.54	500.00	100.0	V	0.00	10
5615.63	54.63	---	68.20	13.57	500.00	200.0	H	70.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8098.75	---	38.25	54.00	15.75	500.00	100.0	V	109.00	6
8691.25	49.58	---	68.20	18.62	500.00	200.0	H	91.00	7
9301.25	---	38.09	54.00	15.91	500.00	100.0	V	4.00	7
10400.00	50.55	---	68.20	17.65	500.00	100.0	V	122.00	8
10573.75	50.27	---	68.20	17.93	500.00	200.0	V	219.00	8
11381.25	---	40.19	54.00	13.81	500.00	200.0	H	134.00	9
12407.50	---	38.73	54.00	15.27	500.00	200.0	V	256.00	9
13341.25	---	38.95	54.00	15.05	500.00	100.0	V	116.00	9
13488.75	50.38	---	68.20	17.82	500.00	200.0	V	263.00	10
14402.50	53.24	---	68.20	14.96	500.00	200.0	H	7.00	11
14488.75	---	40.57	54.00	13.43	500.00	100.0	V	280.00	11
17697.50	55.97	---	68.20	12.23	500.00	100.0	H	0.00	18

Radiates Emission from 8GHz to 18GHz

802.11a CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1209.13	---	35.49	54.00	18.51	500.00	100.0	V	9.00	-4
1240.63	43.12	---	68.20	25.08	500.00	100.0	H	0.00	-4
1700.88	---	33.45	54.00	20.55	500.00	200.0	V	217.00	-2
1944.13	46.30	---	68.20	21.90	500.00	100.0	V	18.00	0
2192.63	49.19	---	68.20	19.01	500.00	100.0	V	4.00	1
2266.13	---	39.17	54.00	14.83	500.00	100.0	V	13.00	2
3404.50	50.02	---	68.20	18.18	500.00	200.0	V	328.00	4
3962.75	---	39.71	54.00	14.29	500.00	100.0	V	254.00	6
5444.13	---	42.56	54.00	11.44	500.00	100.0	H	356.00	10
5606.88	54.58	---	68.20	13.62	500.00	200.0	H	7.00	11
7251.88	56.11	---	74.00	17.89	500.00	200.0	H	271.00	15
7262.38	---	46.30	54.00	7.70	500.00	200.0	H	141.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8210.00	---	38.25	54.00	15.75	500.00	200.0	H	80.00	7
8656.25	49.45	---	68.20	18.75	500.00	100.0	H	189.00	7
9300.00	---	38.09	54.00	15.91	500.00	200.0	V	10.00	7
9990.00	51.14	---	68.20	17.06	500.00	100.0	V	279.00	7
10551.25	50.20	---	68.20	18.00	500.00	100.0	V	324.00	8
11346.25	---	40.01	54.00	13.99	500.00	100.0	H	23.00	9
13361.25	---	41.42	54.00	12.58	500.00	100.0	V	0.00	11
13665.00	53.62	---	68.20	14.58	500.00	200.0	H	247.00	12
13891.25	54.41	---	68.20	13.79	500.00	200.0	V	1.00	12
14491.25	---	40.90	54.00	13.10	500.00	100.0	V	0.00	11
15696.25	---	39.11	54.00	14.89	500.00	100.0	H	0.00	8
17116.25	52.41	---	68.20	15.79	500.00	200.0	H	352.00	12

Radiates Emission from 8GHz to 18GHz

802.11a CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1391.13	---	34.49	54.00	19.51	500.00	100.0	V	3.00	-3
1399.88	44.75	---	74.00	29.25	500.00	100.0	V	0.00	-3
1678.13	---	33.31	54.00	20.69	500.00	200.0	V	217.00	-2
1960.75	46.37	---	68.20	21.83	500.00	200.0	V	116.00	0
2304.63	49.53	---	68.20	18.67	500.00	100.0	V	7.00	2
2319.50	---	38.44	54.00	15.56	500.00	100.0	V	7.00	2
3429.88	50.77	---	68.20	17.43	500.00	200.0	V	299.00	4
3952.25	---	39.62	54.00	14.38	500.00	100.0	V	60.00	6
4611.13	---	40.95	54.00	13.05	500.00	200.0	H	129.00	8
5135.25	51.17	---	74.00	22.83	500.00	200.0	H	259.00	10
5445.88	---	42.49	54.00	11.51	500.00	100.0	V	0.00	10
5634.00	54.39	---	68.20	13.81	500.00	200.0	H	86.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8193.75	---	38.18	54.00	15.82	500.00	200.0	H	267.00	7
8691.25	49.71	---	68.20	18.49	500.00	200.0	H	318.00	7
9300.00	---	38.14	54.00	15.86	500.00	100.0	H	22.00	7
9930.00	50.85	---	68.20	17.35	500.00	100.0	H	37.00	7
10576.25	50.98	---	68.20	17.22	500.00	200.0	H	294.00	8
11657.50	---	40.09	54.00	13.91	500.00	200.0	H	306.00	9
13333.75	---	41.30	54.00	12.70	500.00	200.0	V	2.00	11
13730.00	52.87	---	68.20	15.33	500.00	100.0	H	0.00	12
13903.75	54.72	---	68.20	13.48	500.00	200.0	V	231.00	12
14491.25	---	40.41	54.00	13.59	500.00	100.0	V	188.00	11
15703.75	---	38.84	54.00	15.16	500.00	100.0	V	355.00	8
17092.50	52.18	---	68.20	16.02	500.00	200.0	H	326.00	12

Radiates Emission from 8GHz to 18GHz


802.11ac (VHT20) CH36



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.63	43.87	---	68.20	24.33	500.00	100.0	V	102.00	-4
1331.63	---	33.74	54.00	20.26	500.00	200.0	H	279.00	-3
1707.88	---	33.66	54.00	20.34	500.00	100.0	V	81.00	-2
1968.63	45.18	---	68.20	23.02	500.00	200.0	V	0.00	0
2660.75	51.86	---	68.20	16.34	500.00	100.0	V	176.00	2
2776.25	---	36.99	54.00	17.01	500.00	200.0	V	244.00	3
3362.50	49.44	---	68.20	18.76	500.00	100.0	V	212.00	4
3967.13	---	39.83	54.00	14.17	500.00	100.0	H	346.00	7
4431.75	49.81	---	68.20	18.39	500.00	200.0	H	0.00	7
4778.25	---	39.04	54.00	14.96	500.00	200.0	H	236.00	8
5147.50	---	44.15	54.00	9.85	500.00	200.0	H	42.00	10
5630.50	54.28	---	68.20	13.92	500.00	200.0	V	307.00	11

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8243.75	---	38.11	54.00	15.89	500.00	200.0	V	261.00	6
8740.00	49.57	---	68.20	18.63	500.00	200.0	V	336.00	7
9303.75	---	38.26	54.00	15.74	500.00	200.0	V	316.00	7
10325.00	50.59	---	68.20	17.61	500.00	200.0	V	213.00	8
10521.25	50.40	---	68.20	17.80	500.00	100.0	V	240.00	8
11385.00	---	40.42	54.00	13.58	500.00	100.0	V	0.00	9
12410.00	---	38.81	54.00	15.19	500.00	200.0	V	336.00	9
13685.00	50.66	---	68.20	17.54	500.00	200.0	V	186.00	10
14407.50	52.78	---	68.20	15.42	500.00	200.0	V	12.00	11
14480.00	---	40.38	54.00	13.62	500.00	100.0	V	190.00	11
15726.25	---	38.65	54.00	15.35	500.00	100.0	H	350.00	9
17692.50	56.17	---	68.20	12.03	500.00	200.0	H	5.00	18

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH40




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1225.75	---	35.11	54.00	18.89	500.00	100.0	H	0.00	-4
1252.88	44.50	---	68.20	23.70	500.00	100.0	H	0.00	-4
1683.38	---	33.59	54.00	20.41	500.00	200.0	V	0.00	-2
1959.88	46.49	---	68.20	21.71	500.00	200.0	H	241.00	0
2207.50	---	39.77	54.00	14.23	500.00	100.0	V	10.00	1
2594.25	48.73	---	68.20	19.47	500.00	200.0	H	98.00	3
3455.25	49.83	---	68.20	18.37	500.00	100.0	V	340.00	5
3965.38	---	39.80	54.00	14.20	500.00	100.0	V	112.00	6
4593.63	50.79	---	74.00	23.21	500.00	200.0	H	112.00	8
4679.38	---	40.87	54.00	13.13	500.00	200.0	V	74.00	8
7265.88	58.76	---	74.00	15.24	500.00	100.0	H	309.00	15
7291.25	---	46.94	54.00	7.06	500.00	200.0	V	91.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8211.25	---	38.34	54.00	15.66	500.00	100.0	H	47.00	7
8933.75	49.76	---	68.20	18.44	500.00	100.0	H	0.00	6
9306.25	---	37.99	54.00	16.01	500.00	200.0	V	104.00	7
9902.50	50.43	---	68.20	17.77	500.00	100.0	H	219.00	7
10538.75	50.68	---	68.20	17.52	500.00	100.0	V	241.00	8
11346.25	---	39.92	54.00	14.08	500.00	100.0	V	321.00	9
13337.50	---	41.39	54.00	12.61	500.00	100.0	V	257.00	11
13691.25	52.54	---	68.20	15.66	500.00	100.0	V	354.00	12
13873.75	54.61	---	68.20	13.59	500.00	200.0	H	312.00	12
14490.00	---	40.27	54.00	13.73	500.00	100.0	V	212.00	11
15710.00	---	38.73	54.00	15.27	500.00	200.0	V	61.00	8
17135.00	52.26	---	68.20	15.94	500.00	100.0	V	311.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH48




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1221.38	---	35.12	54.00	18.88	500.00	100.0	H	0.00	-4
1297.50	43.59	---	68.20	24.61	500.00	200.0	V	208.00	-4
1665.00	---	33.74	54.00	20.26	500.00	200.0	V	223.00	-2
1952.00	46.27	---	68.20	21.93	500.00	200.0	V	182.00	0
2190.00	49.12	---	68.20	19.08	500.00	100.0	V	0.00	1
2251.25	---	39.87	54.00	14.13	500.00	200.0	V	195.00	2
3553.25	50.35	---	68.20	17.85	500.00	100.0	V	0.00	4
3955.75	---	39.52	54.00	14.48	500.00	100.0	H	132.00	6
5056.50	---	42.26	54.00	11.74	500.00	200.0	H	23.00	10
5634.00	53.59	---	68.20	14.61	500.00	200.0	H	0.00	11
7269.38	56.86	---	74.00	17.14	500.00	200.0	H	154.00	15
7271.13	---	46.17	54.00	7.84	500.00	100.0	H	289.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8196.25	---	38.25	54.00	15.75	500.00	200.0	H	356.00	7
8647.50	49.47	---	68.20	18.73	500.00	100.0	V	196.00	7
9305.00	---	38.18	54.00	15.82	500.00	100.0	H	0.00	7
9978.75	50.99	---	68.20	17.21	500.00	200.0	V	48.00	7
10582.50	51.63	---	68.20	16.57	500.00	200.0	V	0.00	8
11351.25	---	39.92	54.00	14.08	500.00	100.0	H	144.00	9
13336.25	---	41.11	54.00	12.89	500.00	100.0	V	257.00	11
13577.50	52.35	---	68.20	15.85	500.00	200.0	V	4.00	12
13867.50	53.84	---	68.20	14.36	500.00	100.0	H	235.00	12
14487.50	---	40.20	54.00	13.80	500.00	100.0	V	351.00	11
15706.25	---	38.78	54.00	15.22	500.00	100.0	V	336.00	8
17337.50	54.50	---	68.20	13.70	500.00	100.0	V	0.00	15

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH52




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.63	45.15	---	68.20	23.05	500.00	100.0	V	6.00	-4
1395.50	---	34.24	54.00	19.76	500.00	100.0	V	0.00	-3
1681.63	---	33.27	54.00	20.73	500.00	200.0	V	0.00	-2
1994.00	45.91	---	68.20	22.29	500.00	100.0	H	145.00	1
2197.00	48.71	---	68.20	19.49	500.00	100.0	V	17.00	1
2242.50	---	39.12	54.00	14.88	500.00	100.0	V	12.00	1
3535.75	49.50	---	68.20	18.70	500.00	100.0	H	188.00	5
3961.00	---	39.32	54.00	14.68	500.00	100.0	H	357.00	6
5406.50	---	42.27	54.00	11.73	500.00	100.0	H	357.00	10
5617.38	54.12	---	68.20	14.08	500.00	100.0	H	231.00	11
7254.50	56.46	---	74.00	17.54	500.00	100.0	V	210.00	15
7256.25	---	45.86	54.00	8.14	500.00	200.0	H	348.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8180.00	---	38.12	54.00	15.88	500.00	100.0	V	0.00	7
8865.00	49.72	---	68.20	18.48	500.00	100.0	V	350.00	6
9307.50	---	37.87	54.00	16.13	500.00	100.0	V	358.00	7
10382.50	50.59	---	68.20	17.61	500.00	100.0	V	0.00	8
10575.00	50.89	---	68.20	17.31	500.00	100.0	H	5.00	8
11348.75	---	39.91	54.00	14.09	500.00	200.0	H	202.00	9
13352.50	---	41.06	54.00	12.94	500.00	100.0	V	49.00	11
13432.50	52.74	---	68.20	15.46	500.00	100.0	V	353.00	11
13901.25	54.24	---	68.20	13.96	500.00	200.0	V	219.00	12
14470.00	---	40.00	54.00	14.00	500.00	100.0	V	94.00	11
15710.00	---	38.52	54.00	15.48	500.00	100.0	V	357.00	8
17100.00	52.95	---	68.20	15.25	500.00	100.0	V	0.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH60




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.88	---	34.50	54.00	19.50	500.00	200.0	V	106.00	-4
1252.00	43.54	---	68.20	24.66	500.00	200.0	H	1.00	-4
1612.50	---	34.06	54.00	19.94	500.00	200.0	V	221.00	-2
1951.13	45.85	---	68.20	22.35	500.00	200.0	V	276.00	0
2195.25	48.46	---	68.20	19.74	500.00	100.0	V	355.00	1
2276.63	---	39.48	54.00	14.52	500.00	100.0	V	214.00	2
3450.88	50.08	---	68.20	18.12	500.00	200.0	H	354.00	5
3826.25	---	39.57	54.00	14.43	500.00	100.0	V	199.00	5
5055.63	---	42.17	54.00	11.83	500.00	200.0	H	2.00	10
5617.38	53.69	---	68.20	14.51	500.00	200.0	H	348.00	11
7252.75	57.07	---	74.00	16.93	500.00	200.0	V	348.00	15
7268.50	---	46.27	54.00	7.73	500.00	200.0	H	1.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8157.50	---	38.01	54.00	15.99	500.00	200.0	H	186.00	7
8967.50	50.70	---	68.20	17.50	500.00	200.0	V	98.00	6
9310.00	---	37.89	54.00	16.11	500.00	100.0	V	354.00	7
9840.00	50.67	---	68.20	17.53	500.00	200.0	V	0.00	7
10581.25	50.86	---	68.20	17.34	500.00	100.0	V	107.00	8
11341.25	---	39.97	54.00	14.03	500.00	100.0	V	152.00	9
13333.75	---	41.00	54.00	13.00	500.00	200.0	H	347.00	11
13668.75	52.02	---	68.20	16.18	500.00	200.0	V	311.00	12
13867.50	54.00	---	68.20	14.20	500.00	100.0	V	0.00	12
14492.50	---	39.58	54.00	14.42	500.00	100.0	V	124.00	11
15708.75	---	38.76	54.00	15.24	500.00	200.0	H	229.00	8
17136.25	52.01	---	68.20	16.19	500.00	100.0	H	207.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH64




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	43.23	---	68.20	24.97	500.00	100.0	H	171.00	-4
1329.88	---	36.04	54.00	17.96	500.00	200.0	V	147.00	-3
1698.25	---	33.35	54.00	20.65	500.00	100.0	H	313.00	-2
1959.00	45.17	---	68.20	23.03	500.00	200.0	V	147.00	0
2665.13	51.65	---	68.20	16.55	500.00	100.0	V	168.00	2
2771.88	---	36.75	54.00	17.25	500.00	200.0	V	6.00	3
3069.38	47.82	---	68.20	20.38	500.00	100.0	H	64.00	3
3968.88	---	39.87	54.00	14.13	500.00	100.0	H	53.00	7
4458.88	50.41	---	68.20	17.79	500.00	200.0	V	126.00	7
5019.75	---	41.23	54.00	12.77	500.00	200.0	H	342.00	10
5435.38	---	42.05	54.00	11.95	500.00	200.0	H	356.00	10
5667.25	54.76	---	68.20	13.44	500.00	200.0	H	139.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8198.75	---	38.19	54.00	15.81	500.00	200.0	V	92.00	7
8671.25	50.14	---	68.20	18.06	500.00	100.0	H	106.00	7
9306.25	---	37.98	54.00	16.02	500.00	200.0	H	210.00	7
10042.50	51.91	---	68.20	16.29	500.00	200.0	H	132.00	8
10588.75	50.00	---	68.20	18.20	500.00	100.0	H	150.00	8
11381.25	---	40.13	54.00	13.87	500.00	200.0	V	352.00	9
12108.75	---	38.88	54.00	15.12	500.00	200.0	H	0.00	9
12730.00	50.63	---	68.20	17.57	500.00	100.0	V	56.00	9
14411.25	52.32	---	68.20	15.88	500.00	200.0	H	359.00	11
14485.00	---	40.18	54.00	13.82	500.00	100.0	V	63.00	11
15711.25	---	38.93	54.00	15.07	500.00	200.0	H	105.00	9
17693.75	56.51	---	68.20	11.69	500.00	100.0	H	357.00	18

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH100




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1254.63	44.30	---	68.20	23.90	500.00	200.0	V	327.00	-4
1329.88	---	34.71	54.00	19.29	500.00	200.0	H	203.00	-3
1595.88	---	33.59	54.00	20.41	500.00	200.0	V	134.00	-2
1980.88	45.44	---	68.20	22.76	500.00	200.0	H	317.00	0
2659.88	51.59	---	68.20	16.61	500.00	200.0	V	222.00	2
2823.50	---	37.04	54.00	16.96	500.00	200.0	H	222.00	3
3342.38	49.59	---	68.20	18.61	500.00	200.0	V	100.00	4
3967.13	---	40.08	54.00	13.92	500.00	200.0	V	4.00	7
4483.38	50.75	---	68.20	17.45	500.00	200.0	V	87.00	7
4874.50	---	40.33	54.00	13.67	500.00	200.0	H	248.00	9
5448.50	---	42.79	54.00	11.21	500.00	200.0	H	203.00	10
5467.75	53.15	---	68.20	15.05	500.00	200.0	H	358.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8282.50	---	38.14	54.00	15.86	500.00	200.0	V	56.00	6
8703.75	50.42	---	68.20	17.78	500.00	200.0	H	24.00	7
9303.75	---	37.99	54.00	16.01	500.00	200.0	H	60.00	7
10028.75	50.67	---	68.20	17.53	500.00	200.0	H	0.00	8
10498.75	50.52	---	68.20	17.68	500.00	100.0	V	131.00	8
11381.25	---	40.16	54.00	13.84	500.00	100.0	V	216.00	9
12108.75	---	38.80	54.00	15.20	500.00	200.0	H	208.00	9
13723.75	50.13	---	68.20	18.07	500.00	100.0	H	332.00	10
14488.75	---	40.10	54.00	13.90	500.00	100.0	V	68.00	11
14611.25	52.43	---	68.20	15.77	500.00	100.0	V	310.00	11
15705.00	---	38.85	54.00	15.15	500.00	200.0	H	193.00	9
17691.25	55.96	---	68.20	12.24	500.00	200.0	V	358.00	18

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH116




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1227.50	---	34.01	54.00	19.99	500.00	100.0	H	5.00	-4
1271.25	43.51	---	68.20	24.69	500.00	200.0	H	2.00	-4
1681.63	---	33.01	54.00	20.99	500.00	200.0	V	353.00	-2
1948.50	45.66	---	68.20	22.54	500.00	100.0	V	241.00	0
2280.13	---	38.45	54.00	15.55	500.00	100.0	V	13.00	2
2589.00	48.13	---	68.20	20.07	500.00	100.0	H	90.00	3
3283.75	49.99	---	68.20	18.21	500.00	100.0	H	357.00	4
3875.25	---	39.33	54.00	14.67	500.00	200.0	H	257.00	6
5045.13	---	42.24	54.00	11.76	500.00	200.0	V	229.00	10
5349.63	53.30	---	68.20	14.90	500.00	200.0	V	289.00	10
7257.13	56.13	---	74.00	17.87	500.00	200.0	V	353.00	15
7260.63	---	46.19	54.00	7.81	500.00	100.0	V	0.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8192.50	---	37.92	54.00	16.08	500.00	200.0	H	326.00	7
8977.50	49.65	---	68.20	18.55	500.00	100.0	H	70.00	6
9301.25	---	37.83	54.00	16.17	500.00	100.0	H	296.00	7
10431.25	50.21	---	68.20	17.99	500.00	200.0	V	200.00	8
10572.50	51.06	---	68.20	17.14	500.00	100.0	V	322.00	8
11350.00	---	39.86	54.00	14.14	500.00	100.0	V	155.00	9
13356.25	---	40.92	54.00	13.08	500.00	100.0	V	275.00	11
13730.00	52.14	---	68.20	16.06	500.00	200.0	V	358.00	12
13960.00	53.91	---	68.20	14.29	500.00	100.0	V	344.00	12
14485.00	---	40.11	54.00	13.89	500.00	200.0	V	301.00	11
15712.50	---	38.19	54.00	15.81	500.00	100.0	H	35.00	8
17172.50	51.91	---	68.20	16.29	500.00	100.0	V	275.00	13

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1182.00	---	34.44	54.00	19.56	500.00	200.0	V	174.00	-4
1298.38	44.03	---	68.20	24.17	500.00	200.0	V	217.00	-4
1679.88	---	33.29	54.00	20.71	500.00	100.0	V	156.00	-2
1949.38	45.47	---	68.20	22.73	500.00	100.0	V	126.00	0
2208.38	---	40.95	54.00	13.05	500.00	100.0	V	15.00	1
2596.88	48.75	---	68.20	19.45	500.00	100.0	H	138.00	3
3506.00	49.63	---	68.20	18.57	500.00	200.0	V	301.00	5
3954.00	---	39.59	54.00	14.41	500.00	100.0	V	34.00	6
5221.00	53.12	---	68.20	15.08	500.00	200.0	H	6.00	10
5360.13	---	42.28	54.00	11.72	500.00	100.0	H	209.00	10
7305.25	---	46.42	54.00	7.58	500.00	200.0	H	8.00	16
7319.25	56.51	---	74.00	17.49	500.00	100.0	H	166.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8210.00	---	37.97	54.00	16.03	500.00	100.0	V	352.00	7
8691.25	49.75	---	68.20	18.45	500.00	200.0	V	260.00	7
9342.50	---	38.15	54.00	15.85	500.00	100.0	H	144.00	7
10420.00	50.35	---	68.20	17.85	500.00	100.0	V	183.00	8
10597.50	49.78	---	68.20	18.42	500.00	200.0	H	175.00	8
11345.00	---	39.90	54.00	14.10	500.00	100.0	H	144.00	9
13350.00	---	40.87	54.00	13.13	500.00	200.0	V	288.00	11
13536.25	52.61	---	68.20	15.59	500.00	100.0	V	275.00	12
13906.25	54.16	---	68.20	14.04	500.00	100.0	V	337.00	12
14500.00	---	40.10	54.00	13.90	500.00	100.0	V	329.00	11
15706.25	---	38.63	54.00	15.37	500.00	200.0	V	343.00	8
17350.00	53.40	---	68.20	14.80	500.00	100.0	V	301.00	15

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.63	43.43	---	68.20	24.77	500.00	200.0	V	0.00	-4
1329.88	---	35.31	54.00	18.69	500.00	200.0	V	158.00	-3
1697.38	---	33.33	54.00	20.67	500.00	100.0	V	5.00	-2
1996.63	46.51	---	68.20	21.69	500.00	200.0	V	158.00	0
2654.63	50.80	---	68.20	17.40	500.00	100.0	V	49.00	2
2771.88	---	36.99	54.00	17.01	500.00	200.0	V	5.00	3
3529.63	49.44	---	68.20	18.76	500.00	100.0	V	151.00	4
3984.63	---	39.85	54.00	14.15	500.00	100.0	H	0.00	6
4471.13	50.23	---	68.20	17.97	500.00	200.0	H	95.00	7
4766.88	---	40.14	54.00	13.86	500.00	200.0	H	227.00	8
5232.38	53.66	---	68.20	14.54	500.00	200.0	V	4.00	10
5445.00	---	42.61	54.00	11.39	500.00	200.0	H	345.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8210.00	---	38.60	54.00	15.40	500.00	100.0	H	155.00	7
8697.50	49.86	---	68.20	18.34	500.00	100.0	V	5.00	7
9302.50	---	38.32	54.00	15.68	500.00	200.0	V	232.00	7
10408.75	50.84	---	68.20	17.36	500.00	200.0	V	296.00	8
10577.50	50.20	---	68.20	18.00	500.00	100.0	V	1.00	8
11381.25	---	40.08	54.00	13.92	500.00	100.0	H	112.00	9
12406.25	---	38.93	54.00	15.07	500.00	100.0	H	169.00	9
13736.25	49.84	---	68.20	18.36	500.00	100.0	V	219.00	10
14487.50	---	40.27	54.00	13.73	500.00	100.0	V	71.00	11
14603.75	52.70	---	68.20	15.50	500.00	200.0	H	21.00	11
15688.75	---	38.68	54.00	15.32	500.00	200.0	H	190.00	9
17700.00	56.27	---	68.20	11.93	500.00	100.0	V	333.00	18

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.50	43.44	---	68.20	24.76	500.00	100.0	V	0.00	-4
1392.88	---	33.91	54.00	20.09	500.00	100.0	V	0.00	-3
1682.50	---	33.35	54.00	20.65	500.00	200.0	V	359.00	-2
1988.75	46.10	---	68.20	22.10	500.00	200.0	V	223.00	0
2190.00	47.98	---	68.20	20.22	500.00	100.0	V	0.00	1
2232.00	---	38.95	54.00	15.05	500.00	100.0	V	2.00	1
3446.50	49.70	---	68.20	18.50	500.00	100.0	H	346.00	5
3839.38	---	39.14	54.00	14.86	500.00	200.0	H	72.00	6
5442.38	---	42.09	54.00	11.91	500.00	100.0	H	172.00	10
5643.63	54.02	---	68.20	14.18	500.00	100.0	H	357.00	11
7270.25	56.56	---	74.00	17.44	500.00	100.0	H	355.00	15
7286.00	---	46.66	54.00	7.34	500.00	200.0	H	154.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8241.25	---	38.07	54.00	15.93	500.00	100.0	H	192.00	6
8730.00	49.99	---	68.20	18.21	500.00	100.0	V	330.00	7
9302.50	---	38.06	54.00	15.94	500.00	200.0	H	8.00	7
9940.00	50.46	---	68.20	17.74	500.00	200.0	H	0.00	7
10553.75	50.76	---	68.20	17.44	500.00	100.0	H	4.00	8
11388.75	---	39.82	54.00	14.18	500.00	100.0	H	39.00	9
13336.25	---	41.06	54.00	12.94	500.00	200.0	H	23.00	11
13696.25	53.74	---	68.20	14.46	500.00	100.0	H	1.00	12
13932.50	54.61	---	68.20	13.59	500.00	100.0	H	0.00	12
14497.50	---	40.14	54.00	13.86	500.00	200.0	V	13.00	11
15705.00	---	38.68	54.00	15.32	500.00	100.0	V	78.00	8
17086.25	52.47	---	68.20	15.73	500.00	200.0	V	124.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1240.63	43.69	---	68.20	24.51	500.00	100.0	H	359.00	-4
1393.75	---	34.09	54.00	19.91	500.00	100.0	V	3.00	-3
1679.00	---	33.34	54.00	20.66	500.00	200.0	V	0.00	-2
1885.50	45.40	---	68.20	22.80	500.00	200.0	V	0.00	0
2211.88	---	38.25	54.00	15.75	500.00	100.0	V	359.00	1
2472.63	47.99	---	68.20	20.21	500.00	100.0	H	0.00	3
3450.00	50.09	---	68.20	18.11	500.00	200.0	H	5.00	5
3962.75	---	39.16	54.00	14.84	500.00	100.0	H	0.00	6
5313.75	53.67	---	68.20	14.53	500.00	100.0	H	341.00	10
5448.50	---	42.27	54.00	11.73	500.00	100.0	V	128.00	10
7263.25	56.47	---	74.00	17.53	500.00	100.0	H	0.00	15
7273.75	---	46.28	54.00	7.72	500.00	200.0	V	320.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8270.00	---	38.06	54.00	15.94	500.00	100.0	H	172.00	6
8862.50	49.65	---	68.20	18.55	500.00	100.0	V	314.00	6
9310.00	---	37.95	54.00	16.05	500.00	200.0	V	77.00	7
10432.50	50.68	---	68.20	17.52	500.00	100.0	V	344.00	8
10583.75	50.66	---	68.20	17.54	500.00	200.0	V	263.00	8
11346.25	---	39.70	54.00	14.30	500.00	200.0	V	339.00	9
13336.25	---	41.23	54.00	12.77	500.00	100.0	H	29.00	11
13685.00	52.50	---	68.20	15.70	500.00	100.0	V	352.00	12
13872.50	54.31	---	68.20	13.89	500.00	200.0	V	324.00	12
14477.50	---	40.32	54.00	13.68	500.00	100.0	V	352.00	11
15730.00	---	38.12	54.00	15.88	500.00	100.0	H	29.00	8
17433.75	54.61	---	68.20	13.59	500.00	100.0	V	304.00	15

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH38




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.50	43.74	---	68.20	24.46	500.00	100.0	H	199.00	-4
1331.63	---	34.34	54.00	19.66	500.00	200.0	V	168.00	-3
1687.75	---	33.26	54.00	20.74	500.00	100.0	V	108.00	-2
1969.50	45.38	---	68.20	22.82	500.00	200.0	H	355.00	0
2664.25	51.44	---	68.20	16.76	500.00	100.0	V	196.00	2
2769.25	---	36.86	54.00	17.14	500.00	100.0	V	74.00	3
3331.88	49.66	---	68.20	18.54	500.00	200.0	V	117.00	4
3966.25	---	39.83	54.00	14.17	500.00	200.0	H	320.00	7
4444.88	50.43	---	68.20	17.77	500.00	200.0	H	207.00	7
4752.00	---	39.53	54.00	14.47	500.00	100.0	H	350.00	8
5148.38	---	42.51	54.00	11.49	500.00	200.0	H	12.00	10
5650.63	54.04	---	68.20	14.16	500.00	200.0	V	304.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8242.50	---	38.20	54.00	15.80	500.00	200.0	H	143.00	6
8922.50	50.12	---	68.20	18.08	500.00	100.0	V	3.00	6
9313.75	---	38.02	54.00	15.98	500.00	200.0	H	354.00	7
9935.00	51.04	---	68.20	17.16	500.00	100.0	H	0.00	8
10492.50	50.62	---	68.20	17.58	500.00	100.0	H	320.00	8
11380.00	---	40.29	54.00	13.71	500.00	200.0	V	150.00	9
13333.75	---	39.37	54.00	14.63	500.00	100.0	H	356.00	9
13546.25	51.06	---	68.20	17.14	500.00	200.0	V	140.00	10
14490.00	---	41.02	54.00	12.98	500.00	200.0	V	95.00	11
14587.50	53.16	---	68.20	15.04	500.00	200.0	V	214.00	11
15051.25	51.46	---	68.20	16.74	500.00	200.0	H	358.00	10
15705.00	---	39.60	54.00	14.40	500.00	200.0	V	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH46




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.63	43.20	---	68.20	25.00	500.00	200.0	H	213.00	-4
1393.75	---	34.50	54.00	19.50	500.00	100.0	H	119.00	-3
1668.50	---	33.12	54.00	20.88	500.00	100.0	V	168.00	-2
1966.00	45.86	---	68.20	22.34	500.00	100.0	V	0.00	0
2265.25	---	37.89	54.00	16.11	500.00	100.0	V	27.00	2
2593.38	48.40	---	68.20	19.80	500.00	200.0	V	208.00	3
3328.38	50.18	---	68.20	18.02	500.00	200.0	H	20.00	5
3957.50	---	39.20	54.00	14.80	500.00	200.0	V	0.00	6
5144.88	---	42.14	54.00	11.86	500.00	100.0	H	21.00	10
5471.25	53.95	---	68.20	14.25	500.00	100.0	H	278.00	10
7256.25	56.12	---	74.00	17.88	500.00	100.0	V	348.00	15
7258.00	---	46.29	54.00	7.71	500.00	100.0	V	326.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8238.75	---	38.21	54.00	15.79	500.00	200.0	V	10.00	6
8690.00	49.69	---	68.20	18.51	500.00	100.0	H	159.00	7
9303.75	---	37.94	54.00	16.06	500.00	100.0	V	47.00	7
10432.50	50.29	---	68.20	17.91	500.00	100.0	H	0.00	8
10576.25	50.28	---	68.20	17.92	500.00	200.0	H	357.00	8
11298.75	---	40.04	54.00	13.96	500.00	100.0	V	357.00	9
13335.00	---	41.30	54.00	12.70	500.00	100.0	V	358.00	11
13612.50	53.01	---	68.20	15.19	500.00	100.0	H	34.00	12
13902.50	54.58	---	68.20	13.62	500.00	100.0	V	258.00	12
14488.75	---	40.57	54.00	13.43	500.00	200.0	V	249.00	11
15726.25	---	38.39	54.00	15.61	500.00	100.0	H	326.00	8
17031.25	52.54	---	68.20	15.66	500.00	200.0	V	295.00	11

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH54




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1192.50	---	33.86	54.00	20.14	500.00	100.0	V	7.00	-4
1283.50	44.06	---	68.20	24.14	500.00	100.0	H	347.00	-4
1673.75	---	32.91	54.00	21.09	500.00	100.0	V	4.00	-2
1998.38	45.23	---	68.20	22.97	500.00	100.0	V	7.00	1
2200.50	---	38.30	54.00	15.70	500.00	100.0	V	0.00	1
2470.88	48.04	---	68.20	20.16	500.00	200.0	V	276.00	3
3546.25	50.25	---	68.20	17.95	500.00	200.0	V	0.00	4
3879.63	---	39.35	54.00	14.65	500.00	100.0	V	0.00	6
5389.88	---	42.67	54.00	11.33	500.00	100.0	H	0.00	10
5649.75	53.69	---	68.20	14.51	500.00	200.0	H	3.00	11
7251.88	56.01	---	74.00	17.99	500.00	100.0	V	44.00	15
7261.50	---	45.63	54.00	8.37	500.00	100.0	H	312.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8246.25	---	37.96	54.00	16.04	500.00	100.0	H	282.00	6
8796.25	50.02	---	68.20	18.18	500.00	100.0	H	102.00	6
9311.25	---	38.01	54.00	15.99	500.00	200.0	V	77.00	7
10428.75	50.67	---	68.20	17.53	500.00	100.0	H	40.00	8
10567.50	50.67	---	68.20	17.53	500.00	200.0	V	53.00	8
11342.50	---	39.94	54.00	14.06	500.00	100.0	H	40.00	9
13335.00	---	41.54	54.00	12.46	500.00	100.0	V	0.00	11
13736.25	53.08	---	68.20	15.12	500.00	200.0	V	203.00	12
13915.00	54.34	---	68.20	13.86	500.00	100.0	H	40.00	12
14481.25	---	40.27	54.00	13.73	500.00	100.0	V	0.00	11
15703.75	---	38.59	54.00	15.41	500.00	200.0	H	353.00	8
17106.25	52.12	---	68.20	16.08	500.00	200.0	H	358.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH62




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.38	43.81	---	68.20	24.39	500.00	200.0	V	127.00	-4
1329.00	---	34.84	54.00	19.16	500.00	200.0	V	119.00	-3
1663.25	---	33.24	54.00	20.76	500.00	100.0	V	171.00	-2
1875.88	45.61	---	68.20	22.59	500.00	200.0	H	209.00	-1
2660.75	51.02	---	68.20	17.18	500.00	100.0	V	233.00	2
2779.75	---	36.75	54.00	17.25	500.00	200.0	V	0.00	3
3517.38	49.81	---	68.20	18.39	500.00	200.0	V	1.00	4
3968.00	---	40.03	54.00	13.97	500.00	100.0	H	322.00	7
4448.38	50.23	---	68.20	17.97	500.00	100.0	V	329.00	7
4695.13	---	40.20	54.00	13.80	500.00	200.0	H	348.00	8
5433.63	---	42.00	54.00	12.00	500.00	200.0	H	343.00	10
5606.88	53.20	---	68.20	15.00	500.00	200.0	V	94.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8201.25	---	38.30	54.00	15.70	500.00	100.0	V	226.00	7
8661.25	49.67	---	68.20	18.53	500.00	200.0	V	143.00	7
9302.50	---	38.44	54.00	15.56	500.00	200.0	H	0.00	7
9936.25	51.59	---	68.20	16.61	500.00	100.0	H	0.00	8
10512.50	50.06	---	68.20	18.14	500.00	100.0	H	283.00	8
11346.25	---	40.27	54.00	13.73	500.00	200.0	V	171.00	9
13101.25	50.32	---	68.20	17.88	500.00	100.0	V	244.00	9
13335.00	---	39.03	54.00	14.97	500.00	200.0	V	34.00	9
14400.00	52.79	---	68.20	15.41	500.00	100.0	V	26.00	11
14491.25	---	40.84	54.00	13.16	500.00	200.0	V	152.00	11
15073.75	51.36	---	68.20	16.84	500.00	200.0	H	347.00	10
15708.75	---	39.39	54.00	14.61	500.00	200.0	H	265.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH102




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1117.25	---	33.95	54.00	20.05	500.00	200.0	V	102.00	-4
1260.75	43.18	---	68.20	25.02	500.00	100.0	H	146.00	-4
1683.38	---	33.31	54.00	20.69	500.00	200.0	V	0.00	-2
1986.13	45.50	---	68.20	22.70	500.00	200.0	V	223.00	0
2199.63	47.76	---	68.20	20.44	500.00	100.0	V	0.00	1
2221.50	---	38.80	54.00	15.20	500.00	100.0	V	21.00	1
3524.38	50.26	---	68.20	17.94	500.00	100.0	H	351.00	5
3958.38	---	39.18	54.00	14.82	500.00	100.0	V	146.00	6
5446.75	---	42.31	54.00	11.69	500.00	100.0	H	0.00	10
5461.63	53.20	---	68.20	15.00	500.00	100.0	H	328.00	10
7265.00	56.08	---	74.00	17.92	500.00	100.0	H	174.00	15
7274.63	---	45.97	54.00	8.03	500.00	200.0	V	359.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8438.75	---	37.93	54.00	16.07	500.00	100.0	V	336.00	6
8692.50	49.59	---	68.20	18.61	500.00	200.0	H	28.00	7
9302.50	---	38.19	54.00	15.81	500.00	200.0	V	0.00	7
10470.00	50.61	---	68.20	17.59	500.00	100.0	V	0.00	8
10505.00	50.36	---	68.20	17.84	500.00	100.0	V	356.00	8
11387.50	---	39.83	54.00	14.17	500.00	200.0	H	2.00	9
13361.25	---	41.49	54.00	12.51	500.00	100.0	V	0.00	11
13727.50	52.90	---	68.20	15.30	500.00	200.0	V	0.00	12
13906.25	54.49	---	68.20	13.71	500.00	100.0	V	241.00	12
14488.75	---	40.32	54.00	13.68	500.00	100.0	H	112.00	11
17086.25	51.22	---	68.20	16.98	500.00	200.0	H	0.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH118




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1243.25	43.43	---	68.20	24.77	500.00	200.0	V	173.00	-4
1391.13	---	34.15	54.00	19.85	500.00	200.0	H	126.00	-3
1684.25	---	33.22	54.00	20.78	500.00	200.0	V	357.00	-2
1996.63	45.00	---	68.20	23.20	500.00	200.0	V	357.00	1
2241.63	---	41.66	54.00	12.34	500.00	100.0	V	22.00	1
2466.50	47.97	---	68.20	20.23	500.00	100.0	V	56.00	3
3501.63	49.71	---	68.20	18.49	500.00	100.0	V	0.00	4
3961.88	---	39.32	54.00	14.68	500.00	100.0	H	133.00	6
5044.25	---	42.29	54.00	11.71	500.00	100.0	H	275.00	10
5252.50	53.44	---	68.20	14.76	500.00	200.0	V	302.00	9
7261.50	55.79	---	74.00	18.21	500.00	200.0	H	228.00	15
7266.75	---	46.04	54.00	7.96	500.00	200.0	H	3.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8278.75	---	38.25	54.00	15.75	500.00	100.0	H	0.00	6
8917.50	49.32	---	68.20	18.88	500.00	200.0	H	1.00	6
9305.00	---	37.94	54.00	16.06	500.00	100.0	V	0.00	7
10442.50	50.60	---	68.20	17.60	500.00	200.0	H	45.00	8
10590.00	50.68	---	68.20	17.52	500.00	100.0	H	0.00	8
11316.25	---	39.78	54.00	14.22	500.00	100.0	V	153.00	9
13333.75	---	41.05	54.00	12.95	500.00	200.0	V	0.00	11
13610.00	52.68	---	68.20	15.52	500.00	100.0	V	359.00	12
13887.50	54.83	---	68.20	13.37	500.00	100.0	V	320.00	12
14487.50	---	40.44	54.00	13.56	500.00	200.0	V	0.00	11
15688.75	---	38.82	54.00	15.18	500.00	200.0	H	11.00	8
17126.25	51.98	---	68.20	16.22	500.00	100.0	V	257.00	12

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH134




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.50	44.75	---	68.20	23.45	500.00	200.0	H	0.00	-4
1331.63	---	35.01	54.00	18.99	500.00	100.0	V	203.00	-3
1670.25	---	33.44	54.00	20.56	500.00	200.0	V	0.00	-2
1993.13	45.26	---	68.20	22.94	500.00	100.0	V	161.00	0
2660.75	51.24	---	68.20	16.96	500.00	200.0	V	114.00	2
2776.25	---	36.88	54.00	17.12	500.00	200.0	V	211.00	3
3379.13	49.99	---	68.20	18.21	500.00	100.0	H	0.00	4
3985.50	---	40.11	54.00	13.89	500.00	200.0	V	74.00	6
4433.50	50.36	---	68.20	17.84	500.00	100.0	V	74.00	7
4700.38	---	40.36	54.00	13.64	500.00	200.0	H	0.00	8
5043.38	---	42.37	54.00	11.63	500.00	200.0	H	258.00	11
5180.75	53.56	---	68.20	14.64	500.00	200.0	V	53.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8257.50	---	38.06	54.00	15.94	500.00	200.0	H	298.00	6
8940.00	49.48	---	68.20	18.72	500.00	100.0	H	13.00	6
9348.75	---	38.45	54.00	15.55	500.00	100.0	V	168.00	7
9988.75	51.00	---	68.20	17.20	500.00	200.0	V	104.00	8
10500.00	50.08	---	68.20	18.12	500.00	200.0	V	245.00	8
11352.50	---	40.25	54.00	13.75	500.00	100.0	V	2.00	9
13341.25	---	39.21	54.00	14.79	500.00	200.0	V	231.00	9
13593.75	50.89	---	68.20	17.31	500.00	100.0	V	15.00	10
14402.50	52.93	---	68.20	15.27	500.00	100.0	V	34.00	11
14482.50	---	40.65	54.00	13.35	500.00	200.0	V	89.00	11
15087.50	51.86	---	68.20	16.34	500.00	200.0	H	0.00	10
15671.25	---	39.19	54.00	14.81	500.00	200.0	H	277.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH142




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.38	43.13	---	68.20	25.07	500.00	200.0	H	270.00	-4
1390.25	---	33.95	54.00	20.05	500.00	100.0	V	0.00	-3
1666.75	---	33.30	54.00	20.71	500.00	200.0	V	116.00	-2
1987.88	45.59	---	68.20	22.61	500.00	200.0	H	9.00	0
2154.13	48.49	---	68.20	19.71	500.00	100.0	V	6.00	1
2276.63	---	38.91	54.00	15.09	500.00	100.0	V	348.00	2
3538.38	50.37	---	68.20	17.83	500.00	100.0	V	256.00	5
3955.75	---	39.24	54.00	14.76	500.00	100.0	H	347.00	6
5221.00	52.92	---	68.20	15.28	500.00	100.0	V	286.00	10
5438.88	---	42.09	54.00	11.91	500.00	200.0	V	358.00	10
7267.63	56.85	---	74.00	17.15	500.00	200.0	H	9.00	15
7270.25	---	46.02	54.00	7.98	500.00	200.0	H	58.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8121.25	---	38.01	54.00	15.99	500.00	100.0	V	226.00	6
8692.50	49.50	---	68.20	18.70	500.00	100.0	H	69.00	7
9307.50	---	38.13	54.00	15.87	500.00	200.0	V	34.00	7
10390.00	50.43	---	68.20	17.77	500.00	100.0	V	318.00	8
10552.50	50.38	---	68.20	17.82	500.00	200.0	H	82.00	8
11331.25	---	40.20	54.00	13.80	500.00	100.0	H	46.00	9
13351.25	---	41.05	54.00	12.95	500.00	100.0	V	340.00	11
13586.25	53.59	---	68.20	14.61	500.00	200.0	H	347.00	12
13812.50	54.57	---	68.20	13.63	500.00	200.0	H	1.00	12
14485.00	---	40.42	54.00	13.58	500.00	100.0	V	78.00	11
15706.25	---	38.79	54.00	15.21	500.00	200.0	H	234.00	8
17438.75	54.79	---	68.20	13.41	500.00	100.0	V	358.00	15

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH151




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.38	43.39	---	68.20	24.81	500.00	100.0	V	0.00	-4
1331.63	---	35.61	54.00	18.39	500.00	200.0	H	271.00	-3
1609.00	---	33.81	54.00	20.19	500.00	100.0	V	132.00	-2
1958.13	46.00	---	68.20	22.20	500.00	200.0	V	341.00	0
2662.50	52.77	---	68.20	15.43	500.00	200.0	V	166.00	2
2778.88	---	37.13	54.00	16.87	500.00	200.0	H	136.00	3
3331.00	50.49	---	68.20	17.71	500.00	100.0	V	84.00	4
3959.25	---	40.39	54.00	13.61	500.00	100.0	V	189.00	6
4431.75	50.25	---	68.20	17.95	500.00	200.0	H	95.00	7
5029.38	---	42.12	54.00	11.88	500.00	100.0	V	84.00	10
5410.00	---	42.53	54.00	11.47	500.00	200.0	H	130.00	10
5642.75	54.08	---	68.20	14.12	500.00	200.0	V	24.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8275.00	---	38.15	54.00	15.85	500.00	100.0	V	0.00	6
8922.50	49.76	---	68.20	18.44	500.00	200.0	H	135.00	6
9302.50	---	38.27	54.00	15.73	500.00	200.0	H	354.00	7
9972.50	51.40	---	68.20	16.80	500.00	100.0	V	1.00	8
10593.75	49.93	---	68.20	18.27	500.00	200.0	V	41.00	8
11670.00	---	40.22	54.00	13.78	500.00	200.0	V	220.00	9
13337.50	---	39.72	54.00	14.28	500.00	100.0	V	26.00	9
13732.50	50.59	---	68.20	17.61	500.00	100.0	V	10.00	10
14410.00	54.20	---	68.20	14.00	500.00	200.0	H	343.00	11
14490.00	---	40.75	54.00	13.25	500.00	200.0	V	26.00	11
15075.00	52.22	---	68.20	15.98	500.00	200.0	H	158.00	10
15708.75	---	39.64	54.00	14.36	500.00	200.0	H	128.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT40) CH159




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.63	43.90	---	68.20	24.30	500.00	100.0	V	322.00	-4
1398.13	---	34.12	54.00	19.88	500.00	100.0	V	0.00	-3
1680.75	---	33.24	54.00	20.76	500.00	200.0	V	1.00	-2
1931.00	45.80	---	68.20	22.40	500.00	200.0	V	328.00	0
2259.13	---	39.26	54.00	14.74	500.00	100.0	V	22.00	2
2605.63	48.20	---	68.20	20.00	500.00	200.0	H	104.00	3
3508.63	50.52	---	68.20	17.68	500.00	100.0	V	178.00	5
3821.88	---	39.32	54.00	14.68	500.00	100.0	H	0.00	5
5035.50	---	42.09	54.00	11.91	500.00	200.0	V	0.00	10
5319.00	53.52	---	68.20	14.68	500.00	200.0	H	234.00	10
7300.88	58.26	---	74.00	15.74	500.00	100.0	V	0.00	16
7310.50	---	46.71	54.00	7.29	500.00	100.0	V	351.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8126.25	---	38.29	54.00	15.71	500.00	100.0	H	0.00	6
8633.75	50.04	---	68.20	18.16	500.00	200.0	V	140.00	7
9308.75	---	38.14	54.00	15.86	500.00	100.0	V	200.00	7
9977.50	50.43	---	68.20	17.77	500.00	200.0	V	184.00	7
10593.75	51.07	---	68.20	17.13	500.00	100.0	H	0.00	8
11351.25	---	40.10	54.00	13.90	500.00	100.0	V	354.00	9
13336.25	---	41.08	54.00	12.92	500.00	100.0	V	0.00	11
13658.75	52.78	---	68.20	15.42	500.00	200.0	V	343.00	12
13915.00	54.58	---	68.20	13.62	500.00	100.0	H	0.00	12
14485.00	---	40.23	54.00	13.77	500.00	100.0	V	354.00	11
15726.25	---	38.87	54.00	15.13	500.00	200.0	H	0.00	8
17398.75	53.83	---	68.20	14.37	500.00	100.0	H	205.00	15

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.25	43.64	---	68.20	24.56	500.00	200.0	H	0.00	-4
1329.88	---	35.65	54.00	18.35	500.00	200.0	H	267.00	-3
1666.75	---	33.50	54.00	20.50	500.00	100.0	V	263.00	-2
1981.75	45.22	---	68.20	22.98	500.00	100.0	V	94.00	0
2661.63	52.35	---	68.20	15.85	500.00	100.0	V	211.00	2
2826.13	---	37.10	54.00	16.90	500.00	100.0	V	7.00	3
3314.38	50.01	---	68.20	18.19	500.00	100.0	V	211.00	4
3982.88	---	39.99	54.00	14.01	500.00	200.0	V	356.00	6
4458.88	50.62	---	68.20	17.58	500.00	200.0	H	118.00	7
4765.13	---	40.23	54.00	13.77	500.00	100.0	V	291.00	8
5137.88	---	44.84	54.00	9.16	500.00	100.0	H	35.00	10
5636.63	54.63	---	68.20	13.57	500.00	200.0	H	4.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8246.25	---	38.24	54.00	15.76	500.00	200.0	V	44.00	6
8693.75	49.78	---	68.20	18.42	500.00	100.0	V	118.00	7
9302.50	---	38.54	54.00	15.46	500.00	200.0	V	81.00	7
9966.25	51.38	---	68.20	16.82	500.00	200.0	V	27.00	8
10485.00	51.21	---	68.20	16.99	500.00	100.0	V	4.00	8
11077.50	---	40.25	54.00	13.75	500.00	200.0	H	318.00	9
13333.75	---	39.41	54.00	14.59	500.00	200.0	V	127.00	9
13731.25	50.81	---	68.20	17.39	500.00	100.0	V	164.00	10
14493.75	---	40.91	54.00	13.09	500.00	100.0	H	180.00	11
14581.25	53.01	---	68.20	15.19	500.00	200.0	H	318.00	11
15032.50	51.69	---	68.20	16.51	500.00	200.0	H	198.00	10
15740.00	---	38.85	54.00	15.15	500.00	200.0	H	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH58




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1244.13	44.20	---	68.20	24.00	500.00	100.0	V	17.00	-4
1329.88	---	35.25	54.00	18.75	500.00	100.0	V	159.00	-3
1694.75	---	33.32	54.00	20.68	500.00	200.0	H	347.00	-2
1962.50	46.25	---	68.20	21.95	500.00	200.0	V	150.00	0
2658.13	49.60	---	68.20	18.60	500.00	100.0	H	276.00	2
2771.88	---	36.86	54.00	17.14	500.00	200.0	H	355.00	3
3512.13	49.30	---	68.20	18.90	500.00	100.0	H	276.00	4
3966.25	---	40.01	54.00	13.99	500.00	100.0	V	213.00	7
4438.75	50.15	---	68.20	18.05	500.00	200.0	H	102.00	7
5045.13	---	42.06	54.00	11.94	500.00	100.0	H	358.00	10
5388.13	---	44.65	54.00	9.35	500.00	200.0	H	21.00	10
5610.38	54.07	---	68.20	14.13	500.00	200.0	V	80.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8293.75	---	38.58	54.00	15.42	500.00	100.0	H	162.00	6
8655.00	49.97	---	68.20	18.23	500.00	100.0	H	277.00	7
9350.00	---	38.34	54.00	15.66	500.00	200.0	H	313.00	7
10003.75	50.70	---	68.20	17.50	500.00	100.0	V	126.00	8
10592.50	49.99	---	68.20	18.21	500.00	200.0	H	162.00	8
11078.75	---	40.37	54.00	13.63	500.00	100.0	H	246.00	9
13351.25	---	39.51	54.00	14.49	500.00	200.0	H	358.00	9
13637.50	50.91	---	68.20	17.30	500.00	100.0	H	0.00	10
13881.25	53.50	---	68.20	14.70	500.00	200.0	V	264.00	11
14490.00	---	41.31	54.00	12.69	500.00	200.0	V	200.00	11
15052.50	52.90	---	68.20	15.30	500.00	200.0	H	352.00	10
15708.75	---	40.15	54.00	13.85	500.00	200.0	H	78.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH106

Distance:

3m




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1281.75	44.41	---	68.20	23.79	500.00	200.0	H	144.00	-4
1329.88	---	35.43	54.00	18.57	500.00	200.0	V	159.00	-3
1707.00	---	33.89	54.00	20.11	500.00	100.0	V	78.00	-2
1984.38	45.54	---	68.20	22.66	500.00	200.0	V	152.00	0
2661.63	52.87	---	68.20	15.33	500.00	100.0	V	166.00	2
2777.13	---	36.98	54.00	17.02	500.00	100.0	H	359.00	3
3371.25	49.83	---	68.20	18.37	500.00	200.0	H	0.00	4
3985.50	---	40.18	54.00	13.82	500.00	100.0	V	159.00	6
4444.00	50.15	---	68.20	18.05	500.00	100.0	H	350.00	7
5039.88	---	42.01	54.00	11.99	500.00	200.0	H	259.00	10
5417.00	---	46.60	54.00	7.40	500.00	200.0	H	27.00	10
5469.50	54.81	---	68.20	13.39	500.00	200.0	H	19.00	10

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8215.00	---	38.26	54.00	15.74	500.00	200.0	V	172.00	7
8696.25	49.59	---	68.20	18.61	500.00	100.0	H	86.00	7
9303.75	---	38.52	54.00	15.48	500.00	100.0	H	356.00	7
9967.50	50.85	---	68.20	17.35	500.00	200.0	H	307.00	8
10485.00	49.97	---	68.20	18.23	500.00	100.0	V	3.00	8
11373.75	---	40.51	54.00	13.49	500.00	200.0	H	214.00	9
13368.75	---	39.98	54.00	14.02	500.00	200.0	V	36.00	9
13502.50	51.72	---	68.20	16.48	500.00	100.0	H	250.00	10
14435.00	54.22	---	68.20	13.98	500.00	100.0	V	194.00	11
14487.50	---	41.78	54.00	12.22	500.00	200.0	H	150.00	11
15076.25	52.51	---	68.20	15.69	500.00	200.0	H	335.00	10
15706.25	---	40.17	54.00	13.83	500.00	200.0	H	354.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH122




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1171.50	---	33.83	54.00	20.17	500.00	100.0	V	322.00	-4
1242.38	43.97	---	68.20	24.23	500.00	100.0	H	0.00	-4
1672.88	---	33.37	54.00	20.63	500.00	200.0	V	127.00	-2
1974.75	46.11	---	68.20	22.09	500.00	100.0	V	23.00	0
2225.00	---	37.22	54.00	16.78	500.00	100.0	V	23.00	1
2566.25	47.83	---	68.20	20.37	500.00	200.0	V	4.00	3
3529.63	49.86	---	68.20	18.34	500.00	100.0	V	95.00	5
3822.75	---	39.26	54.00	14.74	500.00	100.0	H	0.00	5
5023.25	---	42.22	54.00	11.78	500.00	200.0	H	255.00	10
5326.00	53.68	---	68.20	14.52	500.00	200.0	V	199.00	10
7256.25	---	45.24	54.00	8.76	500.00	200.0	H	317.00	15
7256.25	55.89	---	74.00	18.11	500.00	100.0	H	84.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8428.75	---	38.35	54.00	15.65	500.00	200.0	V	4.00	6
8826.25	50.05	---	68.20	18.15	500.00	200.0	V	7.00	6
9343.75	---	38.82	54.00	15.18	500.00	200.0	V	2.00	7
10348.75	51.44	---	68.20	16.76	500.00	100.0	V	124.00	8
10586.25	51.30	---	68.20	16.90	500.00	200.0	H	235.00	8
11315.00	---	40.86	54.00	13.14	500.00	200.0	H	316.00	9
13336.25	---	41.50	54.00	12.50	500.00	200.0	H	340.00	11
13557.50	52.94	---	68.20	15.26	500.00	100.0	V	155.00	12
14482.50	---	42.25	54.00	11.75	500.00	100.0	V	313.00	11
14965.00	54.23	---	68.20	13.97	500.00	100.0	V	275.00	10
15942.50	49.12	---	74.00	24.88	500.00	100.0	V	231.00	7
15945.00	---	38.44	54.00	15.56	500.00	100.0	V	155.00	7

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH138




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.50	43.55	---	68.20	24.65	500.00	100.0	V	12.00	-4
1397.25	---	33.81	54.00	20.19	500.00	100.0	V	2.00	-3
1683.38	---	33.25	54.00	20.75	500.00	100.0	V	247.00	-2
1947.63	45.97	---	68.20	22.23	500.00	200.0	V	199.00	0
2214.50	---	38.06	54.00	15.94	500.00	100.0	V	0.00	1
2437.63	48.40	---	68.20	19.80	500.00	200.0	V	329.00	2
3418.50	49.94	---	68.20	18.26	500.00	200.0	V	171.00	4
3947.88	---	39.86	54.00	14.14	500.00	100.0	V	346.00	6
5137.00	---	42.20	54.00	11.80	500.00	200.0	H	115.00	10
5228.88	53.80	---	68.20	14.40	500.00	200.0	V	24.00	9
7271.13	---	46.98	54.00	7.02	500.00	100.0	V	275.00	15
7281.63	57.48	---	74.00	16.52	500.00	200.0	H	300.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8386.25	---	38.37	54.00	15.63	500.00	100.0	H	42.00	7
8705.00	50.12	---	68.20	18.08	500.00	100.0	H	0.00	7
9313.75	---	38.70	54.00	15.30	500.00	200.0	H	189.00	7
10082.50	51.57	---	68.20	16.63	500.00	200.0	H	114.00	7
10600.00	51.62	---	68.20	16.59	500.00	100.0	H	76.00	8
11630.00	---	40.89	54.00	13.11	500.00	200.0	V	67.00	9
13301.25	---	41.59	54.00	12.41	500.00	100.0	V	50.00	11
13466.25	52.92	---	68.20	15.28	500.00	200.0	H	6.00	11
14416.25	54.10	---	68.20	14.10	500.00	100.0	V	353.00	11
14487.50	---	42.08	54.00	11.92	500.00	200.0	H	358.00	11
15780.00	---	39.95	54.00	14.05	500.00	100.0	H	0.00	8
16127.50	49.45	---	74.00	24.55	500.00	100.0	V	345.00	8

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.38	44.02	---	68.20	24.18	500.00	100.0	H	197.00	-4
1329.00	---	37.15	54.00	16.85	500.00	200.0	V	154.00	-3
1696.50	---	33.65	54.00	20.35	500.00	100.0	V	5.00	-2
1950.25	46.05	---	68.20	22.15	500.00	200.0	V	215.00	0
2653.75	54.30	---	68.20	13.90	500.00	200.0	H	68.00	2
2770.13	---	37.05	54.00	16.95	500.00	200.0	V	46.00	3
3526.13	49.95	---	68.20	18.25	500.00	100.0	V	99.00	4
3982.88	---	40.32	54.00	13.68	500.00	100.0	V	174.00	6
4445.75	50.96	---	68.20	17.24	500.00	200.0	V	7.00	7
4963.75	---	41.30	54.00	12.70	500.00	200.0	H	0.00	9
5442.38	---	42.56	54.00	11.44	500.00	200.0	H	264.00	10
5600.75	54.60	---	68.20	13.60	500.00	200.0	V	3.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8316.25	---	38.33	54.00	15.67	500.00	100.0	H	229.00	6
8751.25	49.71	---	68.20	18.49	500.00	200.0	V	295.00	7
9310.00	---	38.68	54.00	15.32	500.00	100.0	V	3.00	7
10043.75	51.19	---	68.20	17.01	500.00	200.0	V	7.00	8
10515.00	50.57	---	68.20	17.63	500.00	100.0	V	5.00	8
11668.75	---	41.27	54.00	12.73	500.00	100.0	H	294.00	9
13360.00	---	41.00	54.00	13.00	500.00	200.0	V	128.00	9
13482.50	52.36	---	68.20	15.84	500.00	200.0	V	256.00	10
14390.00	54.79	---	68.20	13.41	500.00	100.0	V	325.00	11
14480.00	---	42.50	54.00	11.50	500.00	200.0	V	128.00	11
15025.00	54.21	---	68.20	13.99	500.00	200.0	V	185.00	10
15738.75	---	40.58	54.00	13.42	500.00	200.0	V	50.00	9


Radiates Emission from 8GHz to 18GHz

During the test, the Radiates Emission from 18GHz to 40GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Radiates Emission from 18GHz to 26.5GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18141.312500	---	35.11	54.00	18.89	500.0	200.0	H	49.0	-5.8
18296.437500	46.49	---	74.00	27.51	500.0	100.0	H	283.0	-5.8
20386.375000	---	35.18	54.00	18.82	500.0	100.0	V	237.0	-5.2
20421.437500	47.38	---	74.00	26.62	500.0	200.0	H	24.0	-5.1
20978.187500	47.73	---	74.00	26.27	500.0	100.0	V	88.0	-4.6
21163.062500	---	36.24	54.00	17.76	500.0	100.0	V	78.0	-4.2
22524.125000	---	36.64	54.00	17.36	500.0	100.0	V	0.0	-3.4
22575.125000	48.48	---	74.00	25.52	500.0	200.0	H	189.0	-3.4
24358.000000	48.10	---	74.00	25.90	500.0	200.0	H	85.0	-3.1
24832.937500	---	36.38	54.00	17.62	500.0	100.0	V	279.0	-2.8
25456.625000	48.07	---	74.00	25.93	500.0	200.0	H	72.0	-2.5
25743.500000	---	36.58	54.00	17.42	500.0	100.0	V	298.0	-2.4



Radiates Emission from 26.5GHz to 40GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
27451.750000	---	38.52	54.00	15.48	500.0	200.0	H	112.0	-0.3
27453.437500	49.77	---	74.00	24.23	500.0	200.0	H	116.0	-0.3
29011.000000	---	38.45	54.00	15.55	500.0	100.0	H	14.0	0.1
29591.500000	50.10	---	74.00	23.90	500.0	100.0	V	25.0	-0.4
31695.812500	---	39.19	54.00	14.81	500.0	100.0	H	0.0	-1.4
32114.312500	50.71	---	74.00	23.29	500.0	100.0	H	313.0	-0.9
34581.437500	51.14	---	74.00	22.86	500.0	200.0	H	33.0	0.9
34763.687500	---	39.59	54.00	14.41	500.0	200.0	V	221.0	1.2
37030.000000	---	41.73	54.00	12.27	500.0	200.0	H	116.0	3.7
37165.000000	53.26	---	74.00	20.74	500.0	100.0	V	108.0	3.5
39524.125000	---	43.97	54.00	10.03	500.0	100.0	V	231.0	4.9
39595.000000	55.58	---	74.00	18.42	500.0	100.0	H	157.0	4.4

5.6. Conducted Emission

Ambient condition


Temperature	Relative humidity	Pressure
15°C ~ 35°C	20% ~ 80%	86 kPa ~ 106 kPa

Methods of Measurement

The EUT IS placed on a non-metallic table of 80cm height above the horizontal metal reference ground plane. During the test, the EUT was operating in its typical mode. The test method is according to ANSI C63.10. Connect the AC power line of the EUT to the LISN Use EMI receiver to detect the average and Quasi-peak value. RBW is set to 9kHz, VBW is set to 30kHz The measurement result should include both L line and N line.

The test is in transmitting mode.

Test Setup



Note: AC Power source is used to change the voltage 110V/60Hz.

Limits

Frequency (MHz)	Conducted Limits(dB μ V)	
	Quasi-peak	Average
0.15 - 0.5	66 to 56 *	56 to 46*
0.5 - 5	56	46
5 - 30	60	50
*: Decreases with the logarithm of the frequency.		

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor $k = 1.96$, $U = 2.69$ dB.

Test Results:

During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.267	42.83	61.21	18.38	35.80	51.21	15.41	20.96	L1	9.000	1.000
0.805	32.46	56.00	23.54	16.37	46.00	29.63	20.32	L1	9.000	1.000
2.119	23.22	56.00	32.78	10.72	46.00	35.28	19.62	L1	9.000	1.000
5.210	22.42	60.00	37.58	13.31	50.00	36.69	19.40	L1	9.000	1.000
13.558	18.01	60.00	41.99	11.73	50.00	38.27	19.46	L1	9.000	1.000
28.601	16.71	60.00	43.29	11.01	50.00	38.99	19.81	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.267	42.88	61.21	18.33	34.69	51.21	16.52	20.97	N	9.000	1.000
0.526	40.70	56.00	15.30	24.23	46.00	21.77	20.76	N	9.000	1.000
0.809	32.52	56.00	23.48	16.62	46.00	29.38	20.33	N	9.000	1.000
2.895	20.00	56.00	36.00	10.54	46.00	35.46	19.51	N	9.000	1.000
7.692	16.92	60.00	43.08	11.38	50.00	38.62	19.41	N	9.000	1.000
25.044	15.58	60.00	44.42	10.45	50.00	39.55	19.87	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

6. Main Test Instruments

Date of Testing: May 14, 2025 ~ July 4, 2025

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power sensor	R&S	NRP18S	101954	2025-05-06	2026-05-05
DC Power Supply	UNI-T	UTP1306S+	2205D0517426	2024-12-02	2025-12-01
Climate Chamber	ESPEC	SU-242	93000506	2024-12-02	2025-12-01

Date of Testing: April 18, 2025 ~ April 25, 2025

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
EMI Test Receiver	R&S	ESCI3	100948	2024-05-07	2025-05-06
Signal Analyzer	R&S	FSV40	101186	2024-05-07	2025-05-06
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	SCHWARZBECK	BBHA 9120D	430	2024-07-18	2027-07-17
Amplifier	MWPA.CN	MWLA-010200 G40	YQ2103039B01	2024-05-07	2025-05-06
Horn Antenna	ETS-Lindgren	3160-09	00102643	2024-09-24	2027-09-23
Horn Antenna	STEATITE	QSH-SL-26-40 -K-15	16779	2023-01-17	2026-01-16
Amplifier	MicroWave	KLNA-180400 50	220826001	2024-05-08	2025-05-07
Software	R&S	EMC32	9.26.01	/	/

Date of Testing: August 1, 2025 ~ August 18, 2025

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
EMI Test Receiver	R&S	ESCI3	100948	2025-05-07	2026-05-06
Signal Analyzer	R&S	FSV40	101186	2025-05-06	2026-05-05
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	SCHWARZBECK	BBHA 9120D	430	2024-07-18	2027-07-17
Amplifier	R&S	SCU18F	101022	2025-05-06	2026-05-05
Software	R&S	EMC32	9.26.01	/	/
Artificial main network	R&S	ENV216	102191	2024-12-02	2026-12-01
EMI Test Receiver	R&S	ESR	101667	2025-05-06	2026-05-05
Software	R&S	EMC32	10.35.10	/	/

ANNEX A: The EUT Appearance

The EUT Appearance are submitted separately.

ANNEX B: Test Setup Photos

The Test Setup Photos are submitted separately.

***** END OF REPORT *****