

LTE Cat M1

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
CAT.M_B2_20M_CH19100	112.006	-61.24	-58.43	2.81	-13.00	45.43	V
	879.6598	-59.40	-50.58	8.82	-13.00	37.58	H
	3784.0000	-71.63	-57.24	14.39	-13.00	44.24	V
	5676.0000	-72.48	-53.92	18.56	-13.00	40.92	H
	7568.0000	-73.16	-49.70	23.46	-13.00	36.70	H
	9460.0000	-79.15	-55.49	23.66	-13.00	42.49	V
	11352.0000	-79.65	-54.30	25.35	-13.00	41.30	V
	13244.0000	-79.91	-53.75	26.16	-13.00	40.75	V
	15136.0000	-80.49	-51.70	28.79	-13.00	38.70	V
	17028.0000	-80.70	-46.96	33.74	-13.00	33.96	V
CAT.M_B4_20M_CH20050	119.7699	-62.62	-65.11	-2.49	-13.00	52.11	V
	479.8199	-59.17	-60.06	-0.89	-13.00	47.06	H
	3440.0000	-71.06	-58.14	12.92	-13.00	45.14	H
	5160.0000	-72.73	-54.57	18.16	-13.00	41.57	H
	6880.0000	-72.79	-51.10	21.69	-13.00	38.10	H
	8600.0000	-77.29	-55.31	21.98	-13.00	42.31	H
	10320.0000	-79.16	-54.34	24.82	-13.00	41.34	V
	12040.0000	-79.51	-54.06	25.45	-13.00	41.06	V
	13760.0000	-80.13	-53.66	26.47	-13.00	40.66	V
	15480.0000	-79.87	-50.56	29.31	-13.00	37.56	V
	17200.0000	-80.39	-47.14	33.25	-13.00	34.14	V
CAT.M_B5_10M_CH20600	112.006	-61.17	-58.36	2.81	-13.00	45.36	V
	889.8499	-55.38	-47.31	8.07	-13.00	34.31	H
	1680.0000	-64.91	-49.51	15.40	-13.00	36.51	V
	2520.0000	-69.85	-47.77	22.08	-13.00	34.77	H
	3360.0000	-70.95	-57.87	13.08	-13.00	44.87	V
	4200.0000	-71.90	-56.28	15.62	-13.00	43.28	V
	5040.0000	-72.40	-54.49	17.91	-13.00	41.49	H

	5880.0000	-72.26	-52.61	19.65	-13.00	39.61	H
	6720.0000	-72.89	-51.83	21.06	-13.00	38.83	H
	7560.0000	-73.18	-49.20	23.98	-13.00	36.20	V
	8400.0000	-77.88	-55.11	22.77	-13.00	42.11	H
CAT.M_B12_10M_CH23130	111.5208	-61.13	-58.13	3.00	-13.00	45.13	V
	883.0565	-59.34	-50.69	8.65	-13.00	37.69	H
	1414.0000	-71.48	-56.28	15.20	-13.00	43.28	V
	2121.0000	-70.78	-50.48	20.30	-13.00	37.48	H
	2828.0000	-70.39	-47.64	22.75	-13.00	34.64	H
	3535.0000	-71.15	-57.85	13.30	-13.00	44.85	H
	4242.0000	-72.17	-56.34	15.83	-13.00	43.34	V
	4949.0000	-72.33	-55.28	17.05	-13.00	42.28	H
	5656.0000	-72.33	-53.40	18.93	-13.00	40.40	V
	6363.0000	-72.11	-51.85	20.26	-13.00	38.85	H
	7070.0000	-73.75	-51.59	22.16	-13.00	38.59	H
CAT.M_B13_10M_CH23230	111.5208	-60.95	-57.95	3.00	-13.00	44.95	V
	884.027	-59.00	-50.39	8.61	-13.00	37.39	H
CAT.M_B13_5M_CH23230	1560.0000	-65.50	-51.48	14.02	-40.00	11.48	V
	2340.0000	-70.60	-50.00	20.60	-13.00	37.00	H
	3120.0000	-70.95	-57.94	13.01	-13.00	44.94	V
	3900.0000	-71.78	-56.77	15.01	-13.00	43.77	H
	4680.0000	-72.20	-55.83	16.37	-13.00	42.83	H
	5460.0000	-72.23	-53.71	18.52	-13.00	40.71	H
	6240.0000	-72.20	-52.06	20.14	-13.00	39.06	H
	7020.0000	-73.08	-51.62	21.46	-13.00	38.62	H
	7800.0000	-73.88	-49.66	24.22	-13.00	36.66	H
CAT.M_B13_5M_CH23255	1566.0000	-67.36	-53.31	14.05	-40.00	13.31	V
	2349.0000	-70.54	-50.14	20.40	-13.00	37.14	V
	3132.0000	-70.59	-57.48	13.11	-13.00	44.48	V
	3915.0000	-71.58	-56.55	15.03	-13.00	43.55	V
	4698.0000	-72.53	-55.48	17.05	-13.00	42.48	H
	5481.0000	-72.13	-53.40	18.73	-13.00	40.40	V

	6264.0000	-72.07	-51.56	20.51	-13.00	38.56	H
	7047.0000	-73.52	-51.39	22.13	-13.00	38.39	H
	7830.0000	-73.95	-49.48	24.47	-13.00	36.48	H
CAT.M_B25_20M_CH26590	119.7699	-62.72	-65.21	-2.49	-13.00	52.21	V
	479.8199	-59.38	-60.27	-0.89	-13.00	47.27	H
	3794.0000	-72.16	-57.69	14.47	-13.00	44.69	V
	5691.0000	-73.78	-55.23	18.55	-13.00	42.23	H
	7588.0000	-73.95	-49.81	24.14	-13.00	36.81	H
	9485.0000	-84.21	-60.67	23.54	-13.00	47.67	V
	11382.0000	-84.65	-59.10	25.55	-13.00	46.10	V
	13279.0000	-85.07	-58.92	26.15	-13.00	45.92	V
	15176.0000	-85.81	-56.82	28.99	-13.00	43.82	V
	17073.0000	-89.31	-55.65	33.66	-13.00	42.65	V
CAT.M_B26_10M_CH26740	112.4912	-61.10	-58.50	2.60	-13.00	45.50	V
	962.1511	-59.11	-51.29	7.82	-13.00	38.29	V
	1630.0000	-65.05	-50.34	14.71	-13.00	37.34	V
	2445.0000	-69.92	-48.91	21.01	-13.00	35.91	V
	3260.0000	-70.50	-57.73	12.77	-13.00	44.73	V
	4075.0000	-72.23	-55.73	16.50	-13.00	42.73	H
	4890.0000	-72.43	-55.93	16.50	-13.00	42.93	H
	5705.0000	-72.29	-52.90	19.39	-13.00	39.90	H
	6520.0000	-73.06	-51.53	21.53	-13.00	38.53	H
	7335.0000	-73.26	-49.96	23.30	-13.00	36.96	H
	8150.0000	-78.70	-57.59	21.11	-13.00	44.59	H
CAT.M_B26_15M_CH26865	112.4912	-60.71	-58.11	2.60	-13.00	45.11	V
	879.1746	-56.81	-47.96	8.85	-13.00	34.96	H
	1650.0000	-63.88	-49.29	14.59	-13.00	36.29	V
	2475.0000	-69.99	-48.52	21.47	-13.00	35.52	V
	3300.0000	-70.90	-58.08	12.82	-13.00	45.08	V
	4125.0000	-71.99	-56.21	15.78	-13.00	43.21	H
	4950.0000	-72.43	-55.33	17.10	-13.00	42.33	H
	5775.0000	-72.28	-52.53	19.75	-13.00	39.53	H

	6600.0000	-72.85	-52.06	20.79	-13.00	39.06	H
	7425.0000	-72.57	-49.78	22.79	-13.00	36.78	H
	8250.0000	-78.36	-56.75	21.61	-13.00	43.75	H
CAT.M_B66_20M_CH132572	111.0355	-61.00	-58.07	2.93	-13.00	45.07	V
	881.1156	-59.07	-50.32	8.75	-13.00	37.32	H
	3524.0000	-71.29	-58.13	13.16	-13.00	45.13	V
	5286.0000	-72.29	-53.49	18.80	-13.00	40.49	H
	7048.0000	-73.57	-51.44	22.13	-13.00	38.44	H
	8810.0000	-76.56	-54.31	22.25	-13.00	41.31	V
	10572.0000	-78.92	-53.61	25.31	-13.00	40.61	V
	12334.0000	-79.46	-54.20	25.26	-13.00	41.20	V
	14096.0000	-79.28	-53.01	26.27	-13.00	40.01	V
	15858.0000	-79.26	-48.64	30.62	-13.00	35.64	H
	17620.0000	-79.19	-44.12	35.07	-13.00	31.12	H
CAT.M_B85_10M_CH134132	110.5503	-60.49	-57.68	2.81	-13.00	44.68	V
	885.4827	-59.30	-50.76	8.54	-13.00	37.76	H
	1414.0000	-70.73	-55.53	15.20	-13.00	42.53	V
	2121.0000	-69.35	-49.06	20.29	-13.00	36.06	H
	2828.0000	-69.57	-46.80	22.77	-13.00	33.80	H
	3535.0000	-71.32	-58.02	13.30	-13.00	45.02	H
	4242.0000	-72.18	-56.35	15.83	-13.00	43.35	V
	4949.0000	-72.45	-55.40	17.05	-13.00	42.40	H
	5656.0000	-72.32	-53.38	18.94	-13.00	40.38	H
	6363.0000	-72.08	-51.82	20.26	-13.00	38.82	H
	7070.0000	-73.19	-51.03	22.16	-13.00	38.03	H

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal