


Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	105.30	-84.97	20.33	-	-	Horizontal	NA
2	2933.40	35.85	-80.21	-44.36	-13.00	31.36	Horizontal	PASS
3	3742.00	47.12	-107.43	-60.31	-13.00	47.31	Horizontal	PASS
4	17342.00	33.53	-82.77	-49.24	-13.00	36.24	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	110.12	-84.97	25.15	-	-	Vertical	NA
2	2961.40	35.52	-79.96	-44.44	-13.00	31.44	Vertical	PASS
3	3742.00	48.32	-107.43	-59.11	-13.00	46.11	Vertical	PASS
4	7484.00	41.99	-96.83	-54.84	-13.00	41.84	Vertical	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.56	-85.28	22.28	-	-	Horizontal	NA
2	2994.80	35.85	-80.23	-44.38	-13.00	31.38	Horizontal	PASS
3	3447.00	56.53	-107.30	-50.77	-13.00	37.77	Horizontal	PASS
4	17364.00	33.64	-82.95	-49.31	-13.00	36.31	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	106.23	-85.28	20.95	-	-	Vertical	NA
2	2976.00	35.71	-79.92	-44.21	-13.00	31.21	Vertical	PASS
3	3447.00	56.09	-107.30	-51.21	-13.00	38.21	Vertical	PASS
4	13789.00	39.96	-87.56	-47.60	-13.00	34.60	Vertical	PASS

Project Information

Mode:	LTE	Band:	5
Bandwidth	10MHz	Channel	Mid
SN:	866963080001755	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	832.09	87.13	-64.40	22.73	-	-	Horizontal	NA
2	882.29	20.25	-63.39	-43.14	-	-	Horizontal	NA

Project Information

Mode:	LTE	Band:	5
Bandwidth	10MHz	Channel	Mid
SN:	866963080001755	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	832.09	85.43	-64.68	20.75	-	-	Vertical	NA
2	877.49	22.71	-63.32	-40.61	-	-	Vertical	NA

Project Information

Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.27	56.31	-114.12	-57.81	-13.00	44.81	Horizontal	PASS
2	4570.40	40.02	-104.11	-64.09	-13.00	51.09	Horizontal	PASS
3	8910.40	37.28	-93.36	-56.08	-13.00	43.08	Horizontal	PASS

Project Information

Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.27	60.00	-114.12	-54.12	-13.00	41.12	Vertical	PASS
2	8056.00	37.59	-95.42	-57.83	-13.00	44.83	Vertical	PASS
3	8880.00	37.07	-93.05	-55.98	-13.00	42.98	Vertical	PASS

Project Information

Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	106.10	-83.04	23.06	-	-	Horizontal	NA
2	2968.60	36.43	-79.93	-43.50	-25.00	18.50	Horizontal	PASS
3	5052.00	41.48	-102.82	-61.34	-25.00	36.34	Horizontal	PASS
4	12630.50	36.37	-90.18	-53.81	-25.00	28.81	Horizontal	PASS

Project Information

Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	105.79	-83.04	22.75	-	-	Vertical	NA
2	2990.80	36.99	-80.17	-43.18	-25.00	18.18	Vertical	PASS
3	5052.00	45.68	-102.82	-57.14	-25.00	32.14	Vertical	PASS
4	12630.50	41.43	-90.18	-48.75	-25.00	23.75	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	109.46	-85.18	24.28	-	-	Horizontal	NA
2	2975.40	35.46	-79.91	-44.45	-13.00	31.45	Horizontal	PASS
3	3472.00	58.56	-107.15	-48.59	-13.00	35.59	Horizontal	PASS
4	17335.50	33.47	-83.06	-49.59	-13.00	36.59	Horizontal	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866963080001755	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1718.40	55.24	-85.31	-30.07	-	-	Vertical	NA
2	2957.80	35.88	-79.98	-44.10	-13.00	31.10	Vertical	PASS
3	3472.00	57.76	-107.15	-49.39	-13.00	36.39	Vertical	PASS
4	13888.50	38.92	-87.19	-48.27	-13.00	35.27	Vertical	PASS

~The End~