





11be20MIMO-Ant1-2412-0~Reference-PASS




11be20MIMO-Ant2-2412-0~Reference-PASS




11be20MIMO-Ant1-2412-30~1000-PASS




11be20MIMO-Ant2-2412-30~1000-PASS



11be20MIMO-Ant1-2412-1000~26500-PASS



11be20MIMO-Ant2-2412-1000~26500-PASS







11be20MIMO-Ant1-2462-0~Reference-PASS




11be20MIMO-Ant2-2462-0~Reference-PASS




11be20MIMO-Ant1-2462-30~1000-PASS




11be20MIMO-Ant2-2462-30~1000-PASS








11be20MIMO-Ant1-2462-1000~26500-PASS



11be20MIMO-Ant2-2462-1000~26500-PASS









Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11b-CDD	Ant1	2412	1.01	1.02	99.02	0.04
11b-CDD	Ant2	2412	1.01	1.03	98.06	0.09
11b-CDD	Ant1	2437	1.00	1.02	98.04	0.09
11b-CDD	Ant2	2437	1.00	1.02	98.04	0.09
11b-CDD	Ant1	2462	1.01	1.03	98.06	0.09
11b-CDD	Ant2	2462	1.00	1.03	97.09	0.13
11g-CDD	Ant1	2412	2.10	2.12	99.06	0.04
11g-CDD	Ant2	2412	2.09	2.11	99.05	0.04
11g-CDD	Ant1	2437	2.10	2.12	99.06	0.04
11g-CDD	Ant2	2437	2.10	2.12	99.06	0.04
11g-CDD	Ant1	2462	2.09	2.11	99.05	0.04
11g-CDD	Ant2	2462	2.10	2.12	99.06	0.04
11be20MIMO	Ant1	2412	5.46	5.47	99.82	0.01
11be20MIMO	Ant2	2412	5.46	5.48	99.64	0.02
11be20MIMO	Ant1	2437	5.45	5.48	99.45	0.02
11be20MIMO	Ant2	2437	5.45	5.46	99.82	0.01
11be20MIMO	Ant1	2462	5.45	5.47	99.63	0.02
11be20MIMO	Ant2	2462	5.45	5.47	99.63	0.02
11be40MIMO	Ant1	2422	5.45	5.47	99.63	0.02
11be40MIMO	Ant2	2422	5.44	5.46	99.63	0.02
11be40MIMO	Ant1	2437	5.45	5.47	99.63	0.02
11be40MIMO	Ant2	2437	5.45	5.47	99.63	0.02
11be40MIMO	Ant1	2452	5.46	5.48	99.64	0.02
11be40MIMO	Ant2	2452	5.45	5.47	99.63	0.02

Test Graphs







NTNV-11g-CDD-Ant1-2412




NTNV-11g-CDD-Ant2-2412




NTNV-11g-CDD-Ant1-2437




NTNV-11g-CDD-Ant2-2437




NTNV-11g-CDD-Ant1-2462




NTNV-11g-CDD-Ant2-2462




NTNV-11be20MIMO-Ant1-2412




NTNV-11be20MIMO-Ant2-2412




NTNV-11be20MIMO-Ant1-2437




NTNV-11be20MIMO-Ant2-2437



NTNV-11be20MIMO-Ant1-2462



NTNV-11be20MIMO-Ant2-2462




RU-WLAN

Band edge measurements Test Result

TestMode	Antenna	ChName	Frequency[MHz]	Ru Size	Ru Index	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11be20MIMO	Ant1	Low	2412	26Tone	RU0	10.86	-37.63	≤-19.15	PASS
11be20MIMO	Ant2	Low	2412	26Tone	RU0	10.79	-34.7	≤-19.21	PASS
11be20MIMO	Ant2	Low	2412	26Tone	RU8	11.44	-32.35	≤-18.56	PASS
11be20MIMO	Ant1	Low	2412	52Tone	RU37	8.49	-32.29	≤-21.51	PASS
11be20MIMO	Ant2	Low	2412	52Tone	RU37	8.47	-30.83	≤-21.53	PASS
11be20MIMO	Ant1	Low	2412	106Tone	RU53	5.29	-33.09	≤-24.71	PASS
11be20MIMO	Ant2	Low	2412	106Tone	RU53	5.68	-31.55	≤-24.33	PASS
11be20MIMO	Ant1	High	2462	26Tone	RU8	11.35	-49.95	≤-18.65	PASS
11be20MIMO	Ant2	High	2462	26Tone	RU8	10.24	-36.04	≤-19.76	PASS
11be20MIMO	Ant1	High	2462	52Tone	RU40	8.40	-46.84	≤-21.6	PASS
11be20MIMO	Ant2	High	2462	52Tone	RU40	7.84	-34.7	≤-22.16	PASS
11be20MIMO	Ant1	High	2462	106Tone	RU54	5.37	-48.06	≤-24.64	PASS
11be20MIMO	Ant2	High	2462	106Tone	RU54	5.11	-38.99	≤-24.89	PASS
11be40MIMO	Ant1	Low	2422	242Tone	RU61	3.43	-30.31	≤-26.57	PASS
11be40MIMO	Ant2	Low	2422	242Tone	RU61	2.71	-30.1	≤-27.29	PASS
11be40MIMO	Ant1	High	2452	242Tone	RU62	2.54	-46.31	≤-27.46	PASS
11be40MIMO	Ant2	High	2452	242Tone	RU62	3.19	-42.5	≤-26.81	PASS

Test Graphs





11be20MIMO-Ant2-2412-106Tone-RU53-PASS



11be20MIMO-Ant1-2462-26Tone-RU8-PASS



11be20MIMO-Ant2-2462-26Tone-RU8-PASS



11be20MIMO-Ant1-2462-52Tone-RU40-PASS



11be20MIMO-Ant2-2462-52Tone-RU40-PASS



11be20MIMO-Ant1-2462-106Tone-RU54-PASS



11be20MIMO-Ant2-2462-106Tone-RU54-PASS



11be40MIMO-Ant1-2422-242Tone-RU61-PASS



11be40MIMO-Ant2-2422-242Tone-RU61-PASS



11be40MIMO-Ant1-2452-242Tone-RU62-PASS



11be40MIMO-Ant2-2452-242Tone-RU62-PASS

Maximum conducted output power

Test Result

Test Mode	Frequency [MHz]	RU#Size	RU#Index	Average Ant1(dBm)	Average Ant2(dBm)	Average Total (dBm)	Limit (dBm)	Verdict
11be20(MIMO)	2412	26	0	12.123	13.146	15.67	≤30.00	PASS
	2437	26	0	13.693	13.459	16.59	≤30.00	PASS
	2462	26	8	13.612	13.369	16.50	≤30.00	PASS
	2412	52	37	12.073	12.337	15.22	≤30.00	PASS
	2437	52	37	13.212	13.126	16.18	≤30.00	PASS
	2462	52	40	13.304	13.075	16.20	≤30.00	PASS
	2412	106	53	11.956	12.306	15.14	≤30.00	PASS
	2437	106	53	13.255	13.109	16.19	≤30.00	PASS
	2462	106	54	13.269	12.979	16.14	≤30.00	PASS
11be40(MIMO)	2422	242	61	12.195	12.411	15.31	≤30.00	PASS
	2437	242	61	12.283	12.505	15.41	≤30.00	PASS
	2452	242	62	12.281	12.417	15.36	≤30.00	PASS


Test Mode	Frequency [MHz]	RU#Size	RU#Index	Peak Ant1(dBm)	Peak Ant2(dBm)	Peak Total (dBm)	Limit (dBm)	Verdict
11be20(MIMO)	2412	26	0	17.839	17.905	20.88	≤30.00	PASS
	2437	26	0	18.756	17.933	21.37	≤30.00	PASS
	2462	26	8	17.924	17.383	20.67	≤30.00	PASS
	2412	52	37	18.357	17.881	21.14	≤30.00	PASS
	2437	52	37	17.969	17.649	20.82	≤30.00	PASS
	2462	52	40	18.736	17.769	21.29	≤30.00	PASS
	2412	106	53	18.587	17.654	21.16	≤30.00	PASS
	2437	106	53	17.791	17.562	20.69	≤30.00	PASS
	2462	106	54	17.954	17.349	20.67	≤30.00	PASS
11be40(MIMO)	2422	242	61	18.209	18.473	21.35	≤30.00	PASS
	2437	242	61	18.426	18.226	21.34	≤30.00	PASS
	2452	242	62	19.879	19.778	22.84	≤30.00	PASS

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11b	Band:	--
Bandwidth	20MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 18		

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	30.05	44.13	-30.16	13.97	40.00	26.03	200	PK	Horizontal	PASS
2	59.78	43.90	-26.43	17.47	40.00	22.53	200	PK	Horizontal	PASS
3	107.75	51.15	-30.00	21.15	43.50	22.35	200	PK	Horizontal	PASS
4	189.67	46.62	-26.28	20.34	43.50	23.16	200	PK	Horizontal	PASS
5	246.27	47.72	-24.24	23.48	47.00	23.52	100	PK	Horizontal	PASS
6	779.99	46.06	-13.50	32.56	47.00	14.44	200	PK	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	--
Bandwidth	20MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	30.00	62.83	-30.12	32.71	40.00	7.29	100	PK	Vertical	PASS
2	53.52	48.41	-25.91	22.50	40.00	17.50	100	PK	Vertical	PASS
3	107.75	54.82	-30.00	24.82	43.50	18.68	100	PK	Vertical	PASS
4	189.62	44.75	-26.31	18.44	43.50	25.06	200	PK	Vertical	PASS
5	405.21	43.77	-20.69	23.08	47.00	23.92	200	PK	Vertical	PASS
6	996.90	42.38	-10.77	31.61	54.00	22.39	200	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2436.33	100.60	0.11	100.71	-	-	RMS	Horizontal	NA
2	2579.27	41.48	1.16	42.64	54.00	11.36	RMS	Horizontal	PASS
3	2771.20	41.92	1.01	42.93	54.00	11.07	RMS	Horizontal	PASS
4	17955.00	31.01	16.65	47.66	54.00	6.34	RMS	Horizontal	PASS
5	2438.00	105.78	0.13	105.91	-	-	PK	Horizontal	NA
6	2670.00	49.41	0.95	50.36	74.00	23.64	PK	Horizontal	PASS
7	2989.40	49.23	2.16	51.39	74.00	22.61	PK	Horizontal	PASS
8	17826.00	38.86	16.19	55.05	74.00	18.95	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2436.33	107.68	0.11	107.79	-	-	RMS	Vertical	NA
2	2635.60	42.35	1.10	43.45	54.00	10.55	RMS	Vertical	PASS
3	2915.40	41.29	1.66	42.95	54.00	11.05	RMS	Vertical	PASS
4	4874.50	46.45	-6.39	40.06	54.00	13.94	RMS	Vertical	PASS
5	17858.00	31.94	16.05	47.99	54.00	6.01	RMS	Vertical	PASS
6	2436.47	112.36	0.12	112.48	-	-	PK	Vertical	NA
7	2614.53	49.90	1.20	51.10	74.00	22.90	PK	Vertical	PASS
8	17808.50	39.31	16.26	55.57	74.00	18.43	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2413.00	99.46	-0.17	99.29	-	-	RMS	Horizontal	NA
2	2664.47	41.76	0.98	42.74	54.00	11.26	RMS	Horizontal	PASS
3	6659.00	40.29	-1.52	38.77	54.00	15.23	RMS	Horizontal	PASS
4	17879.50	31.39	15.97	47.36	54.00	6.64	RMS	Horizontal	PASS
5	2412.87	101.52	-0.18	101.34	-	-	PK	Horizontal	NA
6	2674.20	50.17	0.93	51.10	74.00	22.90	PK	Horizontal	PASS
7	2999.73	49.84	2.24	52.08	74.00	21.92	PK	Horizontal	PASS
8	17965.00	39.57	16.79	56.36	74.00	17.64	PK	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2412.93	107.50	-0.18	107.32	-	-	RMS	Vertical	NA
2	2775.87	40.93	1.05	41.98	54.00	12.02	RMS	Vertical	PASS
3	2999.73	40.84	2.24	43.08	54.00	10.92	RMS	Vertical	PASS
4	17947.00	31.16	16.54	47.70	54.00	6.30	RMS	Vertical	PASS
5	2412.80	108.89	-0.18	108.71	-	-	PK	Vertical	NA
6	2800.07	48.85	1.22	50.07	74.00	23.93	PK	Vertical	PASS
7	2976.80	48.95	2.06	51.01	74.00	22.99	PK	Vertical	PASS
8	17857.00	39.55	16.06	55.61	74.00	18.39	PK	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1467.53	45.09	-4.90	40.19	54.00	13.81	RMS	Horizontal	PASS
2	1743.67	41.97	-1.94	40.03	54.00	13.97	RMS	Horizontal	PASS
3	2463.07	102.65	0.43	103.08	-	-	RMS	Horizontal	NA
4	17957.50	31.18	16.68	47.86	54.00	6.14	RMS	Horizontal	PASS
5	1386.80	53.76	-5.30	48.46	74.00	25.54	PK	Horizontal	PASS
6	1743.60	52.49	-1.94	50.55	74.00	23.45	PK	Horizontal	PASS
7	2461.13	104.39	0.41	104.80	-	-	PK	Horizontal	NA
8	17858.00	39.74	16.05	55.79	74.00	18.21	PK	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2463.07	105.82	0.43	106.25	-	-	RMS	Vertical	NA
2	2979.53	40.78	2.09	42.87	54.00	11.13	RMS	Vertical	PASS
3	4924.50	46.31	-6.06	40.25	54.00	13.75	RMS	Vertical	PASS
4	17981.50	30.44	17.02	47.46	54.00	6.54	RMS	Vertical	PASS
5	2461.20	107.56	0.41	107.97	-	-	PK	Vertical	NA
6	2996.13	48.85	2.21	51.06	74.00	22.94	PK	Vertical	PASS
7	4924.00	50.65	-6.06	44.59	74.00	29.41	PK	Vertical	PASS
8	17911.50	39.44	16.04	55.48	74.00	18.52	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	6MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2409.60	92.67	-0.21	92.46	-	-	RMS	Horizontal	NA
2	4752.50	41.08	-6.90	34.18	54.00	19.82	RMS	Horizontal	PASS
3	6475.50	40.89	-2.46	38.43	54.00	15.57	RMS	Horizontal	PASS
4	17991.50	29.48	17.16	46.64	54.00	7.36	RMS	Horizontal	PASS
5	2414.13	98.89	-0.16	98.73	-	-	PK	Horizontal	NA
6	2892.53	50.05	1.54	51.59	74.00	22.41	PK	Horizontal	PASS
7	6685.00	47.84	-1.43	46.41	74.00	27.59	PK	Horizontal	PASS
8	17764.50	37.80	16.01	53.81	74.00	20.19	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	6MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2406.93	98.80	-0.24	98.56	-	-	RMS	Vertical	NA
2	2682.87	43.24	0.89	44.13	54.00	9.87	RMS	Vertical	PASS
3	7389.00	38.62	-0.12	38.50	54.00	15.50	RMS	Vertical	PASS
4	17980.50	29.44	17.00	46.44	54.00	7.56	RMS	Vertical	PASS
5	2407.73	105.64	-0.24	105.40	-	-	PK	Vertical	NA
6	2987.73	49.43	2.15	51.58	74.00	22.42	PK	Vertical	PASS
7	7463.00	46.95	0.27	47.22	74.00	26.78	PK	Vertical	PASS
8	17717.50	38.76	15.64	54.40	74.00	19.60	PK	Vertical	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	6MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1294.67	40.68	-5.46	35.22	54.00	18.78	RMS	Horizontal	PASS
2	2010.20	40.99	-0.91	40.08	54.00	13.92	RMS	Horizontal	PASS
3	2459.07	88.87	0.39	89.26	-	-	RMS	Horizontal	NA
4	7668.00	39.38	-0.08	39.30	54.00	14.70	RMS	Horizontal	PASS
5	1246.20	48.32	-5.63	42.69	74.00	31.31	PK	Horizontal	PASS
6	1989.47	49.30	-1.00	48.30	74.00	25.70	PK	Horizontal	PASS
7	2464.00	95.16	0.45	95.61	-	-	PK	Horizontal	NA
8	7704.50	47.24	0.16	47.40	74.00	26.60	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	6MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1428.87	41.03	-5.08	35.95	54.00	18.05	RMS	Vertical	PASS
2	1761.73	40.76	-1.80	38.96	54.00	15.04	RMS	Vertical	PASS
3	2467.00	98.13	0.48	98.61	-	-	RMS	Vertical	NA
4	8362.50	37.73	1.22	38.95	54.00	15.05	RMS	Vertical	PASS
5	1440.07	48.83	-5.00	43.83	74.00	30.17	PK	Vertical	PASS
6	1709.20	48.17	-2.21	45.96	74.00	28.04	PK	Vertical	PASS
7	2457.47	104.85	0.37	105.22	-	-	PK	Vertical	NA
8	8382.00	46.39	1.24	47.63	74.00	26.37	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1457.27	40.04	-4.91	35.13	54.00	18.87	RMS	Horizontal	PASS
2	2404.80	93.59	-0.27	93.32	-	-	RMS	Horizontal	NA
3	4485.00	41.60	-7.86	33.74	54.00	20.26	RMS	Horizontal	PASS
4	7704.50	38.35	0.16	38.51	54.00	15.49	RMS	Horizontal	PASS
5	1422.60	49.06	-5.14	43.92	74.00	30.08	PK	Horizontal	PASS
6	1894.33	49.15	-1.83	47.32	74.00	26.68	PK	Horizontal	PASS
7	2417.33	101.78	-0.12	101.66	-	-	PK	Horizontal	NA
8	6052.00	49.01	-3.20	45.81	74.00	28.19	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2954.80	42.01	1.89	43.90	54.00	10.10	RMS	Vertical	PASS
2	4800.50	43.78	-7.26	36.52	54.00	17.48	RMS	Vertical	PASS
3	17972.50	29.57	16.89	46.46	54.00	7.54	RMS	Vertical	PASS
4	2699.80	50.66	0.82	51.48	74.00	22.52	PK	Vertical	PASS
5	6774.00	47.99	-1.34	46.65	74.00	27.35	PK	Vertical	PASS
6	17982.00	36.99	17.03	54.02	74.00	19.98	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.07	42.58	-5.00	37.58	54.00	16.42	RMS	Horizontal	PASS
2	2464.80	93.53	0.45	93.98	-	-	RMS	Horizontal	NA
3	6707.50	40.15	-1.37	38.78	54.00	15.22	RMS	Horizontal	PASS
4	17989.00	29.39	17.13	46.52	54.00	7.48	RMS	Horizontal	PASS
5	1440.00	52.00	-5.00	47.00	74.00	27.00	PK	Horizontal	PASS
6	2469.00	101.13	0.51	101.64	-	-	PK	Horizontal	NA
7	6700.00	47.51	-1.38	46.13	74.00	27.87	PK	Horizontal	PASS
8	17976.00	37.78	16.94	54.72	74.00	19.28	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.07	40.87	-5.00	35.87	54.00	18.13	RMS	Vertical	PASS
2	2458.00	98.27	0.37	98.64	-	-	RMS	Vertical	NA
3	7633.00	39.45	-0.30	39.15	54.00	14.85	RMS	Vertical	PASS
4	17982.50	29.32	17.03	46.35	54.00	7.65	RMS	Vertical	PASS
5	1440.00	52.79	-5.00	47.79	74.00	26.21	PK	Vertical	PASS
6	2468.93	107.81	0.51	108.32	-	-	PK	Vertical	NA
7	7034.50	47.22	-1.08	46.14	74.00	27.86	PK	Vertical	PASS
8	17976.50	37.11	16.95	54.06	74.00	19.94	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	
Bandwidth	20MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14		

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	2435.80	88.26	0.10	88.36	-	-	150	RMS	Horizontal	NA
2	15303.00	31.49	12.13	43.62	54.00	10.38	150	RMS	Horizontal	PASS
3	15829.50	32.87	11.57	44.44	54.00	9.56	150	RMS	Horizontal	PASS
4	17965.50	29.67	16.79	46.46	54.00	7.54	150	RMS	Horizontal	PASS
5	2433.33	97.42	0.07	97.49	-	-	150	PK	Horizontal	NA
6	15300.00	39.02	12.15	51.17	74.00	22.83	150	PK	Horizontal	PASS
7	16438.50	38.63	12.58	51.21	74.00	22.79	150	PK	Horizontal	PASS
8	17963.50	37.97	16.76	54.73	74.00	19.27	150	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	
Bandwidth	20MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	2432.07	95.81	0.06	95.87	-	-	150	RMS	Vertical	NA
2	11408.50	34.66	6.62	41.28	54.00	12.72	150	RMS	Vertical	PASS
3	15312.00	32.10	12.05	44.15	54.00	9.85	150	RMS	Vertical	PASS
4	17965.00	29.79	16.79	46.58	54.00	7.42	150	RMS	Vertical	PASS
5	2433.47	103.00	0.07	103.07	-	-	150	PK	Vertical	NA
6	2546.13	44.09	1.01	45.10	74.00	28.90	150	PK	Vertical	PASS
7	15886.50	39.16	12.03	51.19	74.00	22.81	150	PK	Vertical	PASS
8	17974.50	37.44	16.92	54.36	74.00	19.64	150	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	
Bandwidth	40MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	2434.87	84.47	0.09	84.56	-	-	150	RMS	Horizontal	NA
2	13321.50	33.63	8.29	41.92	54.00	12.08	150	RMS	Horizontal	PASS
3	15353.00	31.94	11.74	43.68	54.00	10.32	150	RMS	Horizontal	PASS
4	17978.50	29.22	16.97	46.19	54.00	7.81	150	RMS	Horizontal	PASS
5	2429.13	92.29	0.03	92.32	-	-	150	PK	Horizontal	NA
6	13390.00	40.36	8.94	49.30	74.00	24.70	150	PK	Horizontal	PASS
7	15351.50	39.58	11.74	51.32	74.00	22.68	150	PK	Horizontal	PASS
8	17976.00	37.10	16.94	54.04	74.00	19.96	150	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	
Bandwidth	40MHz	Channel	6
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 12		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	2432.13	90.03	0.06	90.09	-	-	150	RMS	Vertical	NA
2	10847.50	35.62	5.12	40.74	54.00	13.26	150	RMS	Vertical	PASS
3	13364.50	33.29	8.70	41.99	54.00	12.01	150	RMS	Vertical	PASS
4	17915.50	30.26	16.09	46.35	54.00	7.65	150	RMS	Vertical	PASS
5	2431.33	99.18	0.05	99.23	-	-	150	PK	Vertical	NA
6	9555.50	43.74	3.15	46.89	74.00	27.11	150	PK	Vertical	PASS
7	15363.00	40.38	11.66	52.04	74.00	21.96	150	PK	Vertical	PASS
8	18000.00	36.94	17.28	54.22	74.00	19.78	150	PK	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 18		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2379.91	38.98	-0.45	38.53	54.00	15.47	RMS	Horizontal	PASS
2	2381.82	39.13	-0.44	38.69	54.00	15.31	RMS	Horizontal	PASS
3	2385.18	40.93	-0.42	40.51	54.00	13.49	RMS	Horizontal	PASS
4	2355.45	50.25	-0.61	49.64	74.00	24.36	PK	Horizontal	PASS
5	2381.78	50.21	-0.44	49.77	74.00	24.23	PK	Horizontal	PASS
6	2387.79	50.65	-0.41	50.24	74.00	23.76	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 18		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2366.39	43.15	-0.53	42.62	54.00	11.38	RMS	Vertical	PASS
2	2370.05	44.01	-0.52	43.49	54.00	10.51	RMS	Vertical	PASS
3	2387.27	44.58	-0.41	44.17	54.00	9.83	RMS	Vertical	PASS
4	2356.57	52.93	-0.60	52.33	74.00	21.67	PK	Vertical	PASS
5	2369.94	53.23	-0.52	52.71	74.00	21.29	PK	Vertical	PASS
6	2387.34	54.09	-0.41	53.68	74.00	20.32	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.70	37.88	0.70	38.58	54.00	15.42	RMS	Horizontal	PASS
2	2487.71	38.58	0.73	39.31	54.00	14.69	RMS	Horizontal	PASS
3	2494.60	37.79	0.82	38.61	54.00	15.39	RMS	Horizontal	PASS
4	2483.74	49.52	0.68	50.20	74.00	23.80	PK	Horizontal	PASS
5	2486.89	50.02	0.72	50.74	74.00	23.26	PK	Horizontal	PASS
6	2495.58	49.94	0.82	50.76	74.00	23.24	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.82	39.49	0.69	40.18	54.00	13.82	RMS	Vertical	PASS
2	2488.38	41.54	0.74	42.28	54.00	11.72	RMS	Vertical	PASS
3	2490.35	40.80	0.76	41.56	54.00	12.44	RMS	Vertical	PASS
4	2485.42	50.29	0.70	50.99	74.00	23.01	PK	Vertical	PASS
5	2488.52	51.23	0.74	51.97	74.00	22.03	PK	Vertical	PASS
6	2492.10	50.97	0.79	51.76	74.00	22.24	PK	Vertical	PASS