



Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2378.34	39.65	-0.47	39.18	54.00	14.82	RMS	Horizontal	PASS
2	2385.18	40.56	-0.42	40.14	54.00	13.86	RMS	Horizontal	PASS
3	2389.21	42.73	-0.39	42.34	54.00	11.66	RMS	Horizontal	PASS
4	2378.27	59.09	-0.47	58.62	74.00	15.38	PK	Horizontal	PASS
5	2384.77	61.91	-0.42	61.49	74.00	12.51	PK	Horizontal	PASS
6	2389.25	66.22	-0.39	65.83	74.00	8.17	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2380.10	42.37	-0.45	41.92	54.00	12.08	RMS	Vertical	PASS
2	2386.78	43.64	-0.41	43.23	54.00	10.77	RMS	Vertical	PASS
3	2389.40	45.75	-0.39	45.36	54.00	8.64	RMS	Vertical	PASS
4	2384.73	67.26	-0.42	66.84	74.00	7.16	PK	Vertical	PASS
5	2387.04	68.93	-0.41	68.52	74.00	5.48	PK	Vertical	PASS
6	2389.21	71.11	-0.39	70.72	74.00	3.28	PK	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.79	41.27	0.69	41.96	54.00	12.04	RMS	Horizontal	PASS
2	2486.77	39.00	0.72	39.72	54.00	14.28	RMS	Horizontal	PASS
3	2490.44	38.91	0.76	39.67	54.00	14.33	RMS	Horizontal	PASS
4	2483.84	63.23	0.69	63.92	74.00	10.08	PK	Horizontal	PASS
5	2484.82	65.89	0.70	66.59	74.00	7.41	PK	Horizontal	PASS
6	2488.98	60.39	0.75	61.14	74.00	12.86	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.58	44.00	0.68	44.68	54.00	9.32	RMS	Vertical	PASS
2	2485.11	42.99	0.70	43.69	54.00	10.31	RMS	Vertical	PASS
3	2487.03	41.15	0.72	41.87	54.00	12.13	RMS	Vertical	PASS
4	2483.77	68.69	0.69	69.38	74.00	4.62	PK	Vertical	PASS
5	2484.87	69.39	0.70	70.09	74.00	3.91	PK	Vertical	PASS
6	2486.00	64.87	0.71	65.58	74.00	8.42	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2385.10	39.66	-0.42	39.24	54.00	14.76	RMS	Horizontal	PASS
2	2388.16	41.27	-0.41	40.86	54.00	13.14	RMS	Horizontal	PASS
3	2389.10	41.21	-0.39	40.82	54.00	13.18	RMS	Horizontal	PASS
4	2386.60	53.01	-0.41	52.60	74.00	21.40	PK	Horizontal	PASS
5	2388.46	54.81	-0.41	54.40	74.00	19.60	PK	Horizontal	PASS
6	2389.81	53.64	-0.39	53.25	74.00	20.75	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2380.88	39.63	-0.45	39.18	54.00	14.82	RMS	Vertical	PASS
2	2387.01	42.70	-0.41	42.29	54.00	11.71	RMS	Vertical	PASS
3	2389.10	45.64	-0.39	45.25	54.00	8.75	RMS	Vertical	PASS
4	2387.42	57.68	-0.41	57.27	74.00	16.73	PK	Vertical	PASS
5	2388.31	58.47	-0.41	58.06	74.00	15.94	PK	Vertical	PASS
6	2389.36	59.51	-0.39	59.12	74.00	14.88	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.63	40.97	0.70	41.67	54.00	12.33	RMS	Horizontal	PASS
2	2485.42	40.28	0.70	40.98	54.00	13.02	RMS	Horizontal	PASS
3	2487.97	39.62	0.73	40.35	54.00	13.65	RMS	Horizontal	PASS
4	2484.10	53.79	0.69	54.48	74.00	19.52	PK	Horizontal	PASS
5	2485.33	52.77	0.70	53.47	74.00	20.53	PK	Horizontal	PASS
6	2486.77	52.39	0.72	53.11	74.00	20.89	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.72	42.60	0.68	43.28	54.00	10.72	RMS	Vertical	PASS
2	2484.70	41.81	0.70	42.51	54.00	11.49	RMS	Vertical	PASS
3	2486.43	40.58	0.72	41.30	54.00	12.70	RMS	Vertical	PASS
4	2483.89	55.30	0.69	55.99	74.00	18.01	PK	Vertical	PASS
5	2485.76	53.91	0.70	54.61	74.00	19.39	PK	Vertical	PASS
6	2486.75	53.84	0.72	54.56	74.00	19.44	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2384.38	42.10	-0.42	41.68	54.00	12.32	RMS	Horizontal	PASS
2	2386.45	42.16	-0.41	41.75	54.00	12.25	RMS	Horizontal	PASS
3	2389.75	42.56	-0.39	42.17	54.00	11.83	RMS	Horizontal	PASS
4	2384.47	52.61	-0.42	52.19	74.00	21.81	PK	Horizontal	PASS
5	2387.77	54.15	-0.41	53.74	74.00	20.26	PK	Horizontal	PASS
6	2389.67	53.28	-0.39	52.89	74.00	21.11	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2378.49	42.73	-0.47	42.26	54.00	11.74	RMS	Vertical	PASS
2	2384.56	43.50	-0.42	43.08	54.00	10.92	RMS	Vertical	PASS
3	2389.14	43.72	-0.39	43.33	54.00	10.67	RMS	Vertical	PASS
4	2378.62	55.46	-0.47	54.99	74.00	19.01	PK	Vertical	PASS
5	2381.04	55.91	-0.45	55.46	74.00	18.54	PK	Vertical	PASS
6	2388.92	55.16	-0.39	54.77	74.00	19.23	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.81	38.52	0.69	39.21	54.00	14.79	RMS	Horizontal	PASS
2	2485.54	38.66	0.70	39.36	54.00	14.64	RMS	Horizontal	PASS
3	2490.07	38.53	0.76	39.29	54.00	14.71	RMS	Horizontal	PASS
4	2483.57	50.26	0.68	50.94	74.00	23.06	PK	Horizontal	PASS
5	2484.73	49.27	0.70	49.97	74.00	24.03	PK	Horizontal	PASS
6	2486.19	49.46	0.71	50.17	74.00	23.83	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.62	40.57	0.70	41.27	54.00	12.73	RMS	Vertical	PASS
2	2485.78	40.37	0.70	41.07	54.00	12.93	RMS	Vertical	PASS
3	2489.39	39.46	0.75	40.21	54.00	13.79	RMS	Vertical	PASS
4	2484.52	51.90	0.69	52.59	74.00	21.41	PK	Vertical	PASS
5	2488.60	51.58	0.74	52.32	74.00	21.68	PK	Vertical	PASS
6	2489.83	52.05	0.76	52.81	74.00	21.19	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2342.94	38.33	-0.69	37.64	54.00	16.36	RMS	Horizontal	PASS
2	2368.45	39.32	-0.53	38.79	54.00	15.21	RMS	Horizontal	PASS
3	2389.66	40.68	-0.39	40.29	54.00	13.71	RMS	Horizontal	PASS
4	2343.24	49.81	-0.68	49.13	74.00	24.87	PK	Horizontal	PASS
5	2369.12	50.47	-0.52	49.95	74.00	24.05	PK	Horizontal	PASS
6	2389.77	53.91	-0.39	53.52	74.00	20.48	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2359.45	40.29	-0.58	39.71	54.00	14.29	RMS	Vertical	PASS
2	2387.79	41.75	-0.41	41.34	54.00	12.66	RMS	Vertical	PASS
3	2389.85	43.87	-0.39	43.48	54.00	10.52	RMS	Vertical	PASS
4	2360.34	52.16	-0.58	51.58	74.00	22.42	PK	Vertical	PASS
5	2387.79	56.21	-0.41	55.80	74.00	18.20	PK	Vertical	PASS
6	2389.81	58.24	-0.39	57.85	74.00	16.15	PK	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU37; Powersetting 14		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2338.12	38.57	-0.72	37.85	54.00	16.15	RMS	Horizontal	PASS
2	2369.75	39.12	-0.52	38.60	54.00	15.40	RMS	Horizontal	PASS
3	2387.75	39.57	-0.41	39.16	54.00	14.84	RMS	Horizontal	PASS
4	2338.72	49.64	-0.71	48.93	74.00	25.07	PK	Horizontal	PASS
5	2368.60	50.55	-0.53	50.02	74.00	23.98	PK	Horizontal	PASS
6	2387.72	51.03	-0.41	50.62	74.00	23.38	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU37; Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2335.51	39.07	-0.73	38.34	54.00	15.66	RMS	Vertical	PASS
2	2387.16	41.77	-0.41	41.36	54.00	12.64	RMS	Vertical	PASS
3	2389.66	42.75	-0.39	42.36	54.00	11.64	RMS	Vertical	PASS
4	2333.64	50.71	-0.75	49.96	74.00	24.04	PK	Vertical	PASS
5	2388.58	53.70	-0.41	53.29	74.00	20.71	PK	Vertical	PASS
6	2389.77	56.70	-0.39	56.31	74.00	17.69	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU53; Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2346.56	38.28	-0.66	37.62	54.00	16.38	RMS	Horizontal	PASS
2	2360.12	38.61	-0.58	38.03	54.00	15.97	RMS	Horizontal	PASS
3	2389.85	38.90	-0.39	38.51	54.00	15.49	RMS	Horizontal	PASS
4	2350.03	49.60	-0.64	48.96	74.00	25.04	PK	Horizontal	PASS
5	2358.29	49.74	-0.59	49.15	74.00	24.85	PK	Horizontal	PASS
6	2389.99	52.60	-0.39	52.21	74.00	21.79	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU53; Powersetting 14		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2365.31	39.74	-0.55	39.19	54.00	14.81	RMS	Vertical	PASS
2	2372.18	39.77	-0.50	39.27	54.00	14.73	RMS	Vertical	PASS
3	2389.85	41.59	-0.39	41.20	54.00	12.80	RMS	Vertical	PASS
4	2363.22	51.30	-0.56	50.74	74.00	23.26	PK	Vertical	PASS
5	2371.47	51.30	-0.50	50.80	74.00	23.20	PK	Vertical	PASS
6	2389.81	56.38	-0.39	55.99	74.00	18.01	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.79	38.09	0.69	38.78	54.00	15.22	RMS	Horizontal	PASS
2	2486.63	38.18	0.72	38.90	54.00	15.10	RMS	Horizontal	PASS
3	2491.14	37.90	0.77	38.67	54.00	15.33	RMS	Horizontal	PASS
4	2484.10	52.10	0.69	52.79	74.00	21.21	PK	Horizontal	PASS
5	2486.31	50.91	0.72	51.63	74.00	22.37	PK	Horizontal	PASS
6	2492.46	50.12	0.79	50.91	74.00	23.09	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.37	40.81	0.69	41.50	54.00	12.50	RMS	Vertical	PASS
2	2487.23	41.05	0.73	41.78	54.00	12.22	RMS	Vertical	PASS
3	2489.48	39.84	0.75	40.59	54.00	13.41	RMS	Vertical	PASS
4	2483.98	57.46	0.69	58.15	74.00	15.85	PK	Vertical	PASS
5	2486.75	53.03	0.72	53.75	74.00	20.25	PK	Vertical	PASS
6	2488.26	52.88	0.73	53.61	74.00	20.39	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.55	38.12	0.68	38.80	54.00	15.20	RMS	Horizontal	PASS
2	2485.40	38.33	0.70	39.03	54.00	14.97	RMS	Horizontal	PASS
3	2490.64	38.09	0.76	38.85	54.00	15.15	RMS	Horizontal	PASS
4	2483.72	51.31	0.68	51.99	74.00	22.01	PK	Horizontal	PASS
5	2484.82	51.13	0.70	51.83	74.00	22.17	PK	Horizontal	PASS
6	2492.65	49.47	0.79	50.26	74.00	23.74	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.58	41.81	0.68	42.49	54.00	11.51	RMS	Vertical	PASS
2	2484.85	41.18	0.70	41.88	54.00	12.12	RMS	Vertical	PASS
3	2488.28	39.94	0.74	40.68	54.00	13.32	RMS	Vertical	PASS
4	2483.58	55.44	0.68	56.12	74.00	17.88	PK	Vertical	PASS
5	2485.09	55.85	0.70	56.55	74.00	17.45	PK	Vertical	PASS
6	2488.79	51.54	0.75	52.29	74.00	21.71	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.49	38.32	0.69	39.01	54.00	14.99	RMS	Horizontal	PASS
2	2490.06	38.01	0.76	38.77	54.00	15.23	RMS	Horizontal	PASS
3	2496.42	37.82	0.84	38.66	54.00	15.34	RMS	Horizontal	PASS
4	2484.08	49.82	0.69	50.51	74.00	23.49	PK	Horizontal	PASS
5	2489.24	50.02	0.75	50.77	74.00	23.23	PK	Horizontal	PASS
6	2497.14	50.01	0.85	50.86	74.00	23.14	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	2.4G WIFI
Bandwidth	20MHz	Channel	11
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.72	42.18	0.68	42.86	54.00	11.14	RMS	Vertical	PASS
2	2485.71	41.36	0.70	42.06	54.00	11.94	RMS	Vertical	PASS
3	2487.20	40.47	0.73	41.20	54.00	12.80	RMS	Vertical	PASS
4	2483.79	55.32	0.69	56.01	74.00	17.99	PK	Vertical	PASS
5	2485.98	54.77	0.71	55.48	74.00	18.52	PK	Vertical	PASS
6	2488.43	54.81	0.74	55.55	74.00	18.45	PK	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2333.24	38.08	-0.75	37.33	54.00	16.67	RMS	Horizontal	PASS
2	2373.60	38.64	-0.50	38.14	54.00	15.86	RMS	Horizontal	PASS
3	2389.49	40.01	-0.39	39.62	54.00	14.38	RMS	Horizontal	PASS
4	2330.60	50.15	-0.76	49.39	74.00	24.61	PK	Horizontal	PASS
5	2373.07	49.69	-0.50	49.19	74.00	24.81	PK	Horizontal	PASS
6	2389.80	51.81	-0.39	51.42	74.00	22.58	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 12		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2349.48	38.37	-0.64	37.73	54.00	16.27	RMS	Vertical	PASS
2	2386.98	40.60	-0.41	40.19	54.00	13.81	RMS	Vertical	PASS
3	2389.71	42.40	-0.39	42.01	54.00	11.99	RMS	Vertical	PASS
4	2349.04	50.86	-0.64	50.22	74.00	23.78	PK	Vertical	PASS
5	2386.63	54.84	-0.41	54.43	74.00	19.57	PK	Vertical	PASS
6	2389.53	55.86	-0.39	55.47	74.00	18.53	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU62; Powersetting 12		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.77	40.43	0.69	41.12	54.00	12.88	RMS	Horizontal	PASS
2	2487.75	38.52	0.73	39.25	54.00	14.75	RMS	Horizontal	PASS
3	2494.52	37.85	0.82	38.67	54.00	15.33	RMS	Horizontal	PASS
4	2483.98	53.15	0.69	53.84	74.00	20.16	PK	Horizontal	PASS
5	2488.26	50.69	0.73	51.42	74.00	22.58	PK	Horizontal	PASS
6	2495.07	50.68	0.82	51.50	74.00	22.50	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	2.4G WIFI
Bandwidth	40MHz	Channel	9
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU62; Powersetting 12		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.50	45.64	0.68	46.32	54.00	7.68	RMS	Vertical	PASS
2	2487.45	40.71	0.73	41.44	54.00	12.56	RMS	Vertical	PASS
3	2496.05	39.06	0.83	39.89	54.00	14.11	RMS	Vertical	PASS
4	2484.28	59.51	0.69	60.20	74.00	13.80	PK	Vertical	PASS
5	2488.33	55.79	0.74	56.53	74.00	17.47	PK	Vertical	PASS
6	2495.37	51.07	0.82	51.89	74.00	22.11	PK	Vertical	PASS

~The End~