



Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU66;Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.70	34.10	10.80	44.90	54.00	9.10	RMS	Horizontal	PASS
2	5368.41	33.88	10.91	44.79	54.00	9.21	RMS	Horizontal	PASS
3	5375.99	33.78	10.96	44.74	54.00	9.26	RMS	Horizontal	PASS
4	5351.53	45.37	10.81	56.18	74.00	17.82	PK	Horizontal	PASS
5	5367.81	45.28	10.91	56.19	74.00	17.81	PK	Horizontal	PASS
6	5380.19	45.72	10.99	56.71	74.00	17.29	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU66;Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.25	38.60	10.80	49.40	54.00	4.60	RMS	Vertical	PASS
2	5354.00	37.84	10.83	48.67	54.00	5.33	RMS	Vertical	PASS
3	5366.98	34.06	10.91	44.97	54.00	9.03	RMS	Vertical	PASS
4	5350.18	50.04	10.80	60.84	74.00	13.16	PK	Vertical	PASS
5	5354.90	51.61	10.83	62.44	74.00	11.56	PK	Vertical	PASS
6	5362.56	48.20	10.88	59.08	74.00	14.92	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26Tone RU0; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5452.10	33.72	11.54	45.26	54.00	8.74	RMS	Horizontal	PASS
2	5454.14	33.44	11.54	44.98	54.00	9.02	RMS	Horizontal	PASS
3	5456.54	33.52	11.55	45.07	54.00	8.93	RMS	Horizontal	PASS
4	5451.92	46.09	11.54	57.63	74.00	16.37	PK	Horizontal	PASS
5	5459.06	45.72	11.56	57.28	74.00	16.72	PK	Horizontal	PASS
6	5467.23	45.74	11.57	57.31	68.20	10.89	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26Tone RU0; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5455.34	34.61	11.55	46.16	54.00	7.84	RMS	Vertical	PASS
2	5457.44	34.70	11.55	46.25	54.00	7.75	RMS	Vertical	PASS
3	5459.36	34.60	11.56	46.16	54.00	7.84	RMS	Vertical	PASS
4	5455.10	46.26	11.55	57.81	74.00	16.19	PK	Vertical	PASS
5	5467.14	52.69	11.57	64.26	68.20	3.94	PK	Vertical	PASS
6	5469.51	51.93	11.58	63.51	68.20	4.69	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52Tone RU37; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.78	33.42	11.54	44.96	54.00	9.04	RMS	Horizontal	PASS
2	5456.72	33.64	11.55	45.19	54.00	8.81	RMS	Horizontal	PASS
3	5458.31	33.32	11.55	44.87	54.00	9.13	RMS	Horizontal	PASS
4	5458.49	45.37	11.55	56.92	74.00	17.08	PK	Horizontal	PASS
5	5464.80	45.05	11.57	56.62	68.20	11.58	PK	Horizontal	PASS
6	5469.69	44.58	11.58	56.16	68.20	12.04	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52Tone RU37; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5466.78	53.86	11.57	65.43	68.20	2.77	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106Tone RU53;Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.81	33.56	11.54	45.10	54.00	8.90	RMS	Horizontal	PASS
2	5453.99	33.61	11.54	45.15	54.00	8.85	RMS	Horizontal	PASS
3	5458.58	33.62	11.55	45.17	54.00	8.83	RMS	Horizontal	PASS
4	5455.16	44.98	11.55	56.53	74.00	17.47	PK	Horizontal	PASS
5	5460.54	45.07	11.56	56.63	68.20	11.57	PK	Horizontal	PASS
6	5469.45	45.66	11.58	57.24	68.20	10.96	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106Tone RU53;Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5452.01	34.38	11.54	45.92	54.00	8.08	RMS	Vertical	PASS
2	5456.33	34.54	11.55	46.09	54.00	7.91	RMS	Vertical	PASS
3	5458.31	34.26	11.55	45.81	54.00	8.19	RMS	Vertical	PASS
4	5455.49	46.20	11.55	57.75	74.00	16.25	PK	Vertical	PASS
5	5461.65	46.80	11.56	58.36	68.20	9.84	PK	Vertical	PASS
6	5468.40	49.10	11.58	60.68	68.20	7.52	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.71	45.84	13.02	58.86	68.20	9.34	PK	Horizontal	PASS
2	5732.71	47.35	13.09	60.44	68.20	7.76	PK	Horizontal	PASS
3	5739.07	46.30	13.14	59.44	68.20	8.76	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.43	48.12	13.03	61.15	68.20	7.05	PK	Vertical	PASS
2	5735.02	46.55	13.10	59.65	68.20	8.55	PK	Vertical	PASS
3	5737.87	46.31	13.13	59.44	68.20	8.76	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.62	46.35	13.02	59.37	68.20	8.83	PK	Horizontal	PASS
2	5734.84	46.41	13.10	59.51	68.20	8.69	PK	Horizontal	PASS
3	5743.07	48.65	13.18	61.83	68.20	6.37	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.32	46.43	13.02	59.45	68.20	8.75	PK	Vertical	PASS
2	5733.22	47.62	13.09	60.71	68.20	7.49	PK	Vertical	PASS
3	5741.57	46.52	13.16	59.68	68.20	8.52	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.15	46.51	13.01	59.52	68.20	8.68	PK	Horizontal	PASS
2	5730.67	46.57	13.06	59.63	68.20	8.57	PK	Horizontal	PASS
3	5736.52	47.08	13.11	60.19	68.20	8.01	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.08	46.57	13.02	59.59	68.20	8.61	PK	Vertical	PASS
2	5731.60	46.35	13.07	59.42	68.20	8.78	PK	Vertical	PASS
3	5742.68	47.07	13.18	60.25	68.20	7.95	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5874.66	45.59	13.38	58.97	68.20	9.23	PK	Horizontal	PASS
2	5938.95	45.44	13.24	58.68	68.20	9.52	PK	Horizontal	PASS
3	5977.85	45.42	13.22	58.64	68.20	9.56	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5856.29	46.03	13.47	59.50	68.20	8.70	PK	Vertical	PASS
2	5918.96	46.29	13.26	59.55	68.20	8.65	PK	Vertical	PASS
3	5953.27	45.74	13.23	58.97	68.20	9.23	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5861.69	46.76	13.44	60.20	68.20	8.00	PK	Horizontal	PASS
2	5896.54	46.34	13.29	59.63	68.20	8.57	PK	Horizontal	PASS
3	5966.23	46.86	13.23	60.09	68.20	8.11	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5910.59	45.65	13.26	58.91	68.20	9.29	PK	Vertical	PASS
2	5925.71	45.95	13.26	59.21	68.20	8.99	PK	Vertical	PASS
3	5952.19	45.39	13.24	58.63	68.20	9.57	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106Tone RU54;Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5860.61	45.55	13.45	59.00	68.20	9.20	PK	Horizontal	PASS
2	5882.22	45.57	13.35	58.92	68.20	9.28	PK	Horizontal	PASS
3	5924.36	45.22	13.25	58.47	68.20	9.73	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106Tone RU54;Powersetting 14		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5863.04	45.97	13.44	59.41	68.20	8.79	PK	Vertical	PASS
2	5884.38	45.66	13.34	59.00	68.20	9.20	PK	Vertical	PASS
3	5927.33	45.18	13.26	58.44	68.20	9.76	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61;Powersetting 13		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.52	33.56	11.54	45.10	54.00	8.90	RMS	Horizontal	PASS
2	5455.88	33.59	11.55	45.14	54.00	8.86	RMS	Horizontal	PASS
3	5458.52	33.47	11.55	45.02	54.00	8.98	RMS	Horizontal	PASS
4	5461.69	44.77	11.56	56.33	68.20	11.87	PK	Horizontal	PASS
5	5465.73	44.82	11.57	56.39	68.20	11.81	PK	Horizontal	PASS
6	5469.05	44.82	11.58	56.40	68.20	11.80	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61;Powersetting 13		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.00	35.14	11.54	46.68	54.00	7.32	RMS	Vertical	PASS
2	5455.80	35.31	11.55	46.86	54.00	7.14	RMS	Vertical	PASS
3	5459.44	35.55	11.56	47.11	54.00	6.89	RMS	Vertical	PASS
4	5460.33	49.75	11.56	61.31	68.20	6.89	PK	Vertical	PASS
5	5465.89	53.16	11.57	64.73	68.20	3.47	PK	Vertical	PASS
6	5468.77	53.01	11.58	64.59	68.20	3.61	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone R62; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.79	45.83	13.01	58.84	68.20	9.36	PK	Horizontal	PASS
2	5740.25	49.98	13.15	63.13	68.20	8.07	PK	Horizontal	PASS
3	5747.50	45.68	13.22	58.90	68.20	9.30	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone R62; Powersetting 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.39	45.18	13.03	58.21	68.20	9.99	PK	Vertical	PASS
2	5735.29	45.70	13.10	58.80	68.20	9.40	PK	Vertical	PASS
3	5748.70	46.24	13.24	59.48	68.20	8.72	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU62;Powersetting 15		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5867.09	44.90	13.42	58.32	68.20	9.88	PK	Horizontal	PASS
2	5902.75	44.77	13.26	58.03	68.20	10.17	PK	Horizontal	PASS
3	5942.46	44.93	13.25	58.18	68.20	10.02	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU62;Powersetting 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5873.04	45.26	13.39	58.65	68.20	9.55	PK	Vertical	PASS
2	5930.31	51.54	13.25	64.79	68.20	3.41	PK	Vertical	PASS
3	5971.37	44.26	13.23	57.49	68.20	10.71	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone R65; Powersetting 11.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5462.67	44.80	11.56	56.36	68.20	11.84	PK	Horizontal	PASS
2	5466.45	44.86	11.57	56.43	68.20	11.77	PK	Horizontal	PASS
3	5468.37	44.74	11.58	56.32	68.20	11.88	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone R65; Powersetting 11.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.00	34.47	11.53	46.00	54.00	8.00	RMS	Vertical	PASS
2	5453.18	34.69	11.54	46.23	54.00	7.77	RMS	Vertical	PASS
3	5459.30	36.07	11.56	47.63	54.00	6.37	RMS	Vertical	PASS
4	5461.89	50.87	11.56	62.43	68.20	5.77	PK	Vertical	PASS
5	5467.59	52.52	11.58	64.10	68.20	4.10	PK	Vertical	PASS
6	5469.63	53.33	11.58	64.91	68.20	3.29	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5730.55	45.57	13.06	58.63	68.20	9.57	PK	Horizontal	PASS
2	5734.87	46.10	13.10	59.20	68.20	9.00	PK	Horizontal	PASS
3	5746.04	46.12	13.21	59.33	68.20	8.87	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5729.83	46.02	13.05	59.07	68.20	9.13	PK	Vertical	PASS
2	5737.39	46.25	13.12	59.37	68.20	8.83	PK	Vertical	PASS
3	5749.19	45.61	13.24	58.85	68.20	9.35	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	138
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone R66; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5878.71	45.19	13.37	58.56	68.20	9.64	PK	Horizontal	PASS
2	5923.82	46.27	13.25	59.52	68.20	8.68	PK	Horizontal	PASS
3	5961.64	45.22	13.24	58.46	68.20	9.74	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	138
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone R66; Powersetting 13.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5868.71	46.94	13.41	60.35	68.20	7.85	PK	Vertical	PASS
2	5927.60	46.71	13.25	59.96	68.20	8.24	PK	Vertical	PASS
3	5974.88	45.42	13.22	58.64	68.20	9.56	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 10.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5424.51	34.18	11.33	45.51	54.00	8.49	RMS	Horizontal	PASS
2	5435.37	33.94	11.41	45.35	54.00	8.65	RMS	Horizontal	PASS
3	5458.13	33.99	11.55	45.54	54.00	8.46	RMS	Horizontal	PASS
4	5426.26	46.04	11.34	57.38	74.00	16.62	PK	Horizontal	PASS
5	5456.55	46.21	11.55	57.76	74.00	16.24	PK	Horizontal	PASS
6	5461.63	45.47	11.56	57.03	68.20	11.17	PK	Horizontal	PASS
7	5727.24	46.36	13.02	59.38	68.20	8.82	PK	Horizontal	PASS
8	5735.64	46.61	13.11	59.72	68.20	8.48	PK	Horizontal	PASS
9	5743.87	46.65	13.19	59.84	68.20	8.36	PK	Horizontal	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 10.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5437.82	36.87	11.44	48.31	54.00	5.69	RMS	Vertical	PASS
2	5444.30	37.87	11.49	49.36	54.00	4.64	RMS	Vertical	PASS
3	5459.35	38.54	11.56	50.10	54.00	3.90	RMS	Vertical	PASS
4	5442.55	49.69	11.48	61.17	74.00	12.83	PK	Vertical	PASS
5	5455.68	49.85	11.55	61.40	74.00	12.60	PK	Vertical	PASS
6	5466.53	51.50	11.57	63.07	68.20	5.13	PK	Vertical	PASS
7	5731.09	45.77	13.06	58.83	68.20	9.37	PK	Vertical	PASS
8	5740.37	48.46	13.15	61.61	68.20	6.59	PK	Vertical	PASS
9	5750.00	46.12	13.24	59.36	68.20	8.84	PK	Vertical	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU68; Powersetting 10.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5421.36	33.91	11.30	45.21	54.00	8.79	RMS	Horizontal	PASS
2	5432.92	33.93	11.40	45.33	54.00	8.67	RMS	Horizontal	PASS
3	5456.03	33.90	11.55	45.45	54.00	8.55	RMS	Horizontal	PASS
4	5421.71	45.66	11.30	56.96	74.00	17.04	PK	Horizontal	PASS
5	5428.36	45.87	11.36	57.23	74.00	16.77	PK	Horizontal	PASS
6	5444.65	46.38	11.49	57.87	74.00	16.13	PK	Horizontal	PASS
7	5730.39	46.61	13.06	59.67	68.20	8.53	PK	Horizontal	PASS
8	5744.05	45.83	13.19	59.02	68.20	9.18	PK	Horizontal	PASS
9	5748.77	46.05	13.24	59.29	68.20	8.91	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU68; Powersetting 10.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5408.75	34.05	11.19	45.24	54.00	8.76	RMS	Vertical	PASS
2	5436.42	34.10	11.42	45.52	54.00	8.48	RMS	Vertical	PASS
3	5454.45	33.92	11.55	45.47	54.00	8.53	RMS	Vertical	PASS
4	5407.70	46.51	11.19	57.70	74.00	16.30	PK	Vertical	PASS
5	5430.99	50.03	11.38	61.41	74.00	12.59	PK	Vertical	PASS
6	5453.58	46.40	11.54	57.94	74.00	16.06	PK	Vertical	PASS
7	5734.42	46.64	13.10	59.74	68.20	8.46	PK	Vertical	PASS
8	5745.97	46.48	13.20	59.68	68.20	8.52	PK	Vertical	PASS
9	5749.47	46.14	13.24	59.38	68.20	8.82	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.89	45.73	12.20	57.93	68.20	10.27	PK	Horizontal	PASS
2	5672.80	46.50	12.52	59.02	85.11	26.09	PK	Horizontal	PASS
3	5692.15	47.02	12.70	59.72	99.41	39.69	PK	Horizontal	PASS
4	5868.55	45.63	13.41	59.04	107.00	47.96	PK	Horizontal	PASS
5	5891.47	45.37	13.31	58.68	92.98	34.30	PK	Horizontal	PASS
6	5928.70	45.50	13.25	58.75	68.20	9.45	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.75	46.15	12.24	58.39	68.20	9.81	PK	Vertical	PASS
2	5664.99	45.88	12.44	58.32	79.33	21.01	PK	Vertical	PASS
3	5688.73	46.92	12.66	59.58	96.89	37.31	PK	Vertical	PASS
4	5850.34	46.12	13.49	59.61	121.43	61.82	PK	Vertical	PASS
5	5885.29	46.10	13.34	59.44	97.56	38.12	PK	Vertical	PASS
6	5939.76	45.77	13.25	59.02	68.20	9.18	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU37; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5636.06	45.66	12.20	57.86	68.20	10.34	PK	Horizontal	PASS
2	5675.73	46.25	12.54	58.79	87.28	28.49	PK	Horizontal	PASS
3	5708.57	45.85	12.85	58.70	107.60	48.90	PK	Horizontal	PASS
4	5860.91	45.84	13.45	59.29	109.14	49.85	PK	Horizontal	PASS
5	5895.86	45.75	13.29	59.04	89.73	30.69	PK	Horizontal	PASS
6	5939.92	46.67	13.25	59.92	68.20	8.28	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU37; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5634.59	45.99	12.19	58.18	68.20	10.02	PK	Vertical	PASS
2	5670.85	45.97	12.50	58.47	83.67	25.20	PK	Vertical	PASS
3	5705.97	46.43	12.82	59.25	106.87	47.62	PK	Vertical	PASS
4	5860.42	45.70	13.45	59.15	109.28	50.13	PK	Vertical	PASS
5	5897.65	46.33	13.28	59.61	88.40	28.79	PK	Vertical	PASS
6	5943.50	45.64	13.24	58.88	68.20	9.32	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU53; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5629.55	46.43	12.16	58.59	68.20	9.61	PK	Horizontal	PASS
2	5674.26	45.60	12.53	58.13	86.19	28.06	PK	Horizontal	PASS
3	5707.10	45.47	12.83	58.30	107.19	48.89	PK	Horizontal	PASS
4	5870.66	46.42	13.40	59.82	106.41	46.59	PK	Horizontal	PASS
5	5894.72	45.67	13.29	58.96	90.57	31.61	PK	Horizontal	PASS
6	5945.61	45.33	13.24	58.57	68.20	9.63	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU53; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5639.47	46.09	12.23	58.32	68.20	9.88	PK	Vertical	PASS
2	5673.61	46.50	12.52	59.02	85.71	26.69	PK	Vertical	PASS
3	5712.63	46.65	12.89	59.54	108.74	49.20	PK	Vertical	PASS
4	5861.72	46.01	13.44	59.45	108.92	49.47	PK	Vertical	PASS
5	5897.32	45.80	13.28	59.08	88.64	29.56	PK	Vertical	PASS
6	5946.91	45.86	13.25	59.11	68.20	9.09	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.89	46.55	12.20	58.75	68.20	9.45	PK	Horizontal	PASS
2	5665.81	46.17	12.45	58.62	79.93	21.31	PK	Horizontal	PASS
3	5704.01	46.79	12.81	59.60	106.33	46.73	PK	Horizontal	PASS
4	5859.44	45.99	13.45	59.44	109.55	50.11	PK	Horizontal	PASS
5	5908.70	45.43	13.26	58.69	80.22	21.53	PK	Horizontal	PASS
6	5939.43	46.29	13.25	59.54	68.20	8.66	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5634.27	45.65	12.19	57.84	68.20	10.36	PK	Vertical	PASS
2	5663.04	47.28	12.42	59.70	77.88	18.18	PK	Vertical	PASS
3	5705.97	49.36	12.82	62.18	106.87	44.69	PK	Vertical	PASS
4	5867.08	46.05	13.42	59.47	107.41	47.94	PK	Vertical	PASS
5	5890.01	46.36	13.31	59.67	94.06	34.39	PK	Vertical	PASS
6	5949.51	45.46	13.24	58.70	68.20	9.50	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5630.20	46.18	12.16	58.34	68.20	9.86	PK	Horizontal	PASS
2	5688.89	45.43	12.67	58.10	97.01	38.91	PK	Horizontal	PASS
3	5710.19	45.67	12.87	58.54	108.06	49.52	PK	Horizontal	PASS
4	5860.74	45.79	13.45	59.24	109.19	49.95	PK	Horizontal	PASS
5	5883.02	45.57	13.35	58.92	99.25	40.33	PK	Horizontal	PASS
6	5941.22	45.68	13.25	58.93	68.20	9.27	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5637.68	45.91	12.22	58.13	68.20	10.07	PK	Vertical	PASS
2	5664.67	47.52	12.44	59.96	79.09	19.13	PK	Vertical	PASS
3	5714.09	48.96	12.91	61.87	109.15	47.28	PK	Vertical	PASS
4	5860.09	45.93	13.45	59.38	109.37	49.99	PK	Vertical	PASS
5	5906.92	48.76	13.27	62.03	81.55	19.52	PK	Vertical	PASS
6	5943.01	47.81	13.24	61.05	68.20	7.15	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5628.41	45.29	12.15	57.44	68.20	10.76	PK	Horizontal	PASS
2	5669.22	45.27	12.49	57.76	82.46	24.70	PK	Horizontal	PASS
3	5705.32	46.23	12.82	59.05	106.69	47.64	PK	Horizontal	PASS
4	5852.61	46.35	13.48	59.83	116.24	56.41	PK	Horizontal	PASS
5	5882.37	45.56	13.35	58.91	99.73	40.82	PK	Horizontal	PASS
6	5925.78	45.40	13.26	58.66	68.20	9.54	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.08	45.77	12.20	57.97	68.20	10.23	PK	Vertical	PASS
2	5678.00	45.29	12.56	57.85	88.96	31.11	PK	Vertical	PASS
3	5707.59	45.38	12.85	58.23	107.33	49.10	PK	Vertical	PASS
4	5855.38	50.33	13.47	63.80	110.69	46.89	PK	Vertical	PASS
5	5874.24	45.19	13.39	58.58	105.41	46.83	PK	Vertical	PASS
6	5948.21	50.23	13.24	63.47	68.20	4.73	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5639.14	45.54	12.23	57.77	68.20	10.43	PK	Horizontal	PASS
2	5678.65	45.30	12.57	57.87	89.44	31.57	PK	Horizontal	PASS
3	5705.32	46.23	12.82	59.05	106.69	47.64	PK	Horizontal	PASS
4	5867.41	45.18	13.42	58.60	107.32	48.72	PK	Horizontal	PASS
5	5889.68	46.17	13.32	59.49	94.30	34.81	PK	Horizontal	PASS
6	5937.16	45.52	13.25	58.77	68.20	9.43	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 15.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.08	45.77	12.20	57.97	68.20	10.23	PK	Vertical	PASS
2	5666.30	45.97	12.46	58.43	80.29	21.86	PK	Vertical	PASS
3	5709.54	45.78	12.86	58.64	107.87	49.23	PK	Vertical	PASS
4	5854.24	52.58	13.48	66.06	112.53	46.47	PK	Vertical	PASS
5	5900.74	45.42	13.27	58.69	86.11	27.42	PK	Vertical	PASS
6	5948.21	50.23	13.24	63.47	68.20	4.73	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5636.54	45.60	12.20	57.80	68.20	10.40	PK	Horizontal	PASS
2	5673.12	45.44	12.52	57.96	85.35	27.39	PK	Horizontal	PASS
3	5709.38	45.67	12.86	58.53	107.83	49.30	PK	Horizontal	PASS
4	5862.04	46.14	13.44	59.58	108.83	49.25	PK	Horizontal	PASS
5	5898.30	45.66	13.28	58.94	87.92	28.98	PK	Horizontal	PASS
6	5933.74	45.06	13.25	58.31	68.20	9.89	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5853.59	51.77	13.48	65.25	114.02	48.77	PK	Vertical	PASS
2	5903.99	45.50	13.27	58.77	83.71	24.94	PK	Vertical	PASS
3	5948.54	45.23	13.24	58.47	68.20	9.73	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5639.31	46.24	12.23	58.47	68.20	9.73	PK	Horizontal	PASS
2	5675.40	45.22	12.54	57.76	87.04	29.28	PK	Horizontal	PASS
3	5717.83	45.81	12.94	58.75	110.19	51.44	PK	Horizontal	PASS
4	5853.59	47.94	13.48	61.42	114.02	52.60	PK	Horizontal	PASS
5	5900.58	45.60	13.27	58.87	86.24	27.37	PK	Horizontal	PASS
6	5933.74	45.43	13.25	58.68	68.20	9.52	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5634.59	46.30	12.19	58.49	68.20	9.71	PK	Vertical	PASS
2	5676.54	45.80	12.56	58.36	87.88	29.52	PK	Vertical	PASS
3	5700.28	52.94	12.77	65.71	105.28	39.57	PK	Vertical	PASS
4	5853.26	54.48	13.48	67.96	114.76	46.80	PK	Vertical	PASS
5	5892.77	45.68	13.30	58.98	92.01	33.03	PK	Vertical	PASS
6	5929.84	45.92	13.25	59.17	68.20	9.03	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5644.83	45.41	12.27	57.68	68.20	10.52	PK	Horizontal	PASS
2	5672.64	45.28	12.51	57.79	84.99	27.20	PK	Horizontal	PASS
3	5705.64	46.27	12.82	59.09	106.78	47.69	PK	Horizontal	PASS
4	5859.93	45.62	13.45	59.07	109.42	50.35	PK	Horizontal	PASS
5	5900.74	45.38	13.27	58.65	86.11	27.46	PK	Horizontal	PASS
6	5925.61	46.01	13.26	59.27	68.20	8.93	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5644.18	45.95	12.26	58.21	68.20	9.99	PK	Vertical	PASS
2	5669.22	45.21	12.49	57.70	82.46	24.76	PK	Vertical	PASS
3	5701.41	45.75	12.78	58.53	105.60	47.07	PK	Vertical	PASS
4	5875.05	45.65	13.38	59.03	105.16	46.13	PK	Vertical	PASS
5	5907.73	45.17	13.26	58.43	80.95	22.52	PK	Vertical	PASS
6	5931.30	45.80	13.25	59.05	68.20	9.15	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU62; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5632.97	46.06	12.18	58.24	68.20	9.96	PK	Horizontal	PASS
2	5672.31	46.26	12.51	58.77	84.75	25.98	PK	Horizontal	PASS
3	5711.49	46.34	12.88	59.22	108.42	49.20	PK	Horizontal	PASS
4	5871.31	45.74	13.40	59.14	106.23	47.09	PK	Horizontal	PASS
5	5907.73	49.79	13.26	63.05	80.95	17.90	PK	Horizontal	PASS
6	5947.07	45.66	13.25	58.91	68.20	9.29	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU62; Powersetting 13.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5649.39	46.16	12.30	58.46	68.20	9.74	PK	Vertical	PASS
2	5689.22	46.09	12.67	58.76	97.25	38.49	PK	Vertical	PASS
3	5703.20	46.57	12.80	59.37	106.10	46.73	PK	Vertical	PASS
4	5867.73	47.56	13.42	60.98	107.23	46.25	PK	Vertical	PASS
5	5894.72	46.23	13.29	59.52	90.57	31.05	PK	Vertical	PASS
6	5946.10	46.19	13.24	59.43	68.20	8.77	PK	Vertical	PASS

~The End~