



Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5325.30	90.53	10.59	101.12	-	-	RMS	Vertical	NA
2	7748.35	31.01	16.56	47.57	54.00	6.43	RMS	Vertical	PASS
3	15485.33	29.65	11.89	41.54	54.00	12.46	RMS	Vertical	PASS
4	17976.33	28.15	16.68	44.83	54.00	9.17	RMS	Vertical	PASS
5	5324.95	96.84	10.59	107.43	-	-	PK	Vertical	NA
6	6669.65	42.25	14.78	57.03	68.20	11.17	PK	Vertical	PASS
7	7465.55	41.92	16.68	58.60	74.00	15.40	PK	Vertical	PASS
8	17973.33	37.28	16.65	53.93	74.00	20.07	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5258.10	77.50	10.12	87.62	-	-	RMS	Horizontal	NA
2	7373.50	31.29	16.29	47.58	54.00	6.42	RMS	Horizontal	PASS
3	15362.00	30.60	11.91	42.51	54.00	11.49	RMS	Horizontal	PASS
4	17932.33	28.60	16.35	44.95	54.00	9.05	RMS	Horizontal	PASS
5	5257.75	86.45	10.12	96.57	-	-	PK	Horizontal	NA
6	6661.25	42.31	14.75	57.06	68.20	11.14	PK	Horizontal	PASS
7	7407.80	41.63	16.28	57.91	74.00	16.09	PK	Horizontal	PASS
8	17969.67	37.23	16.63	53.86	74.00	20.14	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5259.50	90.41	10.13	100.54	-	-	RMS	Vertical	NA
2	7468.00	31.20	16.68	47.88	54.00	6.12	RMS	Vertical	PASS
3	12248.67	31.80	7.56	39.36	54.00	14.64	RMS	Vertical	PASS
4	17984.67	27.85	16.74	44.59	54.00	9.41	RMS	Vertical	PASS
5	5257.40	98.80	10.11	108.91	-	-	PK	Vertical	NA
6	7249.25	41.88	16.26	58.14	68.20	10.06	PK	Vertical	PASS
7	15876.33	39.37	11.70	51.07	74.00	22.93	PK	Vertical	PASS
8	17908.00	38.18	16.16	54.34	74.00	19.66	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5380.95	74.18	10.99	85.17	-	-	RMS	Horizontal	NA
2	7413.40	31.11	16.33	47.44	54.00	6.56	RMS	Horizontal	PASS
3	15814.33	30.04	11.37	41.41	54.00	12.59	RMS	Horizontal	PASS
4	17872.33	28.59	15.96	44.55	54.00	9.45	RMS	Horizontal	PASS
5	5380.60	82.62	10.99	93.61	-	-	PK	Horizontal	NA
6	7338.15	41.78	16.31	58.09	74.00	15.91	PK	Horizontal	PASS
7	15300.33	39.24	11.95	51.19	68.20	17.01	PK	Horizontal	PASS
8	17924.33	37.49	16.29	53.78	74.00	20.22	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5373.60	85.58	10.95	96.53	-	-	RMS	Vertical	NA
2	7553.40	31.45	16.33	47.78	54.00	6.22	RMS	Vertical	PASS
3	15892.00	30.14	11.79	41.93	54.00	12.07	RMS	Vertical	PASS
4	17950.00	28.19	16.48	44.67	54.00	9.33	RMS	Vertical	PASS
5	5380.25	94.17	10.99	105.16	-	-	PK	Vertical	NA
6	7407.10	41.49	16.28	57.77	74.00	16.23	PK	Vertical	PASS
7	7902.00	41.01	16.46	57.47	68.20	10.73	PK	Vertical	PASS
8	17967.33	37.44	16.61	54.05	74.00	19.95	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5272.10	85.35	10.20	95.55	-	-	RMS	Vertical	NA
2	7504.75	30.87	16.68	47.55	54.00	6.45	RMS	Vertical	PASS
3	15766.33	30.48	11.29	41.77	54.00	12.23	RMS	Vertical	PASS
4	17966.00	28.44	16.60	45.04	54.00	8.96	RMS	Vertical	PASS
5	5271.75	94.76	10.20	104.96	-	-	PK	Vertical	NA
6	6382.30	43.38	13.82	57.20	68.20	11.00	PK	Vertical	PASS
7	6660.90	42.33	14.75	57.08	68.20	11.12	PK	Vertical	PASS
8	7405.70	41.48	16.26	57.74	74.00	16.26	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5266.50	73.52	10.17	83.69	-	-	RMS	Horizontal	NA
2	7511.75	30.85	16.63	47.48	54.00	6.52	RMS	Horizontal	PASS
3	15844.33	29.69	11.53	41.22	54.00	12.78	RMS	Horizontal	PASS
4	17995.33	28.05	16.82	44.87	54.00	9.13	RMS	Horizontal	PASS
5	5267.20	82.02	10.17	92.19	-	-	PK	Horizontal	NA
6	6241.60	43.40	13.32	56.72	68.20	11.48	PK	Horizontal	PASS
7	7237.35	41.20	16.20	57.40	68.20	10.80	PK	Horizontal	PASS
8	17930.67	38.89	16.33	55.22	74.00	18.78	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5305.35	83.94	10.42	94.36	-	-	RMS	Vertical	NA
2	7538.00	32.71	16.45	49.16	54.00	4.84	RMS	Vertical	PASS
3	15825.67	31.91	11.43	43.34	54.00	10.66	RMS	Vertical	PASS
4	17969.00	30.35	16.63	46.98	54.00	7.02	RMS	Vertical	PASS
5	5291.00	90.71	10.33	101.04	-	-	PK	Vertical	NA
6	7451.90	40.93	16.66	57.59	74.00	16.41	PK	Vertical	PASS
7	15811.00	39.71	11.35	51.06	74.00	22.94	PK	Vertical	PASS
8	17963.67	38.93	16.58	55.51	74.00	18.49	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5281.90	70.20	10.27	80.47	-	-	RMS	Horizontal	NA
2	7570.55	31.53	16.18	47.71	54.00	6.29	RMS	Horizontal	PASS
3	15826.33	30.58	11.43	42.01	54.00	11.99	RMS	Horizontal	PASS
4	17959.00	27.83	16.55	44.38	54.00	9.62	RMS	Horizontal	PASS
5	5280.15	78.77	10.26	89.03	-	-	PK	Horizontal	NA
6	6740.70	42.08	14.97	57.05	68.20	11.15	PK	Horizontal	PASS
7	7475.35	41.37	16.69	58.06	74.00	15.94	PK	Horizontal	PASS
8	17985.00	37.47	16.75	54.22	74.00	19.78	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5263.35	83.95	10.15	94.10	-	-	RMS	Horizontal	NA
2	7424.95	31.27	16.43	47.70	54.00	6.30	RMS	Horizontal	PASS
3	15761.00	31.17	11.29	42.46	54.00	11.54	RMS	Horizontal	PASS
4	17909.00	28.41	16.17	44.58	54.00	9.42	RMS	Horizontal	PASS
5	5254.25	94.83	10.10	104.93	-	-	PK	Horizontal	NA
6	6248.25	44.84	13.33	58.17	68.20	10.03	PK	Horizontal	PASS
7	7267.45	41.48	16.21	57.69	74.00	16.31	PK	Horizontal	PASS
8	17987.33	37.02	16.76	53.78	74.00	20.22	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5253.55	89.17	10.09	99.26	-	-	RMS	Vertical	NA
2	7359.50	31.30	16.33	47.63	54.00	6.37	RMS	Vertical	PASS
3	15809.67	30.53	11.34	41.87	54.00	12.13	RMS	Vertical	PASS
4	17961.00	28.45	16.56	45.01	54.00	8.99	RMS	Vertical	PASS
5	5259.15	98.63	10.12	108.75	-	-	PK	Vertical	NA
6	7535.90	42.06	16.46	58.52	74.00	15.48	PK	Vertical	PASS
7	15351.00	40.16	11.92	52.08	74.00	21.92	PK	Vertical	PASS
8	17999.67	37.84	16.86	54.70	74.00	19.30	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5284.35	80.93	10.29	91.22	-	-	RMS	Horizontal	NA
2	7507.90	31.34	16.66	48.00	54.00	6.00	RMS	Horizontal	PASS
3	15820.00	30.48	11.40	41.88	54.00	12.12	RMS	Horizontal	PASS
4	17979.00	28.96	16.70	45.66	54.00	8.34	RMS	Horizontal	PASS
5	5283.65	90.55	10.28	100.83	-	-	PK	Horizontal	NA
6	6742.80	42.79	14.98	57.77	68.20	10.43	PK	Horizontal	PASS
7	7529.60	41.56	16.51	58.07	74.00	15.93	PK	Horizontal	PASS
8	17973.33	38.04	16.65	54.69	74.00	19.31	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5267.55	88.20	10.18	98.38	-	-	RMS	Vertical	NA
2	7291.95	31.39	16.13	47.52	54.00	6.48	RMS	Vertical	PASS
3	15828.67	30.47	11.44	41.91	54.00	12.09	RMS	Vertical	PASS
4	17916.33	28.89	16.23	45.12	54.00	8.88	RMS	Vertical	PASS
5	5283.30	98.00	10.28	108.28	-	-	PK	Vertical	NA
6	6747.70	42.25	14.99	57.24	68.20	10.96	PK	Vertical	PASS
7	7477.80	41.51	16.69	58.20	74.00	15.80	PK	Vertical	PASS
8	17949.00	37.86	16.48	54.34	74.00	19.66	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5288.90	73.72	10.31	84.03	-	-	RMS	Horizontal	NA
2	7363.00	31.24	16.32	47.56	54.00	6.44	RMS	Horizontal	PASS
3	15906.33	29.74	11.76	41.50	54.00	12.50	RMS	Horizontal	PASS
4	17969.67	28.58	16.63	45.21	54.00	8.79	RMS	Horizontal	PASS
5	5284.00	84.36	10.28	94.64	-	-	PK	Horizontal	NA
6	7448.40	41.09	16.64	57.73	74.00	16.27	PK	Horizontal	PASS
7	16125.67	39.05	11.65	50.70	74.00	23.30	PK	Horizontal	PASS
8	17969.33	37.75	16.63	54.38	74.00	19.62	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5268.60	83.74	10.18	93.92	-	-	RMS	Vertical	NA
2	7379.45	31.39	16.27	47.66	54.00	6.34	RMS	Vertical	PASS
3	15913.33	30.98	11.68	42.66	54.00	11.34	RMS	Vertical	PASS
4	17994.33	28.56	16.82	45.38	54.00	8.62	RMS	Vertical	PASS
5	5269.30	93.45	10.19	103.64	-	-	PK	Vertical	NA
6	6603.50	43.02	14.40	57.42	68.20	10.78	PK	Vertical	PASS
7	7557.25	41.85	16.30	58.15	74.00	15.85	PK	Vertical	PASS
8	17978.00	37.67	16.69	54.36	74.00	19.64	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5493.30	82.18	11.63	93.81	-	-	RMS	Horizontal	NA
2	7568.10	31.79	16.20	47.99	54.00	6.01	RMS	Horizontal	PASS
3	15483.67	30.51	11.88	42.39	54.00	11.61	RMS	Horizontal	PASS
4	17986.67	29.48	16.76	46.24	54.00	7.76	RMS	Horizontal	PASS
5	5492.95	91.14	11.63	102.77	-	-	PK	Horizontal	NA
6	6692.40	43.54	14.84	58.38	68.20	9.82	PK	Horizontal	PASS
7	7436.50	41.04	16.54	57.58	74.00	16.42	PK	Horizontal	PASS
8	17970.33	37.80	16.63	54.43	74.00	19.57	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5494.70	87.97	11.64	99.61	-	-	RMS	Vertical	NA
2	7338.85	31.57	16.30	47.87	54.00	6.13	RMS	Vertical	PASS
3	15807.00	31.37	11.33	42.70	54.00	11.30	RMS	Vertical	PASS
4	17946.33	29.01	16.46	45.47	54.00	8.53	RMS	Vertical	PASS
5	5493.65	96.42	11.64	108.06	-	-	PK	Vertical	NA
6	6429.20	43.55	14.05	57.60	68.20	10.60	PK	Vertical	PASS
7	7560.75	41.02	16.27	57.29	74.00	16.71	PK	Vertical	PASS
8	17972.67	37.03	16.65	53.68	74.00	20.32	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5595.50	80.06	11.93	91.99	-	-	RMS	Horizontal	NA
2	7464.50	30.87	16.67	47.54	54.00	6.46	RMS	Horizontal	PASS
3	15898.67	29.62	11.82	41.44	54.00	12.56	RMS	Horizontal	PASS
4	17940.67	28.85	16.41	45.26	54.00	8.74	RMS	Horizontal	PASS
5	5595.50	88.56	11.93	100.49	-	-	PK	Horizontal	NA
6	6003.95	43.20	13.20	56.40	68.20	11.80	PK	Horizontal	PASS
7	6744.90	42.45	14.98	57.43	68.20	10.77	PK	Horizontal	PASS
8	7695.50	41.78	16.35	58.13	74.00	15.87	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5601.10	87.53	11.95	99.48	-	-	RMS	Vertical	NA
2	7723.15	31.08	16.47	47.55	54.00	6.45	RMS	Vertical	PASS
3	15894.00	29.22	11.80	41.02	54.00	12.98	RMS	Vertical	PASS
4	17995.67	27.57	16.82	44.39	54.00	9.61	RMS	Vertical	PASS
5	5595.85	96.90	11.93	108.83	-	-	PK	Vertical	NA
6	7667.50	41.82	16.20	58.02	74.00	15.98	PK	Vertical	PASS
7	15791.33	39.14	11.29	50.43	74.00	23.57	PK	Vertical	PASS
8	17984.67	37.35	16.74	54.09	74.00	19.91	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5705.40	79.37	12.82	92.19	-	-	RMS	Horizontal	NA
2	7490.05	31.00	16.70	47.70	54.00	6.30	RMS	Horizontal	PASS
3	15818.33	30.37	11.39	41.76	54.00	12.24	RMS	Horizontal	PASS
4	17975.00	29.62	16.67	46.29	54.00	7.71	RMS	Horizontal	PASS
5	5695.60	88.36	12.73	101.09	-	-	PK	Horizontal	NA
6	7425.65	41.28	16.44	57.72	74.00	16.28	PK	Horizontal	PASS
7	15814.67	39.47	11.37	50.84	74.00	23.16	PK	Horizontal	PASS
8	17977.00	37.69	16.69	54.38	74.00	19.62	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5704.35	86.26	12.81	99.07	-	-	RMS	Vertical	NA
2	7410.95	31.43	16.30	47.73	54.00	6.27	RMS	Vertical	PASS
3	15831.33	29.92	11.46	41.38	54.00	12.62	RMS	Vertical	PASS
4	17990.67	28.20	16.79	44.99	54.00	9.01	RMS	Vertical	PASS
5	5705.05	95.02	12.82	107.84	-	-	PK	Vertical	NA
6	7403.25	41.97	16.24	58.21	74.00	15.79	PK	Vertical	PASS
7	16426.67	39.92	12.48	52.40	68.20	15.80	PK	Vertical	PASS
8	17953.00	37.58	16.50	54.08	74.00	19.92	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5715.55	80.26	12.92	93.18	-	-	RMS	Horizontal	NA
2	7716.15	31.49	16.44	47.93	54.00	6.07	RMS	Horizontal	PASS
3	15802.00	30.80	11.30	42.10	54.00	11.90	RMS	Horizontal	PASS
4	17971.67	29.48	16.65	46.13	54.00	7.87	RMS	Horizontal	PASS
5	5719.40	86.97	12.96	99.93	-	-	PK	Horizontal	NA
6	7519.45	41.11	16.58	57.69	74.00	16.31	PK	Horizontal	PASS
7	15397.67	39.27	11.90	51.17	74.00	22.83	PK	Horizontal	PASS
8	17992.67	37.08	16.80	53.88	74.00	20.12	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5721.85	87.76	12.97	100.73	-	-	RMS	Vertical	NA
2	7493.90	31.13	16.70	47.83	54.00	6.17	RMS	Vertical	PASS
3	15793.00	31.01	11.29	42.30	54.00	11.70	RMS	Vertical	PASS
4	17950.67	28.57	16.48	45.05	54.00	8.95	RMS	Vertical	PASS
5	5715.20	95.62	12.91	108.53	-	-	PK	Vertical	NA
6	6660.90	42.93	14.75	57.68	68.20	10.52	PK	Vertical	PASS
7	7321.70	40.90	16.21	57.11	74.00	16.89	PK	Vertical	PASS
8	17899.33	37.61	16.10	53.71	74.00	20.29	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5495.40	78.76	11.64	90.40	-	-	RMS	Horizontal	NA
2	7445.60	31.00	16.62	47.62	54.00	6.38	RMS	Horizontal	PASS
3	16344.33	29.36	12.16	41.52	-	-	RMS	Horizontal	NA
4	17956.00	27.68	16.52	44.20	54.00	9.80	RMS	Horizontal	PASS
5	5495.05	88.46	11.64	100.10	-	-	PK	Horizontal	NA
6	6401.90	42.96	14.00	56.96	68.20	11.24	PK	Horizontal	PASS
7	7753.60	41.36	16.56	57.92	68.20	10.28	PK	Horizontal	PASS
8	17977.33	37.61	16.69	54.30	74.00	19.70	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5501.00	92.04	11.65	103.69	-	-	RMS	Vertical	NA
2	7329.05	31.70	16.25	47.95	54.00	6.05	RMS	Vertical	PASS
3	15899.33	30.49	11.83	42.32	54.00	11.68	RMS	Vertical	PASS
4	17942.33	29.26	16.42	45.68	54.00	8.32	RMS	Vertical	PASS
5	5502.40	99.43	11.66	111.09	-	-	PK	Vertical	NA
6	7232.80	42.09	16.17	58.26	68.20	9.94	PK	Vertical	PASS
7	16496.00	39.09	12.77	51.86	68.20	16.34	PK	Vertical	PASS
8	17997.67	37.11	16.84	53.95	74.00	20.05	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5511.50	76.78	11.70	88.48	-	-	RMS	Horizontal	NA
2	7596.80	31.74	15.95	47.69	54.00	6.31	RMS	Horizontal	PASS
3	15887.33	29.58	11.76	41.34	54.00	12.66	RMS	Horizontal	PASS
4	17987.67	27.86	16.77	44.63	54.00	9.37	RMS	Horizontal	PASS
5	5511.15	85.36	11.69	97.05	-	-	PK	Horizontal	NA
6	6773.60	42.45	15.01	57.46	68.20	10.74	PK	Horizontal	PASS
7	7777.75	41.30	16.54	57.84	68.20	10.36	PK	Horizontal	PASS
8	17987.33	37.28	16.76	54.04	74.00	19.96	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5511.85	87.84	11.70	99.54	-	-	RMS	Vertical	NA
2	7474.65	31.31	16.68	47.99	54.00	6.01	RMS	Vertical	PASS
3	15803.00	30.40	11.31	41.71	54.00	12.29	RMS	Vertical	PASS
4	17946.00	29.03	16.45	45.48	54.00	8.52	RMS	Vertical	PASS
5	5513.25	96.08	11.70	107.78	-	-	PK	Vertical	NA
6	6602.10	43.45	14.40	57.85	68.20	10.35	PK	Vertical	PASS
7	7827.45	41.46	16.54	58.00	68.20	10.20	PK	Vertical	PASS
8	17972.00	37.60	16.65	54.25	74.00	19.75	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5514.65	72.57	11.71	84.28	-	-	RMS	Horizontal	NA
2	7463.45	30.54	16.68	47.22	54.00	6.78	RMS	Horizontal	PASS
3	16113.67	30.04	11.69	41.73	54.00	12.27	RMS	Horizontal	PASS
4	17961.67	28.21	16.57	44.78	54.00	9.22	RMS	Horizontal	PASS
5	5505.55	81.59	11.67	93.26	-	-	PK	Horizontal	NA
6	7504.40	40.81	16.68	57.49	74.00	16.51	PK	Horizontal	PASS
7	7819.75	41.14	16.54	57.68	68.20	10.52	PK	Horizontal	PASS
8	17945.67	37.65	16.44	54.09	74.00	19.91	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5512.90	83.90	11.70	95.60	-	-	RMS	Vertical	NA
2	7524.70	31.28	16.54	47.82	54.00	6.18	RMS	Vertical	PASS
3	15896.67	29.81	11.81	41.62	54.00	12.38	RMS	Vertical	PASS
4	17945.33	28.43	16.44	44.87	54.00	9.13	RMS	Vertical	PASS
5	5512.55	91.76	11.70	103.46	-	-	PK	Vertical	NA
6	5757.20	43.38	13.31	56.69	68.20	11.51	PK	Vertical	PASS
7	6429.55	43.73	14.05	57.78	68.20	10.42	PK	Vertical	PASS
8	7488.30	42.12	16.70	58.82	74.00	15.18	PK	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5528.65	71.74	11.76	83.50	-	-	RMS	Horizontal	NA
2	7726.30	30.88	16.47	47.35	54.00	6.65	RMS	Horizontal	PASS
3	15846.00	29.50	11.54	41.04	54.00	12.96	RMS	Horizontal	PASS
4	17920.00	28.91	16.25	45.16	54.00	8.84	RMS	Horizontal	PASS
5	5528.65	80.13	11.76	91.89	-	-	PK	Horizontal	NA
6	7249.60	41.64	16.26	57.90	68.20	10.30	PK	Horizontal	PASS
7	7649.30	41.80	16.10	57.90	74.00	16.10	PK	Horizontal	PASS
8	17951.67	37.92	16.50	54.42	74.00	19.58	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5532.15	83.25	11.78	95.03	-	-	RMS	Vertical	NA
2	7502.30	31.05	16.69	47.74	54.00	6.26	RMS	Vertical	PASS
3	15356.33	30.49	11.91	42.40	54.00	11.60	RMS	Vertical	PASS
4	17913.00	29.34	16.20	45.54	54.00	8.46	RMS	Vertical	PASS
5	5532.15	91.56	11.78	103.34	-	-	PK	Vertical	NA
6	6451.25	43.69	14.07	57.76	68.20	10.44	PK	Vertical	PASS
7	7409.20	41.45	16.30	57.75	74.00	16.25	PK	Vertical	PASS
8	17985.00	37.57	16.75	54.32	74.00	19.68	PK	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5592.35	69.10	11.92	81.02	-	-	RMS	Horizontal	NA
2	7476.75	30.85	16.68	47.53	54.00	6.47	RMS	Horizontal	PASS
3	15907.33	30.65	11.75	42.40	54.00	11.60	RMS	Horizontal	PASS
4	17942.00	28.57	16.42	44.99	54.00	9.01	RMS	Horizontal	PASS
5	5593.40	76.37	11.93	88.30	-	-	PK	Horizontal	NA
6	7515.95	40.71	16.60	57.31	74.00	16.69	PK	Horizontal	PASS
7	15859.67	39.83	11.61	51.44	74.00	22.56	PK	Horizontal	PASS
8	17952.67	37.40	16.50	53.90	74.00	20.10	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5573.10	78.37	11.89	90.26	-	-	RMS	Vertical	NA
2	7717.90	31.55	16.45	48.00	54.00	6.00	RMS	Vertical	PASS
3	15822.33	30.20	11.41	41.61	54.00	12.39	RMS	Vertical	PASS
4	17969.67	28.49	16.63	45.12	54.00	8.88	RMS	Vertical	PASS
5	5573.80	86.88	11.89	98.77	-	-	PK	Vertical	NA
6	6848.15	42.61	15.09	57.70	68.20	10.50	PK	Vertical	PASS
7	7770.05	40.98	16.55	57.53	68.20	10.67	PK	Vertical	PASS
8	17995.00	36.90	16.82	53.72	74.00	20.28	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5494.00	79.49	11.64	91.13	-	-	RMS	Horizontal	NA
2	7367.90	31.24	16.31	47.55	54.00	6.45	RMS	Horizontal	PASS
3	15903.33	29.11	11.79	40.90	54.00	13.10	RMS	Horizontal	PASS
4	17990.67	27.86	16.79	44.65	54.00	9.35	RMS	Horizontal	PASS
5	5494.00	89.71	11.64	101.35	-	-	PK	Horizontal	NA
6	7715.10	41.17	16.43	57.60	74.00	16.40	PK	Horizontal	PASS
7	15808.33	39.29	11.34	50.63	74.00	23.37	PK	Horizontal	PASS
8	17894.33	37.78	16.07	53.85	74.00	20.15	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5503.80	90.02	11.67	101.69	-	-	RMS	Vertical	NA
2	7342.35	31.28	16.32	47.60	54.00	6.40	RMS	Vertical	PASS
3	7814.50	31.54	16.54	48.08	-	-	RMS	Vertical	NA
4	17928.33	28.99	16.31	45.30	54.00	8.70	RMS	Vertical	PASS
5	5502.75	100.39	11.66	112.05	-	-	PK	Vertical	NA
6	7471.15	40.89	16.69	57.58	74.00	16.42	PK	Vertical	PASS
7	7697.60	41.69	16.37	58.06	74.00	15.94	PK	Vertical	PASS
8	17970.67	37.59	16.63	54.22	74.00	19.78	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5512.55	76.13	11.70	87.83	-	-	RMS	Horizontal	NA
2	7470.45	30.61	16.68	47.29	54.00	6.71	RMS	Horizontal	PASS
3	15822.33	30.43	11.41	41.84	54.00	12.16	RMS	Horizontal	PASS
4	17966.33	28.34	16.61	44.95	54.00	9.05	RMS	Horizontal	PASS
5	5515.00	86.55	11.71	98.26	-	-	PK	Horizontal	NA
6	7466.95	42.61	16.67	59.28	74.00	14.72	PK	Horizontal	PASS
7	15404.33	39.92	11.89	51.81	74.00	22.19	PK	Horizontal	PASS
8	17985.33	37.29	16.75	54.04	74.00	19.96	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5513.60	86.98	11.70	98.68	-	-	RMS	Vertical	NA
2	7468.35	30.78	16.68	47.46	54.00	6.54	RMS	Vertical	PASS
3	15821.33	30.45	11.41	41.86	54.00	12.14	RMS	Vertical	PASS
4	17972.67	28.66	16.65	45.31	54.00	8.69	RMS	Vertical	PASS
5	5506.95	96.73	11.68	108.41	-	-	PK	Vertical	NA
6	6611.90	42.66	14.46	57.12	68.20	11.08	PK	Vertical	PASS
7	7470.45	41.33	16.68	58.01	74.00	15.99	PK	Vertical	PASS
8	17934.67	37.40	16.36	53.76	74.00	20.24	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5509.05	72.08	11.69	83.77	-	-	RMS	Horizontal	NA
2	7355.65	31.01	16.34	47.35	54.00	6.65	RMS	Horizontal	PASS
3	15929.33	30.53	11.49	42.02	54.00	11.98	RMS	Horizontal	PASS
4	17991.00	28.75	16.79	45.54	54.00	8.46	RMS	Horizontal	PASS
5	5509.40	82.15	11.69	93.84	-	-	PK	Horizontal	NA
6	7377.70	41.63	16.28	57.91	74.00	16.09	PK	Horizontal	PASS
7	15822.67	39.84	11.41	51.25	74.00	22.75	PK	Horizontal	PASS
8	17997.67	37.36	16.84	54.20	74.00	19.80	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5515.35	83.21	11.71	94.92	-	-	RMS	Vertical	NA
2	7733.30	31.42	16.50	47.92	54.00	6.08	RMS	Vertical	PASS
3	15890.33	29.83	11.78	41.61	54.00	12.39	RMS	Vertical	PASS
4	17960.33	27.98	16.56	44.54	54.00	9.46	RMS	Vertical	PASS
5	5511.15	95.06	11.69	106.75	-	-	PK	Vertical	NA
6	7146.70	42.34	15.59	57.93	68.20	10.27	PK	Vertical	PASS
7	7818.00	41.36	16.55	57.91	68.20	10.29	PK	Vertical	PASS
8	17945.67	37.54	16.44	53.98	74.00	20.02	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5512.90	71.73	11.70	83.43	-	-	RMS	Horizontal	NA
2	7503.70	31.20	16.68	47.88	54.00	6.12	RMS	Horizontal	PASS
3	15401.00	30.76	11.89	42.65	54.00	11.35	RMS	Horizontal	PASS
4	17993.67	28.27	16.81	45.08	54.00	8.92	RMS	Horizontal	PASS
5	5510.10	82.25	11.69	93.94	-	-	PK	Horizontal	NA
6	6713.40	42.16	14.90	57.06	68.20	11.14	PK	Horizontal	PASS
7	7379.10	41.36	16.27	57.63	74.00	16.37	PK	Horizontal	PASS
8	17941.33	37.67	16.42	54.09	74.00	19.91	PK	Horizontal	PASS