



Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5532.15	83.20	11.78	94.98	-	-	RMS	Vertical	NA
2	7428.80	31.26	16.47	47.73	54.00	6.27	RMS	Vertical	PASS
3	15904.33	29.66	11.78	41.44	54.00	12.56	RMS	Vertical	PASS
4	17870.67	28.68	15.95	44.63	54.00	9.37	RMS	Vertical	PASS
5	5547.20	93.42	11.84	105.26	-	-	PK	Vertical	NA
6	7480.60	41.17	16.69	57.86	74.00	16.14	PK	Vertical	PASS
7	15313.33	39.78	11.95	51.73	68.20	16.47	PK	Vertical	PASS
8	17976.00	38.06	16.67	54.73	74.00	19.27	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5593.40	66.74	11.93	78.67	-	-	RMS	Horizontal	NA
2	7454.00	31.27	16.66	47.93	54.00	6.07	RMS	Horizontal	PASS
3	15886.00	29.69	11.75	41.44	54.00	12.56	RMS	Horizontal	PASS
4	17985.67	27.93	16.75	44.68	54.00	9.32	RMS	Horizontal	PASS
5	5593.05	77.95	11.93	89.88	-	-	PK	Horizontal	NA
6	6764.85	42.33	15.01	57.34	68.20	10.86	PK	Horizontal	PASS
7	7520.85	41.28	16.57	57.85	74.00	16.15	PK	Horizontal	PASS
8	17897.00	37.99	16.08	54.07	74.00	19.93	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5532.50	78.38	11.78	90.16	-	-	RMS	Vertical	NA
2	7459.95	31.27	16.67	47.94	54.00	6.06	RMS	Vertical	PASS
3	15852.67	30.88	11.57	42.45	54.00	11.55	RMS	Vertical	PASS
4	17975.00	28.97	16.67	45.64	54.00	8.36	RMS	Vertical	PASS
5	5551.75	88.81	11.84	100.65	-	-	PK	Vertical	NA
6	7537.30	41.17	16.45	57.62	74.00	16.38	PK	Vertical	PASS
7	16423.00	38.57	12.47	51.04	68.20	17.16	PK	Vertical	PASS
8	17975.00	37.16	16.67	53.83	74.00	20.17	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5740.05	75.57	13.15	88.72	-	-	RMS	Horizontal	NA
2	7423.20	31.17	16.42	47.59	54.00	6.41	RMS	Horizontal	PASS
3	15818.00	30.27	11.39	41.66	54.00	12.34	RMS	Horizontal	PASS
4	17981.00	28.43	16.71	45.14	54.00	8.86	RMS	Horizontal	PASS
5	5747.75	84.74	13.23	97.97	-	-	PK	Horizontal	NA
6	6244.40	45.25	13.33	58.58	68.20	9.62	PK	Horizontal	PASS
7	7315.75	41.51	16.19	57.70	74.00	16.30	PK	Horizontal	PASS
8	17939.00	37.56	16.40	53.96	74.00	20.04	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5747.05	80.88	13.21	94.09	-	-	RMS	Vertical	NA
2	7519.80	31.15	16.57	47.72	54.00	6.28	RMS	Vertical	PASS
3	15787.33	29.99	11.29	41.28	54.00	12.72	RMS	Vertical	PASS
4	17933.00	28.56	16.35	44.91	54.00	9.09	RMS	Vertical	PASS
5	5748.10	89.66	13.23	102.89	-	-	PK	Vertical	NA
6	7404.30	41.61	16.25	57.86	74.00	16.14	PK	Vertical	PASS
7	7819.75	41.39	16.54	57.93	68.20	10.27	PK	Vertical	PASS
8	17990.33	38.13	16.79	54.92	74.00	19.08	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5782.40	75.60	13.55	89.15	-	-	RMS	Horizontal	NA
2	7431.25	30.99	16.50	47.49	54.00	6.51	RMS	Horizontal	PASS
3	15896.67	29.92	11.81	41.73	54.00	12.27	RMS	Horizontal	PASS
4	17972.00	28.28	16.65	44.93	54.00	9.07	RMS	Horizontal	PASS
5	5781.35	83.91	13.54	97.45	-	-	PK	Horizontal	NA
6	7354.25	41.88	16.35	58.23	74.00	15.77	PK	Horizontal	PASS
7	15888.00	38.76	11.77	50.53	74.00	23.47	PK	Horizontal	PASS
8	17951.00	37.63	16.48	54.11	74.00	19.89	PK	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5788.00	80.17	13.61	93.78	-	-	RMS	Vertical	NA
2	7695.50	31.23	16.35	47.58	54.00	6.42	RMS	Vertical	PASS
3	15898.67	30.18	11.82	42.00	54.00	12.00	RMS	Vertical	PASS
4	17914.33	28.25	16.21	44.46	54.00	9.54	RMS	Vertical	PASS
5	5781.70	88.59	13.54	102.13	-	-	PK	Vertical	NA
6	7487.60	41.04	16.70	57.74	74.00	16.26	PK	Vertical	PASS
7	7830.60	41.00	16.54	57.54	68.20	10.66	PK	Vertical	PASS
8	17968.33	37.33	16.62	53.95	74.00	20.05	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5826.85	77.27	13.60	90.87	-	-	RMS	Horizontal	NA
2	7483.40	30.87	16.70	47.57	54.00	6.43	RMS	Horizontal	PASS
3	15850.00	30.22	11.56	41.78	54.00	12.22	RMS	Horizontal	PASS
4	17957.67	28.25	16.54	44.79	54.00	9.21	RMS	Horizontal	PASS
5	5826.85	85.65	13.60	99.25	-	-	PK	Horizontal	NA
6	6240.90	44.06	13.33	57.39	68.20	10.81	PK	Horizontal	PASS
7	7387.15	41.43	16.25	57.68	74.00	16.32	PK	Horizontal	PASS
8	17965.33	37.59	16.60	54.19	74.00	19.81	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5831.05	81.29	13.58	94.87	-	-	RMS	Vertical	NA
2	7689.55	31.06	16.32	47.38	54.00	6.62	RMS	Vertical	PASS
3	15880.00	29.78	11.72	41.50	54.00	12.50	RMS	Vertical	PASS
4	17978.67	28.24	16.69	44.93	54.00	9.07	RMS	Vertical	PASS
5	5827.90	89.80	13.59	103.39	-	-	PK	Vertical	NA
6	7319.60	41.74	16.21	57.95	74.00	16.05	PK	Vertical	PASS
7	7774.95	41.17	16.55	57.72	68.20	10.48	PK	Vertical	PASS
8	17905.00	38.21	16.14	54.35	74.00	19.65	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5748.45	75.81	13.23	89.04	-	-	RMS	Horizontal	NA
2	7426.00	31.08	16.44	47.52	54.00	6.48	RMS	Horizontal	PASS
3	7699.00	31.44	16.37	47.81	54.00	6.19	RMS	Horizontal	PASS
4	17934.33	28.31	16.36	44.67	54.00	9.33	RMS	Horizontal	PASS
5	5746.00	84.33	13.20	97.53	-	-	PK	Horizontal	NA
6	6358.50	43.91	13.58	57.49	68.20	10.71	PK	Horizontal	PASS
7	7234.55	41.58	16.18	57.76	68.20	10.44	PK	Horizontal	PASS
8	17964.00	37.25	16.59	53.84	74.00	20.16	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5748.10	80.72	13.23	93.95	-	-	RMS	Vertical	NA
2	7398.35	31.48	16.21	47.69	54.00	6.31	RMS	Vertical	PASS
3	15904.00	29.90	11.79	41.69	54.00	12.31	RMS	Vertical	PASS
4	17979.00	28.34	16.70	45.04	54.00	8.96	RMS	Vertical	PASS
5	5742.50	89.11	13.18	102.29	-	-	PK	Vertical	NA
6	6449.85	43.01	14.08	57.09	68.20	11.11	PK	Vertical	PASS
7	7845.65	41.63	16.54	58.17	68.20	10.03	PK	Vertical	PASS
8	17938.67	37.96	16.39	54.35	74.00	19.65	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5750.55	72.51	13.25	85.76	-	-	RMS	Horizontal	NA
2	6728.80	32.00	14.94	46.94	-	-	RMS	Horizontal	NA
3	7689.20	31.45	16.32	47.77	54.00	6.23	RMS	Horizontal	PASS
4	17975.00	28.34	16.67	45.01	54.00	8.99	RMS	Horizontal	PASS
5	5756.85	81.04	13.31	94.35	-	-	PK	Horizontal	NA
6	6678.40	42.24	14.80	57.04	68.20	11.16	PK	Horizontal	PASS
7	7439.65	41.66	16.57	58.23	74.00	15.77	PK	Horizontal	PASS
8	17999.00	37.11	16.86	53.97	74.00	20.03	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5744.25	77.39	13.19	90.58	-	-	RMS	Vertical	NA
2	7463.80	30.69	16.67	47.36	54.00	6.64	RMS	Vertical	PASS
3	15878.00	29.90	11.71	41.61	54.00	12.39	RMS	Vertical	PASS
4	17929.33	28.90	16.33	45.23	54.00	8.77	RMS	Vertical	PASS
5	5762.80	86.11	13.37	99.48	-	-	PK	Vertical	NA
6	6329.80	43.89	13.32	57.21	68.20	10.99	PK	Vertical	PASS
7	6886.65	41.97	15.00	56.97	68.20	11.23	PK	Vertical	PASS
8	7503.35	41.19	16.69	57.88	74.00	16.12	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5772.25	68.51	13.45	81.96	-	-	RMS	Horizontal	NA
2	7390.65	31.45	16.24	47.69	54.00	6.31	RMS	Horizontal	PASS
3	7737.50	30.98	16.52	47.50	54.00	6.50	RMS	Horizontal	PASS
4	17966.33	28.36	16.61	44.97	54.00	9.03	RMS	Horizontal	PASS
5	5787.30	77.53	13.59	91.12	-	-	PK	Horizontal	NA
6	7304.90	41.72	16.14	57.86	74.00	16.14	PK	Horizontal	PASS
7	7828.50	41.20	16.55	57.75	68.20	10.45	PK	Horizontal	PASS
8	17921.67	38.01	16.27	54.28	74.00	19.72	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5785.55	72.76	13.58	86.34	-	-	RMS	Vertical	NA
2	7521.90	31.24	16.56	47.80	54.00	6.20	RMS	Vertical	PASS
3	17976.67	28.01	16.69	44.70	54.00	9.30	RMS	Vertical	PASS
4	5792.90	81.87	13.66	95.53	-	-	PK	Vertical	NA
5	7235.25	41.87	16.19	58.06	68.20	10.14	PK	Vertical	PASS
6	7602.75	41.74	15.93	57.67	74.00	16.33	PK	Vertical	PASS
7	17879.67	37.79	15.99	53.78	74.00	20.22	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5744.60	75.49	13.19	88.68	-	-	RMS	Horizontal	NA
2	7290.90	31.55	16.14	47.69	54.00	6.31	RMS	Horizontal	PASS
3	17906.67	28.56	16.15	44.71	54.00	9.29	RMS	Horizontal	PASS
4	5742.15	84.41	13.17	97.58	-	-	PK	Horizontal	NA
5	7458.20	41.15	16.67	57.82	74.00	16.18	PK	Horizontal	PASS
6	7772.15	41.16	16.56	57.72	68.20	10.48	PK	Horizontal	PASS
7	17952.33	37.73	16.50	54.23	74.00	19.77	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5750.20	81.49	13.25	94.74	-	-	RMS	Vertical	NA
2	7533.45	31.24	16.48	47.72	54.00	6.28	RMS	Vertical	PASS
3	15893.67	29.83	11.80	41.63	54.00	12.37	RMS	Vertical	PASS
4	17998.67	28.76	16.85	45.61	54.00	8.39	RMS	Vertical	PASS
5	5740.05	90.45	13.15	103.60	-	-	PK	Vertical	NA
6	7354.95	41.30	16.35	57.65	74.00	16.35	PK	Vertical	PASS
7	7767.25	41.71	16.56	58.27	68.20	9.93	PK	Vertical	PASS
8	17912.33	37.61	16.19	53.80	74.00	20.20	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5762.10	71.47	13.36	84.83	-	-	RMS	Horizontal	NA
2	7459.95	31.21	16.67	47.88	54.00	6.12	RMS	Horizontal	PASS
3	15895.00	29.76	11.80	41.56	54.00	12.44	RMS	Horizontal	PASS
4	17939.00	28.28	16.40	44.68	54.00	9.32	RMS	Horizontal	PASS
5	5748.45	84.08	13.23	97.31	-	-	PK	Horizontal	NA
6	7218.80	41.71	16.11	57.82	68.20	10.38	PK	Horizontal	PASS
7	7745.20	41.03	16.54	57.57	74.00	16.43	PK	Horizontal	PASS
8	17972.67	37.32	16.65	53.97	74.00	20.03	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5754.40	77.90	13.29	91.19	-	-	RMS	Vertical	NA
2	7545.70	32.48	16.39	48.87	54.00	6.13	RMS	Vertical	PASS
3	15886.00	31.60	11.75	43.35	54.00	11.65	RMS	Vertical	PASS
4	17943.00	30.09	16.42	46.51	54.00	8.49	RMS	Vertical	PASS
5	5757.90	87.15	13.32	100.47	-	-	PK	Vertical	NA
6	7347.60	41.50	16.35	57.85	74.00	16.15	PK	Vertical	PASS
7	7900.95	41.19	16.45	57.64	68.20	10.56	PK	Vertical	PASS
8	17959.00	38.48	16.55	55.03	74.00	18.97	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5794.65	67.21	13.67	80.88	-	-	RMS	Horizontal	NA
2	7419.70	31.04	16.39	47.43	54.00	6.57	RMS	Horizontal	PASS
3	15830.33	30.47	11.45	41.92	54.00	12.08	RMS	Horizontal	PASS
4	17909.00	28.78	16.17	44.95	54.00	9.05	RMS	Horizontal	PASS
5	5803.75	78.30	13.70	92.00	-	-	PK	Horizontal	NA
6	7370.00	41.68	16.30	57.98	74.00	16.02	PK	Horizontal	PASS
7	7559.70	41.84	16.28	58.12	74.00	15.88	PK	Horizontal	PASS
8	17972.67	37.90	16.65	54.55	74.00	19.45	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5787.65	71.94	13.61	85.55	-	-	RMS	Vertical	NA
2	7441.75	30.96	16.59	47.55	54.00	6.45	RMS	Vertical	PASS
3	15824.00	29.74	11.42	41.16	54.00	12.84	RMS	Vertical	PASS
4	17926.33	27.87	16.30	44.17	54.00	9.83	RMS	Vertical	PASS
5	5785.55	82.58	13.58	96.16	-	-	PK	Vertical	NA
6	6323.15	43.79	13.27	57.06	68.20	11.14	PK	Vertical	PASS
7	7398.70	41.24	16.21	57.45	74.00	16.55	PK	Vertical	PASS
8	7974.45	41.18	16.60	57.78	68.20	10.42	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106Tone RU54; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5249.00	80.08	10.07	90.15	-	-	RMS	Horizontal	NA
2	7523.65	30.59	16.55	47.14	54.00	6.86	RMS	Horizontal	PASS
3	15808.00	31.64	11.33	42.97	54.00	11.03	RMS	Horizontal	PASS
4	17927.33	29.97	16.31	46.28	54.00	7.72	RMS	Horizontal	PASS
5	5248.65	88.50	10.06	98.56	-	-	PK	Horizontal	NA
6	6052.60	41.53	13.13	54.66	68.20	13.54	PK	Horizontal	PASS
7	7539.40	39.42	16.44	55.86	74.00	18.14	PK	Horizontal	PASS
8	17920.67	37.69	16.25	53.94	74.00	20.06	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106Tone RU54; Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5246.20	95.30	10.05	105.35	-	-	RMS	Vertical	NA
2	7495.30	30.21	16.71	46.92	54.00	7.08	RMS	Vertical	PASS
3	7680.80	31.59	16.27	47.86	54.00	6.14	RMS	Vertical	PASS
4	17907.33	30.30	16.16	46.46	54.00	7.54	RMS	Vertical	PASS
5	5245.50	103.36	10.05	113.41	-	-	PK	Vertical	NA
6	7518.75	38.98	16.58	55.56	74.00	18.44	PK	Vertical	PASS
7	7718.95	39.61	16.45	56.06	74.00	17.94	PK	Vertical	PASS
8	17993.67	37.16	16.81	53.97	74.00	20.03	PK	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU62;Powersetting 15		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5264.40	77.87	10.16	88.03	-	-	RMS	Horizontal	NA
2	7482.70	31.03	16.69	47.72	54.00	6.28	RMS	Horizontal	PASS
3	7716.15	31.12	16.44	47.56	54.00	6.44	RMS	Horizontal	PASS
4	17942.00	30.19	16.42	46.61	54.00	7.39	RMS	Horizontal	PASS
5	5272.45	84.94	10.20	95.14	-	-	PK	Horizontal	NA
6	6258.75	41.30	13.29	54.59	68.20	13.61	PK	Horizontal	PASS
7	7565.65	39.82	16.23	56.05	74.00	17.95	PK	Horizontal	PASS
8	7864.90	39.34	16.52	55.86	68.20	12.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU62;Powersetting 15		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5272.80	90.72	10.21	100.93	-	-	RMS	Vertical	NA
2	7457.15	30.55	16.67	47.22	54.00	6.78	RMS	Vertical	PASS
3	7721.05	30.69	16.45	47.14	54.00	6.86	RMS	Vertical	PASS
4	17933.00	30.40	16.35	46.75	54.00	7.25	RMS	Vertical	PASS
5	5268.25	100.65	10.18	110.83	-	-	PK	Vertical	NA
6	6544.70	41.34	14.07	55.41	68.20	12.79	PK	Vertical	PASS
7	7283.90	39.77	16.15	55.92	74.00	18.08	PK	Vertical	PASS
8	17910.67	37.91	16.18	54.09	74.00	19.91	PK	Vertical	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5176.90	71.97	9.89	81.86	-	-	RMS	Horizontal	NA
2	7458.90	30.55	16.66	47.21	54.00	6.79	RMS	Horizontal	PASS
3	15819.67	32.04	11.40	43.44	54.00	10.56	RMS	Horizontal	PASS
4	17957.33	29.93	16.54	46.47	54.00	7.53	RMS	Horizontal	PASS
5	5192.65	81.17	9.87	91.04	-	-	PK	Horizontal	NA
6	6681.55	40.30	14.81	55.11	68.20	13.09	PK	Horizontal	PASS
7	7524.00	39.22	16.54	55.76	74.00	18.24	PK	Horizontal	PASS
8	17850.33	38.91	15.84	54.75	74.00	19.25	PK	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5182.85	85.95	9.89	95.84	-	-	RMS	Vertical	NA
2	7449.80	30.42	16.66	47.08	54.00	6.92	RMS	Vertical	PASS
3	15827.00	31.75	11.44	43.19	54.00	10.81	RMS	Vertical	PASS
4	17905.33	30.42	16.14	46.56	54.00	7.44	RMS	Vertical	PASS
5	5194.40	95.19	9.87	105.06	-	-	PK	Vertical	NA
6	7186.25	39.93	15.90	55.83	68.20	12.37	PK	Vertical	PASS
7	7725.25	38.69	16.47	55.16	74.00	18.84	PK	Vertical	PASS
8	17925.33	37.80	16.29	54.09	74.00	19.91	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996Tone RU67; Powersetting 10		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5276.65	65.45	10.24	75.69	-	-	RMS	Horizontal	NA
2	7375.60	31.05	16.28	47.33	54.00	6.67	RMS	Horizontal	PASS
3	7563.90	30.64	16.24	46.88	54.00	7.12	RMS	Horizontal	PASS
4	17956.33	30.00	16.53	46.53	54.00	7.47	RMS	Horizontal	PASS
5	5297.30	73.93	10.36	84.29	-	-	PK	Horizontal	NA
6	7249.60	38.88	16.26	55.14	68.20	13.06	PK	Horizontal	PASS
7	7641.60	39.51	16.07	55.58	74.00	18.42	PK	Horizontal	PASS
8	17988.33	37.78	16.77	54.55	74.00	19.45	PK	Horizontal	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996Tone RU67;Powersetting 10		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5253.20	79.32	10.09	89.41	-	-	RMS	Vertical	NA
2	7469.75	30.23	16.68	46.91	54.00	7.09	RMS	Vertical	PASS
3	7721.05	30.55	16.45	47.00	54.00	7.00	RMS	Vertical	PASS
4	17978.33	29.75	16.69	46.44	54.00	7.56	RMS	Vertical	PASS
5	5301.50	88.49	10.39	98.88	-	-	PK	Vertical	NA
6	7301.40	39.75	16.12	55.87	74.00	18.13	PK	Vertical	PASS
7	7675.55	39.24	16.24	55.48	74.00	18.52	PK	Vertical	PASS
8	17922.67	37.32	16.27	53.59	74.00	20.41	PK	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26Tone RU0; Powersetting 15.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5312.00	85.08	10.48	95.56	-	-	RMS	Horizontal	NA
2	7380.85	31.28	16.27	47.55	54.00	6.45	RMS	Horizontal	PASS
3	15365.33	31.55	11.91	43.46	54.00	10.54	RMS	Horizontal	PASS
4	17973.67	29.37	16.66	46.03	54.00	7.97	RMS	Horizontal	PASS
5	5312.35	93.32	10.48	103.80	-	-	PK	Horizontal	NA
6	7356.35	39.20	16.34	55.54	74.00	18.46	PK	Horizontal	PASS
7	15347.33	39.19	11.92	51.11	68.20	17.09	PK	Horizontal	PASS
8	17971.67	37.48	16.65	54.13	74.00	19.87	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26Tone RU0; Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5312.00	97.64	10.48	108.12	-	-	RMS	Vertical	NA
2	7475.35	30.26	16.69	46.95	54.00	7.05	RMS	Vertical	PASS
3	12263.33	33.34	7.53	40.87	54.00	13.13	RMS	Vertical	PASS
4	17903.33	30.33	16.12	46.45	54.00	7.55	RMS	Vertical	PASS
5	5311.30	106.60	10.48	117.08	-	-	PK	Vertical	NA
6	7464.15	39.38	16.67	56.05	74.00	17.95	PK	Vertical	PASS
7	11605.00	41.93	6.55	48.48	74.00	25.52	PK	Vertical	PASS
8	17950.00	37.31	16.48	53.79	74.00	20.21	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61; Powersetting 15		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.65	37.25	-5.00	32.25	54.00	21.75	RMS	Horizontal	PASS
2	5263.70	78.65	10.15	88.80	-	-	RMS	Horizontal	NA
3	7607.30	30.73	15.95	46.68	54.00	7.32	RMS	Horizontal	PASS
4	17921.00	30.23	16.26	46.49	54.00	7.51	RMS	Horizontal	PASS
5	1440.30	50.19	-5.00	45.19	74.00	28.81	PK	Horizontal	PASS
6	5260.55	86.50	10.13	96.63	-	-	PK	Horizontal	NA
7	7184.85	40.20	15.89	56.09	68.20	12.11	PK	Horizontal	PASS
8	17990.00	37.80	16.78	54.58	74.00	19.42	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61; Powersetting 15		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5255.30	90.37	10.10	100.47	-	-	RMS	Vertical	NA
2	7738.55	30.30	16.52	46.82	54.00	7.18	RMS	Vertical	PASS
3	15911.33	31.04	11.70	42.74	54.00	11.26	RMS	Vertical	PASS
4	17997.00	29.72	16.84	46.56	54.00	7.44	RMS	Vertical	PASS
5	5253.55	99.44	10.09	109.53	-	-	PK	Vertical	NA
6	6494.30	43.55	13.71	57.26	68.20	10.94	PK	Vertical	PASS
7	7449.80	38.90	16.66	55.56	74.00	18.44	PK	Vertical	PASS
8	17981.00	37.83	16.71	54.54	74.00	19.46	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5266.15	74.19	10.17	84.36	-	-	RMS	Horizontal	NA
2	7465.55	30.19	16.68	46.87	54.00	7.13	RMS	Horizontal	PASS
3	15888.33	30.98	11.77	42.75	54.00	11.25	RMS	Horizontal	PASS
4	17906.00	30.24	16.14	46.38	54.00	7.62	RMS	Horizontal	PASS
5	5274.55	82.54	10.22	92.76	-	-	PK	Horizontal	NA
6	6014.10	41.23	13.19	54.42	68.20	13.78	PK	Horizontal	PASS
7	7486.20	39.40	16.70	56.10	74.00	17.90	PK	Horizontal	PASS
8	17939.67	37.28	16.40	53.68	74.00	20.32	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1440.65	36.08	-5.00	31.08	54.00	22.92	RMS	Vertical	PASS
2	5254.60	85.87	10.10	95.97	-	-	RMS	Vertical	NA
3	7674.50	30.47	16.24	46.71	54.00	7.29	RMS	Vertical	PASS
4	17988.33	29.66	16.77	46.43	54.00	7.57	RMS	Vertical	PASS
5	1440.30	46.74	-5.00	41.74	74.00	32.26	PK	Vertical	PASS
6	5275.25	93.70	10.23	103.93	-	-	PK	Vertical	NA
7	6665.45	41.06	14.76	55.82	68.20	12.38	PK	Vertical	PASS
8	17905.00	38.07	16.14	54.21	74.00	19.79	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52Tone RU37; Powersetting 14		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5492.95	83.03	11.63	94.66	-	-	RMS	Horizontal	NA
2	7495.65	30.00	16.71	46.71	54.00	7.29	RMS	Horizontal	PASS
3	15849.33	31.74	11.56	43.30	54.00	10.70	RMS	Horizontal	PASS
4	17993.00	29.45	16.80	46.25	54.00	7.75	RMS	Horizontal	PASS
5	5494.35	91.75	11.64	103.39	-	-	PK	Horizontal	NA
6	6277.30	41.88	13.19	55.07	68.20	13.13	PK	Horizontal	PASS
7	6738.60	41.34	14.96	56.30	68.20	11.90	PK	Horizontal	PASS
8	7717.90	40.54	16.45	56.99	74.00	17.01	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52Tone RU37; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5492.25	95.64	11.63	107.27	-	-	RMS	Vertical	NA
2	7256.60	31.30	16.24	47.54	54.00	6.46	RMS	Vertical	PASS
3	7715.45	30.66	16.43	47.09	54.00	6.91	RMS	Vertical	PASS
4	17993.00	29.60	16.80	46.40	54.00	7.60	RMS	Vertical	PASS
5	5491.20	102.97	11.63	114.60	-	-	PK	Vertical	NA
6	6907.65	40.37	14.94	55.31	68.20	12.89	PK	Vertical	PASS
7	7349.35	39.11	16.35	55.46	74.00	18.54	PK	Vertical	PASS
8	17966.00	37.34	16.60	53.94	74.00	20.06	PK	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61; Powersetting 13		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5573.10	75.67	11.89	87.56	-	-	RMS	Horizontal	NA
2	7464.50	30.31	16.67	46.98	54.00	7.02	RMS	Horizontal	PASS
3	7731.20	30.64	16.49	47.13	54.00	6.87	RMS	Horizontal	PASS
4	17897.67	30.68	16.09	46.77	54.00	7.23	RMS	Horizontal	PASS
5	5588.15	83.87	11.92	95.79	-	-	PK	Horizontal	NA
6	7505.45	38.96	16.67	55.63	74.00	18.37	PK	Horizontal	PASS
7	7929.30	39.93	16.53	56.46	68.20	11.74	PK	Horizontal	PASS
8	17928.33	37.42	16.31	53.73	74.00	20.27	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242Tone RU61; Powersetting 13		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5574.15	88.08	11.89	99.97	-	-	RMS	Vertical	NA
2	7513.50	30.92	16.62	47.54	54.00	6.46	RMS	Vertical	PASS
3	15780.33	31.81	11.29	43.10	54.00	10.90	RMS	Vertical	PASS
4	17999.33	29.43	16.86	46.29	54.00	7.71	RMS	Vertical	PASS
5	5572.40	97.80	11.88	109.68	-	-	PK	Vertical	NA
6	7498.80	39.58	16.70	56.28	74.00	17.72	PK	Vertical	PASS
7	7854.75	39.53	16.54	56.07	68.20	12.13	PK	Vertical	PASS
8	17924.67	37.54	16.29	53.83	74.00	20.17	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU66; Powersetting 11.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5594.45	71.21	11.93	83.14	-	-	RMS	Horizontal	NA
2	7489.70	30.07	16.70	46.77	54.00	7.23	RMS	Horizontal	PASS
3	15886.33	31.21	11.76	42.97	54.00	11.03	RMS	Horizontal	PASS
4	17864.67	30.17	15.92	46.09	54.00	7.91	RMS	Horizontal	PASS
5	5573.45	80.59	11.89	92.48	-	-	PK	Horizontal	NA
6	7318.55	40.05	16.20	56.25	74.00	17.75	PK	Horizontal	PASS
7	7726.30	39.51	16.47	55.98	74.00	18.02	PK	Horizontal	PASS
8	17982.33	37.30	16.73	54.03	74.00	19.97	PK	Horizontal	PASS