


Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU66; Powersetting 11.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5572.75	82.91	11.89	94.80	-	-	RMS	Vertical	NA
2	7502.30	30.35	16.69	47.04	54.00	6.96	RMS	Vertical	PASS
3	15867.33	31.56	11.65	43.21	54.00	10.79	RMS	Vertical	PASS
4	17915.33	30.63	16.22	46.85	54.00	7.15	RMS	Vertical	PASS
5	5597.25	93.22	11.93	105.15	-	-	PK	Vertical	NA
6	6450.55	41.11	14.08	55.19	68.20	13.01	PK	Vertical	PASS
7	7436.15	39.63	16.53	56.16	74.00	17.84	PK	Vertical	PASS
8	7767.25	39.22	16.56	55.78	68.20	12.42	PK	Vertical	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 10.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5572.40	67.16	11.88	79.04	-	-	RMS	Horizontal	NA
2	7531.00	31.45	16.50	47.95	54.00	6.05	RMS	Horizontal	PASS
3	7698.30	30.57	16.37	46.94	54.00	7.06	RMS	Horizontal	PASS
4	17889.00	29.90	16.04	45.94	54.00	8.06	RMS	Horizontal	PASS
5	5631.20	76.13	12.17	88.30	-	-	PK	Horizontal	NA
6	6810.70	40.29	15.04	55.33	68.20	12.87	PK	Horizontal	PASS
7	7665.05	39.43	16.18	55.61	74.00	18.39	PK	Horizontal	PASS
8	17971.67	38.06	16.65	54.71	74.00	19.29	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 10.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5595.85	79.03	11.93	90.96	-	-	RMS	Vertical	NA
2	7451.90	30.43	16.66	47.09	54.00	6.91	RMS	Vertical	PASS
3	7709.15	30.49	16.41	46.90	54.00	7.10	RMS	Vertical	PASS
4	17986.33	30.51	16.76	47.27	54.00	6.73	RMS	Vertical	PASS
5	5588.85	88.93	11.92	100.85	-	-	PK	Vertical	NA
6	5835.95	43.57	13.56	57.13	68.20	11.07	PK	Vertical	PASS
7	6780.25	40.62	15.02	55.64	68.20	12.56	PK	Vertical	PASS
8	7739.60	39.22	16.52	55.74	74.00	18.26	PK	Vertical	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5834.20	83.07	13.57	96.64	-	-	RMS	Horizontal	NA
2	7355.30	31.09	16.34	47.43	54.00	6.57	RMS	Horizontal	PASS
3	15878.00	31.39	11.71	43.10	54.00	10.90	RMS	Horizontal	PASS
4	17909.33	29.68	16.17	45.85	54.00	8.15	RMS	Horizontal	PASS
5	5833.85	90.21	13.57	103.78	-	-	PK	Horizontal	NA
6	7301.75	39.25	16.11	55.36	74.00	18.64	PK	Horizontal	PASS
7	7791.75	38.89	16.55	55.44	68.20	12.76	PK	Horizontal	PASS
8	17981.33	36.86	16.72	53.58	74.00	20.42	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5834.20	96.57	13.57	110.14	-	-	RMS	Vertical	NA
2	7449.10	29.92	16.66	46.58	54.00	7.42	RMS	Vertical	PASS
3	7806.10	30.46	16.54	47.00	-	-	RMS	Vertical	NA
4	17990.67	29.70	16.79	46.49	54.00	7.51	RMS	Vertical	PASS
5	5833.50	103.50	13.57	117.07	-	-	PK	Vertical	NA
6	7481.30	39.06	16.69	55.75	74.00	18.25	PK	Vertical	PASS
7	7878.20	38.87	16.49	55.36	68.20	12.84	PK	Vertical	PASS
8	17963.67	37.63	16.58	54.21	74.00	19.79	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7410.95	31.47	16.30	47.77	54.00	6.23	RMS	Horizontal	PASS
2	7722.80	30.10	16.47	46.57	54.00	7.43	RMS	Horizontal	PASS
3	17885.33	30.28	16.02	46.30	54.00	7.70	RMS	Horizontal	PASS
4	6817.00	40.21	15.05	55.26	68.20	12.94	PK	Horizontal	PASS
5	7471.85	39.10	16.68	55.78	74.00	18.22	PK	Horizontal	PASS
6	7957.65	38.65	16.59	55.24	68.20	12.96	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5737.25	86.22	13.12	99.34	-	-	RMS	Vertical	NA
2	7319.60	30.76	16.21	46.97	54.00	7.03	RMS	Vertical	PASS
3	7714.05	30.65	16.43	47.08	54.00	6.92	RMS	Vertical	PASS
4	17964.33	29.56	16.59	46.15	54.00	7.85	RMS	Vertical	PASS
5	5749.85	95.64	13.24	108.88	-	-	PK	Vertical	NA
6	6442.50	41.03	14.07	55.10	68.20	13.10	PK	Vertical	PASS
7	7517.35	39.10	16.59	55.69	74.00	18.31	PK	Vertical	PASS
8	17909.67	38.03	16.17	54.20	74.00	19.80	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5770.50	70.63	13.44	84.07	-	-	RMS	Horizontal	NA
2	7458.55	30.15	16.67	46.82	54.00	7.18	RMS	Horizontal	PASS
3	7702.85	30.23	16.39	46.62	54.00	7.38	RMS	Horizontal	PASS
4	17978.00	29.67	16.69	46.36	54.00	7.64	RMS	Horizontal	PASS
5	5770.15	77.84	13.44	91.28	-	-	PK	Horizontal	NA
6	6737.90	40.54	14.96	55.50	68.20	12.70	PK	Horizontal	PASS
7	7528.55	39.71	16.51	56.22	74.00	17.78	PK	Horizontal	PASS
8	7719.30	39.76	16.45	56.21	74.00	17.79	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484Tone RU65; Powersetting 13.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5766.65	82.14	13.40	95.54	-	-	RMS	Vertical	NA
2	7437.20	30.30	16.55	46.85	54.00	7.15	RMS	Vertical	PASS
3	15788.00	31.64	11.29	42.93	54.00	11.07	RMS	Vertical	PASS
4	17908.33	30.01	16.16	46.17	54.00	7.83	RMS	Vertical	PASS
5	5758.60	90.16	13.33	103.49	-	-	PK	Vertical	NA
6	6258.40	45.28	13.29	58.57	68.20	9.63	PK	Vertical	PASS
7	6735.80	41.45	14.96	56.41	68.20	11.79	PK	Vertical	PASS
8	7441.05	38.95	16.58	55.53	74.00	18.47	PK	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5133.78	35.26	9.90	45.16	54.00	8.84	RMS	Vertical	PASS
2	5147.08	35.21	9.93	45.14	54.00	8.86	RMS	Vertical	PASS
3	5149.61	36.04	9.94	45.98	54.00	8.02	RMS	Vertical	PASS
4	5133.36	48.21	9.90	58.11	74.00	15.89	PK	Vertical	PASS
5	5148.48	47.11	9.94	57.05	74.00	16.95	PK	Vertical	PASS
6	5149.91	47.45	9.94	57.39	74.00	16.61	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5126.14	35.22	9.88	45.10	54.00	8.90	RMS	Horizontal	PASS
2	5135.05	36.41	9.90	46.31	54.00	7.69	RMS	Horizontal	PASS
3	5145.00	36.49	9.93	46.42	54.00	7.58	RMS	Horizontal	PASS
4	5125.88	47.94	9.88	57.82	74.00	16.18	PK	Horizontal	PASS
5	5135.70	47.22	9.91	57.13	74.00	16.87	PK	Horizontal	PASS
6	5146.79	48.39	9.93	58.32	74.00	15.68	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5127.50	37.95	9.89	47.84	54.00	6.16	RMS	Vertical	PASS
2	5135.02	36.45	9.90	46.35	54.00	7.65	RMS	Vertical	PASS
3	5147.83	37.82	9.93	47.75	54.00	6.25	RMS	Vertical	PASS
4	5127.28	50.02	9.89	59.91	74.00	14.09	PK	Vertical	PASS
5	5135.18	49.01	9.90	58.91	74.00	15.09	PK	Vertical	PASS
6	5146.46	51.00	9.93	60.93	74.00	13.07	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5143.79	37.94	9.93	47.87	54.00	6.13	RMS	Horizontal	PASS
2	5144.60	39.70	9.93	49.63	54.00	4.37	RMS	Horizontal	PASS
3	5147.79	38.94	9.93	48.87	54.00	5.13	RMS	Horizontal	PASS
4	5144.52	53.15	9.93	63.08	74.00	11.92	PK	Horizontal	PASS
5	5146.43	50.59	9.93	60.52	74.00	13.48	PK	Horizontal	PASS
6	5148.60	49.63	9.94	59.57	74.00	14.43	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5140.52	33.41	9.92	43.33	54.00	10.67	RMS	Horizontal	PASS
2	5143.11	33.27	9.92	43.19	54.00	10.81	RMS	Horizontal	PASS
3	5148.81	33.54	9.94	43.48	54.00	10.52	RMS	Horizontal	PASS
4	5138.44	44.76	9.91	54.67	74.00	19.33	PK	Horizontal	PASS
5	5142.82	45.40	9.92	55.32	74.00	18.68	PK	Horizontal	PASS
6	5146.05	45.38	9.93	55.31	74.00	18.69	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5144.77	38.96	9.93	48.89	54.00	5.11	RMS	Vertical	PASS
2	5147.66	40.10	9.93	50.03	54.00	3.97	RMS	Vertical	PASS
3	5149.96	40.55	9.94	50.49	54.00	3.51	RMS	Vertical	PASS
4	5142.31	52.31	9.92	62.23	74.00	11.77	PK	Vertical	PASS
5	5144.09	51.99	9.93	61.92	74.00	12.08	PK	Vertical	PASS
6	5149.79	53.49	9.94	63.43	74.00	10.57	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5130.19	33.33	9.89	43.22	54.00	10.78	RMS	Horizontal	PASS
2	5142.13	33.53	9.92	43.45	54.00	10.55	RMS	Horizontal	PASS
3	5145.26	33.61	9.93	43.54	54.00	10.46	RMS	Horizontal	PASS
4	5126.94	45.03	9.88	54.91	74.00	19.09	PK	Horizontal	PASS
5	5141.01	46.22	9.92	56.14	74.00	17.86	PK	Horizontal	PASS
6	5147.57	45.17	9.93	55.10	74.00	18.90	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5132.82	38.30	9.90	48.20	54.00	5.80	RMS	Vertical	PASS
2	5144.26	39.07	9.93	49.00	54.00	5.00	RMS	Vertical	PASS
3	5148.76	39.41	9.94	49.35	54.00	4.65	RMS	Vertical	PASS
4	5133.25	50.38	9.90	60.28	74.00	13.72	PK	Vertical	PASS
5	5145.14	50.80	9.93	60.73	74.00	13.27	PK	Vertical	PASS
6	5149.39	50.89	9.94	60.83	74.00	13.17	PK	Vertical	PASS


Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5080.42	29.49	9.81	39.30	54.00	14.70	RMS	Horizontal	PASS
2	5127.24	31.33	9.89	41.22	54.00	12.78	RMS	Horizontal	PASS
3	5137.64	30.82	9.91	40.73	54.00	13.27	RMS	Horizontal	PASS
4	5351.75	31.39	10.81	42.20	54.00	11.80	RMS	Horizontal	PASS
5	5399.17	30.61	11.12	41.73	54.00	12.27	RMS	Horizontal	PASS
6	5425.99	30.71	11.34	42.05	54.00	11.95	RMS	Horizontal	PASS
7	5078.01	41.02	9.81	50.83	74.00	23.17	PK	Horizontal	PASS
8	5122.84	42.38	9.87	52.25	74.00	21.75	PK	Horizontal	PASS
9	5141.85	42.35	9.92	52.27	74.00	21.73	PK	Horizontal	PASS
10	5354.55	42.44	10.83	53.27	74.00	20.73	PK	Horizontal	PASS
11	5398.97	42.56	11.12	53.68	74.00	20.32	PK	Horizontal	PASS
12	5427.39	43.37	11.34	54.71	74.00	19.29	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5112.83	38.58	9.85	48.43	54.00	5.57	RMS	Vertical	PASS
2	5136.44	40.19	9.91	50.10	54.00	3.90	RMS	Vertical	PASS
3	5148.25	40.26	9.94	50.20	54.00	3.80	RMS	Vertical	PASS
4	5351.95	39.85	10.81	50.66	54.00	3.34	RMS	Vertical	PASS
5	5393.77	37.94	11.09	49.03	54.00	4.97	RMS	Vertical	PASS
6	5407.58	37.49	11.19	48.68	54.00	5.32	RMS	Vertical	PASS
7	5062.61	50.38	9.80	60.18	74.00	13.82	PK	Vertical	PASS
8	5133.64	51.61	9.90	61.51	74.00	12.49	PK	Vertical	PASS
9	5145.85	52.42	9.93	62.35	74.00	11.65	PK	Vertical	PASS
10	5350.15	51.36	10.80	62.16	74.00	11.84	PK	Vertical	PASS
11	5403.38	52.25	11.15	63.40	74.00	10.60	PK	Vertical	PASS
12	5407.58	50.69	11.19	61.88	74.00	12.12	PK	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5132.84	33.11	9.90	43.01	54.00	10.99	RMS	Horizontal	PASS
2	5138.92	33.25	9.91	43.16	54.00	10.84	RMS	Horizontal	PASS
3	5148.09	33.26	9.94	43.20	54.00	10.80	RMS	Horizontal	PASS
4	5134.92	45.89	9.90	55.79	74.00	18.21	PK	Horizontal	PASS
5	5140.22	45.13	9.92	55.05	74.00	18.95	PK	Horizontal	PASS
6	5147.08	44.94	9.93	54.87	74.00	19.13	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5130.46	34.06	9.89	43.95	54.00	10.05	RMS	Vertical	PASS
2	5144.48	36.02	9.93	45.95	54.00	8.05	RMS	Vertical	PASS
3	5148.57	36.70	9.94	46.64	54.00	7.36	RMS	Vertical	PASS
4	5130.76	46.39	9.89	56.28	74.00	17.72	PK	Vertical	PASS
5	5143.96	47.33	9.93	57.26	74.00	16.74	PK	Vertical	PASS
6	5149.19	48.09	9.94	58.03	74.00	15.97	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5135.97	33.09	9.91	43.00	54.00	11.00	RMS	Horizontal	PASS
2	5141.33	33.50	9.92	43.42	54.00	10.58	RMS	Horizontal	PASS
3	5148.34	33.51	9.94	43.45	54.00	10.55	RMS	Horizontal	PASS
4	5136.01	45.78	9.91	55.69	74.00	18.31	PK	Horizontal	PASS
5	5142.73	45.07	9.92	54.99	74.00	19.01	PK	Horizontal	PASS
6	5149.70	45.19	9.94	55.13	74.00	18.87	PK	Horizontal	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5138.27	35.30	9.91	45.21	54.00	8.79	RMS	Vertical	PASS
2	5143.07	38.74	9.92	48.66	54.00	5.34	RMS	Vertical	PASS
3	5149.79	41.25	9.94	51.19	54.00	2.81	RMS	Vertical	PASS
4	5137.71	48.63	9.91	58.54	74.00	15.46	PK	Vertical	PASS
5	5142.77	52.23	9.92	62.15	74.00	11.85	PK	Vertical	PASS
6	5149.53	53.43	9.94	63.37	74.00	10.63	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5129.69	32.95	9.89	42.84	54.00	11.16	RMS	Horizontal	PASS
2	5142.26	33.06	9.92	42.98	54.00	11.02	RMS	Horizontal	PASS
3	5148.14	33.13	9.94	43.07	54.00	10.93	RMS	Horizontal	PASS
4	5130.00	44.75	9.89	54.64	74.00	19.36	PK	Horizontal	PASS
5	5141.13	44.95	9.92	54.87	74.00	19.13	PK	Horizontal	PASS
6	5147.14	44.79	9.93	54.72	74.00	19.28	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5128.00	35.72	9.89	45.61	54.00	8.39	RMS	Vertical	PASS
2	5137.63	35.95	9.91	45.86	54.00	8.14	RMS	Vertical	PASS
3	5148.39	36.67	9.94	46.61	54.00	7.39	RMS	Vertical	PASS
4	5126.94	47.02	9.88	56.90	74.00	17.10	PK	Vertical	PASS
5	5136.13	47.75	9.91	57.66	74.00	16.34	PK	Vertical	PASS
6	5145.82	48.43	9.93	58.36	74.00	15.64	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5074.01	30.69	9.81	40.50	54.00	13.50	RMS	Horizontal	PASS
2	5116.23	31.99	9.86	41.85	54.00	12.15	RMS	Horizontal	PASS
3	5132.24	32.40	9.90	42.30	54.00	11.70	RMS	Horizontal	PASS
4	5358.75	31.41	10.86	42.27	54.00	11.73	RMS	Horizontal	PASS
5	5401.38	30.64	11.13	41.77	54.00	12.23	RMS	Horizontal	PASS
6	5427.59	30.54	11.35	41.89	54.00	12.11	RMS	Horizontal	PASS
7	5065.41	41.43	9.80	51.23	74.00	22.77	PK	Horizontal	PASS
8	5116.03	43.12	9.86	52.98	74.00	21.02	PK	Horizontal	PASS
9	5133.04	43.03	9.90	52.93	74.00	21.07	PK	Horizontal	PASS
10	5361.96	44.33	10.88	55.21	74.00	18.79	PK	Horizontal	PASS
11	5401.18	42.86	11.13	53.99	74.00	20.01	PK	Horizontal	PASS
12	5421.59	42.36	11.30	53.66	74.00	20.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5080.22	36.46	9.81	46.27	54.00	7.73	RMS	Vertical	PASS
2	5117.83	40.99	9.86	50.85	54.00	3.15	RMS	Vertical	PASS
3	5138.84	41.06	9.91	50.97	54.00	3.03	RMS	Vertical	PASS
4	5359.75	39.27	10.86	50.13	54.00	3.87	RMS	Vertical	PASS
5	5373.36	38.53	10.95	49.48	54.00	4.52	RMS	Vertical	PASS
6	5405.38	37.82	11.16	48.98	54.00	5.02	RMS	Vertical	PASS
7	5083.62	50.42	9.81	60.23	74.00	13.77	PK	Vertical	PASS
8	5123.64	54.26	9.88	64.14	74.00	9.86	PK	Vertical	PASS
9	5140.25	53.44	9.92	63.36	74.00	10.64	PK	Vertical	PASS
10	5358.35	50.43	10.85	61.28	74.00	12.72	PK	Vertical	PASS
11	5367.56	50.78	10.91	61.69	74.00	12.31	PK	Vertical	PASS
12	5406.18	50.15	11.17	61.32	74.00	12.68	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.52	34.10	10.80	44.90	54.00	9.10	RMS	Horizontal	PASS
2	5358.38	34.13	10.85	44.98	54.00	9.02	RMS	Horizontal	PASS
3	5362.87	34.04	10.88	44.92	54.00	9.08	RMS	Horizontal	PASS
4	5351.00	45.79	10.80	56.59	74.00	17.41	PK	Horizontal	PASS
5	5359.26	46.53	10.86	57.39	74.00	16.61	PK	Horizontal	PASS
6	5363.88	46.09	10.89	56.98	74.00	17.02	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.52	35.14	10.80	45.94	54.00	8.06	RMS	Vertical	PASS
2	5355.00	35.04	10.83	45.87	54.00	8.13	RMS	Vertical	PASS
3	5362.45	34.74	10.88	45.62	54.00	8.38	RMS	Vertical	PASS
4	5350.09	46.79	10.80	57.59	74.00	16.41	PK	Vertical	PASS
5	5355.07	46.85	10.83	57.68	74.00	16.32	PK	Vertical	PASS
6	5364.07	46.76	10.89	57.65	74.00	16.35	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5352.47	34.15	10.82	44.97	54.00	9.03	RMS	Horizontal	PASS
2	5354.81	34.10	10.83	44.93	54.00	9.07	RMS	Horizontal	PASS
3	5359.13	34.05	10.86	44.91	54.00	9.09	RMS	Horizontal	PASS
4	5352.17	45.77	10.82	56.59	74.00	17.41	PK	Horizontal	PASS
5	5356.86	46.18	10.85	57.03	74.00	16.97	PK	Horizontal	PASS
6	5362.51	45.79	10.88	56.67	74.00	17.33	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5353.54	35.09	10.82	45.91	54.00	8.09	RMS	Vertical	PASS
2	5357.80	34.64	10.85	45.49	54.00	8.51	RMS	Vertical	PASS
3	5370.45	34.50	10.93	45.43	54.00	8.57	RMS	Vertical	PASS
4	5353.83	46.58	10.83	57.41	74.00	16.59	PK	Vertical	PASS
5	5356.66	46.17	10.85	57.02	74.00	16.98	PK	Vertical	PASS
6	5365.15	46.35	10.90	57.25	74.00	16.75	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.21	34.05	10.80	44.85	54.00	9.15	RMS	Horizontal	PASS
2	5358.16	34.01	10.85	44.86	54.00	9.14	RMS	Horizontal	PASS
3	5366.50	33.74	10.91	44.65	54.00	9.35	RMS	Horizontal	PASS
4	5350.34	45.47	10.80	56.27	74.00	17.73	PK	Horizontal	PASS
5	5357.44	45.78	10.85	56.63	74.00	17.37	PK	Horizontal	PASS
6	5366.84	45.86	10.91	56.77	74.00	17.23	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.72	39.23	10.80	50.03	54.00	3.97	RMS	Vertical	PASS
2	5353.40	38.46	10.82	49.28	54.00	4.72	RMS	Vertical	PASS
3	5356.67	38.21	10.85	49.06	54.00	4.94	RMS	Vertical	PASS
4	5351.57	50.86	10.81	61.67	74.00	12.33	PK	Vertical	PASS
5	5354.93	51.42	10.83	62.25	74.00	11.75	PK	Vertical	PASS
6	5357.48	50.94	10.85	61.79	74.00	12.21	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5354.53	34.24	10.83	45.07	54.00	8.93	RMS	Horizontal	PASS
2	5371.19	33.96	10.93	44.89	54.00	9.11	RMS	Horizontal	PASS
3	5378.46	34.02	10.98	45.00	54.00	9.00	RMS	Horizontal	PASS
4	5351.68	45.91	10.81	56.72	74.00	17.28	PK	Horizontal	PASS
5	5366.68	45.99	10.91	56.90	74.00	17.10	PK	Horizontal	PASS
6	5378.69	46.09	10.98	57.07	74.00	16.93	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.63	39.51	10.80	50.31	54.00	3.69	RMS	Vertical	PASS
2	5358.50	39.64	10.85	50.49	54.00	3.51	RMS	Vertical	PASS
3	5368.71	39.29	10.91	50.20	54.00	3.80	RMS	Vertical	PASS
4	5356.85	51.86	10.85	62.71	74.00	11.29	PK	Vertical	PASS
5	5369.46	50.97	10.93	61.90	74.00	12.10	PK	Vertical	PASS
6	5381.17	50.80	10.99	61.79	74.00	12.21	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.20	34.03	10.80	44.83	54.00	9.17	RMS	Horizontal	PASS
2	5355.72	34.02	10.83	44.85	54.00	9.15	RMS	Horizontal	PASS
3	5359.94	33.84	10.86	44.70	54.00	9.30	RMS	Horizontal	PASS
4	5351.13	45.39	10.80	56.19	74.00	17.81	PK	Horizontal	PASS
5	5354.74	45.64	10.83	56.47	74.00	17.53	PK	Horizontal	PASS
6	5360.79	45.79	10.87	56.66	74.00	17.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.94	35.87	10.80	46.67	54.00	7.33	RMS	Vertical	PASS
2	5354.64	35.48	10.83	46.31	54.00	7.69	RMS	Vertical	PASS
3	5359.49	35.56	10.86	46.42	54.00	7.58	RMS	Vertical	PASS
4	5352.63	47.30	10.82	58.12	74.00	15.88	PK	Vertical	PASS
5	5355.75	47.48	10.83	58.31	74.00	15.69	PK	Vertical	PASS
6	5358.84	47.33	10.86	58.19	74.00	15.81	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5352.63	34.19	10.82	45.01	54.00	8.99	RMS	Horizontal	PASS
2	5355.82	34.25	10.83	45.08	54.00	8.92	RMS	Horizontal	PASS
3	5360.63	33.93	10.87	44.80	54.00	9.20	RMS	Horizontal	PASS
4	5352.63	45.21	10.82	56.03	74.00	17.97	PK	Horizontal	PASS
5	5356.12	45.76	10.83	56.59	74.00	17.41	PK	Horizontal	PASS
6	5362.41	45.64	10.88	56.52	74.00	17.48	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.25	39.61	10.80	50.41	54.00	3.59	RMS	Vertical	PASS
2	5356.42	38.96	10.85	49.81	54.00	4.19	RMS	Vertical	PASS
3	5360.88	36.21	10.87	47.08	54.00	6.92	RMS	Vertical	PASS
4	5351.44	54.72	10.81	65.53	74.00	8.47	PK	Vertical	PASS
5	5357.69	52.24	10.85	63.09	74.00	10.91	PK	Vertical	PASS
6	5364.50	48.90	10.89	59.79	74.00	14.21	PK	Vertical	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5353.78	34.11	10.83	44.94	54.00	9.06	RMS	Horizontal	PASS
2	5360.38	34.22	10.86	45.08	54.00	8.92	RMS	Horizontal	PASS
3	5374.94	34.00	10.96	44.96	54.00	9.04	RMS	Horizontal	PASS
4	5353.78	45.85	10.83	56.68	74.00	17.32	PK	Horizontal	PASS
5	5363.08	46.16	10.88	57.04	74.00	16.96	PK	Horizontal	PASS
6	5375.01	45.69	10.96	56.65	74.00	17.35	PK	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5353.70	40.14	10.82	50.96	54.00	3.04	RMS	Vertical	PASS
2	5358.88	40.23	10.86	51.09	54.00	2.91	RMS	Vertical	PASS
3	5370.66	39.94	10.93	50.87	54.00	3.13	RMS	Vertical	PASS
4	5355.80	51.79	10.83	62.62	74.00	11.38	PK	Vertical	PASS
5	5369.23	51.92	10.93	62.85	74.00	11.15	PK	Vertical	PASS
6	5377.56	52.09	10.98	63.07	74.00	10.93	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5451.56	33.65	11.54	45.19	54.00	8.81	RMS	Horizontal	PASS
2	5456.84	33.64	11.55	45.19	54.00	8.81	RMS	Horizontal	PASS
3	5459.18	33.47	11.56	45.03	54.00	8.97	RMS	Horizontal	PASS
4	5451.32	45.21	11.54	56.75	74.00	17.25	PK	Horizontal	PASS
5	5456.57	45.96	11.55	57.51	74.00	16.49	PK	Horizontal	PASS
6	5468.82	45.25	11.58	56.83	68.20	11.37	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.33	35.30	11.54	46.84	54.00	7.16	RMS	Vertical	PASS
2	5454.89	35.29	11.55	46.84	54.00	7.16	RMS	Vertical	PASS
3	5458.37	35.39	11.55	46.94	54.00	7.06	RMS	Vertical	PASS
4	5451.17	47.74	11.54	59.28	74.00	14.72	PK	Vertical	PASS
5	5459.15	48.07	11.56	59.63	74.00	14.37	PK	Vertical	PASS
6	5469.18	50.26	11.58	61.84	68.20	6.36	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.51	45.79	13.01	58.80	68.20	9.40	PK	Horizontal	PASS
2	5731.24	46.00	13.06	59.06	68.20	9.14	PK	Horizontal	PASS
3	5738.29	46.23	13.14	59.37	68.20	8.83	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.08	46.40	13.02	59.42	68.20	8.78	PK	Vertical	PASS
2	5729.32	47.17	13.05	60.22	68.20	7.98	PK	Vertical	PASS
3	5734.57	46.73	13.10	59.83	68.20	8.37	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5866.55	45.59	13.42	59.01	68.20	9.19	PK	Horizontal	PASS
2	5921.39	45.69	13.26	58.95	68.20	9.25	PK	Horizontal	PASS
3	5946.78	45.81	13.25	59.06	68.20	9.14	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5859.26	45.42	13.45	58.87	68.20	9.33	PK	Vertical	PASS
2	5886.00	45.88	13.33	59.21	68.20	8.99	PK	Vertical	PASS
3	5942.19	45.50	13.25	58.75	68.20	9.45	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.00	33.84	11.54	45.38	54.00	8.62	RMS	Horizontal	PASS
2	5455.13	33.63	11.55	45.18	54.00	8.82	RMS	Horizontal	PASS
3	5459.81	33.62	11.56	45.18	54.00	8.82	RMS	Horizontal	PASS
4	5453.90	45.68	11.54	57.22	74.00	16.78	PK	Horizontal	PASS
5	5459.93	45.29	11.56	56.85	74.00	17.15	PK	Horizontal	PASS
6	5469.30	46.30	11.58	57.88	68.20	10.32	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.00	35.90	11.53	47.43	54.00	6.57	RMS	Vertical	PASS
2	5453.81	35.95	11.54	47.49	54.00	6.51	RMS	Vertical	PASS
3	5459.36	36.18	11.56	47.74	54.00	6.26	RMS	Vertical	PASS
4	5451.77	47.77	11.54	59.31	74.00	14.69	PK	Vertical	PASS
5	5457.62	48.66	11.55	60.21	74.00	13.79	PK	Vertical	PASS
6	5469.78	52.12	11.58	63.70	68.20	4.50	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.38	45.60	13.02	58.62	68.20	9.58	PK	Horizontal	PASS
2	5736.79	46.10	13.12	59.22	68.20	8.98	PK	Horizontal	PASS
3	5743.49	46.11	13.19	59.30	68.20	8.90	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.27	46.93	13.01	59.94	68.20	8.26	PK	Vertical	PASS
2	5734.81	47.32	13.10	60.42	68.20	7.78	PK	Vertical	PASS
3	5739.10	46.78	13.14	59.92	68.20	8.28	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5855.75	45.36	13.47	58.83	68.20	9.37	PK	Horizontal	PASS
2	5894.65	45.84	13.29	59.13	68.20	9.07	PK	Horizontal	PASS
3	5932.47	45.64	13.26	58.90	68.20	9.30	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5867.63	45.51	13.42	58.93	68.20	9.27	PK	Vertical	PASS
2	5882.22	45.85	13.35	59.20	68.20	9.00	PK	Vertical	PASS
3	5937.06	45.90	13.25	59.15	68.20	9.05	PK	Vertical	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.68	33.53	11.54	45.07	54.00	8.93	RMS	Horizontal	PASS
2	5454.36	33.57	11.55	45.12	54.00	8.88	RMS	Horizontal	PASS
3	5458.40	33.66	11.55	45.21	54.00	8.79	RMS	Horizontal	PASS
4	5453.56	45.21	11.54	56.75	74.00	17.25	PK	Horizontal	PASS
5	5454.88	45.37	11.55	56.92	74.00	17.08	PK	Horizontal	PASS
6	5464.05	45.39	11.57	56.96	68.20	11.24	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5452.36	34.05	11.54	45.59	54.00	8.41	RMS	Vertical	PASS
2	5458.16	34.40	11.55	45.95	54.00	8.05	RMS	Vertical	PASS
3	5459.84	35.42	11.56	46.98	54.00	7.02	RMS	Vertical	PASS
4	5459.52	49.55	11.56	61.11	74.00	12.89	PK	Vertical	PASS
5	5464.65	51.13	11.57	62.70	68.20	5.50	PK	Vertical	PASS
6	5467.85	52.70	11.58	64.28	68.20	3.92	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5728.19	46.22	13.04	59.26	68.20	8.94	PK	Horizontal	PASS
2	5735.04	46.24	13.10	59.34	68.20	8.86	PK	Horizontal	PASS
3	5746.70	46.12	13.21	59.33	68.20	8.87	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.09	45.61	13.02	58.63	68.20	9.57	PK	Vertical	PASS
2	5733.09	46.04	13.09	59.13	68.20	9.07	PK	Vertical	PASS
3	5743.25	45.53	13.18	58.71	68.20	9.49	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5850.62	46.04	13.49	59.53	68.20	8.67	PK	Horizontal	PASS
2	5908.15	45.55	13.26	58.81	68.20	9.39	PK	Horizontal	PASS
3	5962.99	45.04	13.23	58.27	68.20	9.93	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5861.15	45.52	13.44	58.96	68.20	9.24	PK	Vertical	PASS
2	5898.97	45.36	13.27	58.63	68.20	9.57	PK	Vertical	PASS
3	5950.57	46.33	13.24	59.57	68.20	8.63	PK	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5451.14	33.56	11.54	45.10	54.00	8.90	RMS	Horizontal	PASS
2	5455.64	33.70	11.55	45.25	54.00	8.75	RMS	Horizontal	PASS
3	5459.24	33.56	11.56	45.12	54.00	8.88	RMS	Horizontal	PASS
4	5451.38	46.00	11.54	57.54	74.00	16.46	PK	Horizontal	PASS
5	5458.22	44.94	11.55	56.49	74.00	17.51	PK	Horizontal	PASS
6	5466.75	45.32	11.57	56.89	68.20	11.31	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.30	36.43	11.54	47.97	54.00	6.03	RMS	Vertical	PASS
2	5453.18	36.77	11.54	48.31	54.00	5.69	RMS	Vertical	PASS
3	5457.62	36.85	11.55	48.40	54.00	5.60	RMS	Vertical	PASS
4	5450.24	47.84	11.54	59.38	74.00	14.62	PK	Vertical	PASS
5	5460.63	48.50	11.56	60.06	68.20	8.14	PK	Vertical	PASS
6	5468.97	49.07	11.58	60.65	68.20	7.55	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5728.57	45.77	13.04	58.81	68.20	9.39	PK	Horizontal	PASS
2	5740.10	46.94	13.15	60.09	68.20	8.11	PK	Horizontal	PASS
3	5741.99	45.44	13.16	58.60	68.20	9.60	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5728.48	45.70	13.04	58.74	68.20	9.46	PK	Vertical	PASS
2	5738.02	45.41	13.14	58.55	68.20	9.65	PK	Vertical	PASS
3	5747.12	46.51	13.21	59.72	68.20	8.48	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5859.26	45.08	13.45	58.53	68.20	9.67	PK	Horizontal	PASS
2	5922.47	44.99	13.26	58.25	68.20	9.95	PK	Horizontal	PASS
3	5955.43	45.32	13.24	58.56	68.20	9.64	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5868.71	46.56	13.41	59.97	68.20	8.23	PK	Vertical	PASS
2	5941.38	46.03	13.25	59.28	68.20	8.92	PK	Vertical	PASS
3	5998.92	45.35	13.21	58.56	68.20	9.64	PK	Vertical	PASS