


Project Information			
Mode:	802.11a	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5960.55	85.97	13.23	99.20	-	-	RMS	Vertical	NA
2	7432.30	31.01	16.50	47.51	54.00	6.49	RMS	Vertical	PASS
3	7683.25	31.54	16.29	47.83	54.00	6.17	RMS	Vertical	PASS
4	17977.00	28.30	16.69	44.99	54.00	9.01	RMS	Vertical	PASS
5	5955.65	93.94	13.24	107.18	-	-	PK	Vertical	NA
6	6803.00	42.10	15.03	57.13	68.20	11.07	PK	Vertical	PASS
7	7841.80	41.39	16.54	57.93	68.20	10.27	PK	Vertical	PASS
8	17931.33	37.66	16.34	54.00	74.00	20.00	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-5
Bandwidth	20MHz	Channel	45
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6175.80	81.96	13.23	95.19	-	-	RMS	Horizontal	NA
2	7250.65	31.38	16.26	47.64	54.00	6.36	RMS	Horizontal	PASS
3	7534.85	30.95	16.47	47.42	54.00	6.58	RMS	Horizontal	PASS
4	17976.67	28.26	16.69	44.95	54.00	9.05	RMS	Horizontal	PASS
5	6170.55	90.39	13.22	103.61	-	-	PK	Horizontal	NA
6	7528.20	41.47	16.52	57.99	74.00	16.01	PK	Horizontal	PASS
7	7794.20	41.46	16.54	58.00	68.20	10.20	PK	Horizontal	PASS
8	17887.67	38.28	16.03	54.31	74.00	19.69	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-5
Bandwidth	20MHz	Channel	45
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6171.95	86.94	13.22	100.16	-	-	RMS	Vertical	NA
2	7450.50	30.99	16.66	47.65	54.00	6.35	RMS	Vertical	PASS
3	15824.33	30.54	11.42	41.96	54.00	12.04	RMS	Vertical	PASS
4	17955.67	28.08	16.52	44.60	54.00	9.40	RMS	Vertical	PASS
5	6176.85	94.79	13.24	108.03	-	-	PK	Vertical	NA
6	7459.60	41.08	16.67	57.75	74.00	16.25	PK	Vertical	PASS
7	7773.55	41.83	16.55	58.38	68.20	9.82	PK	Vertical	PASS
8	17986.67	37.28	16.76	54.04	74.00	19.96	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6416.25	80.38	14.03	94.41	-	-	RMS	Horizontal	NA
2	7377.70	31.31	16.28	47.59	54.00	6.41	RMS	Horizontal	PASS
3	15384.33	30.53	11.90	42.43	54.00	11.57	RMS	Horizontal	PASS
4	17915.00	28.75	16.21	44.96	54.00	9.04	RMS	Horizontal	PASS
5	6416.60	86.87	14.03	100.90	-	-	PK	Horizontal	NA
6	6735.10	41.13	14.95	56.08	68.20	12.12	PK	Horizontal	PASS
7	7566.35	39.94	16.22	56.16	74.00	17.84	PK	Horizontal	PASS
8	7823.25	39.86	16.55	56.41	68.20	11.79	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6413.45	87.19	14.02	101.21	-	-	RMS	Vertical	NA
2	7535.90	31.33	16.46	47.79	54.00	6.21	RMS	Vertical	PASS
3	15820.33	29.55	11.40	40.95	54.00	13.05	RMS	Vertical	PASS
4	17912.67	28.06	16.20	44.26	54.00	9.74	RMS	Vertical	PASS
5	6407.85	93.93	14.02	107.95	-	-	PK	Vertical	NA
6	6803.70	40.64	15.03	55.67	68.20	12.53	PK	Vertical	PASS
7	7539.05	39.76	16.44	56.20	74.00	17.80	PK	Vertical	PASS
8	17973.67	35.64	16.66	52.30	74.00	21.70	PK	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6418.70	79.60	14.03	93.63	-	-	RMS	Horizontal	NA
2	7445.60	30.72	16.62	47.34	54.00	6.66	RMS	Horizontal	PASS
3	15874.33	29.83	11.69	41.52	54.00	12.48	RMS	Horizontal	PASS
4	17967.00	28.31	16.61	44.92	54.00	9.08	RMS	Horizontal	PASS
5	6418.35	91.15	14.03	105.18	-	-	PK	Horizontal	NA
6	6665.10	42.61	14.76	57.37	68.20	10.83	PK	Horizontal	PASS
7	7416.90	41.67	16.36	58.03	74.00	15.97	PK	Horizontal	PASS
8	17986.67	37.67	16.76	54.43	74.00	19.57	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6409.60	86.51	14.02	100.53	-	-	RMS	Vertical	NA
2	7722.45	31.12	16.46	47.58	54.00	6.42	RMS	Vertical	PASS
3	15870.33	30.03	11.67	41.70	54.00	12.30	RMS	Vertical	PASS
4	17919.33	28.80	16.25	45.05	54.00	8.95	RMS	Vertical	PASS
5	6409.25	97.24	14.02	111.26	-	-	PK	Vertical	NA
6	7233.85	41.78	16.18	57.96	68.20	10.24	PK	Vertical	PASS
7	7861.05	41.27	16.52	57.79	68.20	10.41	PK	Vertical	PASS
8	17924.33	38.04	16.29	54.33	74.00	19.67	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	87
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6408.55	75.22	14.01	89.23	-	-	RMS	Horizontal	NA
2	7519.10	31.02	16.58	47.60	54.00	6.40	RMS	Horizontal	PASS
3	15715.00	30.25	11.29	41.54	54.00	12.46	RMS	Horizontal	PASS
4	17911.67	28.94	16.19	45.13	54.00	8.87	RMS	Horizontal	PASS
5	6410.30	84.72	14.01	98.73	-	-	PK	Horizontal	NA
6	6769.05	42.09	15.01	57.10	68.20	11.10	PK	Horizontal	PASS
7	7714.40	41.30	16.43	57.73	74.00	16.27	PK	Horizontal	PASS
8	17912.67	38.27	16.20	54.47	74.00	19.53	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6398.40	83.36	13.98	97.34	-	-	RMS	Vertical	NA
2	7465.55	30.76	16.68	47.44	54.00	6.56	RMS	Vertical	PASS
3	15849.00	29.50	11.55	41.05	54.00	12.95	RMS	Vertical	PASS
4	17994.67	28.17	16.82	44.99	54.00	9.01	RMS	Vertical	PASS
5	6411.70	93.69	14.02	107.71	-	-	PK	Vertical	NA
6	6783.75	42.07	15.02	57.09	68.20	11.11	PK	Vertical	PASS
7	7378.05	42.04	16.28	58.32	74.00	15.68	PK	Vertical	PASS
8	17978.00	37.99	16.69	54.68	74.00	19.32	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	87
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6409.95	71.08	14.02	85.10	-	-	RMS	Horizontal	NA
2	7452.95	30.76	16.66	47.42	54.00	6.58	RMS	Horizontal	PASS
3	15828.67	30.19	11.44	41.63	54.00	12.37	RMS	Horizontal	PASS
4	17971.67	28.11	16.65	44.76	54.00	9.24	RMS	Horizontal	PASS
5	6369.00	81.07	13.68	94.75	-	-	PK	Horizontal	NA
6	6807.55	42.07	15.04	57.11	68.20	11.09	PK	Horizontal	PASS
7	7515.60	41.23	16.60	57.83	74.00	16.17	PK	Horizontal	PASS
8	17992.33	36.94	16.80	53.74	74.00	20.26	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	87
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6378.80	78.64	13.78	92.42	-	-	RMS	Vertical	NA
2	7485.85	30.51	16.70	47.21	54.00	6.79	RMS	Vertical	PASS
3	15898.33	29.14	11.82	40.96	54.00	13.04	RMS	Vertical	PASS
4	17974.00	28.29	16.67	44.96	54.00	9.04	RMS	Vertical	PASS
5	6397.00	90.21	13.97	104.18	-	-	PK	Vertical	NA
6	7240.50	41.69	16.21	57.90	68.20	10.30	PK	Vertical	PASS
7	7791.75	41.46	16.55	58.01	68.20	10.19	PK	Vertical	PASS
8	17915.67	37.63	16.22	53.85	74.00	20.15	PK	Vertical	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	79
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6372.15	67.09	13.72	80.81	-	-	RMS	Horizontal	NA
2	7348.30	31.36	16.36	47.72	54.00	6.28	RMS	Horizontal	PASS
3	15828.00	29.84	11.44	41.28	54.00	12.72	RMS	Horizontal	PASS
4	17967.67	28.11	16.61	44.72	54.00	9.28	RMS	Horizontal	PASS
5	6407.15	77.50	14.01	91.51	-	-	PK	Horizontal	NA
6	7267.10	41.73	16.21	57.94	74.00	16.06	PK	Horizontal	PASS
7	7962.20	41.15	16.58	57.73	68.20	10.47	PK	Horizontal	PASS
8	17969.00	37.23	16.63	53.86	74.00	20.14	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	79
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6357.10	75.27	13.56	88.83	-	-	RMS	Vertical	NA
2	7534.85	30.68	16.47	47.15	54.00	6.85	RMS	Vertical	PASS
3	15359.67	30.80	11.91	42.71	54.00	11.29	RMS	Vertical	PASS
4	17919.67	28.25	16.25	44.50	54.00	9.50	RMS	Vertical	PASS
5	6357.45	87.15	13.57	100.72	-	-	PK	Vertical	NA
6	7503.70	41.36	16.68	58.04	74.00	15.96	PK	Vertical	PASS
7	7967.10	40.49	16.59	57.08	68.20	11.12	PK	Vertical	PASS
8	17983.33	37.26	16.73	53.99	74.00	20.01	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-6
Bandwidth	160MHz	Channel	97
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6441.45	79.53	14.07	93.60	-	-	RMS	Horizontal	NA
2	7526.45	31.14	16.53	47.67	54.00	6.33	RMS	Horizontal	PASS
3	15864.33	29.94	11.64	41.58	54.00	12.42	RMS	Horizontal	PASS
4	17905.33	29.06	16.14	45.20	54.00	8.80	RMS	Horizontal	PASS
5	6431.65	87.90	14.05	101.95	-	-	PK	Horizontal	NA
6	6804.40	42.26	15.04	57.30	68.20	10.90	PK	Horizontal	PASS
7	7369.65	41.97	16.30	58.27	74.00	15.73	PK	Horizontal	PASS
8	17989.67	37.63	16.78	54.41	74.00	19.59	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-6
Bandwidth	160MHz	Channel	97
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6438.30	88.36	14.06	102.42	-	-	RMS	Vertical	NA
2	7455.75	30.77	16.67	47.44	54.00	6.56	RMS	Vertical	PASS
3	15801.67	30.29	11.30	41.59	54.00	12.41	RMS	Vertical	PASS
4	17944.00	28.42	16.44	44.86	54.00	9.14	RMS	Vertical	PASS
5	6428.50	95.90	14.04	109.94	-	-	PK	Vertical	NA
6	6691.00	42.27	14.83	57.10	68.20	11.10	PK	Vertical	PASS
7	7511.75	41.27	16.63	57.90	74.00	16.10	PK	Vertical	PASS
8	17868.67	38.34	15.94	54.28	74.00	19.72	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6476.80	81.23	13.85	95.08	-	-	RMS	Horizontal	NA
2	7520.15	32.36	16.57	48.93	54.00	5.07	RMS	Horizontal	PASS
3	11515.33	33.93	6.53	40.46	54.00	13.54	RMS	Horizontal	PASS
4	17912.00	30.86	16.19	47.05	54.00	6.95	RMS	Horizontal	PASS
5	6477.15	87.69	13.85	101.54	-	-	PK	Horizontal	NA
6	7553.40	41.32	16.33	57.65	74.00	16.35	PK	Horizontal	PASS
7	11822.67	42.25	6.46	48.71	74.00	25.29	PK	Horizontal	PASS
8	17914.67	38.30	16.21	54.51	74.00	19.49	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6469.10	88.46	13.92	102.38	-	-	RMS	Vertical	NA
2	7496.70	30.92	16.70	47.62	54.00	6.38	RMS	Vertical	PASS
3	15853.67	30.12	11.58	41.70	54.00	12.30	RMS	Vertical	PASS
4	17996.00	28.27	16.83	45.10	54.00	8.90	RMS	Vertical	PASS
5	6473.30	96.97	13.89	110.86	-	-	PK	Vertical	NA
6	6733.00	42.25	14.95	57.20	68.20	11.00	PK	Vertical	PASS
7	7403.25	42.29	16.24	58.53	74.00	15.47	PK	Vertical	PASS
8	17966.33	37.81	16.61	54.42	74.00	19.58	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-6
Bandwidth	20MHz	Channel	113
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6522.30	79.67	13.87	93.54	-	-	RMS	Horizontal	NA
2	7423.55	31.23	16.42	47.65	54.00	6.35	RMS	Horizontal	PASS
3	15788.67	30.19	11.29	41.48	54.00	12.52	RMS	Horizontal	PASS
4	17973.00	28.24	16.65	44.89	54.00	9.11	RMS	Horizontal	PASS
5	6511.45	88.47	13.77	102.24	-	-	PK	Horizontal	NA
6	7522.60	41.23	16.55	57.78	74.00	16.22	PK	Horizontal	PASS
7	15359.33	39.61	11.92	51.53	74.00	22.47	PK	Horizontal	PASS
8	17916.00	38.64	16.22	54.86	74.00	19.14	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-6
Bandwidth	20MHz	Channel	113
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6512.50	88.21	13.77	101.98	-	-	RMS	Vertical	NA
2	7634.60	31.58	16.04	47.62	54.00	6.38	RMS	Vertical	PASS
3	15479.00	30.65	11.89	42.54	54.00	11.46	RMS	Vertical	PASS
4	17911.00	29.03	16.18	45.21	54.00	8.79	RMS	Vertical	PASS
5	6513.20	96.60	13.78	110.38	-	-	PK	Vertical	NA
6	6828.20	42.41	15.06	57.47	68.20	10.73	PK	Vertical	PASS
7	7488.30	41.06	16.70	57.76	74.00	16.24	PK	Vertical	PASS
8	17906.33	38.85	16.15	55.00	74.00	19.00	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6442.85	79.00	14.07	93.07	-	-	RMS	Horizontal	NA
2	7457.15	30.71	16.67	47.38	54.00	6.62	RMS	Horizontal	PASS
3	15824.33	30.09	11.42	41.51	54.00	12.49	RMS	Horizontal	PASS
4	17978.67	27.90	16.69	44.59	54.00	9.41	RMS	Horizontal	PASS
5	6440.40	86.82	14.06	100.88	-	-	PK	Horizontal	NA
6	6729.50	42.68	14.94	57.62	68.20	10.58	PK	Horizontal	PASS
7	7405.00	41.84	16.25	58.09	74.00	15.91	PK	Horizontal	PASS
8	17938.00	37.93	16.39	54.32	74.00	19.68	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6428.15	88.47	14.05	102.52	-	-	RMS	Vertical	NA
2	7437.20	31.01	16.55	47.56	54.00	6.44	RMS	Vertical	PASS
3	15810.67	30.93	11.35	42.28	54.00	11.72	RMS	Vertical	PASS
4	17917.33	28.64	16.23	44.87	54.00	9.13	RMS	Vertical	PASS
5	6429.90	95.00	14.05	109.05	-	-	PK	Vertical	NA
6	6763.45	43.58	15.00	58.58	68.20	9.62	PK	Vertical	PASS
7	7651.05	41.48	16.11	57.59	74.00	16.41	PK	Vertical	PASS
8	17939.33	38.05	16.40	54.45	74.00	19.55	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6447.75	78.18	14.08	92.26	-	-	RMS	Horizontal	NA
2	7374.90	31.33	16.29	47.62	54.00	6.38	RMS	Horizontal	PASS
3	15676.33	30.61	11.28	41.89	54.00	12.11	RMS	Horizontal	PASS
4	17944.67	29.02	16.44	45.46	54.00	8.54	RMS	Horizontal	PASS
5	6448.45	85.02	14.08	99.10	-	-	PK	Horizontal	NA
6	6709.90	42.17	14.89	57.06	68.20	11.14	PK	Horizontal	PASS
7	7473.25	41.19	16.69	57.88	74.00	16.12	PK	Horizontal	PASS
8	17970.67	37.90	16.63	54.53	74.00	19.47	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6437.25	84.32	14.06	98.38	-	-	RMS	Vertical	NA
2	7649.65	31.41	16.10	47.51	54.00	6.49	RMS	Vertical	PASS
3	15916.33	30.02	11.64	41.66	54.00	12.34	RMS	Vertical	PASS
4	17986.67	28.48	16.76	45.24	54.00	8.76	RMS	Vertical	PASS
5	6438.30	93.05	14.06	107.11	-	-	PK	Vertical	NA
6	6906.25	42.26	14.95	57.21	68.20	10.99	PK	Vertical	PASS
7	7456.10	40.90	16.67	57.57	74.00	16.43	PK	Vertical	PASS
8	17969.33	37.48	16.63	54.11	74.00	19.89	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6450.55	71.16	14.08	85.24	-	-	RMS	Horizontal	NA
2	7471.85	31.09	16.68	47.77	54.00	6.23	RMS	Horizontal	PASS
3	7730.15	31.04	16.49	47.53	54.00	6.47	RMS	Horizontal	PASS
4	17997.00	28.12	16.84	44.96	54.00	9.04	RMS	Horizontal	PASS
5	6433.05	81.21	14.05	95.26	-	-	PK	Horizontal	NA
6	7321.70	41.33	16.21	57.54	74.00	16.46	PK	Horizontal	PASS
7	7536.95	41.23	16.46	57.69	74.00	16.31	PK	Horizontal	PASS
8	17894.33	38.40	16.07	54.47	74.00	19.53	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6495.35	79.30	13.70	93.00	-	-	RMS	Vertical	NA
2	7599.25	31.46	15.93	47.39	54.00	6.61	RMS	Vertical	PASS
3	15905.33	30.87	11.77	42.64	54.00	11.36	RMS	Vertical	PASS
4	17971.33	28.20	16.65	44.85	54.00	9.15	RMS	Vertical	PASS
5	6437.25	88.81	14.06	102.87	-	-	PK	Vertical	NA
6	7232.80	41.18	16.17	57.35	68.20	10.85	PK	Vertical	PASS
7	7943.30	40.82	16.56	57.38	68.20	10.82	PK	Vertical	PASS
8	17936.00	37.39	16.37	53.76	74.00	20.24	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6541.20	77.64	14.03	91.67	-	-	RMS	Horizontal	NA
2	7452.25	30.62	16.66	47.28	54.00	6.72	RMS	Horizontal	PASS
3	15841.67	30.03	11.52	41.55	54.00	12.45	RMS	Horizontal	PASS
4	17986.00	27.99	16.75	44.74	54.00	9.26	RMS	Horizontal	PASS
5	6541.20	86.11	14.03	100.14	-	-	PK	Horizontal	NA
6	7247.15	41.12	16.25	57.37	68.20	10.83	PK	Horizontal	PASS
7	7499.50	40.84	16.71	57.55	74.00	16.45	PK	Horizontal	PASS
8	17930.00	37.88	16.33	54.21	74.00	19.79	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	114
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6533.50	87.36	13.96	101.32	-	-	RMS	Vertical	NA
2	7446.65	30.61	16.63	47.24	54.00	6.76	RMS	Vertical	PASS
3	15795.00	30.04	11.29	41.33	54.00	12.67	RMS	Vertical	PASS
4	17988.67	28.14	16.77	44.91	54.00	9.09	RMS	Vertical	PASS
5	6540.85	95.26	14.03	109.29	-	-	PK	Vertical	NA
6	6686.10	42.21	14.82	57.03	68.20	11.17	PK	Vertical	PASS
7	7601.00	42.32	15.93	58.25	74.00	15.75	PK	Vertical	PASS
8	17935.00	37.37	16.37	53.74	74.00	20.26	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6691.70	75.04	14.84	89.88	-	-	RMS	Horizontal	NA
2	7343.75	31.16	16.33	47.49	54.00	6.51	RMS	Horizontal	PASS
3	15858.00	29.97	11.60	41.57	54.00	12.43	RMS	Horizontal	PASS
4	17991.00	27.93	16.79	44.72	54.00	9.28	RMS	Horizontal	PASS
5	6695.55	83.74	14.85	98.59	-	-	PK	Horizontal	NA
6	6877.20	42.52	15.02	57.54	68.20	10.66	PK	Horizontal	PASS
7	7508.60	40.55	16.65	57.20	74.00	16.80	PK	Horizontal	PASS
8	17986.67	36.95	16.76	53.71	74.00	20.29	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6698.35	84.85	14.86	99.71	-	-	RMS	Vertical	NA
2	7424.60	31.23	16.43	47.66	54.00	6.34	RMS	Vertical	PASS
3	15829.00	29.96	11.45	41.41	54.00	12.59	RMS	Vertical	PASS
4	17924.67	28.32	16.29	44.61	54.00	9.39	RMS	Vertical	PASS
5	6698.35	93.10	14.86	107.96	-	-	PK	Vertical	NA
6	7364.05	41.09	16.32	57.41	74.00	16.59	PK	Vertical	PASS
7	7800.50	40.79	16.54	57.33	68.20	10.87	PK	Vertical	PASS
8	17961.00	37.04	16.56	53.60	74.00	20.40	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	181
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6861.45	75.46	15.06	90.52	-	-	RMS	Horizontal	NA
2	7552.00	31.59	16.35	47.94	54.00	6.06	RMS	Horizontal	PASS
3	15877.33	29.30	11.71	41.01	54.00	12.99	RMS	Horizontal	PASS
4	17965.67	27.87	16.60	44.47	54.00	9.53	RMS	Horizontal	PASS
5	6861.10	84.64	15.07	99.71	-	-	PK	Horizontal	NA
6	7378.75	41.90	16.27	58.17	74.00	15.83	PK	Horizontal	PASS
7	7721.75	41.39	16.45	57.84	74.00	16.16	PK	Horizontal	PASS
8	17930.00	37.54	16.33	53.87	74.00	20.13	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	181
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6857.60	86.76	15.07	101.83	-	-	RMS	Vertical	NA
2	7483.40	31.10	16.70	47.80	54.00	6.20	RMS	Vertical	PASS
3	15813.33	30.47	11.36	41.83	54.00	12.17	RMS	Vertical	PASS
4	17927.67	28.44	16.31	44.75	54.00	9.25	RMS	Vertical	PASS
5	6857.25	95.28	15.08	110.36	-	-	PK	Vertical	NA
6	7445.95	40.97	16.62	57.59	74.00	16.41	PK	Vertical	PASS
7	7864.55	41.19	16.52	57.71	68.20	10.49	PK	Vertical	PASS
8	17959.00	37.82	16.55	54.37	74.00	19.63	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6872.65	74.04	15.03	89.07	-	-	RMS	Horizontal	NA
2	7477.80	31.27	16.69	47.96	54.00	6.04	RMS	Horizontal	PASS
3	15913.33	29.87	11.68	41.55	54.00	12.45	RMS	Horizontal	PASS
4	17985.67	28.28	16.75	45.03	54.00	8.97	RMS	Horizontal	PASS
5	6872.30	82.28	15.03	97.31	-	-	PK	Horizontal	NA
6	7225.80	41.19	16.14	57.33	68.20	10.87	PK	Horizontal	PASS
7	7520.15	40.98	16.57	57.55	74.00	16.45	PK	Horizontal	PASS
8	17970.00	37.67	16.63	54.30	74.00	19.70	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6873.00	86.61	15.03	101.64	-	-	RMS	Vertical	NA
2	7498.80	30.89	16.70	47.59	54.00	6.41	RMS	Vertical	PASS
3	15358.00	30.69	11.92	42.61	54.00	11.39	RMS	Vertical	PASS
4	17981.67	28.97	16.72	45.69	54.00	8.31	RMS	Vertical	PASS
5	6251.05	44.20	13.32	57.52	68.20	10.68	PK	Vertical	PASS
6	6880.70	94.27	15.01	109.28	-	-	PK	Vertical	NA
7	7620.95	41.28	16.00	57.28	74.00	16.72	PK	Vertical	PASS
8	17990.67	37.01	16.79	53.80	74.00	20.20	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6881.40	74.22	15.01	89.23	-	-	RMS	Horizontal	NA
2	7279.35	31.82	16.17	47.99	54.00	6.01	RMS	Horizontal	PASS
3	15904.00	30.03	11.79	41.82	54.00	12.18	RMS	Horizontal	PASS
4	17936.00	28.63	16.37	45.00	54.00	9.00	RMS	Horizontal	PASS
5	6877.90	83.68	15.02	98.70	-	-	PK	Horizontal	NA
6	7443.15	42.19	16.60	58.79	74.00	15.21	PK	Horizontal	PASS
7	15828.33	38.87	11.44	50.31	74.00	23.69	PK	Horizontal	PASS
8	17954.00	38.27	16.51	54.78	74.00	19.22	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6880.35	86.78	15.01	101.79	-	-	RMS	Vertical	NA
2	7378.40	31.07	16.27	47.34	54.00	6.66	RMS	Vertical	PASS
3	15811.67	30.71	11.35	42.06	54.00	11.94	RMS	Vertical	PASS
4	17891.33	28.63	16.06	44.69	54.00	9.31	RMS	Vertical	PASS
5	6880.00	95.19	15.01	110.20	-	-	PK	Vertical	NA
6	7443.85	40.99	16.61	57.60	74.00	16.40	PK	Vertical	PASS
7	7748.70	41.26	16.56	57.82	74.00	16.18	PK	Vertical	PASS
8	17973.33	37.32	16.65	53.97	74.00	20.03	PK	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6848.50	71.15	15.09	86.24	-	-	RMS	Horizontal	NA
2	7449.10	30.80	16.66	47.46	54.00	6.54	RMS	Horizontal	PASS
3	15780.33	30.01	11.29	41.30	54.00	12.70	RMS	Horizontal	PASS
4	17965.67	27.90	16.60	44.50	54.00	9.50	RMS	Horizontal	PASS
5	6847.80	80.61	15.09	95.70	-	-	PK	Horizontal	NA
6	7506.85	41.08	16.66	57.74	74.00	16.26	PK	Horizontal	PASS
7	7907.60	41.23	16.47	57.70	68.20	10.50	PK	Horizontal	PASS
8	17999.33	37.07	16.86	53.93	74.00	20.07	PK	Horizontal	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6851.30	82.75	15.09	97.84	-	-	RMS	Vertical	NA
2	7442.45	31.15	16.59	47.74	54.00	6.26	RMS	Vertical	PASS
3	15905.33	30.04	11.77	41.81	54.00	12.19	RMS	Vertical	PASS
4	17994.33	28.28	16.82	45.10	54.00	8.90	RMS	Vertical	PASS
5	5969.65	43.87	13.23	57.10	68.20	11.10	PK	Vertical	PASS
6	6857.25	93.65	15.08	108.73	-	-	PK	Vertical	NA
7	7440.70	40.94	16.57	57.51	74.00	16.49	PK	Vertical	PASS
8	17902.67	37.88	16.12	54.00	74.00	20.00	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-7
Bandwidth	80MHz	Channel	183
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6871.25	67.79	15.04	82.83	-	-	RMS	Horizontal	NA
2	7503.35	31.24	16.69	47.93	54.00	6.07	RMS	Horizontal	PASS
3	17979.33	28.42	16.71	45.13	54.00	8.87	RMS	Horizontal	PASS
4	6863.90	77.49	15.06	92.55	-	-	PK	Horizontal	NA
5	7448.05	40.94	16.64	57.58	74.00	16.42	PK	Horizontal	PASS
6	7775.30	41.28	16.55	57.83	68.20	10.37	PK	Horizontal	PASS
7	17977.33	36.80	16.69	53.49	74.00	20.51	PK	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-7
Bandwidth	80MHz	Channel	183
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6874.05	80.53	15.03	95.56	-	-	RMS	Vertical	NA
2	7590.50	31.80	16.01	47.81	54.00	6.19	RMS	Vertical	PASS
3	15806.67	30.87	11.33	42.20	54.00	11.80	RMS	Vertical	PASS
4	17987.67	28.79	16.77	45.56	54.00	8.44	RMS	Vertical	PASS
5	6853.40	89.79	15.09	104.88	-	-	PK	Vertical	NA
6	7505.10	41.02	16.67	57.69	74.00	16.31	PK	Vertical	PASS
7	7739.60	40.86	16.52	57.38	74.00	16.62	PK	Vertical	PASS
8	17989.33	37.18	16.78	53.96	74.00	20.04	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-7
Bandwidth	160MHz	Channel	175
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6794.95	63.45	15.03	78.48	-	-	RMS	Horizontal	NA
2	7253.80	31.34	16.24	47.58	54.00	6.42	RMS	Horizontal	PASS
3	7724.90	31.19	16.47	47.66	54.00	6.34	RMS	Horizontal	PASS
4	17930.33	28.92	16.33	45.25	54.00	8.75	RMS	Horizontal	PASS
5	6851.65	73.99	15.09	89.08	-	-	PK	Horizontal	NA
6	7384.00	40.95	16.26	57.21	74.00	16.79	PK	Horizontal	PASS
7	7582.80	41.16	16.07	57.23	74.00	16.77	PK	Horizontal	PASS
8	17955.33	38.40	16.52	54.92	74.00	19.08	PK	Horizontal	PASS