


Project Information			
Mode:	802.11be160	Band:	U-NII-7
Bandwidth	160MHz	Channel	175
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6871.95	75.35	15.04	90.39	-	-	RMS	Vertical	NA
2	7458.20	30.73	16.67	47.40	54.00	6.60	RMS	Vertical	PASS
3	7716.85	31.33	16.44	47.77	54.00	6.23	RMS	Vertical	PASS
4	17999.00	27.90	16.86	44.76	54.00	9.24	RMS	Vertical	PASS
5	6873.35	86.22	15.03	101.25	-	-	PK	Vertical	NA
6	7211.45	41.70	16.07	57.77	68.20	10.43	PK	Vertical	PASS
7	7731.55	41.34	16.49	57.83	74.00	16.17	PK	Vertical	PASS
8	17977.67	38.39	16.69	55.08	74.00	18.92	PK	Vertical	PASS

Project Information

Mode:	802.11be320	Band:	U-NII-7
Bandwidth	320MHz	Channel	127
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6488.70	63.33	13.76	77.09	-	-	RMS	Horizontal	NA
2	7418.65	31.49	16.37	47.86	54.00	6.14	RMS	Horizontal	PASS
3	15859.33	29.90	11.61	41.51	54.00	12.49	RMS	Horizontal	PASS
4	17989.33	28.35	16.78	45.13	54.00	8.87	RMS	Horizontal	PASS
5	6500.95	73.44	13.66	87.10	-	-	PK	Horizontal	NA
6	7374.90	41.27	16.29	57.56	74.00	16.44	PK	Horizontal	PASS
7	7694.10	41.46	16.35	57.81	74.00	16.19	PK	Horizontal	PASS
8	17993.33	37.15	16.81	53.96	74.00	20.04	PK	Horizontal	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-7
Bandwidth	320MHz	Channel	127
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6590.20	72.44	14.33	86.77	-	-	RMS	Vertical	NA
2	7386.45	31.50	16.25	47.75	54.00	6.25	RMS	Vertical	PASS
3	17991.33	28.40	16.80	45.20	54.00	8.80	RMS	Vertical	PASS
4	6593.00	83.83	14.34	98.17	-	-	PK	Vertical	NA
5	7724.20	40.90	16.47	57.37	74.00	16.63	PK	Vertical	PASS
6	15893.00	39.09	11.79	50.88	74.00	23.12	PK	Vertical	PASS
7	17943.33	36.98	16.43	53.41	74.00	20.59	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6897.50	74.99	14.97	89.96	-	-	RMS	Horizontal	NA
2	7699.70	31.05	16.38	47.43	54.00	6.57	RMS	Horizontal	PASS
3	15377.00	30.41	11.90	42.31	54.00	11.69	RMS	Horizontal	PASS
4	17919.67	28.96	16.25	45.21	54.00	8.79	RMS	Horizontal	PASS
5	6901.35	82.92	14.96	97.88	-	-	PK	Horizontal	NA
6	7431.60	41.10	16.50	57.60	74.00	16.40	PK	Horizontal	PASS
7	7877.15	40.90	16.49	57.39	68.20	10.81	PK	Horizontal	PASS
8	17956.33	37.74	16.53	54.27	74.00	19.73	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6897.15	86.67	14.97	101.64	-	-	RMS	Vertical	NA
2	7518.75	30.82	16.58	47.40	54.00	6.60	RMS	Vertical	PASS
3	15749.00	30.40	11.29	41.69	54.00	12.31	RMS	Vertical	PASS
4	17945.33	28.03	16.44	44.47	54.00	9.53	RMS	Vertical	PASS
5	6891.20	95.26	14.98	110.24	-	-	PK	Vertical	NA
6	7287.40	42.33	16.15	58.48	74.00	15.52	PK	Vertical	PASS
7	7851.95	41.38	16.54	57.92	68.20	10.28	PK	Vertical	PASS
8	17979.67	37.10	16.71	53.81	74.00	20.19	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	209
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6896.80	75.02	14.97	89.99	-	-	RMS	Horizontal	NA
2	7621.30	31.86	16.00	47.86	54.00	6.14	RMS	Horizontal	PASS
3	15890.00	29.79	11.78	41.57	54.00	12.43	RMS	Horizontal	PASS
4	17960.00	28.00	16.56	44.56	54.00	9.44	RMS	Horizontal	PASS
5	6017.25	43.21	13.19	56.40	68.20	11.80	PK	Horizontal	PASS
6	6897.85	83.08	14.97	98.05	-	-	PK	Horizontal	NA
7	7338.15	41.74	16.31	58.05	74.00	15.95	PK	Horizontal	PASS
8	17916.67	37.60	16.23	53.83	74.00	20.17	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	209
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6901.70	86.50	14.96	101.46	-	-	RMS	Vertical	NA
2	7484.80	30.86	16.69	47.55	54.00	6.45	RMS	Vertical	PASS
3	15894.33	30.63	11.80	42.43	54.00	11.57	RMS	Vertical	PASS
4	17932.00	27.92	16.35	44.27	54.00	9.73	RMS	Vertical	PASS
5	5735.50	43.06	13.11	56.17	68.20	12.03	PK	Vertical	PASS
6	6891.20	94.75	14.98	109.73	-	-	PK	Vertical	NA
7	7491.80	41.12	16.70	57.82	74.00	16.18	PK	Vertical	PASS
8	17975.67	37.38	16.67	54.05	74.00	19.95	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7122.20	72.86	15.44	88.30	-	-	RMS	Horizontal	NA
2	7438.25	31.04	16.55	47.59	54.00	6.41	RMS	Horizontal	PASS
3	15372.00	29.86	11.90	41.76	54.00	12.24	RMS	Horizontal	PASS
4	17965.00	28.04	16.59	44.63	54.00	9.37	RMS	Horizontal	PASS
5	7111.70	81.78	15.38	97.16	-	-	PK	Horizontal	NA
6	7458.90	41.20	16.66	57.86	74.00	16.14	PK	Horizontal	PASS
7	15496.33	39.97	11.88	51.85	74.00	22.15	PK	Horizontal	PASS
8	17967.67	37.06	16.61	53.67	74.00	20.33	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7112.40	84.81	15.38	100.19	-	-	RMS	Vertical	NA
2	7738.20	30.64	16.52	47.16	54.00	6.84	RMS	Vertical	PASS
3	15882.67	30.48	11.74	42.22	54.00	11.78	RMS	Vertical	PASS
4	17984.67	28.37	16.74	45.11	54.00	8.89	RMS	Vertical	PASS
5	7111.70	92.70	15.38	108.08	-	-	PK	Vertical	NA
6	7274.10	41.48	16.18	57.66	74.00	16.34	PK	Vertical	PASS
7	7796.30	41.34	16.54	57.88	68.20	10.32	PK	Vertical	PASS
8	17915.33	37.77	16.22	53.99	74.00	20.01	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting -4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7122.20	56.38	15.44	71.82	-	-	RMS	Horizontal	NA
2	7699.70	31.13	16.38	47.51	54.00	6.49	RMS	Horizontal	PASS
3	15870.67	29.84	11.67	41.51	54.00	12.49	RMS	Horizontal	PASS
4	17917.00	29.31	16.23	45.54	54.00	8.46	RMS	Horizontal	PASS
5	6780.25	41.85	15.02	56.87	68.20	11.33	PK	Horizontal	PASS
6	7112.05	65.13	15.38	80.51	-	-	PK	Horizontal	NA
7	7403.95	41.32	16.25	57.57	74.00	16.43	PK	Horizontal	PASS
8	7718.95	41.85	16.45	58.30	74.00	15.70	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting -4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7112.40	68.46	15.38	83.84	-	-	RMS	Vertical	NA
2	7366.85	31.14	16.31	47.45	54.00	6.55	RMS	Vertical	PASS
3	15845.33	30.49	11.53	42.02	54.00	11.98	RMS	Vertical	PASS
4	17928.33	28.30	16.31	44.61	54.00	9.39	RMS	Vertical	PASS
5	6268.90	43.68	13.24	56.92	68.20	11.28	PK	Vertical	PASS
6	7117.65	76.76	15.42	92.18	-	-	PK	Vertical	NA
7	7419.70	41.52	16.39	57.91	74.00	16.09	PK	Vertical	PASS
8	17974.67	37.86	16.67	54.53	74.00	19.47	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6900.65	75.15	14.96	90.11	-	-	RMS	Horizontal	NA
2	7481.65	30.97	16.69	47.66	54.00	6.34	RMS	Horizontal	PASS
3	15906.33	30.37	11.76	42.13	54.00	11.87	RMS	Horizontal	PASS
4	17922.67	28.95	16.27	45.22	54.00	8.78	RMS	Horizontal	PASS
5	5773.30	42.47	13.47	55.94	68.20	12.26	PK	Horizontal	PASS
6	6902.75	84.60	14.95	99.55	-	-	PK	Horizontal	NA
7	7530.30	41.52	16.50	58.02	74.00	15.98	PK	Horizontal	PASS
8	17875.00	37.63	15.97	53.60	74.00	20.40	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6901.35	86.26	14.96	101.22	-	-	RMS	Vertical	NA
2	7476.75	30.90	16.68	47.58	54.00	6.42	RMS	Vertical	PASS
3	15900.00	29.68	11.83	41.51	54.00	12.49	RMS	Vertical	PASS
4	17861.00	29.00	15.90	44.90	54.00	9.10	RMS	Vertical	PASS
5	6239.50	43.84	13.32	57.16	68.20	11.04	PK	Vertical	PASS
6	6903.45	95.27	14.95	110.22	-	-	PK	Vertical	NA
7	7418.65	41.60	16.37	57.97	74.00	16.03	PK	Vertical	PASS
8	17958.00	37.02	16.54	53.56	74.00	20.44	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting -7		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6898.55	54.02	14.96	68.98	-	-	RMS	Horizontal	NA
2	7346.90	31.01	16.35	47.36	54.00	6.64	RMS	Horizontal	PASS
3	15876.00	29.93	11.70	41.63	54.00	12.37	RMS	Horizontal	PASS
4	17944.00	29.10	16.44	45.54	54.00	8.46	RMS	Horizontal	PASS
5	6222.70	44.44	13.31	57.75	68.20	10.45	PK	Horizontal	PASS
6	6897.50	63.92	14.97	78.89	-	-	PK	Horizontal	NA
7	7338.85	41.17	16.30	57.47	74.00	16.53	PK	Horizontal	PASS
8	17970.67	37.39	16.63	54.02	74.00	19.98	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting -7		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6899.95	66.45	14.96	81.41	-	-	RMS	Vertical	NA
2	7482.70	30.55	16.69	47.24	54.00	6.76	RMS	Vertical	PASS
3	15895.33	30.35	11.80	42.15	54.00	11.85	RMS	Vertical	PASS
4	17971.00	28.08	16.64	44.72	54.00	9.28	RMS	Vertical	PASS
5	5798.50	43.70	13.71	57.41	68.20	10.79	PK	Vertical	PASS
6	6901.35	76.48	14.96	91.44	-	-	PK	Vertical	NA
7	7483.75	40.87	16.70	57.57	74.00	16.43	PK	Vertical	PASS
8	17997.00	36.77	16.84	53.61	74.00	20.39	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	187
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6894.35	70.46	14.98	85.44	-	-	RMS	Horizontal	NA
2	7356.00	31.33	16.34	47.67	54.00	6.33	RMS	Horizontal	PASS
3	15824.67	29.95	11.42	41.37	54.00	12.63	RMS	Horizontal	PASS
4	17972.33	28.09	16.65	44.74	54.00	9.26	RMS	Horizontal	PASS
5	6135.90	43.48	13.09	56.57	68.20	11.63	PK	Horizontal	PASS
6	6889.10	80.55	14.99	95.54	-	-	PK	Horizontal	NA
7	7526.45	41.27	16.53	57.80	74.00	16.20	PK	Horizontal	PASS
8	17867.00	38.49	15.93	54.42	74.00	19.58	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	187
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6892.95	83.70	14.98	98.68	-	-	RMS	Vertical	NA
2	7494.25	31.29	16.70	47.99	54.00	6.01	RMS	Vertical	PASS
3	15833.33	30.87	11.47	42.34	54.00	11.66	RMS	Vertical	PASS
4	17953.67	29.50	16.50	46.00	54.00	8.00	RMS	Vertical	PASS
5	6469.45	42.77	13.91	56.68	68.20	11.52	PK	Vertical	PASS
6	6892.25	94.05	14.98	109.03	-	-	PK	Vertical	NA
7	7522.95	41.88	16.55	58.43	74.00	15.57	PK	Vertical	PASS
8	17699.67	38.64	15.56	54.20	68.20	14.00	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7042.75	64.92	15.31	80.23	-	-	RMS	Horizontal	NA
2	7482.00	30.55	16.69	47.24	54.00	6.76	RMS	Horizontal	PASS
3	15877.00	28.33	11.71	40.04	54.00	13.96	RMS	Horizontal	PASS
4	17968.67	26.80	16.62	43.42	54.00	10.58	RMS	Horizontal	PASS
5	5943.75	42.80	13.24	56.04	68.20	12.16	PK	Horizontal	PASS
6	6749.10	42.03	14.99	57.02	68.20	11.18	PK	Horizontal	PASS
7	7009.85	75.50	15.03	90.53	-	-	PK	Horizontal	NA
8	7501.25	40.77	16.70	57.47	74.00	16.53	PK	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7014.75	78.39	15.07	93.46	-	-	RMS	Vertical	NA
2	7350.05	30.97	16.36	47.33	54.00	6.67	RMS	Vertical	PASS
3	15827.67	30.23	11.44	41.67	54.00	12.33	RMS	Vertical	PASS
4	17935.67	28.51	16.37	44.88	54.00	9.12	RMS	Vertical	PASS
5	5763.50	42.87	13.38	56.25	68.20	11.95	PK	Vertical	PASS
6	6313.35	43.36	13.19	56.55	68.20	11.65	PK	Vertical	PASS
7	7014.40	88.63	15.07	103.70	-	-	PK	Vertical	NA
8	7772.15	41.56	16.56	58.12	68.20	10.08	PK	Vertical	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7017.20	61.19	15.09	76.28	-	-	RMS	Horizontal	NA
2	7357.40	31.28	16.34	47.62	54.00	6.38	RMS	Horizontal	PASS
3	7674.85	31.19	16.24	47.43	54.00	6.57	RMS	Horizontal	PASS
4	17972.67	28.22	16.65	44.87	54.00	9.13	RMS	Horizontal	PASS
5	5844.00	42.59	13.52	56.11	68.20	12.09	PK	Horizontal	PASS
6	6442.15	43.37	14.06	57.43	68.20	10.77	PK	Horizontal	PASS
7	6988.85	71.45	14.92	86.37	-	-	PK	Horizontal	NA
8	7462.05	41.23	16.67	57.90	74.00	16.10	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6992.00	74.59	14.92	89.51	-	-	RMS	Vertical	NA
2	7486.20	30.92	16.70	47.62	54.00	6.38	RMS	Vertical	PASS
3	15826.67	30.21	11.43	41.64	54.00	12.36	RMS	Vertical	PASS
4	17983.67	28.44	16.73	45.17	54.00	8.83	RMS	Vertical	PASS
5	5768.75	43.23	13.43	56.66	68.20	11.54	PK	Vertical	PASS
6	6970.65	84.85	14.89	99.74	-	-	PK	Vertical	NA
7	7535.90	40.89	16.46	57.35	74.00	16.65	PK	Vertical	PASS
8	17895.33	37.93	16.07	54.00	74.00	20.00	PK	Vertical	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-8
Bandwidth	320MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6908.70	61.08	14.94	76.02	-	-	RMS	Horizontal	NA
2	7355.65	31.14	16.34	47.48	54.00	6.52	RMS	Horizontal	PASS
3	15825.33	30.36	11.43	41.79	54.00	12.21	RMS	Horizontal	PASS
4	17910.00	28.61	16.18	44.79	54.00	9.21	RMS	Horizontal	PASS
5	6891.90	71.31	14.98	86.29	-	-	PK	Horizontal	NA
6	7160.00	42.31	15.69	58.00	68.20	10.20	PK	Horizontal	PASS
7	7739.95	41.10	16.52	57.62	74.00	16.38	PK	Horizontal	PASS
8	17837.67	37.95	15.77	53.72	74.00	20.28	PK	Horizontal	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-8
Bandwidth	320MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6914.30	73.48	14.93	88.41	-	-	RMS	Vertical	NA
2	7279.70	34.72	16.17	50.89	54.00	3.11	RMS	Vertical	PASS
3	7697.95	31.48	16.37	47.85	54.00	6.15	RMS	Vertical	PASS
4	17945.67	28.31	16.44	44.75	54.00	9.25	RMS	Vertical	PASS
5	6407.50	47.55	14.02	61.57	68.20	6.63	PK	Vertical	PASS
6	6971.70	83.53	14.89	98.42	-	-	PK	Vertical	NA
7	7232.45	45.80	16.17	61.97	68.20	6.23	PK	Vertical	PASS
8	17912.33	37.29	16.19	53.48	74.00	20.52	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6424.30	81.69	14.04	95.73	-	-	RMS	Horizontal	NA
2	7507.20	32.10	16.66	48.76	54.00	5.24	RMS	Horizontal	PASS
3	15820.67	31.89	11.40	43.29	54.00	10.71	RMS	Horizontal	PASS
4	17958.67	29.89	16.54	46.43	54.00	7.57	RMS	Horizontal	PASS
5	6420.80	90.87	14.03	104.90	-	-	PK	Horizontal	NA
6	7804.70	41.50	16.54	58.04	68.20	10.16	PK	Horizontal	PASS
7	12225.33	40.60	7.62	48.22	74.00	25.78	PK	Horizontal	PASS
8	17978.67	36.99	16.69	53.68	74.00	20.32	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5442.90	34.36	11.48	45.84	54.00	8.16	RMS	Vertical	PASS
2	6422.55	94.69	14.04	108.73	-	-	RMS	Vertical	NA
3	7494.25	32.11	16.70	48.81	54.00	5.19	RMS	Vertical	PASS
4	17922.00	29.99	16.27	46.26	54.00	7.74	RMS	Vertical	PASS
5	5476.50	42.77	11.60	54.37	68.20	13.83	PK	Vertical	PASS
6	6421.85	100.88	14.03	114.91	-	-	PK	Vertical	NA
7	7471.15	41.21	16.69	57.90	74.00	16.10	PK	Vertical	PASS
8	17944.67	37.20	16.44	53.64	74.00	20.36	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU66; Powersetting 14		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	1441.00	36.36	-5.00	31.36	54.00	22.64	RMS	Horizontal	PASS
2	6419.40	78.94	14.03	92.97	-	-	RMS	Horizontal	NA
3	7408.85	33.00	16.29	49.29	54.00	4.71	RMS	Horizontal	PASS
4	17909.33	30.87	16.17	47.04	54.00	6.96	RMS	Horizontal	PASS
5	1440.30	45.24	-5.00	40.24	74.00	33.76	PK	Horizontal	PASS
6	6420.80	87.68	14.03	101.71	-	-	PK	Horizontal	NA
7	7444.20	40.83	16.61	57.44	74.00	16.56	PK	Horizontal	PASS
8	17985.00	37.00	16.75	53.75	74.00	20.25	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU66; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6408.20	88.82	14.01	102.83	-	-	RMS	Vertical	NA
2	7376.65	33.03	16.28	49.31	54.00	4.69	RMS	Vertical	PASS
3	15903.00	31.38	11.79	43.17	54.00	10.83	RMS	Vertical	PASS
4	17929.00	29.43	16.32	45.75	54.00	8.25	RMS	Vertical	PASS
5	6409.25	96.92	14.02	110.94	-	-	PK	Vertical	NA
6	7459.60	40.89	16.67	57.56	74.00	16.44	PK	Vertical	PASS
7	15915.67	39.23	11.65	50.88	74.00	23.12	PK	Vertical	PASS
8	17989.33	38.57	16.78	55.35	74.00	18.65	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	87
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6420.45	74.85	14.03	88.88	-	-	RMS	Horizontal	NA
2	7679.05	32.73	16.26	48.99	54.00	5.01	RMS	Horizontal	PASS
3	12219.00	33.16	7.65	40.81	54.00	13.19	RMS	Horizontal	PASS
4	17934.00	30.37	16.36	46.73	54.00	7.27	RMS	Horizontal	PASS
5	6420.80	82.74	14.03	96.77	-	-	PK	Horizontal	NA
6	7448.05	40.59	16.64	57.23	74.00	16.77	PK	Horizontal	PASS
7	12258.67	40.98	7.53	48.51	74.00	25.49	PK	Horizontal	PASS
8	17878.67	38.14	15.99	54.13	74.00	19.87	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	87
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6407.50	83.77	14.02	97.79	-	-	RMS	Vertical	NA
2	7808.55	32.24	16.54	48.78	-	-	RMS	Vertical	NA
3	12221.67	33.42	7.64	41.06	54.00	12.94	RMS	Vertical	PASS
4	17988.00	29.47	16.77	46.24	54.00	7.76	RMS	Vertical	PASS
5	6407.15	91.74	14.01	105.75	-	-	PK	Vertical	NA
6	7364.75	41.27	16.32	57.59	74.00	16.41	PK	Vertical	PASS
7	15675.00	39.21	11.28	50.49	74.00	23.51	PK	Vertical	PASS
8	17942.67	36.95	16.42	53.37	74.00	20.63	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	79
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU68;Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6359.55	71.79	13.59	85.38	-	-	RMS	Horizontal	NA
2	7351.80	32.86	16.35	49.21	54.00	4.79	RMS	Horizontal	PASS
3	12222.67	33.35	7.64	40.99	54.00	13.01	RMS	Horizontal	PASS
4	17974.00	29.38	16.67	46.05	54.00	7.95	RMS	Horizontal	PASS
5	6359.55	82.11	13.59	95.70	-	-	PK	Horizontal	NA
6	7772.85	41.29	16.55	57.84	68.20	10.36	PK	Horizontal	PASS
7	12271.00	41.02	7.50	48.52	74.00	25.48	PK	Horizontal	PASS
8	17984.00	38.39	16.74	55.13	74.00	18.87	PK	Horizontal	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	79
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU68; Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6360.60	81.20	13.60	94.80	-	-	RMS	Vertical	NA
2	7690.95	33.21	16.33	49.54	54.00	4.46	RMS	Vertical	PASS
3	11670.00	34.72	6.49	41.21	54.00	12.79	RMS	Vertical	PASS
4	17970.67	29.50	16.63	46.13	54.00	7.87	RMS	Vertical	PASS
5	6390.00	88.54	13.90	102.44	-	-	PK	Vertical	NA
6	7579.65	41.73	16.10	57.83	74.00	16.17	PK	Vertical	PASS
7	12221.67	41.06	7.64	48.70	74.00	25.30	PK	Vertical	PASS
8	17961.33	37.66	16.57	54.23	74.00	19.77	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6427.45	86.73	14.04	100.77	-	-	RMS	Horizontal	NA
2	7710.90	33.30	16.42	49.72	54.00	4.28	RMS	Horizontal	PASS
3	15832.00	32.32	11.46	43.78	54.00	10.22	RMS	Horizontal	PASS
4	17995.67	29.46	16.82	46.28	54.00	7.72	RMS	Horizontal	PASS
5	6427.10	93.67	14.04	107.71	-	-	PK	Horizontal	NA
6	7464.85	40.88	16.67	57.55	74.00	16.45	PK	Horizontal	PASS
7	15742.00	39.82	11.29	51.11	74.00	22.89	PK	Horizontal	PASS
8	17992.67	37.21	16.80	54.01	74.00	19.99	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6426.75	94.99	14.04	109.03	-	-	RMS	Vertical	NA
2	7463.10	32.49	16.68	49.17	54.00	4.83	RMS	Vertical	PASS
3	15811.33	32.50	11.35	43.85	54.00	10.15	RMS	Vertical	PASS
4	17991.33	29.80	16.80	46.60	54.00	7.40	RMS	Vertical	PASS
5	6426.75	102.46	14.04	116.50	-	-	PK	Vertical	NA
6	7388.55	41.97	16.24	58.21	74.00	15.79	PK	Vertical	PASS
7	15845.33	39.27	11.53	50.80	74.00	23.20	PK	Vertical	PASS
8	17960.33	37.39	16.56	53.95	74.00	20.05	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5425.75	34.63	11.33	45.96	54.00	8.04	RMS	Horizontal	PASS
2	6440.40	78.43	14.06	92.49	-	-	RMS	Horizontal	NA
3	7475.00	32.50	16.68	49.18	54.00	4.82	RMS	Horizontal	PASS
4	17902.00	29.57	16.12	45.69	54.00	8.31	RMS	Horizontal	PASS
5	5411.75	43.56	11.22	54.78	74.00	19.22	PK	Horizontal	PASS
6	6439.70	87.92	14.07	101.99	-	-	PK	Horizontal	NA
7	7400.45	41.37	16.21	57.58	74.00	16.42	PK	Horizontal	PASS
8	17991.67	37.82	16.80	54.62	74.00	19.38	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6444.60	87.48	14.07	101.55	-	-	RMS	Vertical	NA
2	7520.50	32.59	16.57	49.16	54.00	4.84	RMS	Vertical	PASS
3	15883.00	31.65	11.74	43.39	54.00	10.61	RMS	Vertical	PASS
4	17988.00	29.65	16.77	46.42	54.00	7.58	RMS	Vertical	PASS
5	5804.10	44.59	13.70	58.29	68.20	9.91	PK	Vertical	PASS
6	6121.55	50.37	13.00	63.37	68.20	4.83	PK	Vertical	PASS
7	6443.90	96.30	14.07	110.37	-	-	PK	Vertical	NA
8	7504.05	41.14	16.68	57.82	74.00	16.18	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU65; Powersetting 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4853.85	33.14	9.40	42.54	54.00	11.46	RMS	Horizontal	PASS
2	6443.20	73.43	14.07	87.50	-	-	RMS	Horizontal	NA
3	7503.70	32.60	16.68	49.28	54.00	4.72	RMS	Horizontal	PASS
4	17923.00	30.17	16.27	46.44	54.00	7.56	RMS	Horizontal	PASS
5	5129.65	42.30	9.89	52.19	74.00	21.81	PK	Horizontal	PASS
6	6439.35	82.16	14.07	96.23	-	-	PK	Horizontal	NA
7	7204.10	41.60	16.03	57.63	68.20	10.57	PK	Horizontal	PASS
8	17972.67	37.30	16.65	53.95	74.00	20.05	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU65; Powersetting 12.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6447.75	82.13	14.08	96.21	-	-	RMS	Vertical	NA
2	7487.60	32.44	16.70	49.14	54.00	4.86	RMS	Vertical	PASS
3	12222.33	33.38	7.64	41.02	54.00	12.98	RMS	Vertical	PASS
4	17989.67	30.09	16.78	46.87	54.00	7.13	RMS	Vertical	PASS
5	6452.30	91.46	14.06	105.52	-	-	PK	Vertical	NA
6	7470.45	41.53	16.68	58.21	74.00	15.79	PK	Vertical	PASS
7	12172.00	41.19	7.34	48.53	74.00	25.47	PK	Vertical	PASS
8	17997.33	36.90	16.84	53.74	74.00	20.26	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6496.05	70.33	13.70	84.03	-	-	RMS	Horizontal	NA
2	7437.55	32.80	16.55	49.35	54.00	4.65	RMS	Horizontal	PASS
3	15680.00	31.52	11.28	42.80	54.00	11.20	RMS	Horizontal	PASS
4	17985.67	29.86	16.75	46.61	54.00	7.39	RMS	Horizontal	PASS
5	5413.15	43.16	11.23	54.39	74.00	19.61	PK	Horizontal	PASS
6	6496.40	79.54	13.69	93.23	-	-	PK	Horizontal	NA
7	7269.20	42.05	16.20	58.25	74.00	15.75	PK	Horizontal	PASS
8	7687.80	41.70	16.31	58.01	74.00	15.99	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4754.10	32.51	9.34	41.85	54.00	12.15	RMS	Vertical	PASS
2	6471.55	80.27	13.90	94.17	-	-	RMS	Vertical	NA
3	7391.35	33.05	16.24	49.29	54.00	4.71	RMS	Vertical	PASS
4	17953.33	29.71	16.50	46.21	54.00	7.79	RMS	Vertical	PASS
5	5447.80	43.12	11.52	54.64	74.00	19.36	PK	Vertical	PASS
6	6446.70	90.63	14.07	104.70	-	-	PK	Vertical	NA
7	7755.70	41.23	16.56	57.79	68.20	10.41	PK	Vertical	PASS
8	17952.00	36.88	16.50	53.38	74.00	20.62	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6883.85	82.37	15.00	97.37	-	-	RMS	Horizontal	NA
2	7450.85	32.07	16.66	48.73	54.00	5.27	RMS	Horizontal	PASS
3	11515.33	34.36	6.53	40.89	54.00	13.11	RMS	Horizontal	PASS
4	17979.67	29.75	16.71	46.46	54.00	7.54	RMS	Horizontal	PASS
5	6883.50	90.09	15.00	105.09	-	-	PK	Horizontal	NA
6	7523.30	41.43	16.55	57.98	74.00	16.02	PK	Horizontal	PASS
7	11807.00	41.75	6.47	48.22	74.00	25.78	PK	Horizontal	PASS
8	17965.67	37.53	16.60	54.13	74.00	19.87	PK	Horizontal	PASS