



Project Information			
Mode:	802.11be20	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6881.75	90.84	15.01	105.85	-	-	RMS	Vertical	NA
2	7708.80	32.59	16.41	49.00	54.00	5.00	RMS	Vertical	PASS
3	15894.67	31.41	11.80	43.21	54.00	10.79	RMS	Vertical	PASS
4	17908.67	29.91	16.16	46.07	54.00	7.93	RMS	Vertical	PASS
5	6882.80	98.17	15.01	113.18	-	-	PK	Vertical	NA
6	7774.25	43.08	16.55	59.63	68.20	8.57	PK	Vertical	PASS
7	15839.33	39.44	11.50	50.94	74.00	23.06	PK	Vertical	PASS
8	17980.67	37.16	16.71	53.87	74.00	20.13	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU62; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6857.95	76.31	15.07	91.38	-	-	RMS	Horizontal	NA
2	7264.30	32.61	16.21	48.82	54.00	5.18	RMS	Horizontal	PASS
3	7541.50	32.84	16.42	49.26	54.00	4.74	RMS	Horizontal	PASS
4	17970.67	29.43	16.63	46.06	54.00	7.94	RMS	Horizontal	PASS
5	6857.25	84.82	15.08	99.90	-	-	PK	Horizontal	NA
6	7249.25	41.95	16.26	58.21	68.20	9.99	PK	Horizontal	PASS
7	7498.45	41.15	16.71	57.86	74.00	16.14	PK	Horizontal	PASS
8	17931.67	34.43	16.34	50.77	74.00	20.28	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU62; Powersetting 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6848.85	85.99	15.10	101.09	-	-	RMS	Vertical	NA
2	7372.45	33.23	16.29	49.52	54.00	4.48	RMS	Vertical	PASS
3	7535.55	32.65	16.46	49.11	54.00	4.89	RMS	Vertical	PASS
4	17967.00	29.47	16.61	46.08	54.00	7.92	RMS	Vertical	PASS
5	6848.85	94.30	15.10	109.40	-	-	PK	Vertical	NA
6	7488.30	40.97	16.70	57.67	74.00	16.33	PK	Vertical	PASS
7	7730.85	41.22	16.49	57.71	74.00	16.29	PK	Vertical	PASS
8	17980.33	36.85	16.71	53.56	74.00	20.44	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-7
Bandwidth	80MHz	Channel	183
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6879.30	70.22	15.02	85.24	-	-	RMS	Horizontal	NA
2	7371.05	32.64	16.30	48.94	54.00	5.06	RMS	Horizontal	PASS
3	7720.35	31.93	16.45	48.38	54.00	5.62	RMS	Horizontal	PASS
4	17947.67	30.00	16.46	46.46	54.00	7.54	RMS	Horizontal	PASS
5	6887.00	78.83	15.00	93.83	-	-	PK	Horizontal	NA
6	7489.35	40.83	16.70	57.53	74.00	16.47	PK	Horizontal	PASS
7	7820.80	40.91	16.54	57.45	68.20	10.75	PK	Horizontal	PASS
8	17917.00	37.57	16.23	53.80	74.00	20.20	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-7
Bandwidth	80MHz	Channel	183
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6887.35	80.51	14.99	95.50	-	-	RMS	Vertical	NA
2	7363.00	32.31	16.32	48.63	54.00	5.37	RMS	Vertical	PASS
3	7765.15	31.98	16.55	48.53	-	-	RMS	Vertical	NA
4	17973.67	29.74	16.66	46.40	54.00	7.60	RMS	Vertical	PASS
5	6889.80	88.06	14.99	103.05	-	-	PK	Vertical	NA
6	7449.80	40.84	16.66	57.50	74.00	16.50	PK	Vertical	PASS
7	7703.55	40.86	16.40	57.26	74.00	16.74	PK	Vertical	PASS
8	17932.00	37.79	16.35	54.14	74.00	19.86	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-7
Bandwidth	160MHz	Channel	175
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	966 Tone RU68; Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6837.65	67.67	15.08	82.75	-	-	RMS	Horizontal	NA
2	7468.35	32.12	16.68	48.80	54.00	5.20	RMS	Horizontal	PASS
3	12220.33	33.29	7.64	40.93	54.00	13.07	RMS	Horizontal	PASS
4	17984.67	29.07	16.74	45.81	54.00	8.19	RMS	Horizontal	PASS
5	6853.40	76.36	15.09	91.45	-	-	PK	Horizontal	NA
6	7447.70	41.49	16.64	58.13	74.00	15.87	PK	Horizontal	PASS
7	12220.00	41.44	7.64	49.08	74.00	24.92	PK	Horizontal	PASS
8	17909.00	37.66	16.17	53.83	74.00	20.17	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-7
Bandwidth	160MHz	Channel	175
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	966 Tone RU68;Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6831.70	77.32	15.07	92.39	-	-	RMS	Vertical	NA
2	7540.10	32.92	16.43	49.35	54.00	4.65	RMS	Vertical	PASS
3	15823.67	32.33	11.42	43.75	54.00	10.25	RMS	Vertical	PASS
4	17979.33	29.18	16.71	45.89	54.00	8.11	RMS	Vertical	PASS
5	6868.10	85.92	15.05	100.97	-	-	PK	Vertical	NA
6	7529.95	41.72	16.50	58.22	74.00	15.78	PK	Vertical	PASS
7	15879.00	38.72	11.72	50.44	74.00	23.56	PK	Vertical	PASS
8	17947.00	38.23	16.46	54.69	74.00	19.31	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU0; Powersetting -16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6887.00	56.27	15.00	71.27	-	-	RMS	Horizontal	NA
2	7504.75	32.79	16.68	49.47	54.00	4.53	RMS	Horizontal	PASS
3	15898.33	31.70	11.82	43.52	54.00	10.48	RMS	Horizontal	PASS
4	17969.67	29.31	16.63	45.94	54.00	8.06	RMS	Horizontal	PASS
5	6886.30	64.01	15.00	79.01	-	-	PK	Horizontal	NA
6	7451.90	40.90	16.66	57.56	74.00	16.44	PK	Horizontal	PASS
7	15955.67	39.19	11.19	50.38	74.00	23.62	PK	Horizontal	PASS
8	17896.00	38.37	16.08	54.45	74.00	19.55	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU0; Powersetting -16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6887.35	62.34	14.99	77.33	-	-	RMS	Vertical	NA
2	7354.95	32.86	16.35	49.21	54.00	4.79	RMS	Vertical	PASS
3	7726.30	32.49	16.47	48.96	54.00	5.04	RMS	Vertical	PASS
4	17929.00	29.81	16.32	46.13	54.00	7.87	RMS	Vertical	PASS
5	6886.65	69.46	15.00	84.46	-	-	PK	Vertical	NA
6	7372.80	41.37	16.29	57.66	74.00	16.34	PK	Vertical	PASS
7	7603.45	41.73	15.93	57.66	74.00	16.34	PK	Vertical	PASS
8	17946.67	37.53	16.46	53.99	74.00	20.01	PK	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	187
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 14		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6879.30	76.09	15.02	91.11	-	-	RMS	Horizontal	NA
2	7357.40	32.67	16.34	49.01	54.00	4.99	RMS	Horizontal	PASS
3	15829.00	31.21	11.45	42.66	54.00	11.34	RMS	Horizontal	PASS
4	17947.00	29.46	16.46	45.92	54.00	8.08	RMS	Horizontal	PASS
5	6871.25	84.82	15.04	99.86	-	-	PK	Horizontal	NA
6	7757.80	40.98	16.55	57.53	68.20	10.67	PK	Horizontal	PASS
7	11409.00	42.48	6.22	48.70	74.00	25.30	PK	Horizontal	PASS
8	17966.00	37.14	16.60	53.74	74.00	20.26	PK	Horizontal	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	187
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	6881.40	84.49	15.01	99.50	-	-	RMS	Vertical	NA
2	7435.80	32.59	16.53	49.12	54.00	4.88	RMS	Vertical	PASS
3	15822.67	31.18	11.41	42.59	54.00	11.41	RMS	Vertical	PASS
4	17924.00	30.17	16.29	46.46	54.00	7.54	RMS	Vertical	PASS
5	6883.50	92.75	15.00	107.75	-	-	PK	Vertical	NA
6	7407.10	42.07	16.28	58.35	74.00	15.65	PK	Vertical	PASS
7	15339.00	38.79	11.93	50.72	68.20	17.48	PK	Vertical	PASS
8	17923.67	38.27	16.28	54.55	74.00	19.45	PK	Vertical	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7032.25	68.76	15.22	83.98	-	-	RMS	Horizontal	NA
2	7537.30	32.32	16.45	48.77	54.00	5.23	RMS	Horizontal	PASS
3	15565.00	31.92	11.45	43.37	54.00	10.63	RMS	Horizontal	PASS
4	17953.67	30.04	16.50	46.54	54.00	7.46	RMS	Horizontal	PASS
5	7029.80	77.89	15.20	93.09	-	-	PK	Horizontal	NA
6	7452.25	40.90	16.66	57.56	74.00	16.44	PK	Horizontal	PASS
7	15898.00	39.35	11.82	51.17	74.00	22.83	PK	Horizontal	PASS
8	17913.33	38.24	16.20	54.44	74.00	19.56	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7028.75	78.65	15.19	93.84	-	-	RMS	Vertical	NA
2	7471.85	33.14	16.68	49.82	54.00	4.18	RMS	Vertical	PASS
3	15875.00	30.88	11.70	42.58	54.00	11.42	RMS	Vertical	PASS
4	17986.67	29.74	16.76	46.50	54.00	7.50	RMS	Vertical	PASS
5	7056.75	86.82	15.37	102.19	-	-	PK	Vertical	NA
6	7598.55	42.22	15.93	58.15	74.00	15.85	PK	Vertical	PASS
7	15692.00	38.86	11.28	50.14	74.00	23.86	PK	Vertical	PASS
8	17923.67	37.42	16.28	53.70	74.00	20.30	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7468.00	32.49	16.68	49.17	54.00	4.83	RMS	Horizontal	PASS
2	15908.67	30.95	11.73	42.68	54.00	11.32	RMS	Horizontal	PASS
3	17992.00	29.14	16.80	45.94	54.00	8.06	RMS	Horizontal	PASS
4	7250.65	41.59	16.26	57.85	74.00	16.15	PK	Horizontal	PASS
5	7727.00	40.60	16.47	57.07	74.00	16.93	PK	Horizontal	PASS
6	17983.00	36.74	16.73	53.47	74.00	20.53	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 11		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7517.00	32.38	16.59	48.97	54.00	5.03	RMS	Vertical	PASS
2	15830.00	31.50	11.45	42.95	54.00	11.05	RMS	Vertical	PASS
3	17997.33	29.18	16.84	46.02	54.00	7.98	RMS	Vertical	PASS
4	7510.70	40.91	16.64	57.55	74.00	16.45	PK	Vertical	PASS
5	15883.33	39.06	11.74	50.80	74.00	23.20	PK	Vertical	PASS
6	17983.33	37.64	16.73	54.37	74.00	19.63	PK	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-5
Bandwidth	20Mhz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5906.30	31.10	13.27	44.37	68.20	23.83	RMS	Horizontal	PASS
2	5914.42	30.96	13.26	44.22	68.20	23.98	RMS	Horizontal	PASS
3	5922.82	30.94	13.25	44.19	68.20	24.01	RMS	Horizontal	PASS
4	5908.62	42.00	13.26	55.26	88.20	32.94	PK	Horizontal	PASS
5	5915.21	42.10	13.26	55.36	88.20	32.84	PK	Horizontal	PASS
6	5922.10	42.33	13.26	55.59	88.20	32.61	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-5
Bandwidth	20Mhz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5910.70	32.20	13.26	45.46	68.20	22.74	RMS	Vertical	PASS
2	5917.64	32.49	13.25	45.74	68.20	22.46	RMS	Vertical	PASS
3	5921.09	34.11	13.26	47.37	68.20	20.83	RMS	Vertical	PASS
4	5905.26	42.99	13.27	56.26	88.20	31.94	PK	Vertical	PASS
5	5915.65	43.72	13.26	56.98	88.20	31.22	PK	Vertical	PASS
6	5920.39	47.86	13.26	61.12	88.20	27.08	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20Mhz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5858.49	30.61	13.46	44.07	68.20	24.13	RMS	Horizontal	PASS
2	5866.39	30.70	13.42	44.12	68.20	24.08	RMS	Horizontal	PASS
3	5886.19	30.93	13.33	44.26	68.20	23.94	RMS	Horizontal	PASS
4	5850.63	41.21	13.49	54.70	88.20	33.50	PK	Horizontal	PASS
5	5868.18	40.93	13.41	54.34	88.20	33.86	PK	Horizontal	PASS
6	5879.16	41.48	13.36	54.84	88.20	33.36	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20Mhz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5857.68	30.79	13.46	44.25	68.20	23.95	RMS	Vertical	PASS
2	5892.10	31.18	13.31	44.49	68.20	23.71	RMS	Vertical	PASS
3	5924.50	32.84	13.25	46.09	68.20	22.11	RMS	Vertical	PASS
4	5853.79	41.50	13.48	54.98	88.20	33.22	PK	Vertical	PASS
5	5866.95	41.59	13.42	55.01	88.20	33.19	PK	Vertical	PASS
6	5923.97	43.16	13.25	56.41	88.20	31.79	PK	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5913.05	32.90	13.26	46.16	68.20	22.04	RMS	Horizontal	PASS
2	5917.47	34.68	13.26	47.94	68.20	20.26	RMS	Horizontal	PASS
3	5920.19	34.68	13.26	47.94	68.20	20.26	RMS	Horizontal	PASS
4	5911.96	42.49	13.27	55.76	88.20	32.44	PK	Horizontal	PASS
5	5916.47	46.09	13.26	59.35	88.20	28.85	PK	Horizontal	PASS
6	5922.75	45.69	13.25	58.94	88.20	29.26	PK	Horizontal	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5915.32	40.09	13.26	53.35	68.20	14.85	RMS	Vertical	PASS
2	5920.80	43.82	13.26	57.08	68.20	11.12	RMS	Vertical	PASS
3	5924.28	44.77	13.25	58.02	68.20	10.18	RMS	Vertical	PASS
4	5914.49	55.14	13.26	68.40	88.20	19.80	PK	Vertical	PASS
5	5918.07	55.44	13.26	68.70	88.20	19.50	PK	Vertical	PASS
6	5924.76	55.88	13.25	69.13	88.20	19.07	PK	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5901.94	31.01	13.27	44.28	68.20	23.92	RMS	Horizontal	PASS
2	5913.34	30.72	13.26	43.98	68.20	24.22	RMS	Horizontal	PASS
3	5920.82	30.85	13.26	44.11	68.20	24.09	RMS	Horizontal	PASS
4	5902.42	42.13	13.27	55.40	88.20	32.80	PK	Horizontal	PASS
5	5908.86	41.25	13.26	54.51	88.20	33.69	PK	Horizontal	PASS
6	5921.86	41.74	13.26	55.00	88.20	33.20	PK	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5899.77	32.48	13.27	45.75	68.20	22.45	RMS	Vertical	PASS
2	5912.58	34.41	13.26	47.67	68.20	20.53	RMS	Vertical	PASS
3	5921.30	33.67	13.26	46.93	68.20	21.27	RMS	Vertical	PASS
4	5898.49	42.41	13.28	55.69	88.20	32.51	PK	Vertical	PASS
5	5914.18	45.75	13.26	59.01	88.20	29.19	PK	Vertical	PASS
6	5922.14	44.53	13.26	57.79	88.20	30.41	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5896.97	31.15	13.28	44.43	68.20	23.77	RMS	Horizontal	PASS
2	5905.21	31.01	13.27	44.28	68.20	23.92	RMS	Horizontal	PASS
3	5913.95	30.65	13.26	43.91	68.20	24.29	RMS	Horizontal	PASS
4	5902.46	41.16	13.27	54.43	88.20	33.77	PK	Horizontal	PASS
5	5914.45	41.22	13.26	54.48	88.20	33.72	PK	Horizontal	PASS
6	5920.50	41.10	13.26	54.36	88.20	33.84	PK	Horizontal	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5890.76	31.66	13.31	44.97	68.20	23.23	RMS	Vertical	PASS
2	5908.23	31.92	13.26	45.18	68.20	23.02	RMS	Vertical	PASS
3	5919.27	31.66	13.26	44.92	68.20	23.28	RMS	Vertical	PASS
4	5891.60	41.90	13.31	55.21	88.20	32.99	PK	Vertical	PASS
5	5906.61	42.00	13.27	55.27	88.20	32.93	PK	Vertical	PASS
6	5921.56	41.89	13.26	55.15	88.20	33.05	PK	Vertical	PASS


Project Information			
Mode:	802.11be320	Band:	U-NII-5
Bandwidth	320MHz	Channel	31
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5828.52	30.35	13.59	43.94	68.20	24.26	RMS	Horizontal	PASS
2	5886.96	30.85	13.33	44.18	68.20	24.02	RMS	Horizontal	PASS
3	5923.32	30.57	13.25	43.82	68.20	24.38	RMS	Horizontal	PASS
4	5828.34	41.36	13.59	54.95	88.20	33.25	PK	Horizontal	PASS
5	5891.10	41.20	13.31	54.51	88.20	33.69	PK	Horizontal	PASS
6	5917.59	41.36	13.25	54.61	88.20	33.59	PK	Horizontal	PASS


Project Information			
Mode:	802.11be320	Band:	U-NII-5
Bandwidth	320MHz	Channel	31
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5840.49	31.53	13.54	45.07	68.20	23.13	RMS	Vertical	PASS
2	5883.88	33.30	13.34	46.64	68.20	21.56	RMS	Vertical	PASS
3	5924.90	33.56	13.25	46.81	68.20	21.39	RMS	Vertical	PASS
4	5841.64	42.01	13.53	55.54	88.20	32.66	PK	Vertical	PASS
5	5903.78	44.42	13.27	57.69	88.20	30.51	PK	Vertical	PASS
6	5924.81	45.83	13.25	59.08	88.20	29.12	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.26	29.28	15.46	44.74	68.20	23.46	RMS	Horizontal	PASS
2	7128.21	29.46	15.48	44.94	68.20	23.26	RMS	Horizontal	PASS
3	7132.63	29.47	15.51	44.98	68.20	23.22	RMS	Horizontal	PASS
4	7125.36	40.00	15.46	55.46	88.20	32.74	PK	Horizontal	PASS
5	7128.14	39.80	15.48	55.28	88.20	32.92	PK	Horizontal	PASS
6	7134.00	40.12	15.52	55.64	88.20	32.56	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.36	31.42	15.46	46.88	68.20	21.32	RMS	Vertical	PASS
2	7130.03	30.39	15.49	45.88	68.20	22.32	RMS	Vertical	PASS
3	7135.79	30.24	15.52	45.76	68.20	22.44	RMS	Vertical	PASS
4	7126.29	42.21	15.47	57.68	88.20	30.52	PK	Vertical	PASS
5	7131.44	40.45	15.50	55.95	88.20	32.25	PK	Vertical	PASS
6	7136.15	40.81	15.52	56.33	88.20	31.87	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting -4		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.20	60.39	15.46	75.85	88.30	12.45	PK	Vertical	PASS
2	7126.39	53.06	15.47	68.53	88.30	19.77	PK	Vertical	PASS
3	7129.41	41.38	15.49	56.87	88.30	31.43	PK	Vertical	PASS
4	7125.00	49.39	15.46	64.85	68.30	3.45	AV	Vertical	PASS
5	7125.90	45.20	15.46	60.66	68.30	7.64	AV	Vertical	PASS
6	7127.42	35.57	15.47	51.04	68.30	17.26	AV	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting -4		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.29	48.76	15.46	64.22	88.30	24.08	PK	Horizontal	PASS
2	7127.90	40.14	15.48	55.62	88.30	32.68	PK	Horizontal	PASS
3	7133.22	39.43	15.51	54.94	88.30	33.36	PK	Horizontal	PASS
4	7125.37	37.24	15.46	52.70	68.30	15.60	AV	Horizontal	PASS
5	7126.61	32.30	15.47	47.77	68.30	20.53	AV	Horizontal	PASS
6	7140.82	29.43	15.55	44.98	68.30	23.32	AV	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.48	54.50	15.46	69.96	88.30	18.34	PK	Vertical	PASS
2	7131.30	52.82	15.50	68.32	88.30	19.98	PK	Vertical	PASS
3	7125.58	44.19	15.46	59.65	68.30	8.65	AV	Vertical	PASS
4	7126.74	44.11	15.47	59.58	68.30	8.72	AV	Vertical	PASS
5	7128.58	42.70	15.48	58.18	68.30	10.12	AV	Vertical	PASS
6	7132.14	39.70	15.50	55.20	68.30	13.10	AV	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7126.38	44.06	15.47	59.53	88.30	28.77	PK	Horizontal	PASS
2	7129.26	43.42	15.49	58.91	88.30	29.39	PK	Horizontal	PASS
3	7134.84	42.05	15.52	57.57	88.30	30.73	PK	Horizontal	PASS
4	7126.36	33.23	15.47	48.70	68.30	19.60	AV	Horizontal	PASS
5	7129.96	32.64	15.49	48.13	68.30	20.17	AV	Horizontal	PASS
6	7136.46	29.91	15.53	45.44	68.30	22.86	AV	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7141.86	29.46	15.56	45.02	68.20	23.18	RMS	Horizontal	PASS
2	7160.48	29.19	15.69	44.88	68.20	23.32	RMS	Horizontal	PASS
3	7179.57	29.64	15.85	45.49	68.20	22.71	RMS	Horizontal	PASS
4	7138.64	40.40	15.54	55.94	88.20	32.26	PK	Horizontal	PASS
5	7158.30	40.64	15.67	56.31	88.20	31.89	PK	Horizontal	PASS
6	7176.81	40.09	15.83	55.92	88.20	32.28	PK	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7127.09	32.77	15.47	48.24	68.20	19.96	RMS	Vertical	PASS
2	7144.88	30.62	15.58	46.20	68.20	22.00	RMS	Vertical	PASS
3	7159.70	29.84	15.69	45.53	68.20	22.67	RMS	Vertical	PASS
4	7128.29	46.35	15.48	61.83	88.20	26.37	PK	Vertical	PASS
5	7139.52	41.31	15.55	56.86	88.20	31.34	PK	Vertical	PASS
6	7158.51	40.72	15.67	56.39	88.20	31.81	PK	Vertical	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7133.44	30.40	15.51	45.91	68.20	22.29	RMS	Horizontal	PASS
2	7163.76	29.91	15.73	45.64	68.20	22.56	RMS	Horizontal	PASS
3	7186.80	29.56	15.91	45.47	68.20	22.73	RMS	Horizontal	PASS
4	7129.02	41.07	15.49	56.56	88.20	31.64	PK	Horizontal	PASS
5	7158.66	40.38	15.67	56.05	88.20	32.15	PK	Horizontal	PASS
6	7179.52	40.15	15.85	56.00	88.20	32.20	PK	Horizontal	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7132.29	38.34	15.50	53.84	68.20	14.36	RMS	Vertical	PASS
2	7140.04	37.82	15.55	53.37	68.20	14.83	RMS	Vertical	PASS
3	7159.49	33.01	15.69	48.70	68.20	19.50	RMS	Vertical	PASS
4	7125.22	48.60	15.46	64.06	88.20	24.14	PK	Vertical	PASS
5	7137.03	48.95	15.53	64.48	88.20	23.72	PK	Vertical	PASS
6	7152.94	45.15	15.63	60.78	88.20	27.42	PK	Vertical	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-8
Bandwidth	320MHz	Channel	191
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7127.25	29.08	15.47	44.55	68.20	23.65	RMS	Horizontal	PASS
2	7175.62	29.35	15.81	45.16	68.20	23.04	RMS	Horizontal	PASS
3	7241.98	29.26	16.22	45.48	68.20	22.72	RMS	Horizontal	PASS
4	7130.27	40.16	15.49	55.65	88.20	32.55	PK	Horizontal	PASS
5	7172.81	39.54	15.79	55.33	88.20	32.87	PK	Horizontal	PASS
6	7242.82	39.96	16.22	56.18	88.20	32.02	PK	Horizontal	PASS

Project Information

Mode:	802.11be320	Band:	U-NII-8
Bandwidth	320MHz	Channel	191
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7130.06	29.96	15.49	45.45	68.20	22.75	RMS	Vertical	PASS
2	7180.51	29.97	15.85	45.82	68.20	22.38	RMS	Vertical	PASS
3	7215.87	31.34	16.09	47.43	68.20	20.77	RMS	Vertical	PASS
4	7131.10	41.20	15.49	56.69	88.20	31.51	PK	Vertical	PASS
5	7167.92	41.38	15.75	57.13	88.20	31.07	PK	Vertical	PASS
6	7211.51	41.42	16.07	57.49	88.20	30.71	PK	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5891.60	30.62	13.31	43.93	68.20	24.27	RMS	Horizontal	PASS
2	5904.14	30.73	13.27	44.00	68.20	24.20	RMS	Horizontal	PASS
3	5924.62	30.76	13.25	44.01	68.20	24.19	RMS	Horizontal	PASS
4	5891.07	41.81	13.31	55.12	88.20	33.08	PK	Horizontal	PASS
5	5899.44	41.49	13.27	54.76	88.20	33.44	PK	Horizontal	PASS
6	5915.99	41.45	13.26	54.71	88.20	33.49	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU0; Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5876.28	31.26	13.38	44.64	68.20	23.56	RMS	Vertical	PASS
2	5899.24	31.81	13.27	45.08	68.20	23.12	RMS	Vertical	PASS
3	5922.68	32.11	13.25	45.36	68.20	22.84	RMS	Vertical	PASS
4	5878.88	42.37	13.37	55.74	88.20	32.46	PK	Vertical	PASS
5	5902.16	42.08	13.27	55.35	88.20	32.85	PK	Vertical	PASS
6	5921.87	42.87	13.26	56.13	88.20	32.07	PK	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU37; Powersetting 14.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5890.51	30.80	13.31	44.11	68.20	24.09	RMS	Horizontal	PASS
2	5904.65	31.04	13.27	44.31	68.20	23.89	RMS	Horizontal	PASS
3	5921.23	30.74	13.26	44.00	68.20	24.20	RMS	Horizontal	PASS
4	5891.21	41.43	13.31	54.74	88.20	33.46	PK	Horizontal	PASS
5	5904.45	42.09	13.27	55.36	88.20	32.84	PK	Horizontal	PASS
6	5920.30	41.92	13.26	55.18	88.20	33.02	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU37; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5879.19	31.24	13.36	44.60	68.20	23.60	RMS	Vertical	PASS
2	5900.45	31.59	13.27	44.86	68.20	23.34	RMS	Vertical	PASS
3	5923.80	32.83	13.25	46.08	68.20	22.12	RMS	Vertical	PASS
4	5870.90	41.61	13.40	55.01	88.20	33.19	PK	Vertical	PASS
5	5903.25	42.34	13.26	55.60	88.20	32.60	PK	Vertical	PASS
6	5923.78	46.13	13.25	59.38	88.20	28.82	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU53; Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5887.76	30.64	13.33	43.97	68.20	24.23	RMS	Horizontal	PASS
2	5905.71	30.75	13.27	44.02	68.20	24.18	RMS	Horizontal	PASS
3	5920.08	30.80	13.26	44.06	68.20	24.14	RMS	Horizontal	PASS
4	5888.80	41.80	13.32	55.12	88.20	33.08	PK	Horizontal	PASS
5	5904.87	41.45	13.27	54.72	88.20	33.48	PK	Horizontal	PASS
6	5922.57	41.45	13.25	54.70	88.20	33.50	PK	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU53; Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5878.74	31.09	13.37	44.46	68.20	23.74	RMS	Vertical	PASS
2	5896.97	31.63	13.28	44.91	68.20	23.29	RMS	Vertical	PASS
3	5922.49	32.24	13.26	45.50	68.20	22.70	RMS	Vertical	PASS
4	5875.10	41.96	13.38	55.34	88.20	32.86	PK	Vertical	PASS
5	5898.51	42.18	13.28	55.46	88.20	32.74	PK	Vertical	PASS
6	5922.04	43.82	13.26	57.08	88.20	31.12	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 14.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5902.27	30.76	13.27	44.03	68.20	24.17	RMS	Horizontal	PASS
2	5913.49	30.68	13.26	43.94	68.20	24.26	RMS	Horizontal	PASS
3	5920.45	30.94	13.26	44.20	68.20	24.00	RMS	Horizontal	PASS
4	5899.02	41.83	13.27	55.10	88.20	33.10	PK	Horizontal	PASS
5	5912.44	41.91	13.27	55.18	88.20	33.02	PK	Horizontal	PASS
6	5924.71	42.47	13.25	55.72	88.20	32.48	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU61; Powersetting 14.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5886.27	31.43	13.33	44.76	68.20	23.44	RMS	Vertical	PASS
2	5908.09	32.04	13.26	45.30	68.20	22.90	RMS	Vertical	PASS
3	5924.68	36.25	13.25	49.50	68.20	18.70	RMS	Vertical	PASS
4	5904.64	43.16	13.27	56.43	88.20	31.77	PK	Vertical	PASS
5	5917.63	45.47	13.25	58.72	88.20	29.48	PK	Vertical	PASS
6	5923.45	50.95	13.25	64.20	88.20	24.00	PK	Vertical	PASS