


Project Information			
Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU65; Powersetting 12		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5844.44	30.62	13.52	44.14	68.20	24.06	RMS	Horizontal	PASS
2	5888.73	30.79	13.32	44.11	68.20	24.09	RMS	Horizontal	PASS
3	5921.70	31.05	13.26	44.31	68.20	23.89	RMS	Horizontal	PASS
4	5849.24	42.28	13.50	55.78	88.20	32.42	PK	Horizontal	PASS
5	5871.05	41.64	13.40	55.04	88.20	33.16	PK	Horizontal	PASS
6	5921.58	41.62	13.26	54.88	88.20	33.32	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU65; Powersetting 12		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5832.00	33.19	13.58	46.77	68.20	21.43	RMS	Vertical	PASS
2	5919.10	35.36	13.26	48.62	68.20	19.58	RMS	Vertical	PASS
3	5924.46	37.03	13.25	50.28	68.20	17.92	RMS	Vertical	PASS
4	5832.04	42.86	13.58	56.44	88.20	31.76	PK	Vertical	PASS
5	5917.50	46.95	13.26	60.21	88.20	27.99	PK	Vertical	PASS
6	5922.18	49.44	13.26	62.70	88.20	25.50	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5883.13	30.54	13.35	43.89	68.20	24.31	RMS	Horizontal	PASS
2	5905.42	30.62	13.27	43.89	68.20	24.31	RMS	Horizontal	PASS
3	5921.82	30.82	13.26	44.08	68.20	24.12	RMS	Horizontal	PASS
4	5877.05	41.45	13.37	54.82	88.20	33.38	PK	Horizontal	PASS
5	5892.41	42.24	13.30	55.54	88.20	32.66	PK	Horizontal	PASS
6	5922.14	41.63	13.26	54.89	88.20	33.31	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	996 Tone RU67; Powersetting 12		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5873.65	31.09	13.39	44.48	68.20	23.72	RMS	Vertical	PASS
2	5900.74	32.40	13.27	45.67	68.20	22.53	RMS	Vertical	PASS
3	5923.82	35.58	13.25	48.83	68.20	19.37	RMS	Vertical	PASS
4	5871.45	40.28	13.40	53.68	88.20	32.77	PK	Vertical	PASS
5	5900.94	43.95	13.27	57.22	88.20	30.98	PK	Vertical	PASS
6	5923.66	48.39	13.25	61.64	88.20	26.56	PK	Vertical	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-5
Bandwidth	320MHz	Channel	31
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	2*996 Tone RUNA; Powersetting 11		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5852.29	30.77	13.48	44.25	68.20	23.95	RMS	Horizontal	PASS
2	5892.77	31.14	13.30	44.44	68.20	23.76	RMS	Horizontal	PASS
3	5915.31	31.31	13.26	44.57	68.20	23.63	RMS	Horizontal	PASS
4	5841.28	42.05	13.53	55.58	88.20	32.62	PK	Horizontal	PASS
5	5886.44	42.09	13.33	55.42	88.20	32.78	PK	Horizontal	PASS
6	5913.11	41.92	13.26	55.18	88.20	33.02	PK	Horizontal	PASS

Project Information

Mode:	802.11be320	Band:	U-NII-5
Bandwidth	320MHz	Channel	31
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	2*996 Tone RUNA; Powersetting 11		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5869.98	34.24	13.41	47.65	68.20	20.55	RMS	Vertical	PASS
2	5889.87	36.55	13.32	49.87	68.20	18.33	RMS	Vertical	PASS
3	5909.06	35.79	13.26	49.05	68.20	19.15	RMS	Vertical	PASS
4	5868.22	52.16	13.41	65.57	88.20	22.63	PK	Vertical	PASS
5	5890.57	47.72	13.31	61.03	88.20	27.17	PK	Vertical	PASS
6	5908.70	45.64	13.26	58.90	88.20	29.30	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting -16		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.28	30.87	15.46	46.33	68.20	21.87	RMS	Horizontal	PASS
2	7132.61	29.32	15.51	44.83	68.20	23.37	RMS	Horizontal	PASS
3	7141.77	29.42	15.56	44.98	68.20	23.22	RMS	Horizontal	PASS
4	7125.19	46.66	15.46	62.12	88.20	26.08	PK	Horizontal	PASS
5	7134.49	40.27	15.52	55.79	88.20	32.41	PK	Horizontal	PASS
6	7154.51	40.72	15.65	56.37	88.20	31.83	PK	Horizontal	PASS

Project Information

Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting -16		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.02	49.68	15.46	65.14	68.20	3.06	RMS	Vertical	PASS
2	7128.75	29.61	15.48	45.09	68.20	23.11	RMS	Vertical	PASS
3	7164.57	29.24	15.73	44.97	68.20	23.23	RMS	Vertical	PASS
4	7125.05	60.52	15.46	75.98	88.20	12.22	PK	Vertical	PASS
5	7139.11	40.37	15.55	55.92	88.20	32.28	PK	Vertical	PASS
6	7163.50	40.49	15.71	56.20	88.20	32.00	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting -16		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.08	32.39	15.46	47.85	68.20	20.35	RMS	Horizontal	PASS
2	7134.27	29.37	15.52	44.89	68.20	23.31	RMS	Horizontal	PASS
3	7148.24	29.65	15.60	45.25	68.20	22.95	RMS	Horizontal	PASS
4	7129.59	41.00	15.49	56.49	88.20	31.71	PK	Horizontal	PASS
5	7136.51	40.26	15.53	55.79	88.20	32.41	PK	Horizontal	PASS
6	7148.66	40.14	15.60	55.74	88.20	32.46	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting -16		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.08	45.27	15.46	60.73	68.20	7.47	RMS	Vertical	PASS
2	7132.67	29.53	15.51	45.04	68.20	23.16	RMS	Vertical	PASS
3	7144.18	29.46	15.58	45.04	68.20	23.16	RMS	Vertical	PASS
4	7125.05	58.98	15.46	74.44	88.20	13.76	PK	Vertical	PASS
5	7126.84	46.10	15.47	61.57	88.20	26.63	PK	Vertical	PASS
6	7133.15	40.31	15.51	55.82	88.20	32.38	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54;Powersetting -16		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.19	30.39	15.46	45.85	68.20	22.35	RMS	Horizontal	PASS
2	7135.92	29.31	15.52	44.83	68.20	23.37	RMS	Horizontal	PASS
3	7145.55	29.54	15.58	45.12	68.20	23.08	RMS	Horizontal	PASS
4	7125.33	42.79	15.46	58.25	88.20	29.95	PK	Horizontal	PASS
5	7137.63	40.01	15.54	55.55	88.20	32.65	PK	Horizontal	PASS
6	7144.52	40.15	15.58	55.73	88.20	32.47	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54;Powersetting -16		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.19	41.39	15.46	56.85	68.20	11.35	RMS	Vertical	PASS
2	7126.34	31.33	15.47	46.80	68.20	21.40	RMS	Vertical	PASS
3	7136.56	29.28	15.53	44.81	68.20	23.39	RMS	Vertical	PASS
4	7125.02	59.69	15.46	75.15	88.20	13.05	PK	Vertical	PASS
5	7126.87	46.06	15.47	61.53	88.20	26.67	PK	Vertical	PASS
6	7136.11	40.47	15.52	55.99	88.20	32.21	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.68	29.12	15.46	44.58	68.20	23.62	RMS	Horizontal	PASS
2	7170.46	29.53	15.77	45.30	68.20	22.90	RMS	Horizontal	PASS
3	7233.73	29.50	16.17	45.67	68.20	22.53	RMS	Horizontal	PASS
4	7127.41	39.92	15.47	55.39	88.20	32.81	PK	Horizontal	PASS
5	7182.14	40.18	15.87	56.05	88.20	32.15	PK	Horizontal	PASS
6	7243.78	39.53	16.23	55.76	88.20	32.44	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	26 Tone RU8; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.39	31.85	15.46	47.31	68.20	20.89	RMS	Vertical	PASS
2	7166.52	29.37	15.75	45.12	68.20	23.08	RMS	Vertical	PASS
3	7244.52	29.21	16.23	45.44	68.20	22.76	RMS	Vertical	PASS
4	7125.68	41.35	15.46	56.81	88.20	31.39	PK	Vertical	PASS
5	7166.55	40.47	15.75	56.22	88.20	31.98	PK	Vertical	PASS
6	7244.62	40.08	16.23	56.31	88.20	31.89	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7129.84	29.54	15.49	45.03	68.20	23.17	RMS	Horizontal	PASS
2	7179.64	29.16	15.85	45.01	68.20	23.19	RMS	Horizontal	PASS
3	7223.17	29.27	16.12	45.39	68.20	22.81	RMS	Horizontal	PASS
4	7127.70	39.91	15.48	55.39	88.20	32.81	PK	Horizontal	PASS
5	7142.80	40.19	15.57	55.76	88.20	32.44	PK	Horizontal	PASS
6	7220.58	39.83	16.11	55.94	88.20	32.26	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	52 Tone RU40; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.39	31.68	15.46	47.14	68.20	21.06	RMS	Vertical	PASS
2	7158.17	29.41	15.67	45.08	68.20	23.12	RMS	Vertical	PASS
3	7228.58	29.25	16.15	45.40	68.20	22.80	RMS	Vertical	PASS
4	7125.36	42.58	15.46	58.04	88.20	30.16	PK	Vertical	PASS
5	7149.01	46.87	15.61	62.48	88.20	25.72	PK	Vertical	PASS
6	7218.08	40.08	16.10	56.18	88.20	32.02	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7127.95	29.25	15.48	44.73	68.20	23.47	RMS	Horizontal	PASS
2	7187.04	29.53	15.91	45.44	68.20	22.76	RMS	Horizontal	PASS
3	7244.49	29.31	16.23	45.54	68.20	22.66	RMS	Horizontal	PASS
4	7125.49	40.83	15.46	56.29	88.20	31.91	PK	Horizontal	PASS
5	7190.91	40.01	15.93	55.94	88.20	32.26	PK	Horizontal	PASS
6	7244.17	40.09	16.23	56.32	88.20	31.88	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	106 Tone RU54; Powersetting 14.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7126.06	30.43	15.46	45.89	68.20	22.31	RMS	Vertical	PASS
2	7179.83	29.25	15.85	45.10	68.20	23.10	RMS	Vertical	PASS
3	7233.64	29.45	16.17	45.62	68.20	22.58	RMS	Vertical	PASS
4	7126.45	41.98	15.47	57.45	88.20	30.75	PK	Vertical	PASS
5	7179.00	40.45	15.85	56.30	88.20	31.90	PK	Vertical	PASS
6	7227.04	40.44	16.15	56.59	88.20	31.61	PK	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU62; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7126.03	32.43	15.46	47.89	68.20	20.31	RMS	Horizontal	PASS
2	7134.46	29.57	15.52	45.09	68.20	23.11	RMS	Horizontal	PASS
3	7156.93	29.49	15.67	45.16	68.20	23.04	RMS	Horizontal	PASS
4	7126.00	44.61	15.46	60.07	88.20	28.13	PK	Horizontal	PASS
5	7135.21	40.56	15.52	56.08	88.20	32.12	PK	Horizontal	PASS
6	7147.53	40.82	15.60	56.42	88.20	31.78	PK	Horizontal	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	242 Tone RU62; Powersetting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7125.60	42.21	15.46	57.67	68.20	10.53	RMS	Vertical	PASS
2	7129.67	40.25	15.49	55.74	68.20	12.46	RMS	Vertical	PASS
3	7134.06	35.90	15.52	51.42	68.20	16.78	RMS	Vertical	PASS
4	7125.74	54.11	15.46	69.57	88.20	18.63	PK	Vertical	PASS
5	7128.12	53.73	15.48	69.21	88.20	18.99	PK	Vertical	PASS
6	7131.97	52.27	15.50	67.77	88.20	20.43	PK	Vertical	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7129.12	29.44	15.49	44.93	68.20	23.27	RMS	Horizontal	PASS
2	7165.06	29.53	15.73	45.26	68.20	22.94	RMS	Horizontal	PASS
3	7183.94	29.76	15.89	45.65	68.20	22.55	RMS	Horizontal	PASS
4	7136.30	40.38	15.53	55.91	88.20	32.29	PK	Horizontal	PASS
5	7161.47	40.61	15.71	56.32	88.20	31.88	PK	Horizontal	PASS
6	7184.88	40.92	15.89	56.81	88.20	31.39	PK	Horizontal	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	484 Tone RU66; Powersetting 12.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7128.29	30.31	15.48	45.79	68.20	22.41	RMS	Vertical	PASS
2	7148.00	29.53	15.60	45.13	68.20	23.07	RMS	Vertical	PASS
3	7180.61	29.56	15.85	45.41	68.20	22.79	RMS	Vertical	PASS
4	7135.05	46.75	15.52	62.27	88.20	25.93	PK	Vertical	PASS
5	7146.28	40.17	15.59	55.76	88.20	32.44	PK	Vertical	PASS
6	7191.38	40.88	15.95	56.83	88.20	31.37	PK	Vertical	PASS


Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	966Tone RU68;Powersetting 12		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7131.69	30.10	15.50	45.60	68.20	22.60	RMS	Horizontal	PASS
2	7156.24	29.51	15.65	45.16	68.20	23.04	RMS	Horizontal	PASS
3	7172.43	29.56	15.79	45.35	68.20	22.85	RMS	Horizontal	PASS
4	7128.02	40.64	15.48	56.12	88.20	32.08	PK	Horizontal	PASS
5	7150.60	39.90	15.61	55.51	88.20	32.69	PK	Horizontal	PASS
6	7170.12	40.12	15.77	55.89	88.20	32.31	PK	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	966Tone RU68;Powersetting 12		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7128.08	37.78	15.48	53.26	68.20	14.94	RMS	Vertical	PASS
2	7149.64	34.51	15.61	50.12	68.20	18.08	RMS	Vertical	PASS
3	7174.47	31.66	15.81	47.47	68.20	20.73	RMS	Vertical	PASS
4	7129.04	48.60	15.49	64.09	88.20	24.11	PK	Vertical	PASS
5	7150.60	46.87	15.61	62.48	88.20	25.72	PK	Vertical	PASS
6	7185.56	42.60	15.89	58.49	88.20	29.71	PK	Vertical	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-8
Bandwidth	320MHz	Channel	191
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	2*996 Tone RUNA; Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7131.51	29.40	15.50	44.90	68.20	23.30	RMS	Horizontal	PASS
2	7185.81	29.21	15.89	45.10	68.20	23.10	RMS	Horizontal	PASS
3	7220.66	29.14	16.11	45.25	68.20	22.95	RMS	Horizontal	PASS
4	7127.25	39.52	15.47	54.99	88.20	33.21	PK	Horizontal	PASS
5	7196.32	39.55	15.99	55.54	88.20	32.66	PK	Horizontal	PASS
6	7243.65	39.31	16.22	55.53	88.20	32.67	PK	Horizontal	PASS

Project Information			
Mode:	802.11be320	Band:	U-NII-8
Bandwidth	320MHz	Channel	191
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	2*996 Tone RUNA; Powersetting 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7130.47	29.81	15.49	45.30	68.20	22.90	RMS	Vertical	PASS
2	7197.67	29.52	15.99	45.51	68.20	22.69	RMS	Vertical	PASS
3	7242.19	29.50	16.22	45.72	68.20	22.48	RMS	Vertical	PASS
4	7139.00	41.22	15.55	56.77	88.20	31.43	PK	Vertical	PASS
5	7196.42	41.04	15.99	57.03	88.20	31.17	PK	Vertical	PASS
6	7242.92	40.77	16.22	56.99	88.20	31.21	PK	Vertical	PASS

~The End~