




3DH5-Ant1-2480-0~Reference-PASS



3DH5-Ant2-2480-0~Reference-PASS




3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant2-2480-30~1000-PASS



3DH5-Ant1-2480-1000~26500-PASS










3DH5-Ant2-2480-1000~26500-PASS

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.89	3.75	77.07	1.13
DH5	Ant2	2402	2.89	3.75	77.07	1.13
DH5	Ant1	2441	2.89	3.75	77.07	1.13
DH5	Ant2	2441	2.89	3.75	77.07	1.13
DH5	Ant1	2480	2.89	3.75	77.07	1.13
DH5	Ant2	2480	2.89	3.75	77.07	1.13
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
2DH5	Ant2	2402	2.89	3.75	77.07	1.13
2DH5	Ant1	2441	2.90	3.76	77.13	1.13
2DH5	Ant2	2441	2.89	3.75	77.07	1.13
2DH5	Ant1	2480	2.89	3.76	76.86	1.14
2DH5	Ant2	2480	2.89	3.76	76.86	1.14
3DH5	Ant1	2402	2.90	3.76	77.13	1.13
3DH5	Ant2	2402	2.89	3.75	77.07	1.13
3DH5	Ant1	2441	2.89	3.75	77.07	1.13
3DH5	Ant2	2441	2.89	3.75	77.07	1.13
3DH5	Ant1	2480	2.89	3.74	77.27	1.12
3DH5	Ant2	2480	2.89	3.75	77.07	1.13

Test Graphs








Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	-
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 9		

Test Graph




Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det.	Pol	Verdict
1	52.51	57.73	31.82	-25.91	40.00	8.18	PK	Horizontal	PASS
2	84.90	60.02	28.51	-31.51	40.00	11.49	PK	Horizontal	PASS
3	146.84	64.16	34.03	-30.13	43.50	9.47	PK	Horizontal	PASS
4	242.10	62.76	38.10	-24.66	47.00	8.90	PK	Horizontal	PASS
5	269.70	64.80	40.27	-24.53	47.00	6.73	PK	Horizontal	PASS
6	597.43	54.10	37.60	-16.50	47.00	9.40	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	-
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X;Powersetting 9		

Test Graph




Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det.	Pol	Verdict
1	30.10	60.92	30.71	-30.21	40.00	9.29	PK	Vertical	PASS
2	42.61	59.78	32.32	-27.46	40.00	7.68	PK	Vertical	PASS
3	51.15	59.76	33.72	-26.04	40.00	6.28	PK	Vertical	PASS
4	128.51	60.51	30.15	-30.36	43.50	13.35	PK	Vertical	PASS
5	347.45	52.22	30.17	-22.05	47.00	16.83	PK	Vertical	PASS
6	598.21	53.58	37.12	-16.46	47.00	9.88	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2458.13	43.23	0.37	43.60	54.00	10.40	RMS	Horizontal	PASS
2	12156.50	33.27	7.11	40.38	54.00	13.62	RMS	Horizontal	PASS
3	17985.50	29.62	17.07	46.69	54.00	7.31	RMS	Horizontal	PASS
4	2402.07	99.63	-0.30	99.33	-	-	PK	Horizontal	NA
5	2458.60	46.96	0.37	47.33	74.00	26.67	PK	Horizontal	PASS
6	11770.00	43.17	6.63	49.80	74.00	24.20	PK	Horizontal	PASS
7	17947.50	37.36	16.54	53.90	74.00	20.10	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2530.07	47.83	0.96	48.79	54.00	5.21	RMS	Vertical	PASS
2	5213.50	41.16	-6.20	34.96	54.00	19.04	RMS	Vertical	PASS
3	17968.50	29.23	16.83	46.06	54.00	7.94	RMS	Vertical	PASS
4	2401.87	99.58	-0.30	99.28	-	-	PK	Vertical	NA
5	2530.00	50.10	0.96	51.06	74.00	22.94	PK	Vertical	PASS
6	5161.50	50.02	-6.20	43.82	74.00	30.18	PK	Vertical	PASS
7	17980.00	37.00	17.00	54.00	74.00	20.00	PK	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2313.20	45.76	-0.87	44.89	54.00	9.11	RMS	Horizontal	PASS
2	11434.50	34.00	6.66	40.66	54.00	13.34	RMS	Horizontal	PASS
3	17959.50	30.06	16.71	46.77	54.00	7.23	RMS	Horizontal	PASS
4	2312.67	48.62	-0.87	47.75	74.00	26.25	PK	Horizontal	PASS
5	2440.80	99.72	0.16	99.88	-	-	PK	Horizontal	NA
6	11400.00	42.57	6.61	49.18	74.00	24.82	PK	Horizontal	PASS
7	17979.50	36.90	16.99	53.89	74.00	20.11	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2569.00	48.07	1.12	49.19	54.00	4.81	RMS	Vertical	PASS
2	5679.00	40.25	-3.81	36.44	54.00	17.56	RMS	Vertical	PASS
3	17981.50	29.27	17.02	46.29	54.00	7.71	RMS	Vertical	PASS
4	2441.13	100.82	0.16	100.98	-	-	PK	Vertical	NA
5	2568.93	49.51	1.12	50.63	74.00	23.37	PK	Vertical	PASS
6	5704.50	49.05	-3.60	45.45	74.00	28.55	PK	Vertical	PASS
7	17959.00	37.98	16.71	54.69	74.00	19.31	PK	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2352.00	45.95	-0.63	45.32	54.00	8.68	RMS	Horizontal	PASS
2	7220.50	39.60	-0.47	39.13	54.00	14.87	RMS	Horizontal	PASS
3	17964.50	29.79	16.78	46.57	54.00	7.43	RMS	Horizontal	PASS
4	2352.13	48.53	-0.63	47.90	74.00	26.10	PK	Horizontal	PASS
5	2480.07	99.20	0.64	99.84	-	-	PK	Horizontal	NA
6	7819.00	46.47	0.16	46.63	74.00	27.37	PK	Horizontal	PASS
7	17929.50	38.14	16.29	54.43	74.00	19.57	PK	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2608.13	47.37	1.22	48.59	54.00	5.41	RMS	Vertical	PASS
2	12186.00	33.23	7.40	40.63	54.00	13.37	RMS	Vertical	PASS
3	17975.00	29.99	16.93	46.92	54.00	7.08	RMS	Vertical	PASS
4	2480.13	102.22	0.64	102.86	-	-	PK	Vertical	NA
5	2607.80	49.24	1.22	50.46	74.00	23.54	PK	Vertical	PASS
6	12232.50	41.58	7.37	48.95	74.00	25.05	PK	Vertical	PASS
7	17788.50	37.45	16.21	53.66	74.00	20.34	PK	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2274.00	48.91	-0.96	47.95	54.00	6.05	RMS	Horizontal	PASS
2	8070.50	38.11	0.54	38.65	54.00	15.35	RMS	Horizontal	PASS
3	17996.00	29.39	17.22	46.61	54.00	7.39	RMS	Horizontal	PASS
4	2273.93	50.87	-0.96	49.91	74.00	24.09	PK	Horizontal	PASS
5	2402.13	94.59	-0.30	94.29	-	-	PK	Horizontal	NA
6	7866.50	47.08	0.08	47.16	74.00	26.84	PK	Horizontal	PASS
7	17864.00	37.96	16.04	54.00	74.00	20.00	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2274.00	51.75	-0.96	50.79	54.00	3.21	RMS	Vertical	PASS
2	2529.93	49.45	0.96	50.41	54.00	3.59	RMS	Vertical	PASS
3	17994.00	29.23	17.20	46.43	54.00	7.57	RMS	Vertical	PASS
4	2274.07	53.32	-0.96	52.36	74.00	21.64	PK	Vertical	PASS
5	2402.07	101.81	-0.30	101.51	-	-	PK	Vertical	NA
6	2529.80	51.28	0.96	52.24	74.00	21.76	PK	Vertical	PASS
7	17960.50	37.28	16.72	54.00	74.00	20.00	PK	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2312.93	46.00	-0.87	45.13	54.00	8.87	RMS	Horizontal	PASS
2	4658.00	41.73	-7.20	34.53	54.00	19.47	RMS	Horizontal	PASS
3	17955.50	29.45	16.65	46.10	54.00	7.90	RMS	Horizontal	PASS
4	2313.00	48.16	-0.87	47.29	74.00	26.71	PK	Horizontal	PASS
5	2441.07	99.73	0.16	99.89	-	-	PK	Horizontal	NA
6	4935.50	47.53	-6.02	41.51	74.00	32.49	PK	Horizontal	PASS
7	17975.50	37.29	16.93	54.22	74.00	19.78	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2569.00	47.75	1.12	48.87	54.00	5.13	RMS	Vertical	PASS
2	12230.50	33.46	7.38	40.84	54.00	13.16	RMS	Vertical	PASS
3	17957.50	29.93	16.68	46.61	54.00	7.39	RMS	Vertical	PASS
4	2441.07	100.80	0.16	100.96	-	-	PK	Vertical	NA
5	2568.80	49.82	1.12	50.94	74.00	23.06	PK	Vertical	PASS
6	11996.50	41.47	6.76	48.23	74.00	25.77	PK	Vertical	PASS
7	17965.50	37.27	16.79	54.06	74.00	19.94	PK	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2352.00	46.16	-0.63	45.53	54.00	8.47	RMS	Horizontal	PASS
2	9169.50	36.20	2.16	38.36	54.00	15.64	RMS	Horizontal	PASS
3	17973.00	29.54	16.90	46.44	54.00	7.56	RMS	Horizontal	PASS
4	2352.13	48.29	-0.63	47.66	74.00	26.34	PK	Horizontal	PASS
5	2479.87	99.18	0.64	99.82	-	-	PK	Horizontal	NA
6	9221.00	45.05	2.21	47.26	74.00	26.74	PK	Horizontal	PASS
7	17974.50	37.07	16.92	53.99	74.00	20.01	PK	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2608.13	47.07	1.22	48.29	54.00	5.71	RMS	Vertical	PASS
2	7496.00	38.32	0.28	38.60	54.00	15.40	RMS	Vertical	PASS
3	17971.00	29.18	16.87	46.05	54.00	7.95	RMS	Vertical	PASS
4	2479.80	102.20	0.64	102.84	-	-	PK	Vertical	NA
5	2608.20	49.73	1.22	50.95	74.00	23.05	PK	Vertical	PASS
6	7356.00	46.87	-0.05	46.82	74.00	27.18	PK	Vertical	PASS
7	17969.00	37.42	16.85	54.27	74.00	19.73	PK	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2353.57	37.58	-0.62	36.96	54.00	17.04	RMS	Horizontal	PASS
2	2371.87	37.72	-0.50	37.22	54.00	16.78	RMS	Horizontal	PASS
3	2386.98	37.83	-0.41	37.42	54.00	16.58	RMS	Horizontal	PASS
4	2354.85	49.60	-0.61	48.99	74.00	25.01	PK	Horizontal	PASS
5	2371.78	49.63	-0.50	49.13	74.00	24.87	PK	Horizontal	PASS
6	2385.54	49.19	-0.42	48.77	74.00	25.23	PK	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2350.75	37.78	-0.64	37.14	54.00	16.86	RMS	Vertical	PASS
2	2370.37	37.72	-0.52	37.20	54.00	16.80	RMS	Vertical	PASS
3	2389.39	37.76	-0.39	37.37	54.00	16.63	RMS	Vertical	PASS
4	2352.19	49.78	-0.63	49.15	74.00	24.85	PK	Vertical	PASS
5	2371.09	49.80	-0.51	49.29	74.00	24.71	PK	Vertical	PASS
6	2389.64	50.56	-0.39	50.17	74.00	23.83	PK	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.38	37.79	0.68	38.47	-	-	RMS	Horizontal	NA
2	2485.12	37.71	0.70	38.41	54.00	15.59	RMS	Horizontal	PASS
3	2491.54	37.78	0.78	38.56	54.00	15.44	RMS	Horizontal	PASS
4	2483.76	49.74	0.69	50.43	74.00	23.57	PK	Horizontal	PASS
5	2484.91	49.93	0.70	50.63	74.00	23.37	PK	Horizontal	PASS
6	2491.94	49.68	0.78	50.46	74.00	23.54	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.68	38.07	0.70	38.77	54.00	15.23	RMS	Vertical	PASS
2	2487.52	37.75	0.73	38.48	54.00	15.52	RMS	Vertical	PASS
3	2494.87	37.85	0.82	38.67	54.00	15.33	RMS	Vertical	PASS
4	2484.41	49.97	0.69	50.66	74.00	23.34	PK	Vertical	PASS
5	2487.04	50.06	0.72	50.78	74.00	23.22	PK	Vertical	PASS
6	2494.66	50.70	0.82	51.52	74.00	22.48	PK	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2347.49	37.63	-0.66	36.97	54.00	17.03	RMS	Horizontal	PASS
2	2368.77	37.78	-0.52	37.26	54.00	16.74	RMS	Horizontal	PASS
3	2385.04	37.73	-0.42	37.31	54.00	16.69	RMS	Horizontal	PASS
4	2346.08	48.71	-0.67	48.04	74.00	25.96	PK	Horizontal	PASS
5	2369.33	49.38	-0.52	48.86	74.00	25.14	PK	Horizontal	PASS
6	2386.48	49.62	-0.41	49.21	74.00	24.79	PK	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2343.41	37.70	-0.68	37.02	54.00	16.98	RMS	Vertical	PASS
2	2381.75	37.76	-0.44	37.32	54.00	16.68	RMS	Vertical	PASS
3	2387.29	37.92	-0.41	37.51	54.00	16.49	RMS	Vertical	PASS
4	2344.13	49.51	-0.67	48.84	74.00	25.16	PK	Vertical	PASS
5	2380.68	49.89	-0.45	49.44	74.00	24.56	PK	Vertical	PASS
6	2388.39	50.40	-0.41	49.99	74.00	24.01	PK	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.85	37.70	0.69	38.39	54.00	15.61	RMS	Horizontal	PASS
2	2485.56	37.66	0.70	38.36	54.00	15.64	RMS	Horizontal	PASS
3	2491.61	37.73	0.78	38.51	54.00	15.49	RMS	Horizontal	PASS
4	2484.21	49.29	0.69	49.98	74.00	24.02	PK	Horizontal	PASS
5	2485.16	50.19	0.70	50.89	74.00	23.11	PK	Horizontal	PASS
6	2491.31	49.71	0.78	50.49	74.00	23.51	PK	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.55	38.14	0.68	38.82	54.00	15.18	RMS	Vertical	PASS
2	2488.16	37.88	0.73	38.61	54.00	15.39	RMS	Vertical	PASS
3	2495.32	37.74	0.82	38.56	54.00	15.44	RMS	Vertical	PASS
4	2484.37	50.04	0.69	50.73	74.00	23.27	PK	Vertical	PASS
5	2488.53	49.82	0.74	50.56	74.00	23.44	PK	Vertical	PASS
6	2495.47	50.11	0.82	50.93	74.00	23.07	PK	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2338.43	37.74	-0.72	37.02	54.00	16.98	RMS	Horizontal	PASS
2	2358.46	37.60	-0.59	37.01	54.00	16.99	RMS	Horizontal	PASS
3	2386.73	37.85	-0.41	37.44	54.00	16.56	RMS	Horizontal	PASS
4	2339.43	50.45	-0.70	49.75	74.00	24.25	PK	Horizontal	PASS
5	2359.96	49.45	-0.58	48.87	74.00	25.13	PK	Horizontal	PASS
6	2388.64	49.79	-0.40	49.39	74.00	24.61	PK	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2331.53	37.60	-0.75	36.85	54.00	17.15	RMS	Vertical	PASS
2	2354.85	37.94	-0.61	37.33	54.00	16.67	RMS	Vertical	PASS
3	2389.71	38.09	-0.39	37.70	54.00	16.30	RMS	Vertical	PASS
4	2328.74	49.35	-0.78	48.57	74.00	25.43	PK	Vertical	PASS
5	2353.04	49.48	-0.62	48.86	74.00	25.14	PK	Vertical	PASS
6	2389.68	51.97	-0.39	51.58	74.00	22.42	PK	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.41	37.71	0.69	38.40	54.00	15.60	RMS	Horizontal	PASS
2	2490.84	37.76	0.77	38.53	54.00	15.47	RMS	Horizontal	PASS
3	2494.76	37.79	0.82	38.61	54.00	15.39	RMS	Horizontal	PASS
4	2484.14	50.09	0.69	50.78	74.00	23.22	PK	Horizontal	PASS
5	2491.44	50.06	0.78	50.84	74.00	23.16	PK	Horizontal	PASS
6	2494.43	49.71	0.81	50.52	74.00	23.48	PK	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.77	38.03	0.69	38.72	54.00	15.28	RMS	Vertical	PASS
2	2490.12	37.72	0.76	38.48	54.00	15.52	RMS	Vertical	PASS
3	2493.91	37.80	0.81	38.61	54.00	15.39	RMS	Vertical	PASS
4	2483.87	49.52	0.69	50.21	74.00	23.79	PK	Vertical	PASS
5	2489.89	49.49	0.76	50.25	74.00	23.75	PK	Vertical	PASS
6	2494.12	49.17	0.81	49.98	74.00	24.02	PK	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2343.88	37.67	-0.67	37.00	54.00	17.00	RMS	Horizontal	PASS
2	2360.87	37.61	-0.58	37.03	54.00	16.97	RMS	Horizontal	PASS
3	2386.92	38.08	-0.41	37.67	54.00	16.33	RMS	Horizontal	PASS
4	2343.29	49.34	-0.68	48.66	74.00	25.34	PK	Horizontal	PASS
5	2359.59	49.72	-0.58	49.14	74.00	24.86	PK	Horizontal	PASS
6	2387.64	49.21	-0.41	48.80	74.00	25.20	PK	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2332.03	37.74	-0.75	36.99	54.00	17.01	RMS	Vertical	PASS
2	2367.99	37.66	-0.53	37.13	54.00	16.87	RMS	Vertical	PASS
3	2388.36	38.08	-0.41	37.67	54.00	16.33	RMS	Vertical	PASS
4	2331.85	50.37	-0.75	49.62	74.00	24.38	PK	Vertical	PASS
5	2367.30	50.12	-0.53	49.59	74.00	24.41	PK	Vertical	PASS
6	2389.77	52.04	-0.39	51.65	74.00	22.35	PK	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.01	37.80	0.69	38.49	54.00	15.51	RMS	Horizontal	PASS
2	2487.24	37.78	0.73	38.51	54.00	15.49	RMS	Horizontal	PASS
3	2490.16	37.77	0.76	38.53	54.00	15.47	RMS	Horizontal	PASS
4	2483.76	49.71	0.69	50.40	74.00	23.60	PK	Horizontal	PASS
5	2486.78	49.74	0.72	50.46	74.00	23.54	PK	Horizontal	PASS
6	2490.51	50.13	0.76	50.89	74.00	23.11	PK	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.58	38.08	0.68	38.76	54.00	15.24	RMS	Vertical	PASS
2	2488.66	37.90	0.74	38.64	54.00	15.36	RMS	Vertical	PASS
3	2493.34	37.73	0.80	38.53	54.00	15.47	RMS	Vertical	PASS
4	2483.58	49.31	0.68	49.99	74.00	24.01	PK	Vertical	PASS
5	2488.39	50.47	0.74	51.21	74.00	22.79	PK	Vertical	PASS
6	2493.12	49.41	0.79	50.20	74.00	23.80	PK	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2337.93	37.73	-0.72	37.01	54.00	16.99	RMS	Horizontal	PASS
2	2362.34	37.77	-0.56	37.21	54.00	16.79	RMS	Horizontal	PASS
3	2385.29	37.97	-0.42	37.55	54.00	16.45	RMS	Horizontal	PASS
4	2335.92	49.35	-0.73	48.62	74.00	25.38	PK	Horizontal	PASS
5	2364.26	49.84	-0.55	49.29	74.00	24.71	PK	Horizontal	PASS
6	2386.07	49.09	-0.42	48.67	74.00	25.33	PK	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2343.32	37.72	-0.68	37.04	54.00	16.96	RMS	Vertical	PASS
2	2362.09	37.81	-0.56	37.25	54.00	16.75	RMS	Vertical	PASS
3	2389.17	37.82	-0.39	37.43	54.00	16.57	RMS	Vertical	PASS
4	2344.23	49.24	-0.67	48.57	74.00	25.43	PK	Vertical	PASS
5	2363.60	49.67	-0.56	49.11	74.00	24.89	PK	Vertical	PASS
6	2389.14	51.09	-0.39	50.70	74.00	23.30	PK	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.13	37.75	0.69	38.44	54.00	15.56	RMS	Horizontal	PASS
2	2489.45	37.85	0.75	38.60	54.00	15.40	RMS	Horizontal	PASS
3	2493.96	37.70	0.81	38.51	54.00	15.49	RMS	Horizontal	PASS
4	2484.10	49.98	0.69	50.67	74.00	23.33	PK	Horizontal	PASS
5	2489.54	49.91	0.76	50.67	74.00	23.33	PK	Horizontal	PASS
6	2494.39	50.38	0.81	51.19	74.00	22.81	PK	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.15	38.26	0.69	38.95	54.00	15.05	RMS	Vertical	PASS
2	2487.32	37.84	0.73	38.57	54.00	15.43	RMS	Vertical	PASS
3	2490.93	37.70	0.77	38.47	54.00	15.53	RMS	Vertical	PASS
4	2483.59	50.10	0.68	50.78	74.00	23.22	PK	Vertical	PASS
5	2487.02	49.81	0.72	50.53	74.00	23.47	PK	Vertical	PASS
6	2491.54	50.28	0.78	51.06	74.00	22.94	PK	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2336.89	37.59	-0.72	36.87	54.00	17.13	RMS	Horizontal	PASS
2	2354.82	37.96	-0.61	37.35	54.00	16.65	RMS	Horizontal	PASS
3	2385.63	38.04	-0.42	37.62	54.00	16.38	RMS	Horizontal	PASS
4	2335.17	49.40	-0.73	48.67	74.00	25.33	PK	Horizontal	PASS
5	2356.33	49.43	-0.60	48.83	74.00	25.17	PK	Horizontal	PASS
6	2389.77	49.52	-0.39	49.13	74.00	24.87	PK	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2346.39	37.78	-0.66	37.12	54.00	16.88	RMS	Vertical	PASS
2	2365.20	37.73	-0.55	37.18	54.00	16.82	RMS	Vertical	PASS
3	2387.67	37.99	-0.41	37.58	54.00	16.42	RMS	Vertical	PASS
4	2347.11	49.89	-0.66	49.23	74.00	24.77	PK	Vertical	PASS
5	2365.54	49.85	-0.55	49.30	74.00	24.70	PK	Vertical	PASS
6	2385.82	49.66	-0.42	49.24	74.00	24.76	PK	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.01	37.68	0.69	38.37	54.00	15.63	RMS	Horizontal	PASS
2	2485.31	37.71	0.70	38.41	54.00	15.59	RMS	Horizontal	PASS
3	2492.49	37.80	0.79	38.59	54.00	15.41	RMS	Horizontal	PASS
4	2483.58	49.61	0.68	50.29	74.00	23.71	PK	Horizontal	PASS
5	2485.44	49.97	0.70	50.67	74.00	23.33	PK	Horizontal	PASS
6	2492.38	49.91	0.79	50.70	74.00	23.30	PK	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2 ; Powersetting 9		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.57	38.01	0.68	38.69	54.00	15.31	RMS	Vertical	PASS
2	2488.99	37.78	0.75	38.53	54.00	15.47	RMS	Vertical	PASS
3	2493.11	37.84	0.79	38.63	54.00	15.37	RMS	Vertical	PASS
4	2483.77	50.01	0.69	50.70	74.00	23.30	PK	Vertical	PASS
5	2489.19	50.63	0.75	51.38	74.00	22.62	PK	Vertical	PASS
6	2493.28	49.89	0.80	50.69	74.00	23.31	PK	Vertical	PASS

~The End~