




11ax40SISO-Ant1-2437-0-Reference-PASS




11ax40SISO-Ant1-2437-30-1000-PASS




11ax40SISO-Ant1-2437-1000-26500-PASS



11ax40SISO-Ant1-2452-0-Reference-PASS



11ax40SISO-Ant1-2452-30-1000-PASS




11ax40SISO-Ant1-2452-1000-26500-PASS


Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11b	Ant1	2412	8.39	8.47	99.06	0.04
11b	Ant1	2437	8.38	8.47	98.94	0.05
11b	Ant1	2462	8.39	8.48	98.94	0.05
11g	Ant1	2412	1.39	1.41	98.58	0.06
11g	Ant1	2437	1.39	1.41	98.58	0.06
11g	Ant1	2462	1.39	1.41	98.58	0.06
11n20SISO	Ant1	2412	0.16	0.17	94.12	0.26
11n20SISO	Ant1	2437	0.16	0.17	94.12	0.26
11n20SISO	Ant1	2462	0.17	0.17	100.00	0.00
11n40SISO	Ant1	2422	0.10	0.11	90.91	0.41
11n40SISO	Ant1	2437	0.10	0.10	100.00	0.00
11n40SISO	Ant1	2452	0.10	0.10	100.00	0.00
11ax20SISO	Ant1	2412	0.27	0.29	93.10	0.31
11ax20SISO	Ant1	2437	0.27	0.29	93.10	0.31
11ax20SISO	Ant1	2462	0.27	0.29	93.10	0.31
11ax40SISO	Ant1	2422	0.27	0.30	90.00	0.46
11ax40SISO	Ant1	2437	0.27	0.30	90.00	0.46
11ax40SISO	Ant1	2452	0.27	0.30	90.00	0.46


Test Graphs




NTVN-11b-Ant1-2412




NTVN-11b-Ant1-2437




NTVN-11b-Ant1-2462




NTVN-11g-Ant1-2412




NTVN-11g-Ant1-2437




NTVN-11g-Ant1-2462




NTNV-11n20SISO-Ant1-2412




NTNV-11n20SISO-Ant1-2437




NTNV-11n20SISO-Ant1-2462




NTNV-11n40SISO-Ant1-2422




NTNV-11n40SISO-Ant1-2437




NTNV-11n40SISO-Ant1-2452




NTNV-11ax20SISO-Ant1-2412




NTNV-11ax20SISO-Ant1-2437




NTNV-11ax20SISO-Ant1-2462



NTNV-11ax40SISO-Ant1-2422



NTNV-11ax40SISO-Ant1-2437




NTNV-11ax40SISO-Ant1-2452

Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	6
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:	Power setting 23		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	52.84	39.68	-21.98	17.70	40.00	22.30	Horizontal	PASS
2	76.13	45.35	-26.94	18.41	40.00	21.59	Horizontal	PASS
3	107.99	41.56	-22.78	18.78	43.50	24.72	Horizontal	PASS
4	176.82	42.52	-23.79	18.73	43.50	24.77	Horizontal	PASS
5	323.97	43.58	-18.21	25.37	47.00	21.63	Horizontal	PASS
6	444.26	37.89	-8.82	29.07	47.00	17.93	Horizontal	PASS
7	480.05	37.57	-8.30	29.27	47.00	17.73	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	6
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:	Power setting 23		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	43.10	46.43	-22.53	23.90	40.00	16.10	Vertical	PASS
2	55.08	50.44	-22.49	27.95	40.00	12.05	Vertical	PASS
3	108.04	46.86	-23.36	23.50	43.50	20.00	Vertical	PASS
4	143.98	48.63	-25.19	23.44	43.50	20.06	Vertical	PASS
5	443.92	38.43	-8.97	29.46	47.00	17.54	Vertical	PASS
6	494.99	37.63	-8.77	28.86	47.00	18.14	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.80	48.83	2.23	51.06	-	-	Horizontal	NA
2	4824.50	47.90	-7.85	40.05	54.00	13.95	Horizontal	PASS
3	7238.00	46.79	-1.50	45.29	54.00	8.71	Horizontal	PASS
4	17357.00	32.87	12.59	45.46	54.00	8.54	Horizontal	PASS
5	2409.40	51.79	2.24	54.03	-	-	Horizontal	NA
6	4824.00	49.59	-7.84	41.75	74.00	32.25	Horizontal	PASS
7	7237.50	49.95	-1.49	48.46	74.00	25.54	Horizontal	PASS
8	17354.50	40.42	12.68	53.10	74.00	20.90	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4824.50	50.81	-7.85	42.96	54.00	11.04	Vertical	PASS
2	6432.50	44.04	-3.88	40.16	54.00	13.84	Vertical	PASS
3	7235.50	53.22	-1.49	51.73	54.00	2.27	Vertical	PASS
4	4824.00	52.36	-7.84	44.52	74.00	29.48	Vertical	PASS
5	6432.00	47.41	-3.89	43.52	74.00	30.48	Vertical	PASS
6	7235.00	56.38	-1.49	54.89	74.00	19.11	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	6
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2437.80	54.65	2.29	56.94	-	-	Horizontal	NA
2	4874.50	49.40	-8.08	41.32	54.00	12.68	Horizontal	PASS
3	7313.50	48.50	-1.28	47.22	54.00	6.78	Horizontal	PASS
4	17354.00	33.01	12.70	45.71	54.00	8.29	Horizontal	PASS
5	2437.80	57.21	2.29	59.50	-	-	Horizontal	NA
6	4874.00	50.98	-8.08	42.90	74.00	31.10	Horizontal	PASS
7	7312.00	51.87	-1.28	50.59	74.00	23.41	Horizontal	PASS
8	17340.00	40.35	12.40	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	6
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	38.07	2.29	40.36	-	-	Vertical	NA
2	4874.50	50.34	-8.08	42.26	54.00	11.74	Vertical	PASS
3	6499.00	43.93	-3.12	40.81	54.00	13.19	Vertical	PASS
4	7312.50	54.27	-1.28	52.99	54.00	1.01	Vertical	PASS
5	2436.60	42.75	2.29	45.04	-	-	Vertical	NA
6	4874.00	52.23	-8.08	44.15	74.00	29.85	Vertical	PASS
7	6498.50	46.83	-3.13	43.70	74.00	30.30	Vertical	PASS
8	7312.00	57.13	-1.28	55.85	74.00	18.15	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	52.85	2.34	55.19	-	-	Horizontal	NA
2	4924.50	49.76	-7.76	42.00	54.00	12.00	Horizontal	PASS
3	7387.00	50.14	-1.15	48.99	54.00	5.01	Horizontal	PASS
4	17343.00	32.26	12.54	44.80	54.00	9.20	Horizontal	PASS
5	2461.00	55.68	2.33	58.01	-	-	Horizontal	NA
6	4924.00	51.48	-7.76	43.72	74.00	30.28	Horizontal	PASS
7	7386.50	53.16	-1.16	52.00	74.00	22.00	Horizontal	PASS
8	17351.50	39.60	12.80	52.40	74.00	21.60	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.80	37.17	2.33	39.50	-	-	Vertical	NA
2	4924.50	49.84	-7.76	42.08	54.00	11.92	Vertical	PASS
3	6565.50	42.58	-4.00	38.58	54.00	15.42	Vertical	PASS
4	7388.00	54.18	-1.14	53.04	54.00	0.96	Vertical	PASS
5	2461.00	42.04	2.33	44.37	-	-	Vertical	NA
6	4924.00	51.64	-7.76	43.88	74.00	30.12	Vertical	PASS
7	6565.50	46.54	-4.00	42.54	74.00	31.46	Vertical	PASS
8	7387.50	57.04	-1.15	55.89	74.00	18.11	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2302.20	44.39	1.70	46.09	54.00	7.91	Horizontal	PASS
2	2460.60	45.02	2.33	47.35	-	-	Horizontal	NA
3	6565.50	40.53	-4.00	36.53	54.00	17.47	Horizontal	PASS
4	7384.00	43.19	-1.18	42.01	54.00	11.99	Horizontal	PASS
5	2386.00	48.94	2.21	51.15	74.00	22.85	Horizontal	PASS
6	2461.80	52.15	2.34	54.49	-	-	Horizontal	NA
7	6565.50	44.99	-4.00	40.99	74.00	33.01	Horizontal	PASS
8	7383.50	50.18	-1.19	48.99	74.00	25.01	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4920.00	41.35	-7.80	33.55	54.00	20.45	Vertical	PASS
2	6566.00	47.52	-4.01	43.51	54.00	10.49	Vertical	PASS
3	7386.00	51.16	-1.16	50.00	54.00	4.00	Vertical	PASS
4	4922.50	48.35	-7.77	40.58	74.00	33.42	Vertical	PASS
5	6565.50	50.29	-4.00	46.29	74.00	27.71	Vertical	PASS
6	7384.50	57.02	-1.18	55.84	74.00	18.16	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2302.20	45.54	1.70	47.24	54.00	6.76	Horizontal	PASS
2	7382.50	42.50	-1.20	41.30	54.00	12.70	Horizontal	PASS
3	17355.00	32.51	12.67	45.18	54.00	8.82	Horizontal	PASS
4	2377.40	49.88	2.21	52.09	74.00	21.91	Horizontal	PASS
5	7392.00	48.87	-1.10	47.77	74.00	26.23	Horizontal	PASS
6	18000.00	38.59	12.83	51.42	74.00	22.58	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4925.00	41.21	-7.76	33.45	54.00	20.55	Vertical	PASS
2	6566.00	47.44	-4.01	43.43	54.00	10.57	Vertical	PASS
3	7386.50	51.26	-1.16	50.10	54.00	3.90	Vertical	PASS
4	4924.00	46.56	-7.76	38.80	74.00	35.20	Vertical	PASS
5	6565.00	50.80	-4.00	46.80	74.00	27.20	Vertical	PASS
6	7381.00	57.78	-1.22	56.56	74.00	17.44	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2292.20	48.17	1.68	49.85	54.00	4.15	Horizontal	PASS
2	6539.00	41.73	-3.73	38.00	54.00	16.00	Horizontal	PASS
3	17337.50	32.96	12.29	45.25	54.00	8.75	Horizontal	PASS
4	2292.00	52.57	1.69	54.26	74.00	19.74	Horizontal	PASS
5	6539.00	45.10	-3.73	41.37	74.00	32.63	Horizontal	PASS
6	17366.00	39.00	12.24	51.24	74.00	22.76	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6539.00	48.60	-3.73	44.87	54.00	9.13	Vertical	PASS
2	7358.50	42.73	-1.46	41.27	54.00	12.73	Vertical	PASS
3	17355.50	32.40	12.65	45.05	54.00	8.95	Vertical	PASS
4	6539.00	51.02	-3.73	47.29	74.00	26.71	Vertical	PASS
5	7362.00	49.51	-1.42	48.09	74.00	25.91	Vertical	PASS
6	17819.00	38.94	12.35	51.29	74.00	22.71	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2356.53	43.23	1.44	44.67	54.00	9.33	Horizontal	PASS
2	2372.52	48.00	1.44	49.44	54.00	4.56	Horizontal	PASS
3	2387.12	48.45	1.42	49.87	54.00	4.13	Horizontal	PASS
4	2353.36	52.32	1.45	53.77	74.00	20.23	Horizontal	PASS
5	2373.60	55.44	1.44	56.88	74.00	17.12	Horizontal	PASS
6	2385.07	56.68	1.43	58.11	74.00	15.89	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2365.20	37.24	1.44	38.68	54.00	15.32	Vertical	PASS
2	2374.23	37.51	1.44	38.95	54.00	15.05	Vertical	PASS
3	2386.67	38.05	1.42	39.47	54.00	14.53	Vertical	PASS
4	2364.15	48.46	1.44	49.90	74.00	24.10	Vertical	PASS
5	2376.21	47.39	1.43	48.82	74.00	25.18	Vertical	PASS
6	2387.49	47.98	1.42	49.40	74.00	24.60	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.53	41.20	1.85	43.05	54.00	10.95	Horizontal	PASS
2	2485.86	41.68	1.88	43.56	54.00	10.44	Horizontal	PASS
3	2488.74	43.56	1.91	45.47	54.00	8.53	Horizontal	PASS
4	2483.70	49.89	1.86	51.75	74.00	22.25	Horizontal	PASS
5	2486.17	50.48	1.88	52.36	74.00	21.64	Horizontal	PASS
6	2487.71	50.93	1.90	52.83	74.00	21.17	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2486.43	33.81	1.89	35.70	54.00	18.30	Vertical	PASS
2	2487.85	34.28	1.90	36.18	54.00	17.82	Vertical	PASS
3	2494.36	33.30	1.97	35.27	54.00	18.73	Vertical	PASS
4	2484.68	44.60	1.87	46.47	74.00	27.53	Vertical	PASS
5	2489.53	44.01	1.92	45.93	74.00	28.07	Vertical	PASS
6	2494.69	44.45	1.98	46.43	74.00	27.57	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.25	45.92	1.43	47.35	54.00	6.65	Horizontal	PASS
2	2387.53	49.64	1.43	51.07	54.00	2.93	Horizontal	PASS
3	2389.99	51.52	1.43	52.95	54.00	1.05	Horizontal	PASS
4	2377.86	57.41	1.44	58.85	74.00	15.15	Horizontal	PASS
5	2387.16	62.11	1.42	63.53	74.00	10.47	Horizontal	PASS
6	2389.81	64.18	1.43	65.61	74.00	8.39	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2342.83	41.83	1.39	43.22	54.00	10.78	Vertical	PASS
2	2368.26	42.03	1.44	43.47	54.00	10.53	Vertical	PASS
3	2389.99	42.72	1.43	44.15	54.00	9.85	Vertical	PASS
4	2340.96	52.34	1.37	53.71	74.00	20.29	Vertical	PASS
5	2365.79	52.53	1.44	53.97	74.00	20.03	Vertical	PASS
6	2389.36	53.02	1.43	54.45	74.00	19.55	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	49.44	1.86	51.30	54.00	2.70	Horizontal	PASS
2	2485.28	48.47	1.88	50.35	54.00	3.65	Horizontal	PASS
3	2490.83	43.33	1.93	45.26	54.00	8.74	Horizontal	PASS
4	2484.03	64.19	1.87	66.06	74.00	7.94	Horizontal	PASS
5	2485.11	64.88	1.87	66.75	74.00	7.25	Horizontal	PASS
6	2490.80	59.00	1.93	60.93	74.00	13.07	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	36.49	1.86	38.35	54.00	15.65	Vertical	PASS
2	2484.90	35.71	1.87	37.58	54.00	16.42	Vertical	PASS
3	2491.40	33.60	1.94	35.54	54.00	18.46	Vertical	PASS
4	2484.80	50.01	1.87	51.88	74.00	22.12	Vertical	PASS
5	2487.39	46.90	1.90	48.80	74.00	25.20	Vertical	PASS
6	2492.22	45.41	1.95	47.36	74.00	26.64	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2374.31	44.73	1.44	46.17	54.00	7.83	Horizontal	PASS
2	2385.59	46.92	1.43	48.35	54.00	5.65	Horizontal	PASS
3	2389.73	51.31	1.43	52.74	54.00	1.26	Horizontal	PASS
4	2373.86	55.15	1.44	56.59	74.00	17.41	Horizontal	PASS
5	2385.36	58.54	1.43	59.97	74.00	14.03	Horizontal	PASS
6	2389.88	63.21	1.43	64.64	74.00	9.36	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2341.11	41.71	1.37	43.08	54.00	10.92	Vertical	PASS
2	2376.55	42.42	1.43	43.85	54.00	10.15	Vertical	PASS
3	2389.43	42.57	1.43	44.00	54.00	10.00	Vertical	PASS
4	2343.98	53.35	1.40	54.75	74.00	19.25	Vertical	PASS
5	2376.70	52.77	1.43	54.20	74.00	19.80	Vertical	PASS
6	2389.29	53.79	1.43	55.22	74.00	18.78	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.53	46.30	1.85	48.15	54.00	5.85	Horizontal	PASS
2	2485.78	43.59	1.88	45.47	54.00	8.53	Horizontal	PASS
3	2489.24	40.87	1.92	42.79	54.00	11.21	Horizontal	PASS
4	2484.18	57.46	1.87	59.33	74.00	14.67	Horizontal	PASS
5	2486.00	55.54	1.88	57.42	74.00	16.58	Horizontal	PASS
6	2489.48	53.57	1.92	55.49	74.00	18.51	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.13	34.95	1.87	36.82	54.00	17.18	Vertical	PASS
2	2487.03	33.89	1.90	35.79	54.00	18.21	Vertical	PASS
3	2494.93	33.30	1.98	35.28	54.00	18.72	Vertical	PASS
4	2484.34	45.94	1.87	47.81	74.00	26.19	Vertical	PASS
5	2487.95	44.32	1.90	46.22	74.00	27.78	Vertical	PASS
6	2493.76	44.72	1.97	46.69	74.00	27.31	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.81	49.73	1.42	51.15	54.00	2.85	Horizontal	PASS
2	2388.30	50.77	1.43	52.20	54.00	1.80	Horizontal	PASS
3	2389.53	52.11	1.43	53.54	54.00	0.46	Horizontal	PASS
4	2385.93	62.60	1.43	64.03	74.00	9.97	Horizontal	PASS
5	2387.29	62.45	1.42	63.87	74.00	10.13	Horizontal	PASS
6	2389.58	63.84	1.43	65.27	74.00	8.73	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.25	37.07	1.43	38.50	54.00	15.50	Vertical	PASS
2	2385.62	37.03	1.43	38.46	54.00	15.54	Vertical	PASS
3	2389.31	37.95	1.43	39.38	54.00	14.62	Vertical	PASS
4	2385.97	48.67	1.43	50.10	74.00	23.90	Vertical	PASS
5	2386.72	48.29	1.42	49.71	74.00	24.29	Vertical	PASS
6	2389.67	48.96	1.43	50.39	74.00	23.61	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.57	50.98	1.85	52.83	54.00	1.17	Horizontal	PASS
2	2485.85	49.02	1.88	50.90	54.00	3.10	Horizontal	PASS
3	2487.11	48.17	1.90	50.07	54.00	3.93	Horizontal	PASS
4	2483.54	60.82	1.85	62.67	74.00	11.33	Horizontal	PASS
5	2485.10	60.87	1.87	62.74	74.00	11.26	Horizontal	PASS
6	2487.31	59.08	1.90	60.98	74.00	13.02	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	D1N25HL0Q000284	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	36.74	1.86	38.60	54.00	15.40	Vertical	PASS
2	2484.62	36.47	1.87	38.34	54.00	15.66	Vertical	PASS
3	2485.54	36.33	1.88	38.21	54.00	15.79	Vertical	PASS
4	2484.25	46.78	1.87	48.65	74.00	25.35	Vertical	PASS
5	2485.58	47.01	1.88	48.89	74.00	25.11	Vertical	PASS
6	2487.41	46.62	1.90	48.52	74.00	25.48	Vertical	PASS

~The End~