




Test Graphs







NTNV-BLE 125K-Ant1-2402




NTNV-BLE 125K-Ant1-2440




NTNV-BLE 125K-Ant1-2480



NTNV-BLE 500K-Ant1-2402



NTNV-BLE 500K-Ant1-2440




NTNV-BLE 500K-Ant1-2480

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	41.64	39.57	-23.25	16.32	40.00	23.68	Horizontal	PASS
2	107.99	41.92	-22.78	19.14	43.50	24.36	Horizontal	PASS
3	152.32	40.72	-26.37	14.35	43.50	29.15	Horizontal	PASS
4	438.39	38.15	-8.98	29.17	47.00	17.83	Horizontal	PASS
5	493.59	38.34	-8.21	30.13	47.00	16.87	Horizontal	PASS
6	996.99	36.09	-5.70	30.39	54.00	23.61	Horizontal	PASS

Project Information

Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	41.45	47.76	-23.33	24.43	40.00	15.57	Vertical	PASS
2	107.94	52.02	-23.36	28.66	43.50	14.84	Vertical	PASS
3	153.05	44.18	-26.08	18.10	43.50	25.40	Vertical	PASS
4	443.73	37.87	-8.95	28.92	47.00	18.08	Vertical	PASS
5	489.08	37.64	-8.75	28.89	47.00	18.11	Vertical	PASS
6	980.41	37.13	-6.16	30.97	54.00	23.03	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2356.80	30.91	2.22	33.13	54.00	20.87	Horizontal	PASS
2	2998.60	28.40	5.08	33.48	54.00	20.52	Horizontal	PASS
3	14376.50	34.13	8.78	42.91	54.00	11.09	Horizontal	PASS
4	2356.60	51.28	2.22	53.50	74.00	20.50	Horizontal	PASS
5	2899.00	37.53	5.30	42.83	74.00	31.17	Horizontal	PASS
6	15034.00	41.21	8.16	49.37	74.00	24.63	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2942.40	28.19	5.49	33.68	54.00	20.32	Vertical	PASS
2	4804.50	39.38	-7.59	31.79	54.00	22.21	Vertical	PASS
3	13808.50	34.00	8.07	42.07	54.00	11.93	Vertical	PASS
4	2911.20	37.58	5.35	42.93	74.00	31.07	Vertical	PASS
5	4804.00	45.91	-7.58	38.33	74.00	35.67	Vertical	PASS
6	13816.00	40.65	8.19	48.84	74.00	25.16	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Mid
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.80	33.85	2.22	36.07	54.00	17.93	Horizontal	PASS
2	2440.20	40.96	2.29	43.25	-	-	Horizontal	NA
3	4800.00	37.61	-7.53	30.08	54.00	23.92	Horizontal	PASS
4	17348.50	31.38	12.79	44.17	54.00	9.83	Horizontal	PASS
5	2355.60	56.13	2.22	58.35	74.00	15.65	Horizontal	PASS
6	2439.80	44.24	2.29	46.53	-	-	Horizontal	NA
7	4804.00	45.82	-7.58	38.24	74.00	35.76	Horizontal	PASS
8	17352.50	39.55	12.76	52.31	74.00	21.69	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Mid
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	40.51	0.52	41.03	54.00	12.97	Vertical	PASS
2	2440.00	46.54	2.29	48.83	-	-	Vertical	NA
3	3713.00	45.67	-12.23	33.44	54.00	20.56	Vertical	PASS
4	17345.00	32.24	12.64	44.88	54.00	9.12	Vertical	PASS
5	2355.00	57.78	2.22	60.00	74.00	14.00	Vertical	PASS
6	2439.80	48.40	2.29	50.69	-	-	Vertical	NA
7	3712.50	48.82	-12.23	36.59	74.00	37.41	Vertical	PASS
8	17356.00	38.76	12.63	51.39	74.00	22.61	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	36.73	0.52	37.25	54.00	16.75	Horizontal	PASS
2	6015.00	37.23	-4.62	32.61	54.00	21.39	Horizontal	PASS
3	15072.50	33.17	8.97	42.14	54.00	11.86	Horizontal	PASS
4	2514.60	49.52	2.40	51.92	74.00	22.08	Horizontal	PASS
5	5025.00	45.71	-7.58	38.13	74.00	35.87	Horizontal	PASS
6	17295.50	40.30	10.37	50.67	74.00	23.33	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	40.05	0.52	40.57	54.00	13.43	Vertical	PASS
2	2480.20	46.06	2.37	48.43	-	-	Vertical	NA
3	2544.60	32.24	2.40	34.64	54.00	19.36	Vertical	PASS
4	17354.50	31.63	12.68	44.31	54.00	9.69	Vertical	PASS
5	1856.20	42.90	0.52	43.42	74.00	30.58	Vertical	PASS
6	2480.00	47.44	2.37	49.81	-	-	Vertical	NA
7	2544.40	55.40	2.40	57.80	74.00	16.20	Vertical	PASS
8	17339.00	39.30	12.36	51.66	74.00	22.34	Vertical	PASS

Project Information

Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	37.26	0.52	37.78	54.00	16.22	Horizontal	PASS
2	2356.40	32.76	2.22	34.98	54.00	19.02	Horizontal	PASS
3	2402.20	39.68	2.22	41.90	-	-	Horizontal	NA
4	17347.50	32.23	12.75	44.98	54.00	9.02	Horizontal	PASS
5	1856.20	40.75	0.52	41.27	74.00	32.73	Horizontal	PASS
6	2355.80	55.44	2.22	57.66	74.00	16.34	Horizontal	PASS
7	17354.50	39.15	12.68	51.83	74.00	22.17	Horizontal	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	39.83	0.52	40.35	54.00	13.65	Vertical	PASS
2	2356.20	34.67	2.22	36.89	54.00	17.11	Vertical	PASS
3	2402.20	44.88	2.22	47.10	-	-	Vertical	NA
4	17348.00	31.98	12.77	44.75	54.00	9.25	Vertical	PASS
5	2356.00	57.83	2.22	60.05	74.00	13.95	Vertical	PASS
6	2391.60	50.80	2.21	53.01	74.00	20.99	Vertical	PASS
7	2401.80	47.79	2.22	50.01	-	-	Vertical	NA
8	17349.50	39.09	12.84	51.93	74.00	22.07	Vertical	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	Mid
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	36.79	0.52	37.31	54.00	16.69	Horizontal	PASS
2	2356.60	32.05	2.22	34.27	54.00	19.73	Horizontal	PASS
3	2440.20	41.11	2.29	43.40	-	-	Horizontal	NA
4	17357.50	31.50	12.57	44.07	54.00	9.93	Horizontal	PASS
5	1856.40	42.07	0.52	42.59	74.00	31.41	Horizontal	PASS
6	2356.40	54.21	2.22	56.43	74.00	17.57	Horizontal	PASS
7	2440.00	44.49	2.29	46.78	-	-	Horizontal	NA
8	17357.00	40.03	12.59	52.62	74.00	21.38	Horizontal	PASS

Project Information

Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	Mid
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	40.15	0.52	40.67	54.00	13.33	Vertical	PASS
2	2356.20	33.97	2.22	36.19	54.00	17.81	Vertical	PASS
3	2440.00	46.62	2.29	48.91	-	-	Vertical	NA
4	17346.00	32.47	12.68	45.15	54.00	8.85	Vertical	PASS
5	1856.20	43.09	0.52	43.61	74.00	30.39	Vertical	PASS
6	2356.00	57.51	2.22	59.73	74.00	14.27	Vertical	PASS
7	2439.60	48.80	2.29	51.09	-	-	Vertical	NA
8	17346.00	39.30	12.68	51.98	74.00	22.02	Vertical	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8110.00	36.39	0.41	36.80	54.00	17.20	Horizontal	PASS
2	17349.00	31.45	12.82	44.27	54.00	9.73	Horizontal	PASS
3	1856.20	40.72	0.52	41.24	74.00	32.76	Horizontal	PASS
4	2543.80	49.94	2.40	52.34	74.00	21.66	Horizontal	PASS
5	6359.00	45.82	-3.59	42.23	74.00	31.77	Horizontal	PASS
6	17348.50	39.49	12.79	52.28	74.00	21.72	Horizontal	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:	-		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1856.40	40.39	0.52	40.91	54.00	13.09	Vertical	PASS
2	2480.20	45.40	2.37	47.77	54.00	6.23	Vertical	PASS
3	2495.40	32.67	2.39	35.06	54.00	18.94	Vertical	PASS
4	17352.00	32.64	12.78	45.42	54.00	8.58	Vertical	PASS
5	1856.20	43.77	0.52	44.29	74.00	29.71	Vertical	PASS
6	2480.20	47.81	2.37	50.18	74.00	23.82	Vertical	PASS
7	2514.20	54.68	2.41	57.09	74.00	16.91	Vertical	PASS
8	17354.00	39.04	12.70	51.74	74.00	22.26	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.39	34.75	1.45	36.20	54.00	17.80	Horizontal	PASS
2	2377.80	33.79	1.44	35.23	54.00	18.77	Horizontal	PASS
3	2388.61	34.18	1.43	35.61	54.00	18.39	Horizontal	PASS
4	2355.29	62.66	1.45	64.11	74.00	9.89	Horizontal	PASS
5	2378.92	50.50	1.43	51.93	74.00	22.07	Horizontal	PASS
6	2389.74	54.54	1.43	55.97	74.00	18.03	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.17	33.85	1.45	35.30	54.00	18.70	Vertical	PASS
2	2375.95	38.47	1.43	39.90	54.00	14.10	Vertical	PASS
3	2389.71	32.85	1.43	34.28	54.00	19.72	Vertical	PASS
4	2355.57	58.46	1.45	59.91	74.00	14.09	Vertical	PASS
5	2375.73	46.23	1.43	47.66	74.00	26.34	Vertical	PASS
6	2389.96	55.14	1.43	56.57	74.00	17.43	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	30.18	1.86	32.04	54.00	21.96	Horizontal	PASS
2	2485.57	29.49	1.88	31.37	54.00	22.63	Horizontal	PASS
3	2494.60	29.13	1.98	31.11	54.00	22.89	Horizontal	PASS
4	2484.34	53.54	1.87	55.41	74.00	18.59	Horizontal	PASS
5	2485.98	52.89	1.88	54.77	74.00	19.23	Horizontal	PASS
6	2495.33	53.24	1.98	55.22	74.00	18.78	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.47	32.74	1.85	34.59	-	-	Vertical	NA
2	2485.43	31.53	1.88	33.41	54.00	20.59	Vertical	PASS
3	2495.16	30.13	1.98	32.11	54.00	21.89	Vertical	PASS
4	2484.30	58.34	1.87	60.21	74.00	13.79	Vertical	PASS
5	2485.80	58.03	1.88	59.91	74.00	14.09	Vertical	PASS
6	2495.43	58.03	1.98	60.01	74.00	13.99	Vertical	PASS

Project Information

Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2321.53	33.22	1.21	34.43	54.00	19.57	Horizontal	PASS
2	2357.17	34.28	1.44	35.72	54.00	18.28	Horizontal	PASS
3	2389.61	31.94	1.43	33.37	54.00	20.63	Horizontal	PASS
4	2322.32	42.98	1.21	44.19	74.00	29.81	Horizontal	PASS
5	2356.86	62.58	1.44	64.02	74.00	9.98	Horizontal	PASS
6	2389.61	55.30	1.43	56.73	74.00	17.27	Horizontal	PASS


Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2327.90	34.67	1.26	35.93	54.00	18.07	Vertical	PASS
2	2358.46	33.39	1.45	34.84	54.00	19.16	Vertical	PASS
3	2386.57	36.28	1.42	37.70	54.00	16.30	Vertical	PASS
4	2327.11	45.60	1.25	46.85	74.00	27.15	Vertical	PASS
5	2356.80	59.25	1.44	60.69	74.00	13.31	Vertical	PASS
6	2387.86	47.53	1.43	48.96	74.00	25.04	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.70	29.84	1.87	31.71	54.00	22.29	Horizontal	PASS
2	2486.39	29.54	1.89	31.43	54.00	22.57	Horizontal	PASS
3	2496.10	29.22	1.99	31.21	54.00	22.79	Horizontal	PASS
4	2484.96	54.09	1.87	55.96	74.00	18.04	Horizontal	PASS
5	2486.60	53.73	1.89	55.62	74.00	18.38	Horizontal	PASS
6	2495.81	53.06	1.98	55.04	74.00	18.96	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	33.74	1.85	35.59	54.00	18.41	Vertical	PASS
2	2485.85	31.53	1.88	33.41	54.00	20.59	Vertical	PASS
3	2496.38	30.28	2.00	32.28	54.00	21.72	Vertical	PASS
4	2484.93	58.57	1.87	60.44	74.00	13.56	Vertical	PASS
5	2486.56	58.60	1.89	60.49	74.00	13.51	Vertical	PASS
6	2496.04	58.04	1.98	60.02	74.00	13.98	Vertical	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2356.36	30.69	1.44	32.13	54.00	21.87	Horizontal	PASS
2	2376.10	31.34	1.43	32.77	54.00	21.23	Horizontal	PASS
3	2389.93	29.38	1.43	30.81	54.00	23.19	Horizontal	PASS
4	2356.08	58.89	1.44	60.33	74.00	13.67	Horizontal	PASS
5	2376.04	44.45	1.43	45.88	74.00	28.12	Horizontal	PASS
6	2389.55	52.85	1.43	54.28	74.00	19.72	Horizontal	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2356.04	31.14	1.44	32.58	54.00	21.42	Vertical	PASS
2	2375.67	31.31	1.43	32.74	54.00	21.26	Vertical	PASS
3	2385.66	29.93	1.43	31.36	54.00	22.64	Vertical	PASS
4	2355.95	59.99	1.44	61.43	74.00	12.57	Vertical	PASS
5	2383.31	50.07	1.43	51.50	74.00	22.50	Vertical	PASS
6	2389.71	54.32	1.43	55.75	74.00	18.25	Vertical	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	30.26	1.87	32.13	54.00	21.87	Horizontal	PASS
2	2486.31	29.30	1.89	31.19	54.00	22.81	Horizontal	PASS
3	2495.56	29.37	1.98	31.35	54.00	22.65	Horizontal	PASS
4	2484.52	53.96	1.87	55.83	74.00	18.17	Horizontal	PASS
5	2486.30	53.66	1.89	55.55	74.00	18.45	Horizontal	PASS
6	2495.65	53.43	1.98	55.41	74.00	18.59	Horizontal	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	33.08	1.85	34.93	54.00	19.07	Vertical	PASS
2	2486.01	31.34	1.88	33.22	54.00	20.78	Vertical	PASS
3	2495.87	30.11	1.98	32.09	54.00	21.91	Vertical	PASS
4	2484.46	58.22	1.87	60.09	74.00	13.91	Vertical	PASS
5	2486.02	58.05	1.88	59.93	74.00	14.07	Vertical	PASS
6	2495.51	58.03	1.98	60.01	74.00	13.99	Vertical	PASS

Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.39	31.09	1.45	32.54	54.00	21.46	Horizontal	PASS
2	2375.82	30.24	1.43	31.67	54.00	22.33	Horizontal	PASS
3	2381.12	29.06	1.43	30.49	54.00	23.51	Horizontal	PASS
4	2355.35	58.27	1.45	59.72	74.00	14.28	Horizontal	PASS
5	2375.13	46.70	1.43	48.13	74.00	25.87	Horizontal	PASS
6	2382.18	47.24	1.43	48.67	74.00	25.33	Horizontal	PASS

Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	Low
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.86	31.35	1.44	32.79	54.00	21.21	Vertical	PASS
2	2375.79	31.25	1.43	32.68	54.00	21.32	Vertical	PASS
3	2389.02	30.33	1.43	31.76	54.00	22.24	Vertical	PASS
4	2355.61	59.17	1.45	60.62	74.00	13.38	Vertical	PASS
5	2378.24	48.83	1.44	50.27	74.00	23.73	Vertical	PASS
6	2389.55	56.80	1.43	58.23	74.00	15.77	Vertical	PASS

Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.59	30.32	1.85	32.17	54.00	21.83	Horizontal	PASS
2	2485.34	29.60	1.88	31.48	54.00	22.52	Horizontal	PASS
3	2494.70	28.94	1.98	30.92	54.00	23.08	Horizontal	PASS
4	2483.95	53.25	1.87	55.12	74.00	18.88	Horizontal	PASS
5	2485.33	53.37	1.88	55.25	74.00	18.75	Horizontal	PASS
6	2494.95	52.89	1.98	54.87	74.00	19.13	Horizontal	PASS

Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	High
SN:	E1M24E907000059	Engineer:	Tian Shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.98	32.67	1.87	34.54	54.00	19.46	Vertical	PASS
2	2485.10	31.37	1.87	33.24	54.00	20.76	Vertical	PASS
3	2495.17	30.01	1.98	31.99	54.00	22.01	Vertical	PASS
4	2483.93	58.29	1.87	60.16	74.00	13.84	Vertical	PASS
5	2485.47	57.84	1.88	59.72	74.00	14.28	Vertical	PASS
6	2495.01	58.03	1.98	60.01	74.00	13.99	Vertical	PASS

~The End~