









Test Graphs















Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11b	Ant1	2412	3.58	3.69	97.02	0.13
11b	Ant1	2437	3.58	3.68	97.28	0.12
11b	Ant1	2462	3.59	3.69	97.29	0.12
11g	Ant1	2412	5.36	5.46	98.17	0.08
11g	Ant1	2437	5.36	5.46	98.17	0.08
11g	Ant1	2462	5.36	5.46	98.17	0.08
11ax20SISO	Ant1	2412	4.45	4.55	97.80	0.10
11ax20SISO	Ant1	2437	4.45	4.55	97.80	0.10
11ax20SISO	Ant1	2462	4.44	4.55	97.58	0.11
11ax40SISO	Ant1	2422	2.26	2.36	95.76	0.19
11ax40SISO	Ant1	2437	2.26	2.36	95.76	0.19
11ax40SISO	Ant1	2452	2.26	2.36	95.76	0.19

Test Graphs







NTNV-11ax20SISO-Ant1-2412




NTNV-11ax20SISO-Ant1-2437




NTNV-11ax20SISO-Ant1-2462



NTNV-11ax40SISO-Ant1-2422



NTNV-11ax40SISO-Ant1-2437




NTNV-11ax40SISO-Ant1-2452

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	65.31	54.28	-23.92	30.36	40.00	9.64	Horizontal	PASS
2	159.31	55.80	-25.31	30.49	43.50	13.01	Horizontal	PASS
3	230.80	57.97	-21.87	36.10	47.00	10.90	Horizontal	PASS
4	239.92	57.02	-21.43	35.59	47.00	11.41	Horizontal	PASS
5	332.85	48.89	-17.73	31.16	47.00	15.84	Horizontal	PASS
6	487.47	38.49	-8.43	30.06	47.00	16.94	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	65.16	55.54	-23.38	32.16	40.00	7.84	Vertical	PASS
2	159.26	53.75	-25.24	28.51	43.50	14.99	Vertical	PASS
3	232.93	51.35	-22.18	29.17	47.00	17.83	Vertical	PASS
4	399.88	41.85	-12.36	29.49	47.00	17.51	Vertical	PASS
5	502.07	41.51	-8.78	32.73	47.00	14.27	Vertical	PASS
6	599.85	46.25	-11.84	34.41	47.00	12.59	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	2.4G 11b	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.40	39.82	2.23	42.05	-	-	Horizontal	NA
2	4798.00	38.34	-7.55	30.79	54.00	23.21	Horizontal	PASS
3	8913.00	36.76	1.68	38.44	54.00	15.56	Horizontal	PASS
4	17357.00	33.13	12.59	45.72	54.00	8.28	Horizontal	PASS
5	2409.30	43.11	2.24	45.35	-	-	Horizontal	NA
6	4940.00	45.70	-7.63	38.07	74.00	35.93	Horizontal	PASS
7	9151.00	42.60	3.25	45.85	74.00	28.15	Horizontal	PASS
8	17351.00	40.29	12.82	53.11	74.00	20.89	Horizontal	PASS

Project Information			
Mode:	2.4G 11b	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.50	48.29	2.23	50.52	-	-	Vertical	NA
2	4824.50	43.00	-7.85	35.15	54.00	18.85	Vertical	PASS
3	9142.50	35.77	3.05	38.82	54.00	15.18	Vertical	PASS
4	17350.50	32.89	12.84	45.73	54.00	8.27	Vertical	PASS
5	2409.20	51.18	2.24	53.42	-	-	Vertical	NA
6	4824.00	47.69	-7.84	39.85	74.00	34.15	Vertical	PASS
7	9023.50	44.03	2.17	46.20	74.00	27.80	Vertical	PASS
8	17341.00	40.17	12.45	52.62	74.00	21.38	Vertical	PASS

Project Information			
Mode:	2.4G 11b	Band:	-
Bandwidth	20M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2433.10	42.60	2.28	44.88	-	-	Horizontal	NA
2	4793.50	38.51	-7.59	30.92	54.00	23.08	Horizontal	PASS
3	8822.50	36.17	2.44	38.61	54.00	15.39	Horizontal	PASS
4	17336.00	33.44	12.22	45.66	54.00	8.34	Horizontal	PASS
5	2433.60	46.28	2.27	48.55	-	-	Horizontal	NA
6	4793.00	45.74	-7.59	38.15	74.00	35.85	Horizontal	PASS
7	9000.50	44.72	2.03	46.75	74.00	27.25	Horizontal	PASS
8	17347.00	40.02	12.73	52.75	74.00	21.25	Horizontal	PASS


Project Information			
Mode:	2.4G 11b	Band:	-
Bandwidth	20M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2433.50	51.56	2.27	53.83	-	-	Vertical	NA
2	4874.50	41.96	-8.08	33.88	54.00	20.12	Vertical	PASS
3	9411.50	37.01	1.88	38.89	54.00	15.11	Vertical	PASS
4	17346.50	32.60	12.70	45.30	54.00	8.70	Vertical	PASS
5	2433.50	53.09	2.27	55.36	-	-	Vertical	NA
6	4748.00	47.94	-8.01	39.93	74.00	34.07	Vertical	PASS
7	9687.50	42.82	3.30	46.12	74.00	27.88	Vertical	PASS
8	17358.00	40.87	12.55	53.42	74.00	20.58	Vertical	PASS

Project Information			
Mode:	2.4G 11b	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.50	42.61	2.33	44.94	-	-	Horizontal	NA
2	4765.00	38.20	-7.84	30.36	54.00	23.64	Horizontal	PASS
3	8910.00	36.99	1.71	38.70	54.00	15.30	Horizontal	PASS
4	17352.00	32.70	12.78	45.48	54.00	8.52	Horizontal	PASS
5	2461.00	46.59	2.33	48.92	-	-	Horizontal	NA
6	4539.50	47.79	-9.14	38.65	74.00	35.35	Horizontal	PASS
7	9482.00	44.35	2.33	46.68	74.00	27.32	Horizontal	PASS
8	17350.00	40.34	12.86	53.20	74.00	20.80	Horizontal	PASS