


Project Information			
Mode:	802. 11ax	Band:	U-NII-2A
Bandwidth	40M	Channel	62
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.81	36.01	12.69	48.70	54.00	5.30	Horizontal	PASS
2	5358.16	35.75	12.72	48.47	54.00	5.53	Horizontal	PASS
3	5365.35	35.70	12.77	48.47	54.00	5.53	Horizontal	PASS
4	5350.76	47.16	12.69	59.85	74.00	14.15	Horizontal	PASS
5	5355.70	47.36	12.71	60.07	74.00	13.93	Horizontal	PASS
6	5365.65	47.07	12.77	59.84	74.00	14.16	Horizontal	PASS

Project Information			
Mode:	802.11ax	Band:	U-NII-2A
Bandwidth	40M	Channel	62
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.38	40.09	12.68	52.77	54.00	1.23	Vertical	PASS
2	5351.10	39.79	12.69	52.48	54.00	1.52	Vertical	PASS
3	5356.33	38.20	12.72	50.92	54.00	3.08	Vertical	PASS
4	5350.17	51.15	12.68	63.83	74.00	10.17	Vertical	PASS
5	5352.80	51.04	12.69	63.73	74.00	10.27	Vertical	PASS
6	5357.18	50.22	12.73	62.95	74.00	11.05	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	40M	Channel	102
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.76	32.18	12.67	44.85	54.00	9.15	Horizontal	PASS
2	5456.52	32.39	12.75	45.14	54.00	8.86	Horizontal	PASS
3	5459.68	32.62	12.80	45.42	54.00	8.58	Horizontal	PASS
4	5462.61	44.26	12.85	57.11	68.20	11.09	Horizontal	PASS
5	5465.69	44.03	12.89	56.92	68.20	11.28	Horizontal	PASS
6	5469.13	44.37	12.95	57.32	68.20	10.88	Horizontal	PASS


Project Information			
Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	40M	Channel	102
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.40	37.67	12.69	50.36	54.00	3.64	Vertical	PASS
2	5456.44	37.53	12.75	50.28	54.00	3.72	Vertical	PASS
3	5458.84	38.18	12.78	50.96	54.00	3.04	Vertical	PASS
4	5462.33	50.92	12.84	63.76	68.20	4.44	Vertical	PASS
5	5467.33	52.04	12.92	64.96	68.20	3.24	Vertical	PASS
6	5469.85	52.45	12.96	65.41	68.20	2.79	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	40M	Channel	134
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.44	47.38	13.35	60.73	68.20	7.47	Horizontal	PASS
2	5737.34	47.53	13.17	60.70	68.20	7.50	Horizontal	PASS
3	5745.90	46.91	13.03	59.94	68.20	8.26	Horizontal	PASS


Project Information			
Mode:	802.11ax	Band:	U-NII-2C
Bandwidth	40M	Channel	134
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.64	47.70	13.36	61.06	68.20	7.14	Vertical	PASS
2	5734.54	47.31	13.21	60.52	68.20	7.68	Vertical	PASS
3	5749.60	47.30	12.97	60.27	68.20	7.93	Vertical	PASS

Project Information			
Mode:	802.11ax	Band:	U-NII-3
Bandwidth	40M	Channel	151
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.36	43.08	13.44	56.52	68.20	11.68	Horizontal	PASS
2	5650.36	42.95	13.50	56.45	68.47	12.02	Horizontal	PASS
3	5664.99	43.86	13.58	57.44	79.33	21.89	Horizontal	PASS
4	5913.91	43.43	13.83	57.26	76.38	19.12	Horizontal	PASS
5	5928.38	43.54	13.94	57.48	68.20	10.72	Horizontal	PASS
6	5949.51	43.42	14.09	57.51	68.20	10.69	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-3
Bandwidth	40M	Channel	151
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5628.90	43.42	13.40	56.82	68.20	11.38	Vertical	PASS
2	5637.84	43.30	13.44	56.74	68.20	11.46	Vertical	PASS
3	5661.42	45.05	13.57	58.62	76.68	18.06	Vertical	PASS
4	5913.26	44.16	13.83	57.99	76.86	18.87	Vertical	PASS
5	5922.04	44.09	13.88	57.97	70.38	12.41	Vertical	PASS
6	5932.77	43.43	13.97	57.40	68.20	10.80	Vertical	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-3
Bandwidth	40M	Channel	159
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5634.59	42.90	13.42	56.32	68.20	11.88	Horizontal	PASS
2	5646.14	43.04	13.48	56.52	68.20	11.68	Horizontal	PASS
3	5664.02	43.26	13.58	56.84	78.61	21.77	Horizontal	PASS
4	5903.01	44.06	13.76	57.82	84.43	26.61	Horizontal	PASS
5	5930.65	43.76	13.95	57.71	68.20	10.49	Horizontal	PASS
6	5943.98	43.88	14.05	57.93	68.20	10.27	Horizontal	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-3
Bandwidth	40M	Channel	159
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5631.50	43.46	13.41	56.87	68.20	11.33	Vertical	PASS
2	5638.17	43.36	13.44	56.80	68.20	11.40	Vertical	PASS
3	5658.82	44.20	13.55	57.75	74.75	17.00	Vertical	PASS
4	5913.58	44.37	13.83	58.20	76.62	18.42	Vertical	PASS
5	5925.61	45.07	13.91	58.98	68.20	9.22	Vertical	PASS
6	5933.90	44.20	13.98	58.18	68.20	10.02	Vertical	PASS


Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	80M	Channel	42
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.88	34.78	12.41	47.19	54.00	6.81	Horizontal	PASS
2	5145.39	35.24	12.45	47.69	54.00	6.31	Horizontal	PASS
3	5149.76	34.89	12.48	47.37	54.00	6.63	Horizontal	PASS
4	5138.19	46.28	12.39	58.67	74.00	15.33	Horizontal	PASS
5	5145.39	46.58	12.45	59.03	74.00	14.97	Horizontal	PASS
6	5149.14	47.01	12.48	59.49	74.00	14.51	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	80M	Channel	42
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.75	37.87	12.36	50.23	54.00	3.77	Vertical	PASS
2	5144.70	37.72	12.44	50.16	54.00	3.84	Vertical	PASS
3	5149.26	37.58	12.48	50.06	54.00	3.94	Vertical	PASS
4	5133.63	51.06	12.36	63.42	74.00	10.58	Vertical	PASS
5	5144.51	49.97	12.44	62.41	74.00	11.59	Vertical	PASS
6	5148.14	49.06	12.46	61.52	74.00	12.48	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-2A
Bandwidth	80M	Channel	58
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.43	35.79	12.70	48.49	54.00	5.51	Horizontal	PASS
2	5355.95	35.70	12.72	48.42	54.00	5.58	Horizontal	PASS
3	5367.21	35.93	12.78	48.71	54.00	5.29	Horizontal	PASS
4	5351.68	47.65	12.69	60.34	74.00	13.66	Horizontal	PASS
5	5356.03	47.54	12.72	60.26	74.00	13.74	Horizontal	PASS
6	5365.18	47.01	12.77	59.78	74.00	14.22	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2A
Bandwidth	80M	Channel	58
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.03	39.17	12.68	51.85	54.00	2.15	Vertical	PASS
2	5354.53	38.36	12.71	51.07	54.00	2.93	Vertical	PASS
3	5368.48	38.62	12.78	51.40	54.00	2.60	Vertical	PASS
4	5350.48	50.40	12.68	63.08	74.00	10.92	Vertical	PASS
5	5354.30	49.70	12.70	62.40	74.00	11.60	Vertical	PASS
6	5369.16	50.93	12.79	63.72	74.00	10.28	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	80M	Channel	106
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.68	32.18	12.67	44.85	54.00	9.15	Horizontal	PASS
2	5455.40	32.31	12.73	45.04	54.00	8.96	Horizontal	PASS
3	5458.46	32.21	12.78	44.99	54.00	9.01	Horizontal	PASS
4	5462.01	43.64	12.83	56.47	68.20	11.73	Horizontal	PASS
5	5466.63	43.52	12.91	56.43	68.20	11.77	Horizontal	PASS
6	5469.21	44.28	12.96	57.24	68.20	10.96	Horizontal	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	80M	Channel	106
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	36.76	12.67	49.43	54.00	4.57	Vertical	PASS
2	5454.20	36.56	12.71	49.27	54.00	4.73	Vertical	PASS
3	5459.12	36.94	12.78	49.72	54.00	4.28	Vertical	PASS
4	5460.63	50.01	12.81	62.82	68.20	5.38	Vertical	PASS
5	5465.55	49.25	12.89	62.14	68.20	6.06	Vertical	PASS
6	5469.15	49.98	12.95	62.93	68.20	5.27	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.22	47.20	13.33	60.53	68.20	7.67	Horizontal	PASS
2	5739.19	47.35	13.14	60.49	68.20	7.71	Horizontal	PASS
3	5749.82	47.11	12.96	60.07	68.20	8.13	Horizontal	PASS

Project Information			
Mode:	802.11ax	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.21	47.00	13.32	60.32	68.20	7.88	Vertical	PASS
2	5736.22	47.29	13.19	60.48	68.20	7.72	Vertical	PASS
3	5746.67	47.71	13.01	60.72	68.20	7.48	Vertical	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5656.54	46.07	13.54	59.61	73.06	13.45	Horizontal	PASS
2	5659.79	46.48	13.55	60.03	75.47	15.44	Horizontal	PASS
3	5668.25	46.71	13.60	60.31	81.74	21.43	Horizontal	PASS
4	5920.09	45.31	13.87	59.18	71.82	12.64	Horizontal	PASS
5	5926.43	45.38	13.92	59.30	68.20	8.90	Horizontal	PASS
6	5944.15	44.14	14.05	58.19	68.20	10.01	Horizontal	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.41	51.61	13.49	65.10	68.20	3.10	Vertical	PASS
2	5650.85	51.98	13.51	65.49	68.83	3.34	Vertical	PASS
3	5659.30	54.12	13.55	67.67	75.11	7.44	Vertical	PASS
4	5923.99	50.65	13.90	64.55	68.95	4.40	Vertical	PASS
5	5933.58	51.06	13.97	65.03	68.20	3.17	Vertical	PASS
6	5939.27	50.37	14.01	64.38	68.20	3.82	Vertical	PASS

~The End~