


Test Result Above 1GHz


Project Information			
Mode:	802. 11a	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2237.36	33.13	1.82	34.95	54.00	19.05	Horizontal	PASS
2	5176.47	34.71	13.91	48.62	-	-	Horizontal	NA
3	11427.53	34.24	5.21	39.45	54.00	14.55	Horizontal	PASS
4	17850.50	31.66	13.98	45.64	54.00	8.36	Horizontal	PASS
5	2048.52	39.91	1.10	41.01	68.20	27.19	Horizontal	PASS
6	5177.76	41.73	13.90	55.63	-	-	Horizontal	NA
7	11383.83	42.83	5.28	48.11	74.00	25.89	Horizontal	PASS
8	17880.78	39.84	13.59	53.43	74.00	20.57	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.76	46.01	13.90	59.91	-	-	Vertical	NA
2	9141.25	35.14	3.15	38.29	54.00	15.71	Vertical	PASS
3	11290.29	35.16	4.69	39.85	54.00	14.15	Vertical	PASS
4	17847.04	31.73	13.86	45.59	54.00	8.41	Vertical	PASS
5	5176.11	52.16	13.91	66.07	-	-	Vertical	NA
6	6446.46	40.15	16.85	57.00	68.20	11.20	Vertical	PASS
7	10363.75	45.25	3.73	48.98	68.20	19.22	Vertical	PASS
8	17986.97	40.22	13.60	53.82	74.00	20.18	Vertical	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-1
Bandwidth	20M	Channel	40
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11367.73	34.70	5.16	39.86	54.00	14.14	Horizontal	PASS
2	12398.16	33.95	6.23	40.18	54.00	13.82	Horizontal	PASS
3	17986.58	32.02	13.60	45.62	54.00	8.38	Horizontal	PASS
4	11378.46	42.45	5.23	47.68	74.00	26.32	Horizontal	PASS
5	13666.27	41.81	9.18	50.99	68.20	17.21	Horizontal	PASS
6	17881.55	41.01	13.58	54.59	74.00	19.41	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-1
Bandwidth	20M	Channel	40
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.61	38.38	13.91	52.29	-	-	Vertical	NA
2	10775.84	34.95	4.35	39.30	54.00	14.70	Vertical	PASS
3	12062.35	34.97	5.37	40.34	54.00	13.66	Vertical	PASS
4	17983.13	31.83	13.54	45.37	54.00	8.63	Vertical	PASS
5	5192.97	45.40	13.91	59.31	-	-	Vertical	NA
6	10400.16	45.29	3.55	48.84	68.20	19.36	Vertical	PASS
7	13692.34	40.77	9.36	50.13	68.20	18.07	Vertical	PASS
8	17982.75	39.55	13.54	53.09	74.00	20.91	Vertical	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-1
Bandwidth	20M	Channel	48
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11405.68	34.94	5.35	40.29	54.00	13.71	Horizontal	PASS
2	12042.03	35.02	5.40	40.42	54.00	13.58	Horizontal	PASS
3	17994.25	32.08	13.71	45.79	54.00	8.21	Horizontal	PASS
4	12165.47	43.71	4.91	48.62	74.00	25.38	Horizontal	PASS
5	15083.89	41.21	9.09	50.30	68.20	17.90	Horizontal	PASS
6	17970.87	39.94	13.37	53.31	74.00	20.69	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-1
Bandwidth	20M	Channel	48
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11457.82	34.80	5.03	39.83	54.00	14.17	Vertical	PASS
2	12025.93	35.02	5.34	40.36	54.00	13.64	Vertical	PASS
3	17988.12	31.97	13.62	45.59	54.00	8.41	Vertical	PASS
4	11393.80	42.28	5.35	47.63	74.00	26.37	Vertical	PASS
5	13693.49	40.96	9.37	50.33	68.20	17.87	Vertical	PASS
6	17999.23	39.36	13.78	53.14	74.00	20.86	Vertical	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2A
Bandwidth	20M	Channel	52
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11451.68	35.27	5.06	40.33	54.00	13.67	Horizontal	PASS
2	12085.35	35.04	5.26	40.30	54.00	13.70	Horizontal	PASS
3	17974.32	32.91	13.42	46.33	54.00	7.67	Horizontal	PASS
4	11368.11	42.16	5.16	47.32	74.00	26.68	Horizontal	PASS
5	15065.10	41.58	9.17	50.75	68.20	17.45	Horizontal	PASS
6	17855.86	39.59	13.91	53.50	74.00	20.50	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2A
Bandwidth	20M	Channel	52
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5267.23	37.72	14.27	51.99	-	-	Vertical	NA
2	11453.22	34.57	5.06	39.63	54.00	14.37	Vertical	PASS
3	12409.28	34.72	6.07	40.79	54.00	13.21	Vertical	PASS
4	17983.13	32.03	13.54	45.57	54.00	8.43	Vertical	PASS
5	5266.31	44.19	14.27	58.46	-	-	Vertical	NA
6	6332.43	40.06	17.11	57.17	68.20	11.03	Vertical	PASS
7	11397.25	42.65	5.37	48.02	74.00	25.98	Vertical	PASS
8	17980.07	40.08	13.50	53.58	74.00	20.42	Vertical	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2A
Bandwidth	20M	Channel	60
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9142.02	35.79	3.16	38.95	54.00	15.05	Horizontal	PASS
2	11370.80	34.26	5.18	39.44	54.00	14.56	Horizontal	PASS
3	17880.40	32.05	13.59	45.64	54.00	8.36	Horizontal	PASS
4	9487.03	43.75	2.58	46.33	74.00	27.67	Horizontal	PASS
5	10926.11	42.24	4.96	47.20	74.00	26.80	Horizontal	PASS
6	17873.11	40.16	13.69	53.85	74.00	20.15	Horizontal	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-2A
Bandwidth	20M	Channel	60
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.38	37.57	14.47	52.04	-	-	Vertical	NA
2	10600.65	36.02	4.18	40.20	54.00	13.80	Vertical	PASS
3	11508.42	35.02	4.83	39.85	54.00	14.15	Vertical	PASS
4	17991.57	32.27	13.67	45.94	54.00	8.06	Vertical	PASS
5	5296.74	44.24	14.47	58.71	-	-	Vertical	NA
6	10599.89	43.72	4.18	47.90	68.20	20.30	Vertical	PASS
7	13706.91	41.63	9.07	50.70	68.20	17.50	Vertical	PASS
8	17848.96	38.83	13.95	52.78	74.00	21.22	Vertical	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2262.66	32.94	1.93	34.87	54.00	19.13	Horizontal	PASS
2	11424.08	35.02	5.24	40.26	54.00	13.74	Horizontal	PASS
3	17838.23	32.34	13.49	45.83	54.00	8.17	Horizontal	PASS
4	1920.00	42.28	1.15	43.43	68.20	24.77	Horizontal	PASS
5	11370.41	42.30	5.18	47.48	74.00	26.52	Horizontal	PASS
6	17883.46	39.68	13.56	53.24	74.00	20.76	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	43.27	14.55	57.82	-	-	Vertical	NA
2	11455.52	35.47	5.04	40.51	54.00	13.49	Vertical	PASS
3	12663.06	35.25	6.11	41.36	54.00	12.64	Vertical	PASS
4	17845.13	32.80	13.78	46.58	54.00	7.42	Vertical	PASS
5	5321.68	49.73	14.55	64.28	-	-	Vertical	NA
6	11345.88	42.72	4.99	47.71	74.00	26.29	Vertical	PASS
7	13666.66	41.26	9.18	50.44	68.20	17.76	Vertical	PASS
8	17983.13	39.97	13.54	53.51	74.00	20.49	Vertical	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10941.83	35.42	5.07	40.49	54.00	13.51	Horizontal	PASS
2	12040.12	34.71	5.39	40.10	54.00	13.90	Horizontal	PASS
3	17983.13	32.19	13.54	45.73	54.00	8.27	Horizontal	PASS
4	6420.25	40.26	16.57	56.83	68.20	11.37	Horizontal	PASS
5	14342.49	42.66	8.96	51.62	68.20	16.58	Horizontal	PASS
6	17995.02	39.81	13.72	53.53	74.00	20.47	Horizontal	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.98	41.64	14.68	56.32	-	-	Vertical	NA
2	8369.96	36.13	1.03	37.16	54.00	16.84	Vertical	PASS
3	10997.42	42.19	5.05	47.24	54.00	6.76	Vertical	PASS
4	17880.01	32.51	13.60	46.11	54.00	7.89	Vertical	PASS
5	5501.17	49.01	14.68	63.69	-	-	Vertical	NA
6	11000.48	47.38	5.04	52.42	74.00	21.58	Vertical	PASS
7	14165.01	41.75	8.29	50.04	68.20	18.16	Vertical	PASS
8	17837.08	39.52	13.44	52.96	74.00	21.04	Vertical	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11369.65	34.68	5.17	39.85	54.00	14.15	Horizontal	PASS
2	12088.42	35.36	5.25	40.61	54.00	13.39	Horizontal	PASS
3	17864.30	32.40	13.81	46.21	54.00	7.79	Horizontal	PASS
4	11365.05	42.78	5.13	47.91	74.00	26.09	Horizontal	PASS
5	14065.34	42.45	8.12	50.57	68.20	17.63	Horizontal	PASS
6	17840.53	39.94	13.59	53.53	74.00	20.47	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.99	32.32	2.19	34.51	54.00	19.49	Vertical	PASS
2	5601.09	39.33	14.74	54.07	-	-	Vertical	NA
3	11197.91	36.19	4.58	40.77	54.00	13.23	Vertical	PASS
4	12411.20	34.24	6.03	40.27	54.00	13.73	Vertical	PASS
5	17829.03	32.47	13.10	45.57	54.00	8.43	Vertical	PASS
6	2014.42	40.65	0.88	41.53	68.20	26.67	Vertical	PASS
7	5601.09	46.08	14.74	60.82	-	-	Vertical	NA
8	11197.14	42.92	4.57	47.49	74.00	26.51	Vertical	PASS
9	13701.16	41.28	9.36	50.64	68.20	17.56	Vertical	PASS
10	17956.30	40.27	13.17	53.44	74.00	20.56	Vertical	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	38.61	-0.92	37.69	54.00	16.31	Horizontal	PASS
2	11383.45	34.57	5.27	39.84	54.00	14.16	Horizontal	PASS
3	17982.75	32.04	13.54	45.58	54.00	8.42	Horizontal	PASS
4	11404.15	41.89	5.37	47.26	74.00	26.74	Horizontal	PASS
5	13690.04	40.68	9.35	50.03	68.20	18.17	Horizontal	PASS
6	17975.08	39.98	13.43	53.41	74.00	20.59	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5704.67	38.50	14.90	53.40	-	-	Vertical	NA
2	7600.59	41.42	-0.92	40.50	54.00	13.50	Vertical	PASS
3	11396.86	37.01	5.36	42.37	54.00	11.63	Vertical	PASS
4	17985.43	32.15	13.58	45.73	54.00	8.27	Vertical	PASS
5	5703.76	45.49	14.89	60.38	-	-	Vertical	NA
6	7600.20	45.88	-0.92	44.96	74.00	29.04	Vertical	PASS
7	11401.85	45.06	5.38	50.44	74.00	23.56	Vertical	PASS
8	17863.53	39.58	13.82	53.40	74.00	20.60	Vertical	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11437.11	34.99	5.15	40.14	54.00	13.86	Horizontal	PASS
2	12191.92	34.96	5.18	40.14	54.00	13.86	Horizontal	PASS
3	17881.16	32.15	13.58	45.73	54.00	8.27	Horizontal	PASS
4	11491.55	42.58	4.86	47.44	74.00	26.56	Horizontal	PASS
5	15257.16	41.03	9.71	50.74	68.20	17.46	Horizontal	PASS
6	17845.13	39.78	13.78	53.56	74.00	20.44	Horizontal	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	39.41	-0.88	38.53	54.00	15.47	Vertical	PASS
2	11490.78	38.58	4.86	43.44	54.00	10.56	Vertical	PASS
3	17999.23	32.17	13.78	45.95	54.00	8.05	Vertical	PASS
4	7456.07	44.40	-1.59	42.81	74.00	31.19	Vertical	PASS
5	11491.55	48.79	4.86	53.65	74.00	20.35	Vertical	PASS
6	17837.84	39.41	13.48	52.89	74.00	21.11	Vertical	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-3
Bandwidth	20M	Channel	157
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8104.69	37.36	0.55	37.91	54.00	16.09	Horizontal	PASS
2	11464.33	34.35	5.00	39.35	54.00	14.65	Horizontal	PASS
3	17835.16	32.15	13.36	45.51	54.00	8.49	Horizontal	PASS
4	11477.37	43.06	4.93	47.99	74.00	26.01	Horizontal	PASS
5	14431.81	42.58	8.05	50.63	68.20	17.57	Horizontal	PASS
6	17879.25	39.50	13.61	53.11	74.00	20.89	Horizontal	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-3
Bandwidth	20M	Channel	157
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5790.29	36.85	15.68	52.53	-	-	Vertical	NA
2	7713.67	40.71	-0.70	40.01	54.00	13.99	Vertical	PASS
3	11572.05	38.78	5.27	44.05	54.00	9.95	Vertical	PASS
4	17853.18	31.68	13.95	45.63	54.00	8.37	Vertical	PASS
5	5787.36	43.49	15.68	59.17	-	-	Vertical	NA
6	11572.82	46.31	5.29	51.60	74.00	22.40	Vertical	PASS
7	13680.46	40.86	9.28	50.14	68.20	18.06	Vertical	PASS
8	17852.41	40.06	13.95	54.01	74.00	19.99	Vertical	PASS

Project Information

Mode:	802. 11a	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11354.31	34.88	5.07	39.95	54.00	14.05	Horizontal	PASS
2	12020.57	34.81	5.31	40.12	54.00	13.88	Horizontal	PASS
3	17884.23	32.34	13.55	45.89	54.00	8.11	Horizontal	PASS
4	11476.22	42.57	4.93	47.50	74.00	26.50	Horizontal	PASS
5	13696.94	41.17	9.40	50.57	68.20	17.63	Horizontal	PASS
6	17382.05	39.96	12.13	52.09	68.20	16.11	Horizontal	PASS

Project Information			
Mode:	802. 11a	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.28	37.99	15.66	53.65	-	-	Vertical	NA
2	9143.55	35.40	3.20	38.60	54.00	15.40	Vertical	PASS
3	11650.64	39.51	4.13	43.64	54.00	10.36	Vertical	PASS
4	17841.29	32.33	13.62	45.95	54.00	8.05	Vertical	PASS
5	5823.29	44.41	15.66	60.07	-	-	Vertical	NA
6	11647.95	46.19	4.18	50.37	74.00	23.63	Vertical	PASS
7	13792.01	43.16	7.47	50.63	68.20	17.57	Vertical	PASS
8	17989.65	39.39	13.64	53.03	74.00	20.97	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	34.51	13.90	48.41	-	-	Horizontal	NA
2	11427.15	34.30	5.21	39.51	54.00	14.49	Horizontal	PASS
3	12655.77	34.49	6.16	40.65	54.00	13.35	Horizontal	PASS
4	17906.85	32.46	13.31	45.77	54.00	8.23	Horizontal	PASS
5	5177.39	41.75	13.91	55.66	-	-	Horizontal	NA
6	11465.10	42.44	4.99	47.43	74.00	26.57	Horizontal	PASS
7	15068.55	40.99	9.15	50.14	68.20	18.06	Horizontal	PASS
8	17848.96	39.08	13.95	53.03	74.00	20.97	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.21	46.31	13.91	60.22	-	-	Vertical	NA
2	8148.77	36.17	0.82	36.99	54.00	17.01	Vertical	PASS
3	11383.06	35.31	5.27	40.58	54.00	13.42	Vertical	PASS
4	17865.06	32.19	13.79	45.98	54.00	8.02	Vertical	PASS
5	5177.94	52.68	13.90	66.58	-	-	Vertical	NA
6	10362.21	47.34	3.73	51.07	68.20	17.13	Vertical	PASS
7	11451.68	43.07	5.06	48.13	74.00	25.87	Vertical	PASS
8	17838.61	39.46	13.51	52.97	74.00	21.03	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20M	Channel	40
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11430.60	34.61	5.19	39.80	54.00	14.20	Horizontal	PASS
2	12168.92	34.87	4.95	39.82	54.00	14.18	Horizontal	PASS
3	17879.63	32.07	13.61	45.68	54.00	8.32	Horizontal	PASS
4	11455.90	42.42	5.04	47.46	74.00	26.54	Horizontal	PASS
5	13517.53	42.99	7.02	50.01	68.20	18.19	Horizontal	PASS
6	17893.81	40.74	13.42	54.16	74.00	19.84	Horizontal	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	20M	Channel	40
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.06	37.05	13.92	50.97	-	-	Vertical	NA
2	9140.49	35.37	3.12	38.49	54.00	15.51	Vertical	PASS
3	11467.40	34.86	4.98	39.84	54.00	14.16	Vertical	PASS
4	17990.42	31.93	13.65	45.58	54.00	8.42	Vertical	PASS
5	5192.79	44.11	13.91	58.02	-	-	Vertical	NA
6	10402.46	45.66	3.59	49.25	68.20	18.95	Vertical	PASS
7	13695.79	40.83	9.39	50.22	68.20	17.98	Vertical	PASS
8	17847.81	39.00	13.90	52.90	74.00	21.10	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20M	Channel	48
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11430.60	34.65	5.19	39.84	54.00	14.16	Horizontal	PASS
2	12662.29	34.65	6.12	40.77	54.00	13.23	Horizontal	PASS
3	17889.21	32.04	13.48	45.52	54.00	8.48	Horizontal	PASS
4	11429.83	42.48	5.20	47.68	74.00	26.32	Horizontal	PASS
5	13718.79	41.56	8.46	50.02	68.20	18.18	Horizontal	PASS
6	17889.21	40.37	13.48	53.85	74.00	20.15	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	20M	Channel	48
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11456.28	34.76	5.03	39.79	54.00	14.21	Vertical	PASS
2	12631.62	34.68	5.77	40.45	54.00	13.55	Vertical	PASS
3	17856.25	32.08	13.91	45.99	54.00	8.01	Vertical	PASS
4	11460.88	42.52	5.01	47.53	74.00	26.47	Vertical	PASS
5	13719.17	42.58	8.44	51.02	68.20	17.18	Vertical	PASS
6	17893.05	39.98	13.43	53.41	74.00	20.59	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	52
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11421.78	34.36	5.25	39.61	54.00	14.39	Horizontal	PASS
2	12395.48	33.97	6.17	40.14	54.00	13.86	Horizontal	PASS
3	17984.67	32.15	13.57	45.72	54.00	8.28	Horizontal	PASS
4	11381.15	42.30	5.26	47.56	74.00	26.44	Horizontal	PASS
5	14183.79	42.36	7.90	50.26	68.20	17.94	Horizontal	PASS
6	17878.86	39.50	13.62	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	52
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5265.21	35.93	14.26	50.19	-	-	Vertical	NA
2	11363.90	36.04	5.13	41.17	54.00	12.83	Vertical	PASS
3	12403.91	34.24	6.18	40.42	54.00	13.58	Vertical	PASS
4	17973.93	32.54	13.42	45.96	54.00	8.04	Vertical	PASS
5	5267.78	43.03	14.27	57.30	-	-	Vertical	NA
6	11439.03	42.21	5.14	47.35	74.00	26.65	Vertical	PASS
7	14368.56	41.69	8.79	50.48	68.20	17.72	Vertical	PASS
8	17983.52	39.86	13.55	53.41	74.00	20.59	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	60
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11440.18	34.80	5.13	39.93	54.00	14.07	Horizontal	PASS
2	12607.85	34.84	5.24	40.08	54.00	13.92	Horizontal	PASS
3	17970.10	32.35	13.36	45.71	54.00	8.29	Horizontal	PASS
4	10955.63	42.34	5.12	47.46	74.00	26.54	Horizontal	PASS
5	13680.07	41.45	9.28	50.73	68.20	17.47	Horizontal	PASS
6	17981.98	39.80	13.53	53.33	74.00	20.67	Horizontal	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	60
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5297.11	36.56	14.47	51.03	-	-	Vertical	NA
2	9513.10	36.28	2.68	38.96	-	-	Vertical	NA
3	11444.78	34.70	5.11	39.81	54.00	14.19	Vertical	PASS
4	17955.53	32.23	13.15	45.38	54.00	8.62	Vertical	PASS
5	5296.19	43.58	14.46	58.04	-	-	Vertical	NA
6	11483.88	42.84	4.90	47.74	74.00	26.26	Vertical	PASS
7	13677.39	42.11	9.26	51.37	68.20	16.83	Vertical	PASS
8	17887.30	40.12	13.50	53.62	74.00	20.38	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9135.50	35.58	2.99	38.57	54.00	15.43	Horizontal	PASS
2	12035.90	35.18	5.38	40.56	54.00	13.44	Horizontal	PASS
3	17844.36	32.01	13.75	45.76	54.00	8.24	Horizontal	PASS
4	12001.02	43.61	5.23	48.84	74.00	25.16	Horizontal	PASS
5	13669.34	41.77	9.20	50.97	68.20	17.23	Horizontal	PASS
6	17991.18	39.40	13.66	53.06	74.00	20.94	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.04	43.23	14.55	57.78	-	-	Vertical	NA
2	10638.99	37.68	4.05	41.73	54.00	12.27	Vertical	PASS
3	11451.30	34.71	5.06	39.77	54.00	14.23	Vertical	PASS
4	17875.41	31.99	13.66	45.65	54.00	8.35	Vertical	PASS
5	5321.49	50.06	14.55	64.61	-	-	Vertical	NA
6	10640.14	45.03	4.04	49.07	74.00	24.93	Vertical	PASS
7	13703.84	41.40	9.22	50.62	68.20	17.58	Vertical	PASS
8	17852.80	39.23	13.96	53.19	74.00	20.81	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11442.86	34.79	5.12	39.91	54.00	14.09	Horizontal	PASS
2	12717.49	35.04	5.79	40.83	-	-	Horizontal	NA
3	17861.23	31.82	13.84	45.66	54.00	8.34	Horizontal	PASS
4	11434.81	42.38	5.17	47.55	74.00	26.45	Horizontal	PASS
5	15244.12	40.53	9.76	50.29	68.20	17.91	Horizontal	PASS
6	17988.12	39.31	13.62	52.93	74.00	21.07	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.80	41.96	14.68	56.64	-	-	Vertical	NA
2	11000.48	43.39	5.04	48.43	54.00	5.57	Vertical	PASS
3	12063.12	34.78	5.36	40.14	54.00	13.86	Vertical	PASS
4	17888.83	32.37	13.49	45.86	54.00	8.14	Vertical	PASS
5	5500.80	48.30	14.68	62.98	-	-	Vertical	NA
6	11000.10	51.80	5.05	56.85	74.00	17.15	Vertical	PASS
7	15066.64	41.46	9.16	50.62	68.20	17.58	Vertical	PASS
8	17848.96	39.35	13.95	53.30	74.00	20.70	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11450.92	34.95	5.07	40.02	54.00	13.98	Horizontal	PASS
2	12084.97	35.06	5.26	40.32	54.00	13.68	Horizontal	PASS
3	17850.88	31.88	13.98	45.86	54.00	8.14	Horizontal	PASS
4	11598.89	41.93	5.73	47.66	74.00	26.34	Horizontal	PASS
5	15059.74	41.32	9.19	50.51	68.20	17.69	Horizontal	PASS
6	17964.35	39.65	13.28	52.93	74.00	21.07	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5600.90	38.95	14.74	53.69	-	-	Vertical	NA
2	11196.76	36.58	4.57	41.15	54.00	12.85	Vertical	PASS
3	12628.55	34.51	5.70	40.21	54.00	13.79	Vertical	PASS
4	17890.75	32.23	13.46	45.69	54.00	8.31	Vertical	PASS
5	5598.70	45.78	14.74	60.52	-	-	Vertical	NA
6	11199.44	44.36	4.60	48.96	74.00	25.04	Vertical	PASS
7	14080.67	42.19	8.15	50.34	68.20	17.86	Vertical	PASS
8	17985.05	40.19	13.57	53.76	74.00	20.24	Vertical	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	140
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9270.44	35.45	2.89	38.34	-	-	Horizontal	NA
2	11606.55	34.45	5.54	39.99	54.00	14.01	Horizontal	PASS
3	17856.63	31.88	13.90	45.78	54.00	8.22	Horizontal	PASS
4	11527.20	42.76	4.85	47.61	74.00	26.39	Horizontal	PASS
5	13669.34	40.89	9.20	50.09	68.20	18.11	Horizontal	PASS
6	17882.31	39.74	13.57	53.31	74.00	20.69	Horizontal	PASS