


Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	140
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5705.04	39.34	14.90	54.24	-	-	Vertical	NA
2	7600.59	41.08	-0.92	40.16	54.00	13.84	Vertical	PASS
3	11403.38	37.00	5.37	42.37	54.00	11.63	Vertical	PASS
4	17848.19	31.40	13.92	45.32	54.00	8.68	Vertical	PASS
5	5700.46	46.09	14.89	60.98	-	-	Vertical	NA
6	7599.82	45.91	-0.92	44.99	74.00	29.01	Vertical	PASS
7	11396.10	44.71	5.36	50.07	74.00	23.93	Vertical	PASS
8	17847.04	39.90	13.86	53.76	74.00	20.24	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9454.07	36.24	2.13	38.37	54.00	15.63	Horizontal	PASS
2	11519.53	34.86	4.84	39.70	54.00	14.30	Horizontal	PASS
3	17844.36	32.42	13.75	46.17	54.00	7.83	Horizontal	PASS
4	11419.86	42.27	5.26	47.53	74.00	26.47	Horizontal	PASS
5	15065.10	41.63	9.17	50.80	68.20	17.40	Horizontal	PASS
6	17859.31	40.02	13.87	53.89	74.00	20.11	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	41.64	-0.88	40.76	54.00	13.24	Vertical	PASS
2	11491.17	37.50	4.86	42.36	54.00	11.64	Vertical	PASS
3	17985.82	32.35	13.58	45.93	54.00	8.07	Vertical	PASS
4	7659.62	45.65	-0.88	44.77	74.00	29.23	Vertical	PASS
5	11490.40	44.99	4.86	49.85	74.00	24.15	Vertical	PASS
6	17859.70	39.27	13.86	53.13	74.00	20.87	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	157
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11376.93	34.84	5.22	40.06	54.00	13.94	Horizontal	PASS
2	12230.26	34.84	5.33	40.17	54.00	13.83	Horizontal	PASS
3	17889.98	32.05	13.47	45.52	54.00	8.48	Horizontal	PASS
4	11477.37	42.62	4.93	47.55	74.00	26.45	Horizontal	PASS
5	14355.15	41.02	8.94	49.96	68.20	18.24	Horizontal	PASS
6	17843.21	39.20	13.70	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-3
Bandwidth	20M	Channel	157
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5791.03	34.59	15.67	50.26	-	-	Vertical	NA
2	7713.67	40.72	-0.70	40.02	54.00	13.98	Vertical	PASS
3	11570.52	37.93	5.24	43.17	54.00	10.83	Vertical	PASS
4	17863.53	31.99	13.82	45.81	54.00	8.19	Vertical	PASS
5	5792.31	42.87	15.68	58.55	-	-	Vertical	NA
6	7713.29	46.04	-0.69	45.35	74.00	28.65	Vertical	PASS
7	11570.14	45.15	5.24	50.39	74.00	23.61	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9513.48	36.29	2.68	38.97	-	-	Horizontal	NA
2	11377.31	34.43	5.22	39.65	54.00	14.35	Horizontal	PASS
3	17822.89	32.75	12.84	45.59	54.00	8.41	Horizontal	PASS
4	11350.48	43.07	5.03	48.10	74.00	25.90	Horizontal	PASS
5	14657.61	41.00	9.71	50.71	68.20	17.49	Horizontal	PASS
6	17856.63	39.93	13.90	53.83	74.00	20.17	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5818.53	36.80	15.66	52.46	-	-	Vertical	NA
2	11644.12	38.06	4.31	42.37	54.00	11.63	Vertical	PASS
3	12080.37	35.27	5.28	40.55	54.00	13.45	Vertical	PASS
4	17892.28	32.30	13.44	45.74	54.00	8.26	Vertical	PASS
5	5820.18	44.27	15.66	59.93	-	-	Vertical	NA
6	11643.74	45.69	4.32	50.01	74.00	23.99	Vertical	PASS
7	13446.23	43.04	7.26	50.30	68.20	17.90	Vertical	PASS
8	17834.01	40.38	13.31	53.69	74.00	20.31	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40M	Channel	38
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9143.94	35.36	3.22	38.58	54.00	15.42	Horizontal	PASS
2	11550.59	34.67	4.90	39.57	54.00	14.43	Horizontal	PASS
3	17912.60	32.53	13.27	45.80	54.00	8.20	Horizontal	PASS
4	11468.93	42.61	4.97	47.58	74.00	26.42	Horizontal	PASS
5	15073.92	41.57	9.13	50.70	68.20	17.50	Horizontal	PASS
6	17875.03	39.76	13.66	53.42	74.00	20.58	Horizontal	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	40M	Channel	38
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.31	41.46	13.90	55.36	-	-	Vertical	NA
2	11593.52	34.04	5.64	39.68	54.00	14.32	Vertical	PASS
3	12241.37	34.68	5.35	40.03	54.00	13.97	Vertical	PASS
4	17844.36	31.85	13.75	45.60	54.00	8.40	Vertical	PASS
5	5175.19	48.21	13.90	62.11	-	-	Vertical	NA
6	10949.50	41.62	5.13	46.75	74.00	27.25	Vertical	PASS
7	13685.44	41.41	9.32	50.73	68.20	17.47	Vertical	PASS
8	17996.55	39.52	13.74	53.26	74.00	20.74	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40M	Channel	46
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11435.58	34.33	5.16	39.49	54.00	14.51	Horizontal	PASS
2	12394.71	34.52	6.15	40.67	54.00	13.33	Horizontal	PASS
3	18000.00	31.73	13.79	45.52	54.00	8.48	Horizontal	PASS
4	10951.03	42.12	5.13	47.25	74.00	26.75	Horizontal	PASS
5	13690.04	41.14	9.35	50.49	68.20	17.71	Horizontal	PASS
6	17992.72	39.21	13.68	52.89	74.00	21.11	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40M	Channel	46
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10911.55	34.42	4.86	39.28	54.00	14.72	Vertical	PASS
2	12031.68	35.19	5.36	40.55	54.00	13.45	Vertical	PASS
3	17947.48	32.69	13.08	45.77	54.00	8.23	Vertical	PASS
4	10944.13	42.32	5.09	47.41	74.00	26.59	Vertical	PASS
5	15248.34	40.87	9.89	50.76	68.20	17.44	Vertical	PASS
6	17832.48	40.14	13.24	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40M	Channel	54
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11456.67	35.10	5.03	40.13	54.00	13.87	Horizontal	PASS
2	12658.07	34.36	6.14	40.50	54.00	13.50	Horizontal	PASS
3	17984.67	32.08	13.57	45.65	54.00	8.35	Horizontal	PASS
4	11466.63	42.76	4.98	47.74	74.00	26.26	Horizontal	PASS
5	14319.49	41.92	8.80	50.72	68.20	17.48	Horizontal	PASS
6	17991.95	39.98	13.68	53.66	74.00	20.34	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	40M	Channel	54
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10777.38	35.53	4.35	39.88	54.00	14.12	Vertical	PASS
2	12081.52	34.93	5.28	40.21	54.00	13.79	Vertical	PASS
3	17847.81	31.93	13.90	45.83	54.00	8.17	Vertical	PASS
4	10791.94	43.37	4.36	47.73	74.00	26.27	Vertical	PASS
5	15118.00	42.25	8.55	50.80	68.20	17.40	Vertical	PASS
6	17852.03	39.79	13.96	53.75	74.00	20.25	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40M	Channel	62
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11407.21	34.57	5.34	39.91	54.00	14.09	Horizontal	PASS
2	12391.26	34.20	6.08	40.28	54.00	13.72	Horizontal	PASS
3	17860.08	32.19	13.86	46.05	54.00	7.95	Horizontal	PASS
4	11459.73	42.52	5.02	47.54	74.00	26.46	Horizontal	PASS
5	13689.27	41.02	9.34	50.36	68.20	17.84	Horizontal	PASS
6	17996.55	40.11	13.74	53.85	74.00	20.15	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40M	Channel	62
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.04	36.42	14.55	50.97	-	-	Vertical	NA
2	10938.38	34.75	5.05	39.80	54.00	14.20	Vertical	PASS
3	12641.59	34.35	5.99	40.34	54.00	13.66	Vertical	PASS
4	17865.45	32.73	13.79	46.52	54.00	7.48	Vertical	PASS
5	5321.86	44.09	14.55	58.64	-	-	Vertical	NA
6	10689.21	43.70	3.66	47.36	74.00	26.64	Vertical	PASS
7	13698.47	41.08	9.41	50.49	68.20	17.71	Vertical	PASS
8	17881.55	39.92	13.58	53.50	74.00	20.50	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	102
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11378.85	34.33	5.24	39.57	54.00	14.43	Horizontal	PASS
2	12398.16	34.13	6.23	40.36	54.00	13.64	Horizontal	PASS
3	17989.65	32.13	13.64	45.77	54.00	8.23	Horizontal	PASS
4	11499.60	42.34	4.81	47.15	74.00	26.85	Horizontal	PASS
5	13674.32	40.89	9.23	50.12	68.20	18.08	Horizontal	PASS
6	17980.45	39.87	13.51	53.38	74.00	20.62	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	102
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.43	38.34	14.68	53.02	-	-	Vertical	NA
2	11028.08	37.73	4.59	42.32	54.00	11.68	Vertical	PASS
3	12002.93	34.65	5.24	39.89	54.00	14.11	Vertical	PASS
4	17849.73	31.61	13.98	45.59	54.00	8.41	Vertical	PASS
5	5500.43	45.50	14.68	60.18	-	-	Vertical	NA
6	11018.88	45.32	4.74	50.06	74.00	23.94	Vertical	PASS
7	12044.33	42.42	5.40	47.82	74.00	26.18	Vertical	PASS
8	17865.83	39.40	13.78	53.18	74.00	20.82	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	118
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9138.95	35.80	3.09	38.89	54.00	15.11	Horizontal	PASS
2	11365.43	34.80	5.14	39.94	54.00	14.06	Horizontal	PASS
3	17845.89	32.72	13.81	46.53	54.00	7.47	Horizontal	PASS
4	11472.38	43.21	4.96	48.17	74.00	25.83	Horizontal	PASS
5	13696.56	40.89	9.40	50.29	68.20	17.91	Horizontal	PASS
6	17886.53	39.83	13.51	53.34	74.00	20.66	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	118
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5594.85	36.17	14.72	50.89	-	-	Vertical	NA
2	7453.77	39.97	-1.60	38.37	54.00	15.63	Vertical	PASS
3	11449.76	34.88	5.07	39.95	54.00	14.05	Vertical	PASS
4	17858.93	32.01	13.88	45.89	54.00	8.11	Vertical	PASS
5	5594.12	43.45	14.72	58.17	-	-	Vertical	NA
6	7453.38	45.63	-1.61	44.02	74.00	29.98	Vertical	PASS
7	11441.33	42.86	5.13	47.99	74.00	26.01	Vertical	PASS
8	17852.03	39.54	13.96	53.50	74.00	20.50	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	134
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9130.90	35.73	2.87	38.60	54.00	15.40	Horizontal	PASS
2	11463.18	35.37	5.00	40.37	54.00	13.63	Horizontal	PASS
3	17847.04	31.91	13.86	45.77	54.00	8.23	Horizontal	PASS
4	11364.66	42.37	5.14	47.51	74.00	26.49	Horizontal	PASS
5	14681.76	41.50	9.11	50.61	68.20	17.59	Horizontal	PASS
6	17848.96	39.32	13.95	53.27	74.00	20.73	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	134
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5679.19	39.05	14.92	53.97	-	-	Vertical	NA
2	7560.34	41.44	-0.85	40.59	54.00	13.41	Vertical	PASS
3	11383.83	35.28	5.28	40.56	54.00	13.44	Vertical	PASS
4	17850.50	31.74	13.98	45.72	54.00	8.28	Vertical	PASS
5	5678.09	45.88	14.92	60.80	-	-	Vertical	NA
6	7560.34	45.24	-0.85	44.39	74.00	29.61	Vertical	PASS
7	11336.68	43.52	4.92	48.44	74.00	25.56	Vertical	PASS
8	17861.61	39.93	13.84	53.77	74.00	20.23	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	151
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11476.60	35.12	4.93	40.05	54.00	13.95	Horizontal	PASS
2	12105.67	35.20	5.14	40.34	54.00	13.66	Horizontal	PASS
3	17884.61	32.04	13.54	45.58	54.00	8.42	Horizontal	PASS
4	11458.97	43.04	5.02	48.06	74.00	25.94	Horizontal	PASS
5	15069.32	41.06	9.15	50.21	68.20	17.99	Horizontal	PASS
6	17857.01	39.14	13.89	53.03	74.00	20.97	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	151
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7673.81	41.09	-0.79	40.30	54.00	13.70	Vertical	PASS
2	11508.42	38.30	4.83	43.13	54.00	10.87	Vertical	PASS
3	17889.60	31.93	13.48	45.41	54.00	8.59	Vertical	PASS
4	7673.42	44.71	-0.79	43.92	74.00	30.08	Vertical	PASS
5	11513.78	44.84	4.83	49.67	74.00	24.33	Vertical	PASS
6	17887.30	40.81	13.50	54.31	74.00	19.69	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	159
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9129.37	35.01	2.84	37.85	54.00	16.15	Horizontal	PASS
2	11488.10	34.90	4.87	39.77	54.00	14.23	Horizontal	PASS
3	17889.60	32.18	13.48	45.66	54.00	8.34	Horizontal	PASS
4	11476.22	41.92	4.93	46.85	74.00	27.15	Horizontal	PASS
5	13683.52	40.71	9.30	50.01	68.20	18.19	Horizontal	PASS
6	17879.25	39.90	13.61	53.51	74.00	20.49	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	159
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2265.23	32.72	1.89	34.61	54.00	19.39	Vertical	PASS
2	5805.88	36.01	15.68	51.69	-	-	Vertical	NA
3	11598.12	37.64	5.72	43.36	54.00	10.64	Vertical	PASS
4	17985.43	32.09	13.58	45.67	54.00	8.33	Vertical	PASS
5	2094.72	41.06	1.36	42.42	68.20	25.78	Vertical	PASS
6	5808.63	42.53	15.68	58.21	-	-	Vertical	NA
7	11588.92	43.99	5.56	49.55	74.00	24.45	Vertical	PASS
8	17857.01	39.39	13.89	53.28	74.00	20.72	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	80M	Channel	42
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9429.15	36.59	1.97	38.56	54.00	15.44	Horizontal	PASS
2	11593.90	34.37	5.65	40.02	54.00	13.98	Horizontal	PASS
3	17862.00	31.78	13.83	45.61	54.00	8.39	Horizontal	PASS
4	11494.62	43.15	4.84	47.99	74.00	26.01	Horizontal	PASS
5	14111.34	41.77	8.28	50.05	68.20	18.15	Horizontal	PASS
6	17881.55	40.33	13.58	53.91	74.00	20.09	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	80M	Channel	42
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.31	37.17	13.90	51.07	-	-	Vertical	NA
2	11437.50	35.87	5.15	41.02	54.00	12.98	Vertical	PASS
3	12079.99	34.93	5.29	40.22	54.00	13.78	Vertical	PASS
4	17989.65	31.95	13.64	45.59	54.00	8.41	Vertical	PASS
5	5176.47	44.27	13.91	58.18	-	-	Vertical	NA
6	11478.13	43.14	4.92	48.06	74.00	25.94	Vertical	PASS
7	14656.46	40.26	9.74	50.00	68.20	18.20	Vertical	PASS
8	17850.11	39.55	13.99	53.54	74.00	20.46	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	80M	Channel	58
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9002.48	36.13	2.57	38.70	54.00	15.30	Horizontal	PASS
2	11445.93	34.79	5.09	39.88	54.00	14.12	Horizontal	PASS
3	17981.60	32.15	13.53	45.68	54.00	8.32	Horizontal	PASS
4	11474.30	43.55	4.95	48.50	74.00	25.50	Horizontal	PASS
5	13701.54	40.95	9.34	50.29	68.20	17.91	Horizontal	PASS
6	17863.15	39.98	13.82	53.80	74.00	20.20	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	80M	Channel	58
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.23	36.12	14.55	50.67	-	-	Vertical	NA
2	9175.76	35.33	3.11	38.44	54.00	15.56	Vertical	PASS
3	11455.52	34.87	5.04	39.91	54.00	14.09	Vertical	PASS
4	17954.38	32.41	13.14	45.55	54.00	8.45	Vertical	PASS
5	5322.04	43.17	14.55	57.72	-	-	Vertical	NA
6	11350.86	42.53	5.04	47.57	74.00	26.43	Vertical	PASS
7	13688.89	40.85	9.34	50.19	68.20	18.01	Vertical	PASS
8	17891.51	40.49	13.45	53.94	74.00	20.06	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	106
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7647.74	36.90	-0.95	35.95	54.00	18.05	Horizontal	PASS
2	11370.80	34.72	5.18	39.90	54.00	14.10	Horizontal	PASS
3	17851.65	32.63	13.97	46.60	54.00	7.40	Horizontal	PASS
4	11445.55	42.92	5.09	48.01	74.00	25.99	Horizontal	PASS
5	15244.51	40.72	9.77	50.49	68.20	17.71	Horizontal	PASS
6	17881.93	39.68	13.57	53.25	74.00	20.75	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	106
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5495.12	35.06	14.65	49.71	-	-	Vertical	NA
2	7373.65	39.31	-0.76	38.55	54.00	15.45	Vertical	PASS
3	11406.06	34.40	5.35	39.75	54.00	14.25	Vertical	PASS
4	17842.83	32.08	13.69	45.77	54.00	8.23	Vertical	PASS
5	5500.25	41.65	14.68	56.33	-	-	Vertical	NA
6	7373.26	46.37	-0.77	45.60	74.00	28.40	Vertical	PASS
7	11442.10	42.93	5.12	48.05	74.00	25.95	Vertical	PASS
8	17981.22	39.71	13.51	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9031.23	36.32	2.40	38.72	54.00	15.28	Horizontal	PASS
2	11438.65	34.66	5.14	39.80	54.00	14.20	Horizontal	PASS
3	17842.44	31.93	13.66	45.59	54.00	8.41	Horizontal	PASS
4	11464.72	42.55	5.00	47.55	74.00	26.45	Horizontal	PASS
5	13693.11	41.05	9.37	50.42	68.20	17.78	Horizontal	PASS
6	17837.84	40.59	13.48	54.07	74.00	19.93	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.60	39.22	-1.37	37.85	54.00	16.15	Vertical	PASS
2	11401.85	34.58	5.38	39.96	54.00	14.04	Vertical	PASS
3	17882.31	32.40	13.57	45.97	54.00	8.03	Vertical	PASS
4	7402.78	44.19	-0.35	43.84	74.00	30.16	Vertical	PASS
5	11453.60	42.76	5.05	47.81	74.00	26.19	Vertical	PASS
6	17988.88	39.39	13.63	53.02	74.00	20.98	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8414.81	36.31	0.99	37.30	54.00	16.70	Horizontal	PASS
2	12232.17	34.90	5.34	40.24	54.00	13.76	Horizontal	PASS
3	17847.43	31.76	13.88	45.64	54.00	8.36	Horizontal	PASS
4	11478.90	43.29	4.92	48.21	74.00	25.79	Horizontal	PASS
5	14354.00	41.50	8.97	50.47	68.20	17.73	Horizontal	PASS
6	17991.57	39.90	13.67	53.57	74.00	20.43	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	41.01	-0.61	40.40	54.00	13.60	Vertical	PASS
2	11599.65	34.74	5.74	40.48	54.00	13.52	Vertical	PASS
3	17839.76	32.63	13.55	46.18	54.00	7.82	Vertical	PASS
4	7699.87	45.38	-0.61	44.77	74.00	29.23	Vertical	PASS
5	13680.46	41.59	9.28	50.87	68.20	17.33	Vertical	PASS
6	17847.81	39.78	13.90	53.68	74.00	20.32	Vertical	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.31	34.82	13.90	48.72	-	-	Horizontal	NA
2	9023.57	36.16	2.44	38.60	54.00	15.40	Horizontal	PASS
3	11471.23	34.51	4.96	39.47	54.00	14.53	Horizontal	PASS
4	17992.33	31.87	13.68	45.55	54.00	8.45	Horizontal	PASS
5	5176.84	44.15	13.91	58.06	-	-	Horizontal	NA
6	11522.60	42.45	4.85	47.30	74.00	26.70	Horizontal	PASS
7	15066.25	41.35	9.16	50.51	68.20	17.69	Horizontal	PASS
8	17876.95	39.09	13.64	52.73	74.00	21.27	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.01	45.89	13.90	59.79	-	-	Vertical	NA
2	9139.34	35.42	3.10	38.52	54.00	15.48	Vertical	PASS
3	11437.88	34.76	5.15	39.91	54.00	14.09	Vertical	PASS
4	17864.68	31.95	13.80	45.75	54.00	8.25	Vertical	PASS
5	5177.94	55.69	13.90	69.59	-	-	Vertical	NA
6	10352.63	45.29	3.78	49.07	68.20	19.13	Vertical	PASS
7	14377.00	41.45	8.68	50.13	68.20	18.07	Vertical	PASS
8	17838.23	39.88	13.49	53.37	74.00	20.63	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	20M	Channel	40
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9137.42	36.03	3.04	39.07	54.00	14.93	Horizontal	PASS
2	12273.96	35.38	5.17	40.55	54.00	13.45	Horizontal	PASS
3	17891.13	32.78	13.45	46.23	54.00	7.77	Horizontal	PASS
4	12374.01	42.58	5.73	48.31	74.00	25.69	Horizontal	PASS
5	14353.61	41.87	8.97	50.84	68.20	17.36	Horizontal	PASS
6	17905.31	39.74	13.31	53.05	74.00	20.95	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-1
Bandwidth	20M	Channel	40
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5191.14	39.46	13.92	53.38	-	-	Vertical	NA
2	10774.69	36.12	4.35	40.47	54.00	13.53	Vertical	PASS
3	12058.14	35.08	5.39	40.47	54.00	13.53	Vertical	PASS
4	17985.82	32.17	13.58	45.75	54.00	8.25	Vertical	PASS
5	5192.06	47.48	13.92	61.40	-	-	Vertical	NA
6	10396.71	45.49	3.56	49.05	68.20	19.15	Vertical	PASS
7	15065.49	41.38	9.16	50.54	68.20	17.66	Vertical	PASS
8	17876.95	39.49	13.64	53.13	74.00	20.87	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	20M	Channel	48
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11409.51	34.57	5.33	39.90	54.00	14.10	Horizontal	PASS
2	12068.10	35.03	5.35	40.38	54.00	13.62	Horizontal	PASS
3	17877.71	32.39	13.63	46.02	54.00	7.98	Horizontal	PASS
4	11370.41	42.22	5.18	47.40	74.00	26.60	Horizontal	PASS
5	15251.79	40.47	9.89	50.36	68.20	17.84	Horizontal	PASS
6	17920.65	40.72	13.23	53.95	74.00	20.05	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-1
Bandwidth	20M	Channel	48
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5239.91	34.15	14.11	48.26	-	-	Vertical	NA
2	9087.20	36.22	2.12	38.34	54.00	15.66	Vertical	PASS
3	11838.09	35.30	4.94	40.24	54.00	13.76	Vertical	PASS
4	17879.63	32.08	13.61	45.69	54.00	8.31	Vertical	PASS
5	5239.36	41.24	14.11	55.35	-	-	Vertical	NA
6	10473.38	44.77	4.34	49.11	68.20	19.09	Vertical	PASS
7	14316.81	41.51	8.77	50.28	68.20	17.92	Vertical	PASS
8	17858.16	39.24	13.89	53.13	74.00	20.87	Vertical	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-2A
Bandwidth	20M	Channel	52
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2236.07	34.28	1.81	36.09	54.00	17.91	Horizontal	PASS
2	11491.17	34.97	4.86	39.83	54.00	14.17	Horizontal	PASS
3	17904.16	32.33	13.32	45.65	54.00	8.35	Horizontal	PASS
4	2117.09	41.03	1.17	42.20	68.20	26.00	Horizontal	PASS
5	11458.58	42.38	5.02	47.40	74.00	26.60	Horizontal	PASS
6	17911.06	40.30	13.28	53.58	74.00	20.42	Horizontal	PASS