


Project Information

Mode:	802.11ax	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10781.21	35.96	4.35	40.31	54.00	13.69	Horizontal	PASS
2	11381.15	35.01	5.26	40.27	54.00	13.73	Horizontal	PASS
3	17851.26	32.58	13.97	46.55	54.00	7.45	Horizontal	PASS
4	11993.35	43.00	5.20	48.20	74.00	25.80	Horizontal	PASS
5	13675.47	41.18	9.25	50.43	68.20	17.77	Horizontal	PASS
6	17858.93	40.18	13.88	54.06	74.00	19.94	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.60	39.17	-1.37	37.80	54.00	16.20	Vertical	PASS
2	11378.46	34.72	5.23	39.95	54.00	14.05	Vertical	PASS
3	17835.54	32.26	13.37	45.63	54.00	8.37	Vertical	PASS
4	11460.50	42.55	5.02	47.57	74.00	26.43	Vertical	PASS
5	13689.27	40.92	9.34	50.26	68.20	17.94	Vertical	PASS
6	17987.73	40.18	13.61	53.79	74.00	20.21	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9430.30	35.93	1.98	37.91	54.00	16.09	Horizontal	PASS
2	11890.23	34.06	5.39	39.45	54.00	14.55	Horizontal	PASS
3	17997.70	32.18	13.76	45.94	54.00	8.06	Horizontal	PASS
4	11601.95	41.05	5.69	46.74	74.00	27.26	Horizontal	PASS
5	15070.85	41.27	9.14	50.41	68.20	17.79	Horizontal	PASS
6	17844.36	40.19	13.75	53.94	74.00	20.06	Horizontal	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	41.53	-0.61	40.92	54.00	13.08	Vertical	PASS
2	11588.15	34.76	5.55	40.31	54.00	13.69	Vertical	PASS
3	17831.33	32.87	13.19	46.06	54.00	7.94	Vertical	PASS
4	7699.87	45.45	-0.61	44.84	74.00	29.16	Vertical	PASS
5	13703.84	41.68	9.22	50.90	68.20	17.30	Vertical	PASS
6	17982.75	39.63	13.54	53.17	74.00	20.83	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.67	34.69	12.44	47.13	54.00	6.87	Horizontal	PASS
2	5147.83	34.90	12.46	47.36	54.00	6.64	Horizontal	PASS
3	5149.48	34.86	12.48	47.34	54.00	6.66	Horizontal	PASS
4	5145.26	45.79	12.45	58.24	74.00	15.76	Horizontal	PASS
5	5147.70	46.82	12.46	59.28	74.00	14.72	Horizontal	PASS
6	5149.81	47.54	12.48	60.02	74.00	13.98	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.88	37.54	12.46	50.00	54.00	4.00	Vertical	PASS
2	5148.57	38.29	12.47	50.76	54.00	3.24	Vertical	PASS
3	5149.87	38.71	12.48	51.19	54.00	2.81	Vertical	PASS
4	5144.05	51.83	12.44	64.27	74.00	9.73	Vertical	PASS
5	5146.56	53.86	12.46	66.32	74.00	7.68	Vertical	PASS
6	5149.81	56.58	12.48	69.06	74.00	4.94	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.13	35.72	12.69	48.41	54.00	5.59	Horizontal	PASS
2	5355.49	35.74	12.71	48.45	54.00	5.55	Horizontal	PASS
3	5358.22	35.72	12.72	48.44	54.00	5.56	Horizontal	PASS
4	5350.87	46.83	12.69	59.52	74.00	14.48	Horizontal	PASS
5	5354.97	47.91	12.71	60.62	74.00	13.38	Horizontal	PASS
6	5358.45	47.66	12.73	60.39	74.00	13.61	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.09	36.54	12.68	49.22	54.00	4.78	Vertical	PASS
2	5354.35	36.45	12.70	49.15	54.00	4.85	Vertical	PASS
3	5358.68	36.41	12.73	49.14	54.00	4.86	Vertical	PASS
4	5350.42	47.92	12.68	60.60	74.00	13.40	Vertical	PASS
5	5354.12	48.13	12.70	60.83	74.00	13.17	Vertical	PASS
6	5357.54	48.35	12.72	61.07	74.00	12.93	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.75	31.60	12.70	44.30	54.00	9.70	Horizontal	PASS
2	5455.94	31.62	12.74	44.36	54.00	9.64	Horizontal	PASS
3	5459.12	31.81	12.78	44.59	54.00	9.41	Horizontal	PASS
4	5465.10	44.32	12.88	57.20	68.20	11.00	Horizontal	PASS
5	5466.66	43.48	12.91	56.39	68.20	11.81	Horizontal	PASS
6	5469.18	43.58	12.96	56.54	68.20	11.66	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.15	34.07	12.69	46.76	54.00	7.24	Vertical	PASS
2	5457.08	35.37	12.75	48.12	54.00	5.88	Vertical	PASS
3	5459.06	35.65	12.78	48.43	54.00	5.57	Vertical	PASS
4	5463.75	50.19	12.86	63.05	68.20	5.15	Vertical	PASS
5	5466.51	51.43	12.91	64.34	68.20	3.86	Vertical	PASS
6	5469.81	50.66	12.96	63.62	68.20	4.58	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.11	47.13	13.35	60.48	68.20	7.72	Horizontal	PASS
2	5729.29	47.54	13.30	60.84	68.20	7.36	Horizontal	PASS
3	5734.39	46.86	13.22	60.08	68.20	8.12	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20M	Channel	120
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.51	48.01	13.36	61.37	68.20	6.83	Vertical	PASS
2	5728.39	47.01	13.31	60.32	68.20	7.88	Vertical	PASS
3	5733.49	47.55	13.23	60.78	68.20	7.42	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.24	44.25	13.43	57.68	68.20	10.52	Horizontal	PASS
2	5642.23	43.68	13.46	57.14	68.20	11.06	Horizontal	PASS
3	5666.46	43.50	13.60	57.10	80.42	23.32	Horizontal	PASS
4	5915.21	43.23	13.84	57.07	75.42	18.35	Horizontal	PASS
5	5938.78	43.14	14.01	57.15	68.20	11.05	Horizontal	PASS
6	5948.70	43.07	14.08	57.15	68.20	11.05	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.14	44.22	13.38	57.60	68.20	10.60	Vertical	PASS
2	5646.46	43.16	13.49	56.65	68.20	11.55	Vertical	PASS
3	5672.47	43.45	13.63	57.08	84.87	27.79	Vertical	PASS
4	5871.80	44.05	13.45	57.50	106.10	48.60	Vertical	PASS
5	5908.05	43.67	13.79	57.46	80.70	23.24	Vertical	PASS
6	5943.33	42.92	14.05	56.97	68.20	11.23	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.84	42.76	13.44	56.20	68.20	12.00	Horizontal	PASS
2	5656.87	42.91	13.54	56.45	73.30	16.85	Horizontal	PASS
3	5667.76	42.94	13.59	56.53	81.38	24.85	Horizontal	PASS
4	5902.20	43.67	13.74	57.41	85.03	27.62	Horizontal	PASS
5	5929.68	43.53	13.94	57.47	68.20	10.73	Horizontal	PASS
6	5938.94	42.98	14.01	56.99	68.20	11.21	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.95	43.38	13.39	56.77	68.20	11.43	Vertical	PASS
2	5647.92	42.91	13.49	56.40	68.20	11.80	Vertical	PASS
3	5683.37	43.66	13.68	57.34	92.93	35.59	Vertical	PASS
4	5899.60	43.80	13.73	57.53	86.96	29.43	Vertical	PASS
5	5918.78	44.63	13.87	58.50	72.78	14.28	Vertical	PASS
6	5932.44	43.43	13.96	57.39	68.20	10.81	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.99	34.87	12.41	47.28	54.00	6.72	Horizontal	PASS
2	5144.12	34.75	12.44	47.19	54.00	6.81	Horizontal	PASS
3	5148.67	34.85	12.47	47.32	54.00	6.68	Horizontal	PASS
4	5140.51	46.74	12.41	59.15	74.00	14.85	Horizontal	PASS
5	5144.41	46.24	12.44	58.68	74.00	15.32	Horizontal	PASS
6	5149.39	46.25	12.48	58.73	74.00	15.27	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.71	35.67	12.41	48.08	54.00	5.92	Vertical	PASS
2	5145.58	35.95	12.45	48.40	54.00	5.60	Vertical	PASS
3	5148.80	36.37	12.48	48.85	54.00	5.15	Vertical	PASS
4	5141.84	47.74	12.43	60.17	74.00	13.83	Vertical	PASS
5	5145.75	48.30	12.45	60.75	74.00	13.25	Vertical	PASS
6	5148.96	47.94	12.48	60.42	74.00	13.58	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.94	35.74	12.69	48.43	54.00	5.57	Horizontal	PASS
2	5352.34	35.56	12.70	48.26	54.00	5.74	Horizontal	PASS
3	5354.42	35.71	12.70	48.41	54.00	5.59	Horizontal	PASS
4	5350.55	47.90	12.68	60.58	74.00	13.42	Horizontal	PASS
5	5352.66	47.25	12.69	59.94	74.00	14.06	Horizontal	PASS
6	5354.51	47.00	12.71	59.71	74.00	14.29	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.52	36.95	12.68	49.63	54.00	4.37	Vertical	PASS
2	5352.08	36.81	12.70	49.51	54.00	4.49	Vertical	PASS
3	5354.97	36.68	12.71	49.39	54.00	4.61	Vertical	PASS
4	5350.22	50.33	12.68	63.01	74.00	10.99	Vertical	PASS
5	5351.95	49.35	12.70	62.05	74.00	11.95	Vertical	PASS
6	5354.25	47.69	12.70	60.39	74.00	13.61	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.36	32.07	12.69	44.76	54.00	9.24	Horizontal	PASS
2	5456.51	31.59	12.75	44.34	54.00	9.66	Horizontal	PASS
3	5459.24	31.87	12.79	44.66	54.00	9.34	Horizontal	PASS
4	5461.92	42.87	12.83	55.70	68.20	12.50	Horizontal	PASS
5	5467.44	44.54	12.92	57.46	68.20	10.74	Horizontal	PASS
6	5469.51	43.92	12.96	56.88	68.20	11.32	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.90	35.03	12.70	47.73	54.00	6.27	Vertical	PASS
2	5457.26	35.84	12.75	48.59	54.00	5.41	Vertical	PASS
3	5459.30	36.20	12.79	48.99	54.00	5.01	Vertical	PASS
4	5464.62	51.87	12.88	64.75	68.20	3.45	Vertical	PASS
5	5466.57	52.42	12.91	65.33	68.20	2.87	Vertical	PASS
6	5468.70	53.74	12.94	66.68	68.20	1.52	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	140
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.81	46.62	13.36	59.98	68.20	8.22	Horizontal	PASS
2	5727.37	46.59	13.33	59.92	68.20	8.28	Horizontal	PASS
3	5731.03	47.43	13.27	60.70	68.20	7.50	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20M	Channel	140
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.11	48.72	13.35	62.07	68.20	6.13	Vertical	PASS
2	5726.56	49.71	13.34	63.05	68.20	5.15	Vertical	PASS
3	5728.51	48.48	13.31	61.79	68.20	6.41	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.88	43.04	13.40	56.44	68.20	11.76	Horizontal	PASS
2	5655.08	43.05	13.53	56.58	71.97	15.39	Horizontal	PASS
3	5673.94	43.03	13.63	56.66	85.95	29.29	Horizontal	PASS
4	5897.97	43.74	13.71	57.45	88.16	30.71	Horizontal	PASS
5	5914.56	43.40	13.84	57.24	75.90	18.66	Horizontal	PASS
6	5935.86	43.41	13.99	57.40	68.20	10.80	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.19	43.60	13.44	57.04	68.20	11.16	Vertical	PASS
2	5648.25	43.84	13.49	57.33	68.20	10.87	Vertical	PASS
3	5662.23	43.78	13.57	57.35	77.28	19.93	Vertical	PASS
4	5893.91	44.75	13.67	58.42	91.17	32.75	Vertical	PASS
5	5918.13	43.60	13.86	57.46	73.26	15.80	Vertical	PASS
6	5941.38	43.26	14.03	57.29	68.20	10.91	Vertical	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.58	42.79	13.46	56.25	68.20	11.95	Horizontal	PASS
2	5647.92	43.32	13.49	56.81	68.20	11.39	Horizontal	PASS
3	5675.56	44.24	13.64	57.88	87.16	29.28	Horizontal	PASS
4	5910.66	43.62	13.81	57.43	78.78	21.35	Horizontal	PASS
5	5928.70	43.62	13.94	57.56	68.20	10.64	Horizontal	PASS
6	5941.38	43.29	14.03	57.32	68.20	10.88	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.73	43.55	13.43	56.98	68.20	11.22	Vertical	PASS
2	5649.87	43.30	13.50	56.80	68.20	11.40	Vertical	PASS
3	5677.68	43.60	13.65	57.25	88.72	31.47	Vertical	PASS
4	5905.78	43.79	13.77	57.56	82.39	24.83	Vertical	PASS
5	5933.58	44.03	13.97	58.00	68.20	10.20	Vertical	PASS
6	5936.99	43.93	13.99	57.92	68.20	10.28	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	40M	Channel	38
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.35	34.79	12.41	47.20	54.00	6.80	Horizontal	PASS
2	5146.09	34.82	12.45	47.27	54.00	6.73	Horizontal	PASS
3	5149.83	34.82	12.48	47.30	54.00	6.70	Horizontal	PASS
4	5140.69	46.57	12.41	58.98	74.00	15.02	Horizontal	PASS
5	5145.96	46.04	12.45	58.49	74.00	15.51	Horizontal	PASS
6	5149.58	46.50	12.48	58.98	74.00	15.02	Horizontal	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	40M	Channel	38
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.79	36.17	12.44	48.61	54.00	5.39	Vertical	PASS
2	5147.79	36.42	12.46	48.88	54.00	5.12	Vertical	PASS
3	5149.07	36.36	12.48	48.84	54.00	5.16	Vertical	PASS
4	5142.73	48.62	12.43	61.05	74.00	12.95	Vertical	PASS
5	5147.32	49.79	12.46	62.25	74.00	11.75	Vertical	PASS
6	5149.58	49.33	12.48	61.81	74.00	12.19	Vertical	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	40M	Channel	62
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	35.74	12.68	48.42	54.00	5.58	Horizontal	PASS
2	5355.57	35.72	12.71	48.43	54.00	5.57	Horizontal	PASS
3	5361.05	35.65	12.75	48.40	54.00	5.60	Horizontal	PASS
4	5350.47	47.04	12.68	59.72	74.00	14.28	Horizontal	PASS
5	5355.53	47.32	12.71	60.03	74.00	13.97	Horizontal	PASS
6	5360.63	47.24	12.74	59.98	74.00	14.02	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	40M	Channel	62
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	37.09	12.68	49.77	54.00	4.23	Vertical	PASS
2	5354.12	36.62	12.70	49.32	54.00	4.68	Vertical	PASS
3	5361.61	36.21	12.75	48.96	54.00	5.04	Vertical	PASS
4	5351.15	48.18	12.69	60.87	74.00	13.13	Vertical	PASS
5	5353.61	48.07	12.70	60.77	74.00	13.23	Vertical	PASS
6	5360.80	47.86	12.74	60.60	74.00	13.40	Vertical	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	102
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.56	31.82	12.69	44.51	54.00	9.49	Horizontal	PASS
2	5456.96	31.95	12.75	44.70	54.00	9.30	Horizontal	PASS
3	5458.84	31.97	12.78	44.75	54.00	9.25	Horizontal	PASS
4	5462.97	43.52	12.85	56.37	68.20	11.83	Horizontal	PASS
5	5465.05	43.98	12.88	56.86	68.20	11.34	Horizontal	PASS
6	5468.81	44.35	12.94	57.29	68.20	10.91	Horizontal	PASS


Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	102
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.48	35.71	12.73	48.44	54.00	5.56	Vertical	PASS
2	5457.92	37.03	12.77	49.80	54.00	4.20	Vertical	PASS
3	5459.56	36.79	12.80	49.59	54.00	4.41	Vertical	PASS
4	5464.93	51.33	12.88	64.21	68.20	3.99	Vertical	PASS
5	5466.41	52.28	12.91	65.19	68.20	3.01	Vertical	PASS
6	5469.57	50.33	12.96	63.29	68.20	4.91	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	134
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.74	47.44	13.36	60.80	68.20	7.40	Horizontal	PASS
2	5733.49	47.24	13.23	60.47	68.20	7.73	Horizontal	PASS
3	5740.95	47.08	13.11	60.19	68.20	8.01	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	40M	Channel	134
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.24	47.15	13.35	60.50	68.20	7.70	Vertical	PASS
2	5732.74	47.27	13.24	60.51	68.20	7.69	Vertical	PASS
3	5742.40	47.39	13.08	60.47	68.20	7.73	Vertical	PASS

Project Information

Mode:	802. 11ac	Band:	U-NII-3
Bandwidth	40M	Channel	151
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.39	43.60	13.40	57.00	68.20	11.20	Horizontal	PASS
2	5649.39	43.01	13.50	56.51	68.20	11.69	Horizontal	PASS
3	5670.20	43.42	13.61	57.03	83.19	26.16	Horizontal	PASS
4	5887.24	44.48	13.60	58.08	96.11	38.03	Horizontal	PASS
5	5910.98	43.83	13.81	57.64	78.54	20.90	Horizontal	PASS
6	5937.64	43.28	14.01	57.29	68.20	10.91	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	151
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.24	43.66	13.43	57.09	68.20	11.11	Vertical	PASS
2	5645.32	43.60	13.48	57.08	68.20	11.12	Vertical	PASS
3	5666.46	45.17	13.60	58.77	80.42	21.65	Vertical	PASS
4	5891.15	44.15	13.64	57.79	93.22	35.43	Vertical	PASS
5	5923.01	43.80	13.90	57.70	69.67	11.97	Vertical	PASS
6	5944.96	44.05	14.05	58.10	68.20	10.10	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	159
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5625.98	43.77	13.38	57.15	68.20	11.05	Horizontal	PASS
2	5640.12	43.14	13.45	56.59	68.20	11.61	Horizontal	PASS
3	5688.89	44.90	13.72	58.62	97.01	38.39	Horizontal	PASS
4	5898.79	43.62	13.72	57.34	87.56	30.22	Horizontal	PASS
5	5922.36	43.91	13.89	57.80	70.14	12.34	Horizontal	PASS
6	5940.08	43.64	14.02	57.66	68.20	10.54	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	40M	Channel	159
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5630.37	43.21	13.40	56.61	68.20	11.59	Vertical	PASS
2	5651.99	43.60	13.52	57.12	69.68	12.56	Vertical	PASS
3	5670.36	44.42	13.61	58.03	83.31	25.28	Vertical	PASS
4	5902.53	44.41	13.75	58.16	84.79	26.63	Vertical	PASS
5	5929.84	43.96	13.95	57.91	68.20	10.29	Vertical	PASS
6	5943.50	43.48	14.05	57.53	68.20	10.67	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	80M	Channel	42
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.45	34.86	12.42	47.28	54.00	6.72	Horizontal	PASS
2	5144.88	34.91	12.44	47.35	54.00	6.65	Horizontal	PASS
3	5147.70	34.76	12.46	47.22	54.00	6.78	Horizontal	PASS
4	5141.13	47.12	12.41	59.53	74.00	14.47	Horizontal	PASS
5	5147.01	47.40	12.46	59.86	74.00	14.14	Horizontal	PASS
6	5149.70	47.22	12.48	59.70	74.00	14.30	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-1
Bandwidth	80M	Channel	42
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.07	38.47	12.38	50.85	54.00	3.15	Vertical	PASS
2	5142.95	38.29	12.43	50.72	54.00	3.28	Vertical	PASS
3	5148.26	38.15	12.46	50.61	54.00	3.39	Vertical	PASS
4	5135.01	49.83	12.38	62.21	74.00	11.79	Vertical	PASS
5	5142.01	50.63	12.43	63.06	74.00	10.94	Vertical	PASS
6	5148.14	49.55	12.46	62.01	74.00	11.99	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	80M	Channel	58
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	35.90	12.69	48.59	54.00	5.41	Horizontal	PASS
2	5359.55	35.90	12.73	48.63	54.00	5.37	Horizontal	PASS
3	5368.48	35.82	12.78	48.60	54.00	5.40	Horizontal	PASS
4	5352.05	47.30	12.70	60.00	74.00	14.00	Horizontal	PASS
5	5357.38	47.00	12.73	59.73	74.00	14.27	Horizontal	PASS
6	5367.21	47.35	12.78	60.13	74.00	13.87	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2A
Bandwidth	80M	Channel	58
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	39.85	12.68	52.53	54.00	1.47	Vertical	PASS
2	5357.83	38.76	12.72	51.48	54.00	2.52	Vertical	PASS
3	5370.06	38.25	12.80	51.05	54.00	2.95	Vertical	PASS
4	5350.18	51.45	12.68	64.13	74.00	9.87	Vertical	PASS
5	5359.25	50.17	12.73	62.90	74.00	11.10	Vertical	PASS
6	5371.71	50.03	12.81	62.84	74.00	11.16	Vertical	PASS


Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	106
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.52	32.30	12.69	44.99	54.00	9.01	Horizontal	PASS
2	5456.66	32.04	12.75	44.79	54.00	9.21	Horizontal	PASS
3	5459.84	32.19	12.80	44.99	54.00	9.01	Horizontal	PASS
4	5460.81	44.26	12.81	57.07	68.20	11.13	Horizontal	PASS
5	5465.55	43.47	12.89	56.36	68.20	11.84	Horizontal	PASS
6	5469.15	43.87	12.95	56.82	68.20	11.38	Horizontal	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	106
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.76	36.33	12.69	49.02	54.00	4.98	Vertical	PASS
2	5455.22	36.82	12.72	49.54	54.00	4.46	Vertical	PASS
3	5458.22	36.57	12.77	49.34	54.00	4.66	Vertical	PASS
4	5463.75	49.74	12.86	62.60	68.20	5.60	Vertical	PASS
5	5466.27	49.71	12.91	62.62	68.20	5.58	Vertical	PASS
6	5468.43	49.19	12.94	62.13	68.20	6.07	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.22	47.31	13.33	60.64	68.20	7.56	Horizontal	PASS
2	5732.08	47.53	13.25	60.78	68.20	7.42	Horizontal	PASS
3	5742.08	47.49	13.09	60.58	68.20	7.62	Horizontal	PASS


Project Information			
Mode:	802. 11ac	Band:	U-NII-2C
Bandwidth	80M	Channel	122
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.76	47.07	13.32	60.39	68.20	7.81	Vertical	PASS
2	5731.27	48.09	13.27	61.36	68.20	6.84	Vertical	PASS
3	5738.20	46.79	13.15	59.94	68.20	8.26	Vertical	PASS

Project Information			
Mode:	802. 11ac	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5636.54	43.94	13.44	57.38	68.20	10.82	Horizontal	PASS
2	5660.12	43.90	13.56	57.46	75.71	18.25	Horizontal	PASS
3	5676.70	44.81	13.65	58.46	88.00	29.54	Horizontal	PASS
4	5895.70	47.83	13.69	61.52	89.85	28.33	Horizontal	PASS
5	5918.95	44.29	13.87	58.16	72.66	14.50	Horizontal	PASS
6	5936.67	43.63	13.99	57.62	68.20	10.58	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	80M	Channel	155
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.71	45.35	13.40	58.75	68.20	9.45	Vertical	PASS
2	5648.90	47.46	13.50	60.96	68.20	7.24	Vertical	PASS
3	5667.92	50.24	13.60	63.84	81.50	17.66	Vertical	PASS
4	5896.19	53.00	13.69	66.69	89.48	22.79	Vertical	PASS
5	5925.13	48.92	13.91	62.83	68.20	5.37	Vertical	PASS
6	5936.18	46.54	13.99	60.53	68.20	7.67	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.16	34.88	12.45	47.33	54.00	6.67	Horizontal	PASS
2	5147.76	35.04	12.46	47.50	54.00	6.50	Horizontal	PASS
3	5148.96	34.96	12.48	47.44	54.00	6.56	Horizontal	PASS
4	5144.64	46.32	12.44	58.76	74.00	15.24	Horizontal	PASS
5	5148.74	47.53	12.47	60.00	74.00	14.00	Horizontal	PASS
6	5149.87	47.15	12.48	59.63	74.00	14.37	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	20M	Channel	36
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5147.24	38.94	12.46	51.40	54.00	2.60	Vertical	PASS
2	5148.41	39.71	12.47	52.18	54.00	1.82	Vertical	PASS
3	5149.35	39.50	12.48	51.98	54.00	2.02	Vertical	PASS
4	5147.05	55.80	12.46	68.26	74.00	5.74	Vertical	PASS
5	5148.12	58.17	12.46	70.63	74.00	3.37	Vertical	PASS
6	5148.93	58.49	12.48	70.97	74.00	3.03	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	35.87	12.69	48.56	54.00	5.44	Horizontal	PASS
2	5353.73	36.00	12.70	48.70	54.00	5.30	Horizontal	PASS
3	5359.98	35.81	12.74	48.55	54.00	5.45	Horizontal	PASS
4	5350.29	47.58	12.68	60.26	74.00	13.74	Horizontal	PASS
5	5352.82	46.93	12.69	59.62	74.00	14.38	Horizontal	PASS
6	5358.45	47.16	12.73	59.89	74.00	14.11	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2A
Bandwidth	20M	Channel	64
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	38.58	12.68	51.26	54.00	2.74	Vertical	PASS
2	5353.77	37.73	12.70	50.43	54.00	3.57	Vertical	PASS
3	5356.30	37.26	12.72	49.98	54.00	4.02	Vertical	PASS
4	5350.22	55.61	12.68	68.29	74.00	5.71	Vertical	PASS
5	5353.70	53.01	12.70	65.71	74.00	8.29	Vertical	PASS
6	5355.56	51.25	12.71	63.96	74.00	10.04	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.73	31.77	12.69	44.46	54.00	9.54	Horizontal	PASS
2	5455.94	31.61	12.74	44.35	54.00	9.65	Horizontal	PASS
3	5458.79	31.73	12.78	44.51	54.00	9.49	Horizontal	PASS
4	5459.66	43.50	12.80	56.30	74.00	17.70	Horizontal	PASS
5	5463.69	43.97	12.86	56.83	68.20	11.37	Horizontal	PASS
6	5469.72	43.41	12.96	56.37	68.20	11.83	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	20M	Channel	100
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.18	32.79	12.69	45.48	54.00	8.52	Vertical	PASS
2	5457.35	33.94	12.76	46.70	54.00	7.30	Vertical	PASS
3	5459.87	34.12	12.80	46.92	54.00	7.08	Vertical	PASS
4	5459.66	49.87	12.80	62.67	74.00	11.33	Vertical	PASS
5	5465.07	51.60	12.88	64.48	68.20	3.72	Vertical	PASS
6	5468.70	52.35	12.94	65.29	68.20	2.91	Vertical	PASS


Project Information			
Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	20M	Channel	140
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.81	47.70	13.36	61.06	68.20	7.14	Horizontal	PASS
2	5728.30	46.94	13.32	60.26	68.20	7.94	Horizontal	PASS
3	5733.67	47.68	13.23	60.91	68.20	7.29	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-2C
Bandwidth	20M	Channel	140
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.27	52.00	13.37	65.37	68.20	2.83	Vertical	PASS
2	5727.55	51.91	13.33	65.24	68.20	2.96	Vertical	PASS
3	5730.73	52.80	13.28	66.08	68.20	2.12	Vertical	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5627.28	44.18	13.39	57.57	68.20	10.63	Horizontal	PASS
2	5634.27	43.36	13.42	56.78	68.20	11.42	Horizontal	PASS
3	5659.47	43.02	13.55	56.57	75.23	18.66	Horizontal	PASS
4	5891.63	44.75	13.65	58.40	92.86	34.46	Horizontal	PASS
5	5929.84	43.59	13.95	57.54	68.20	10.66	Horizontal	PASS
6	5943.01	43.38	14.04	57.42	68.20	10.78	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-3
Bandwidth	20M	Channel	149
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.17	43.44	13.44	56.88	68.20	11.32	Vertical	PASS
2	5644.18	43.68	13.47	57.15	68.20	11.05	Vertical	PASS
3	5658.65	44.23	13.55	57.78	74.63	16.85	Vertical	PASS
4	5917.97	44.54	13.86	58.40	73.38	14.98	Vertical	PASS
5	5933.90	43.63	13.98	57.61	68.20	10.59	Vertical	PASS
6	5944.80	43.84	14.05	57.89	68.20	10.31	Vertical	PASS

Project Information

Mode:	802.11ax	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.14	42.62	13.38	56.00	68.20	12.20	Horizontal	PASS
2	5644.67	43.31	13.47	56.78	68.20	11.42	Horizontal	PASS
3	5677.68	44.26	13.65	57.91	88.72	30.81	Horizontal	PASS
4	5910.01	43.86	13.80	57.66	79.26	21.60	Horizontal	PASS
5	5920.90	44.46	13.88	58.34	71.22	12.88	Horizontal	PASS
6	5945.12	43.67	14.05	57.72	68.20	10.48	Horizontal	PASS

Project Information

Mode:	802. 11ax	Band:	U-NII-3
Bandwidth	20M	Channel	165
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 19		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.46	43.84	13.39	57.23	68.20	10.97	Vertical	PASS
2	5644.35	42.99	13.47	56.46	68.20	11.74	Vertical	PASS
3	5665.32	43.72	13.59	57.31	79.57	22.26	Vertical	PASS
4	5909.03	44.01	13.80	57.81	79.98	22.17	Vertical	PASS
5	5924.31	44.40	13.91	58.31	68.71	10.40	Vertical	PASS
6	5946.42	43.66	14.06	57.72	68.20	10.48	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	40M	Channel	38
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.99	34.86	12.43	47.29	54.00	6.71	Horizontal	PASS
2	5147.24	34.87	12.46	47.33	54.00	6.67	Horizontal	PASS
3	5149.32	35.21	12.48	47.69	54.00	6.31	Horizontal	PASS
4	5142.56	46.58	12.43	59.01	74.00	14.99	Horizontal	PASS
5	5146.47	46.70	12.46	59.16	74.00	14.84	Horizontal	PASS
6	5149.53	46.23	12.48	58.71	74.00	15.29	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	U-NII-1
Bandwidth	40M	Channel	38
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 18		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5147.11	38.65	12.46	51.11	54.00	2.89	Vertical	PASS
2	5148.85	39.12	12.48	51.60	54.00	2.40	Vertical	PASS
3	5149.83	38.83	12.48	51.31	54.00	2.69	Vertical	PASS
4	5144.05	49.50	12.44	61.94	74.00	12.06	Vertical	PASS
5	5147.37	50.67	12.46	63.13	74.00	10.87	Vertical	PASS
6	5149.62	50.02	12.48	62.50	74.00	11.50	Vertical	PASS