


Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	37.01	13.90	50.91	-	-	Horizontal	NA
2	5177.39	43.08	13.91	56.99	-	-	Horizontal	NA
3	6489.92	34.83	17.38	52.21	68.20	15.99	Horizontal	PASS
4	6906.35	50.63	-1.76	48.87	68.20	19.33	Horizontal	PASS
5	17998.85	39.37	13.78	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.12	46.56	13.90	60.46	-	-	Vertical	NA
2	9141.64	35.81	3.16	38.97	54.00	15.03	Vertical	PASS
3	12395.48	34.46	6.17	40.63	54.00	13.37	Vertical	PASS
4	17845.89	32.07	13.81	45.88	54.00	8.12	Vertical	PASS
5	5176.66	52.28	13.91	66.19	-	-	Vertical	NA
6	6906.35	59.75	-1.76	57.99	68.20	10.21	Vertical	PASS
7	13718.41	42.80	8.48	51.28	68.20	16.92	Vertical	PASS
8	17836.31	39.41	13.40	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9483.20	37.23	2.52	39.75	54.00	14.25	Horizontal	PASS
2	12102.22	35.93	5.17	41.10	54.00	12.90	Horizontal	PASS
3	17846.66	31.91	13.84	45.75	54.00	8.25	Horizontal	PASS
4	6359.20	35.08	17.15	52.23	68.20	15.97	Horizontal	PASS
5	6933.18	49.63	-2.02	47.61	68.20	20.59	Horizontal	PASS
6	17975.85	39.71	13.44	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.61	36.06	13.91	49.97	-	-	Vertical	NA
2	9195.31	36.41	2.91	39.32	54.00	14.68	Vertical	PASS
3	12649.25	35.12	6.16	41.28	54.00	12.72	Vertical	PASS
4	17850.11	32.10	13.99	46.09	54.00	7.91	Vertical	PASS
5	5192.42	42.05	13.92	55.97	-	-	Vertical	NA
6	6933.56	59.43	-2.03	57.40	68.20	10.80	Vertical	PASS
7	15111.10	41.50	8.73	50.23	68.20	17.97	Vertical	PASS
8	17849.73	38.93	13.98	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9028.17	37.13	2.42	39.55	54.00	14.45	Horizontal	PASS
2	12687.21	35.00	6.00	41.00	54.00	13.00	Horizontal	PASS
3	17997.32	32.44	13.75	46.19	54.00	7.81	Horizontal	PASS
4	6279.26	35.51	16.45	51.96	68.20	16.24	Horizontal	PASS
5	6986.47	50.04	-1.84	48.20	68.20	20.00	Horizontal	PASS
6	17890.36	40.31	13.46	53.77	74.00	20.23	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9178.06	35.78	3.08	38.86	54.00	15.14	Vertical	PASS
2	11388.05	35.41	5.30	40.71	54.00	13.29	Vertical	PASS
3	17992.33	32.22	13.68	45.90	54.00	8.10	Vertical	PASS
4	6986.85	57.08	-1.84	55.24	68.20	12.96	Vertical	PASS
5	14416.48	42.00	8.22	50.22	68.20	17.98	Vertical	PASS
6	17339.49	40.92	11.91	52.83	68.20	15.37	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9083.37	36.95	2.15	39.10	54.00	14.90	Horizontal	PASS
2	12086.89	35.32	5.26	40.58	54.00	13.42	Horizontal	PASS
3	17848.58	32.30	13.93	46.23	54.00	7.77	Horizontal	PASS
4	6335.54	35.09	17.14	52.23	68.20	15.97	Horizontal	PASS
5	7013.30	48.22	-1.65	46.57	68.20	21.63	Horizontal	PASS
6	17863.15	39.23	13.82	53.05	74.00	20.95	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5267.41	33.88	14.27	48.15	-	-	Vertical	NA
2	8084.37	37.42	0.48	37.90	54.00	16.10	Vertical	PASS
3	12384.75	34.68	5.95	40.63	54.00	13.37	Vertical	PASS
4	17850.50	32.31	13.98	46.29	54.00	7.71	Vertical	PASS
5	5265.94	39.67	14.26	53.93	-	-	Vertical	NA
6	7013.68	56.55	-1.65	54.90	68.20	13.30	Vertical	PASS
7	13686.97	40.87	9.33	50.20	68.20	18.00	Vertical	PASS
8	17993.87	39.70	13.71	53.41	74.00	20.59	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9036.98	36.74	2.37	39.11	54.00	14.89	Horizontal	PASS
2	12650.41	35.39	6.18	41.57	54.00	12.43	Horizontal	PASS
3	17854.33	32.06	13.94	46.00	54.00	8.00	Horizontal	PASS
4	6377.35	35.36	16.90	52.26	68.20	15.94	Horizontal	PASS
5	7066.59	45.98	-1.53	44.45	68.20	23.75	Horizontal	PASS
6	17847.81	39.21	13.90	53.11	74.00	20.89	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.38	36.22	14.47	50.69	-	-	Vertical	NA
2	8107.37	37.19	0.56	37.75	54.00	16.25	Vertical	PASS
3	11269.98	36.00	4.78	40.78	54.00	13.22	Vertical	PASS
4	17873.88	32.19	13.68	45.87	54.00	8.13	Vertical	PASS
5	5296.56	41.20	14.47	55.67	-	-	Vertical	NA
6	6293.56	35.33	16.69	52.02	68.20	16.18	Vertical	PASS
7	7066.59	51.84	-1.53	50.31	68.20	17.89	Vertical	PASS
8	17390.48	40.74	12.10	52.84	68.20	15.36	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	31.57	14.55	46.12	-	-	Horizontal	NA
2	9455.22	37.58	2.14	39.72	54.00	14.28	Horizontal	PASS
3	12055.45	35.41	5.41	40.82	54.00	13.18	Horizontal	PASS
4	17991.95	32.62	13.68	46.30	54.00	7.70	Horizontal	PASS
5	5322.23	38.09	14.55	52.64	-	-	Horizontal	NA
6	6360.48	35.37	17.13	52.50	68.20	15.70	Horizontal	PASS
7	15250.26	40.50	9.94	50.44	68.20	17.76	Horizontal	PASS
8	17991.57	39.34	13.67	53.01	74.00	20.99	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.13	40.33	14.55	54.88	-	-	Vertical	NA
2	9047.33	36.67	2.31	38.98	54.00	15.02	Vertical	PASS
3	12043.95	35.24	5.40	40.64	54.00	13.36	Vertical	PASS
4	17862.00	32.51	13.83	46.34	54.00	7.66	Vertical	PASS
5	5321.49	46.39	14.55	60.94	-	-	Vertical	NA
6	6294.84	35.73	16.71	52.44	68.20	15.76	Vertical	PASS
7	7093.42	50.97	-1.52	49.45	68.20	18.75	Vertical	PASS
8	17942.50	39.80	13.11	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	33.99	14.68	48.67	-	-	Horizontal	NA
2	8112.74	37.33	0.60	37.93	54.00	16.07	Horizontal	PASS
3	11508.80	35.69	4.83	40.52	54.00	13.48	Horizontal	PASS
4	17870.43	32.25	13.72	45.97	54.00	8.03	Horizontal	PASS
5	5500.43	40.75	14.68	55.43	-	-	Horizontal	NA
6	6279.81	35.42	16.37	51.79	68.20	16.41	Horizontal	PASS
7	14163.47	41.72	8.32	50.04	68.20	18.16	Horizontal	PASS
8	17982.75	39.79	13.54	53.33	74.00	20.67	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.80	39.84	14.68	54.52	-	-	Vertical	NA
2	9437.96	37.03	2.01	39.04	54.00	14.96	Vertical	PASS
3	11363.90	35.62	5.13	40.75	54.00	13.25	Vertical	PASS
4	17848.19	31.96	13.92	45.88	54.00	8.12	Vertical	PASS
5	5500.80	45.57	14.68	60.25	-	-	Vertical	NA
6	6351.31	34.42	17.21	51.63	68.20	16.57	Vertical	PASS
7	7333.39	50.14	-1.18	48.96	74.00	25.04	Vertical	PASS
8	17341.79	41.32	11.98	53.30	68.20	14.90	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9142.79	35.62	3.18	38.80	54.00	15.20	Horizontal	PASS
2	10921.51	35.44	4.93	40.37	54.00	13.63	Horizontal	PASS
3	17982.37	32.61	13.54	46.15	54.00	7.85	Horizontal	PASS
4	6396.96	35.71	16.50	52.21	68.20	15.99	Horizontal	PASS
5	13680.46	41.05	9.28	50.33	68.20	17.87	Horizontal	PASS
6	17982.37	39.38	13.54	52.92	74.00	21.08	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5579.27	34.27	14.69	48.96	-	-	Vertical	NA
2	7440.35	44.32	-1.37	42.95	54.00	11.05	Vertical	PASS
3	10922.66	35.92	4.94	40.86	54.00	13.14	Vertical	PASS
4	17980.83	33.05	13.51	46.56	54.00	7.44	Vertical	PASS
5	5585.87	40.17	14.70	54.87	-	-	Vertical	NA
6	6482.40	34.58	17.06	51.64	68.20	16.56	Vertical	PASS
7	7439.96	47.44	-1.37	46.07	74.00	27.93	Vertical	PASS
8	17980.45	40.73	13.51	54.24	74.00	19.76	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5703.21	31.89	14.89	46.78	-	-	Horizontal	NA
2	8041.43	37.57	0.34	37.91	54.00	16.09	Horizontal	PASS
3	12663.44	34.95	6.11	41.06	54.00	12.94	Horizontal	PASS
4	17998.08	32.08	13.76	45.84	54.00	8.16	Horizontal	PASS
5	5705.04	37.54	14.90	52.44	-	-	Horizontal	NA
6	6363.05	35.38	17.02	52.40	68.20	15.80	Horizontal	PASS
7	13691.57	40.67	9.36	50.03	68.20	18.17	Horizontal	PASS
8	17851.26	39.01	13.97	52.98	74.00	21.02	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5703.94	36.91	14.89	51.80	-	-	Vertical	NA
2	7600.20	41.02	-0.92	40.10	54.00	13.90	Vertical	PASS
3	11400.70	35.57	5.39	40.96	54.00	13.04	Vertical	PASS
4	17998.47	32.57	13.76	46.33	54.00	7.67	Vertical	PASS
5	5707.24	42.61	14.90	57.51	-	-	Vertical	NA
6	6333.16	35.19	17.05	52.24	68.20	15.96	Vertical	PASS
7	7600.20	45.52	-0.92	44.60	74.00	29.40	Vertical	PASS
8	17350.61	41.14	12.24	53.38	68.20	14.82	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	67.10	14.91	82.01	-	-	Horizontal	NA
2	9022.80	36.58	2.45	39.03	54.00	14.97	Horizontal	PASS
3	10955.25	35.61	5.12	40.73	54.00	13.27	Horizontal	PASS
4	17960.90	33.07	13.22	46.29	54.00	7.71	Horizontal	PASS
5	5727.96	70.93	14.91	85.84	-	-	Horizontal	NA
6	6484.42	34.49	17.09	51.58	68.20	16.62	Horizontal	PASS
7	13703.84	41.03	9.22	50.25	68.20	17.95	Horizontal	PASS
8	17981.98	39.47	13.53	53.00	74.00	21.00	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	72.23	14.91	87.14	-	-	Vertical	NA
2	7627.04	40.55	-0.94	39.61	54.00	14.39	Vertical	PASS
3	12656.16	35.17	6.15	41.32	54.00	12.68	Vertical	PASS
4	17991.57	32.33	13.67	46.00	54.00	8.00	Vertical	PASS
5	5727.96	77.12	14.91	92.03	-	-	Vertical	NA
6	6346.73	34.69	17.20	51.89	68.20	16.31	Vertical	PASS
7	7589.09	45.54	-0.90	44.64	74.00	29.36	Vertical	PASS
8	17981.22	39.57	13.51	53.08	74.00	20.92	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9445.25	37.11	2.05	39.16	54.00	14.84	Horizontal	PASS
2	12049.70	35.51	5.43	40.94	54.00	13.06	Horizontal	PASS
3	17989.65	32.14	13.64	45.78	54.00	8.22	Horizontal	PASS
4	6490.10	34.47	17.34	51.81	68.20	16.39	Horizontal	PASS
5	15241.06	40.76	9.65	50.41	68.20	17.79	Horizontal	PASS
6	17844.74	38.63	13.77	52.40	74.00	21.60	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5715.31	31.47	15.76	47.23	-	-	Vertical	NA
2	7660.39	40.17	-0.88	39.29	54.00	14.71	Vertical	PASS
3	11411.05	35.31	5.32	40.63	54.00	13.37	Vertical	PASS
4	17858.93	32.46	13.88	46.34	54.00	7.66	Vertical	PASS
5	5717.51	38.15	15.75	53.90	68.20	14.30	Vertical	PASS
6	6352.96	34.51	17.09	51.60	68.20	16.60	Vertical	PASS
7	15243.74	40.58	9.74	50.32	68.20	17.88	Vertical	PASS
8	17851.26	38.99	13.97	52.96	74.00	21.04	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8077.85	37.52	0.46	37.98	54.00	16.02	Horizontal	PASS
2	12182.72	35.35	5.09	40.44	54.00	13.56	Horizontal	PASS
3	17890.75	32.78	13.46	46.24	54.00	7.76	Horizontal	PASS
4	6119.02	35.72	16.02	51.74	68.20	16.46	Horizontal	PASS
5	13722.62	42.38	8.26	50.64	68.20	17.56	Horizontal	PASS
6	17988.12	39.56	13.62	53.18	74.00	20.82	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5792.49	33.07	15.68	48.75	-	-	Vertical	NA
2	7713.67	40.87	-0.70	40.17	54.00	13.83	Vertical	PASS
3	12236.77	35.11	5.34	40.45	54.00	13.55	Vertical	PASS
4	17992.33	33.29	13.68	46.97	54.00	7.03	Vertical	PASS
5	5788.46	39.22	15.67	54.89	-	-	Vertical	NA
6	6437.11	35.30	16.73	52.03	68.20	16.17	Vertical	PASS
7	7712.91	44.82	-0.69	44.13	74.00	29.87	Vertical	PASS
8	17991.95	39.31	13.68	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9119.40	36.68	2.58	39.26	54.00	14.74	Horizontal	PASS
2	12056.60	35.47	5.40	40.87	54.00	13.13	Horizontal	PASS
3	17991.18	32.06	13.66	45.72	54.00	8.28	Horizontal	PASS
4	6361.21	35.23	17.00	52.23	68.20	15.97	Horizontal	PASS
5	14334.83	40.99	8.91	49.90	68.20	18.30	Horizontal	PASS
6	17378.98	40.87	12.14	53.01	68.20	15.19	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.09	35.97	15.66	51.63	-	-	Vertical	NA
2	8135.35	36.86	0.73	37.59	54.00	16.41	Vertical	PASS
3	11375.78	35.36	5.21	40.57	54.00	13.43	Vertical	PASS
4	17848.58	32.24	13.93	46.17	54.00	7.83	Vertical	PASS
5	5823.84	41.65	15.66	57.31	-	-	Vertical	NA
6	6344.89	34.65	17.07	51.72	68.20	16.48	Vertical	PASS
7	15067.02	41.60	9.16	50.76	68.20	17.44	Vertical	PASS
8	17851.65	39.82	13.97	53.79	74.00	20.21	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9047.33	37.27	2.31	39.58	54.00	14.42	Horizontal	PASS
2	12104.90	35.62	5.15	40.77	54.00	13.23	Horizontal	PASS
3	17845.89	32.50	13.81	46.31	54.00	7.69	Horizontal	PASS
4	6322.89	35.04	17.02	52.06	68.20	16.14	Horizontal	PASS
5	15076.60	41.32	9.12	50.44	68.20	17.76	Horizontal	PASS
6	17843.59	39.44	13.72	53.16	74.00	20.84	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9128.22	36.78	2.80	39.58	54.00	14.42	Vertical	PASS
2	11465.10	35.61	4.99	40.60	54.00	13.40	Vertical	PASS
3	17997.32	32.50	13.75	46.25	54.00	7.75	Vertical	PASS
4	6359.56	35.98	17.14	53.12	68.20	15.08	Vertical	PASS
5	14378.91	42.18	8.66	50.84	68.20	17.36	Vertical	PASS
6	17847.81	40.28	13.90	54.18	74.00	19.82	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	32.44	14.55	46.99	-	-	Horizontal	NA
2	9049.63	36.65	2.29	38.94	54.00	15.06	Horizontal	PASS
3	12120.62	35.52	5.01	40.53	54.00	13.47	Horizontal	PASS
4	17835.54	32.71	13.37	46.08	54.00	7.92	Horizontal	PASS
5	5321.49	38.11	14.55	52.66	-	-	Horizontal	NA
6	6319.41	35.66	16.99	52.65	68.20	15.55	Horizontal	PASS
7	14657.61	41.07	9.71	50.78	68.20	17.42	Horizontal	PASS
8	17859.70	39.36	13.86	53.22	74.00	20.78	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5320.94	40.10	14.55	54.65	-	-	Vertical	NA
2	9132.82	36.49	2.92	39.41	54.00	14.59	Vertical	PASS
3	11475.45	36.05	4.93	40.98	54.00	13.02	Vertical	PASS
4	17864.30	32.20	13.81	46.01	54.00	7.99	Vertical	PASS
5	5320.94	46.04	14.55	60.59	-	-	Vertical	NA
6	7093.42	50.99	-1.52	49.47	68.20	18.73	Vertical	PASS
7	15247.96	40.61	9.88	50.49	68.20	17.71	Vertical	PASS
8	17893.05	39.73	13.43	53.16	74.00	20.84	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.35	41.35	-1.37	39.98	54.00	14.02	Horizontal	PASS
2	11459.73	35.49	5.02	40.51	54.00	13.49	Horizontal	PASS
3	17859.31	31.91	13.87	45.78	54.00	8.22	Horizontal	PASS
4	6325.83	35.33	16.98	52.31	68.20	15.89	Horizontal	PASS
5	13497.22	42.81	7.21	50.02	68.20	18.18	Horizontal	PASS
6	17999.62	38.92	13.79	52.71	74.00	21.29	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5585.14	33.78	14.70	48.48	-	-	Vertical	NA
2	7440.35	45.55	-1.37	44.18	54.00	9.82	Vertical	PASS
3	12201.89	35.50	5.28	40.78	54.00	13.22	Vertical	PASS
4	17996.55	32.30	13.74	46.04	54.00	7.96	Vertical	PASS
5	5585.32	40.09	14.70	54.79	-	-	Vertical	NA
6	7439.96	48.39	-1.37	47.02	74.00	26.98	Vertical	PASS
7	15078.90	41.24	9.11	50.35	68.20	17.85	Vertical	PASS
8	17993.10	39.06	13.69	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	65.77	14.91	80.68	-	-	Horizontal	NA
2	8098.94	37.04	0.52	37.56	54.00	16.44	Horizontal	PASS
3	11477.75	35.77	4.92	40.69	54.00	13.31	Horizontal	PASS
4	17998.85	32.03	13.78	45.81	54.00	8.19	Horizontal	PASS
5	5728.14	70.79	14.91	85.70	-	-	Horizontal	NA
6	6353.15	34.97	17.18	52.15	68.20	16.05	Horizontal	PASS
7	15065.49	40.73	9.16	49.89	68.20	18.31	Horizontal	PASS
8	17995.40	39.18	13.72	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	71.92	14.91	86.83	-	-	Vertical	NA
2	7627.04	41.12	-0.94	40.18	54.00	13.82	Vertical	PASS
3	12043.57	36.06	5.40	41.46	54.00	12.54	Vertical	PASS
4	17984.67	32.81	13.57	46.38	54.00	7.62	Vertical	PASS
5	5728.32	76.72	14.91	91.63	-	-	Vertical	NA
6	6308.23	35.23	16.79	52.02	68.20	16.18	Vertical	PASS
7	14332.14	41.00	8.89	49.89	68.20	18.31	Vertical	PASS
8	17984.28	39.85	13.57	53.42	74.00	20.58	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8363.06	37.03	1.06	38.09	54.00	15.91	Horizontal	PASS
2	11401.85	34.98	5.38	40.36	54.00	13.64	Horizontal	PASS
3	17980.83	32.28	13.51	45.79	54.00	8.21	Horizontal	PASS
4	6356.81	34.99	17.05	52.04	68.20	16.16	Horizontal	PASS
5	13720.71	41.30	8.36	49.66	68.20	18.54	Horizontal	PASS
6	17845.51	38.60	13.80	52.40	74.00	21.60	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5817.79	36.76	15.67	52.43	-	-	Vertical	NA
2	9474.38	36.48	2.40	38.88	54.00	15.12	Vertical	PASS
3	12653.09	35.13	6.16	41.29	54.00	12.71	Vertical	PASS
4	17891.90	32.30	13.44	45.74	54.00	8.26	Vertical	PASS
5	5820.36	41.32	15.66	56.98	-	-	Vertical	NA
6	7766.96	45.92	-0.82	45.10	68.20	23.10	Vertical	PASS
7	12640.82	42.06	5.97	48.03	74.00	25.97	Vertical	PASS
8	17802.19	41.04	11.95	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9139.34	36.13	3.10	39.23	54.00	14.77	Horizontal	PASS
2	12683.37	34.94	6.01	40.95	54.00	13.05	Horizontal	PASS
3	17986.20	32.46	13.59	46.05	54.00	7.95	Horizontal	PASS
4	6973.43	50.91	-1.96	48.95	68.20	19.25	Horizontal	PASS
5	13701.16	40.83	9.36	50.19	68.20	18.01	Horizontal	PASS
6	17991.18	39.23	13.66	52.89	74.00	21.11	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9145.09	35.55	3.24	38.79	54.00	15.21	Vertical	PASS
2	11371.18	35.31	5.18	40.49	54.00	13.51	Vertical	PASS
3	17984.67	32.32	13.57	45.89	54.00	8.11	Vertical	PASS
4	6973.43	58.23	-1.96	56.27	68.20	11.93	Vertical	PASS
5	14369.33	41.44	8.78	50.22	68.20	17.98	Vertical	PASS
6	17979.68	39.28	13.50	52.78	74.00	21.22	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8106.22	37.04	0.55	37.59	54.00	16.41	Horizontal	PASS
2	12022.10	35.08	5.32	40.40	54.00	13.60	Horizontal	PASS
3	17838.61	32.14	13.51	45.65	54.00	8.35	Horizontal	PASS
4	6357.91	35.06	17.16	52.22	68.20	15.98	Horizontal	PASS
5	13697.32	40.75	9.40	50.15	68.20	18.05	Horizontal	PASS
6	17930.61	39.14	13.17	52.31	74.00	21.69	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	35.74	14.55	50.29	-	-	Vertical	NA
2	8092.04	37.43	0.50	37.93	54.00	16.07	Vertical	PASS
3	11368.88	35.15	5.16	40.31	54.00	13.69	Vertical	PASS
4	17980.83	32.38	13.51	45.89	54.00	8.11	Vertical	PASS
5	5321.49	41.17	14.55	55.72	-	-	Vertical	NA
6	7080.00	52.42	-1.53	50.89	68.20	17.31	Vertical	PASS
7	13669.34	40.98	9.20	50.18	68.20	18.02	Vertical	PASS
8	17885.00	39.49	13.54	53.03	74.00	20.97	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5680.29	32.23	14.92	47.15	-	-	Horizontal	NA
2	8112.35	37.06	0.59	37.65	54.00	16.35	Horizontal	PASS
3	12088.42	35.50	5.25	40.75	54.00	13.25	Horizontal	PASS
4	17990.03	32.07	13.65	45.72	54.00	8.28	Horizontal	PASS
5	5679.92	38.35	14.92	53.27	-	-	Horizontal	NA
6	6308.59	35.52	16.79	52.31	68.20	15.89	Horizontal	PASS
7	13724.16	41.78	8.18	49.96	68.20	18.24	Horizontal	PASS
8	17845.13	39.14	13.78	52.92	74.00	21.08	Horizontal	PASS