Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	106.71	-84.97	21.74	-	-	Horizontal	NA
2	3742.00	48.53	-107.43	-58.90	-13.00	45.90	Horizontal	PASS
3	5756.00	40.06	-100.59	-60.53	-13.00	47.53	Horizontal	PASS
4	17343.50	32.63	-82.70	-50.07	-13.00	37.07	Horizontal	PASS
5	17343.50	32.63	-82.70	-50.07	-13.00	37.07	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	111.79	-84.97	26.82	-	-	Vertical	NA
2	3742.00	50.16	-107.43	-57.27	-13.00	44.27	Vertical	PASS
3	5613.00	47.62	-101.20	-53.58	-13.00	40.58	Vertical	PASS
4	7484.00	40.77	-96.83	-56.06	-13.00	43.06	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.55	-85.28	18.27	-	-	Horizontal	NA
2	2130.40	48.16	-84.49	-36.33	-	-	Horizontal	NA
3	3447.50	57.73	-107.30	-49.57	-13.00	36.57	Horizontal	PASS
4	5170.50	40.56	-102.05	-61.49	-13.00	48.49	Horizontal	PASS
5	17873.50	38.00	-82.73	-44.73	-13.00	31.73	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	110.19	-85.28	24.91	-	-	Vertical	NA
2	2130.20	37.72	-84.49	-46.77	-	-	Vertical	NA
3	3447.00	59.54	-107.30	-47.76	-13.00	34.76	Vertical	PASS
4	5170.50	50.29	-102.05	-51.76	-13.00	38.76	Vertical	PASS
5	13788.50	42.48	-87.57	-45.09	-13.00	32.09	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	50.64	-114.12	-63.48	-13.00	50.48	Horizontal	PASS
2	2482.00	52.02	-111.29	-59.27	-13.00	46.27	Horizontal	PASS
3	7908.00	37.81	-95.65	-57.84	-13.00	44.84	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	59.58	-114.12	-54.54	-13.00	41.54	Vertical	PASS
2	2496.40	51.84	-111.37	-59.53	-13.00	46.53	Vertical	PASS
3	3328.40	44.39	-108.29	-63.90	-13.00	50.90	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	94.28	-83.04	11.24	-	-	Horizontal	NA
2	2650.70	44.75	-82.18	-37.43	-	-	Horizontal	NA
3	5761.00	40.14	-100.52	-60.38	-25.00	35.38	Horizontal	PASS
4	15075.00	36.94	-86.29	-49.35	-25.00	24.35	Horizontal	PASS
5	17830.00	38.12	-82.75	-44.63	-25.00	19.63	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	106.15	-83.04	23.11	-	-	Vertical	NA
2	5767.50	43.22	-100.43	-57.21	-25.00	32.21	Vertical	PASS
3	7578.50	39.01	-96.57	-57.56	-25.00	32.56	Vertical	PASS
4	12630.50	40.62	-90.18	-49.56	-25.00	24.56	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	47.63	-114.33	-66.70	-13.00	53.70	Horizontal	PASS
2	2481.90	48.14	-111.29	-63.15	-13.00	50.15	Horizontal	PASS
3	5764.55	43.00	-100.17	-57.17	-13.00	44.17	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	56.08	-114.33	-58.25	-25.00	33.25	Vertical	PASS
2	2109.15	49.62	-113.21	-63.59	-25.00	38.59	Vertical	PASS
3	2812.30	47.65	-109.81	-62.16	-25.00	37.16	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	49.23	-114.07	-64.84	-13.00	51.84	Horizontal	PASS
2	2332.57	62.66	-112.39	-49.73	-13.00	36.73	Horizontal	PASS
3	3887.73	42.07	-106.15	-64.08	-13.00	51.08	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	61.54	-114.07	-52.53	-13.00	39.53	Vertical	PASS
2	2332.80	71.88	-112.39	-40.51	-13.00	27.51	Vertical	PASS
3	3110.27	46.95	-108.58	-61.63	-13.00	48.63	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	46.13	-114.09	-67.96	-40.00	27.96	Horizontal	PASS
2	2339.10	52.93	-112.43	-59.50	-13.00	46.50	Horizontal	PASS
3	5758.83	44.10	-100.20	-56.10	-13.00	43.10	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.53	51.02	-114.09	-63.07	-40.00	23.07	Vertical	PASS
2	2339.57	64.23	-112.43	-48.20	-13.00	35.20	Vertical	PASS
3	7384.70	38.46	-96.59	-58.13	-13.00	45.13	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.50	44.44	-114.18	-69.74	-13.00	56.74	Horizontal	PASS
2	2449.70	49.06	-111.12	-62.06	-13.00	49.06	Horizontal	PASS
3	7910.75	37.25	-95.64	-58.39	-13.00	45.39	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.15	47.85	-114.18	-66.33	-13.00	53.33	Vertical	PASS
2	2365.70	56.19	-112.42	-56.23	-13.00	43.23	Vertical	PASS
3	5761.05	41.83	-100.20	-58.37	-13.00	45.37	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	51.95	-114.35	-62.40	-13.00	49.40	Horizontal	PASS
2	2116.50	49.09	-113.21	-64.12	-13.00	51.12	Horizontal	PASS
3	7921.60	36.96	-95.59	-58.63	-13.00	45.63	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	60.21	-114.35	-54.14	-13.00	41.14	Vertical	PASS
2	2116.85	51.36	-113.21	-61.85	-13.00	48.85	Vertical	PASS
3	5767.35	41.68	-100.16	-58.48	-13.00	45.48	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	104.75	-84.97	19.78	-	-	Horizontal	NA
2	1958.20	47.54	-84.75	-37.21	-	-	Horizontal	NA
3	3747.00	51.45	-107.43	-55.98	-13.00	42.98	Horizontal	PASS
4	13415.50	35.27	-88.21	-52.94	-13.00	39.94	Horizontal	PASS
5	17348.50	32.95	-82.47	-49.52	-13.00	36.52	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	112.29	-84.97	27.32	-	-	Vertical	NA
2	1957.00	39.16	-84.74	-45.58	-	-	Vertical	NA
3	3747.00	53.75	-107.43	-53.68	-13.00	40.68	Vertical	PASS
4	5620.50	47.82	-101.10	-53.28	-13.00	40.28	Vertical	PASS
5	7494.50	40.65	-96.77	-56.12	-13.00	43.12	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(814~824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	48.77	-114.17	-65.40	-13.00	52.40	Horizontal	PASS
2	2443.60	48.93	-111.26	-62.33	-13.00	49.33	Horizontal	PASS
3	5766.80	42.13	-100.16	-58.03	-13.00	45.03	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(814~824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	52.47	-114.17	-61.70	-13.00	48.70	Vertical	PASS
2	2443.60	55.68	-111.26	-55.58	-13.00	42.58	Vertical	PASS
3	3258.40	49.81	-108.46	-58.65	-13.00	45.65	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(824~849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	46.04	-114.11	-68.07	-13.00	55.07	Horizontal	PASS
2	2489.60	49.58	-111.34	-61.76	-13.00	48.76	Horizontal	PASS
3	5766.00	41.75	-100.17	-58.42	-13.00	45.42	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(824~849)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	49.89	-114.11	-64.22	-13.00	51.22	Vertical	PASS
2	2489.60	57.37	-111.34	-53.97	-13.00	40.97	Vertical	PASS
3	5763.60	41.48	-100.18	-58.70	-13.00	45.70	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	94.09	-82.40	11.69	-	-	Horizontal	NA
2	5767.50	39.83	-100.43	-60.60	-25.00	35.60	Horizontal	PASS
3	15242.50	37.14	-86.08	-48.94	-25.00	23.94	Horizontal	PASS
4	17860.50	37.60	-82.58	-44.98	-25.00	19.98	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	107.39	-82.40	24.99	-	-	Vertical	NA
2	7752.00	40.30	-96.49	-56.19	-25.00	31.19	Vertical	PASS
3	12920.50	40.73	-90.16	-49.43	-25.00	24.43	Vertical	PASS
4	17869.00	38.61	-82.68	-44.07	-25.00	19.07	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	104.68	-85.18	19.50	-	-	Horizontal	NA
2	3472.00	57.84	-107.15	-49.31	-13.00	36.31	Horizontal	PASS
3	13889.00	34.07	-87.20	-53.13	-13.00	40.13	Horizontal	PASS
4	17348.00	32.19	-82.49	-50.30	-13.00	37.30	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	111.46	-85.18	26.28	-	-	Vertical	NA
2	3472.50	61.92	-107.14	-45.22	-13.00	32.22	Vertical	PASS
3	5208.00	49.84	-102.19	-52.35	-13.00	39.35	Vertical	PASS
4	13889.00	43.01	-87.20	-44.19	-13.00	31.19	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	54.76	-114.21	-59.45	-13.00	46.45	Horizontal	PASS
2	2406.10	48.39	-112.12	-63.73	-13.00	50.73	Horizontal	PASS
3	5764.00	43.46	-100.17	-56.71	-13.00	43.71	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	66.39	-114.21	-47.82	-13.00	34.82	Vertical	PASS
2	2014.90	54.98	-113.51	-58.53	-13.00	45.53	Vertical	PASS
3	5758.60	44.46	-100.21	-55.75	-13.00	42.75	Vertical	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.