





11AX20MIMO_Ant1_6435_52Tone_RU37




11AX20MIMO_Ant1_6435_106Tone_RU53






11AX20MIMO_Ant2_6435_26Tone_RU0



Date: 15.DEC.2025 10:05:17


11AX20MIMO_Ant2_6435_52Tone_RU37




Date: 15.DEC.2025 10:10:58



11AX20MIMO_Ant2_6435_106Tone_RU53




11AX20MIMO_Ant1_6535_26Tone_RU0







11AX20MIMO_Ant1_6535_52Tone_RU37




11AX20MIMO_Ant1_6535_106Tone_RU53










11AX20MIMO_Ant2_6535_106Tone_RU53




11AX20MIMO_Ant1_7095_26Tone_RU8








11AX20MIMO_Ant2_7095_26Tone_RU8




11AX20MIMO_Ant2_7095_52Tone_RU40






11AX20MIMO_Ant2_7095_106Tone_RU54




11AX20MIMO_Ant1_7115_26Tone_RU8






11AX20MIMO_Ant1_7115_52Tone_RU40






Date: 23.DEC.2025 10:03:54

11AX20MIMO_Ant1_7115_106Tone_RU54



Date: 23.DEC.2025 10:08:10







Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5955	26Tone	RU0	-7.72	≤ -0.50	-0.50	-8.22	≤ -1.00	PASS
			52Tone	RU37	-7.65	≤ -0.50	-0.50	-8.15	≤ -1.00	PASS
			106Tone	RU53	-8.05	≤ -0.50	-0.50	-8.55	≤ -1.00	PASS
	Ant2	5955	26Tone	RU0	-7.27	≤ -1.00	0.00	-7.27	≤ -1.00	PASS
			52Tone	RU37	-7.29	≤ -1.00	0.00	-7.29	≤ -1.00	PASS
			106Tone	RU53	-7.51	≤ -1.00	0.00	-7.51	≤ -1.00	PASS
	total	5955	26Tone	RU0	-4.48	≤ -3.76	2.76	-1.72	≤ -1.00	PASS
			52Tone	RU37	-4.46	≤ -3.76	2.76	-1.70	≤ -1.00	PASS
			106Tone	RU53	-4.76	≤ -3.76	2.76	-2.00	≤ -1.00	PASS
	Ant1	6435	26Tone	RU0	-8.48	≤ -1.60	0.60	-7.88	≤ -1.00	PASS
			52Tone	RU37	-8.18	≤ -1.60	0.60	-7.58	≤ -1.00	PASS
			106Tone	RU53	-8.42	≤ -1.60	0.60	-7.82	≤ -1.00	PASS
	Ant2	6435	26Tone	RU0	-8.02	≤ -1.50	0.50	-7.52	≤ -1.00	PASS
			52Tone	RU37	-7.86	≤ -1.50	0.50	-7.36	≤ -1.00	PASS
			106Tone	RU53	-8.37	≤ -1.50	0.50	-7.87	≤ -1.00	PASS
	total	6435	26Tone	RU0	-5.23	≤ -4.56	3.56	-1.67	≤ -1.00	PASS
			52Tone	RU37	-5.01	≤ -4.56	3.56	-1.45	≤ -1.00	PASS
			106Tone	RU53	-5.38	≤ -4.56	3.56	-1.82	≤ -1.00	PASS
	Ant1	6535	26Tone	RU0	-7.28	≤ -0.70	-0.30	-7.58	≤ -1.00	PASS
			52Tone	RU37	-7.12	≤ -0.70	-0.30	-7.42	≤ -1.00	PASS
			106Tone	RU53	-7.24	≤ -0.70	-0.30	-7.54	≤ -1.00	PASS
	Ant2	6535	26Tone	RU0	-6.85	≤ -0.30	-0.70	-7.55	≤ -1.00	PASS
			52Tone	RU37	-6.72	≤ -0.30	-0.70	-7.42	≤ -1.00	PASS
			106Tone	RU53	-6.97	≤ -0.30	-0.70	-7.67	≤ -1.00	PASS
	total	6535	26Tone	RU0	-4.05	≤ -3.51	2.51	-1.54	≤ -1.00	PASS
			52Tone	RU37	-3.91	≤ -3.51	2.51	-1.40	≤ -1.00	PASS
			106Tone	RU53	-4.09	≤ -3.51	2.51	-1.58	≤ -1.00	PASS
	Ant1	7095	26Tone	RU8	-7.3	≤ -0.90	-0.10	-7.40	≤ -1.00	PASS
			52Tone	RU40	-7.23	≤ -0.90	-0.10	-7.33	≤ -1.00	PASS
			106Tone	RU54	-7.31	≤ -0.90	-0.10	-7.41	≤ -1.00	PASS
	Ant2	7095	26Tone	RU8	-7.36	≤ -0.30	-0.70	-8.06	≤ -1.00	PASS
			52Tone	RU40	-7.67	≤ -0.30	-0.70	-8.37	≤ -1.00	PASS






	total	7095	106Tone	RU54	-7.56	≤ -0.30	-0.70	-8.26	≤ -1.00	PASS
			26Tone	RU8	-4.32	≤ -3.62	2.62	-1.70	≤ -1.00	PASS
			52Tone	RU40	-4.43	≤ -3.62	2.62	-1.81	≤ -1.00	PASS
	Ant1	7115	106Tone	RU54	-4.42	≤ -3.62	2.62	-1.80	≤ -1.00	PASS
			26Tone	RU8	-19.86	≤ -0.90	-0.10	-19.96	≤ -1.00	PASS
			52Tone	RU40	-19.96	≤ -0.90	-0.10	-20.06	≤ -1.00	PASS
	Ant2	7115	106Tone	RU54	-19.88	≤ -0.90	-0.10	-19.98	≤ -1.00	PASS
			26Tone	RU8	-19.85	≤ -0.30	-0.70	-20.55	≤ -1.00	PASS
			52Tone	RU40	-19.93	≤ -0.30	-0.70	-20.63	≤ -1.00	PASS
	total	7115	106Tone	RU54	-20.01	≤ -0.30	-0.70	-20.71	≤ -1.00	PASS
			26Tone	RU8	-16.84	≤ -3.62	2.62	-14.22	≤ -1.00	PASS
			52Tone	RU40	-16.93	≤ -3.62	2.62	-14.31	≤ -1.00	PASS
			106Tone	RU54	-16.93	≤ -3.62	2.62	-14.31	≤ -1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.






Test Graphs


















































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
1	0.159	49.43	-16.09	65.52	38.80	0.18	10.45	QP
2	0.159	35.23	-20.29	55.52	24.60	0.18	10.45	Average
3	0.179	43.83	-20.72	64.55	33.20	0.17	10.46	QP
4	0.179	27.83	-26.72	54.55	17.20	0.17	10.46	Average
5	0.410	41.93	-15.71	57.64	31.30	0.15	10.48	QP
6 *	0.410	35.13	-12.51	47.64	24.50	0.15	10.48	Average
7	0.532	34.35	-21.65	56.00	23.80	0.15	10.40	QP
8	0.532	25.05	-20.95	46.00	14.50	0.15	10.40	Average
9	2.622	33.76	-22.24	56.00	23.29	0.24	10.23	QP
10	2.622	22.66	-23.34	46.00	12.19	0.24	10.23	Average
11	9.966	41.68	-18.32	60.00	31.20	0.25	10.23	QP
12	9.966	35.68	-14.32	50.00	25.20	0.25	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.168	42.77	-22.31	65.08	32.20	0.12	10.45	QP
2	0.168	27.47	-27.61	55.08	16.90	0.12	10.45	Average
3	0.190	42.79	-21.23	64.02	32.20	0.13	10.46	QP
4	0.190	29.09	-24.93	54.02	18.50	0.13	10.46	Average
5	0.220	37.19	-25.64	62.83	26.60	0.13	10.46	QP
6	0.220	25.89	-26.94	52.83	15.30	0.13	10.46	Average
7	0.419	42.41	-15.05	57.46	31.81	0.13	10.47	QP
8 *	0.419	34.81	-12.65	47.46	24.21	0.13	10.47	Average
9	2.854	34.62	-21.38	56.00	24.20	0.20	10.22	QP
10	2.854	25.72	-20.28	46.00	15.30	0.20	10.22	Average
11	9.809	39.63	-20.37	60.00	29.20	0.20	10.23	QP
12	9.809	32.06	-17.94	50.00	21.63	0.20	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	51 ~ 53%
		Temperature :	25.2 ~ 26.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	UNII-5	5925-6425	1	802.11a	1	5955	6Mbps	-	-
Mode 2	UNII-5	5925-6425	1	802.11a	49	6195	6Mbps	-	-
Mode 3	UNII-5	5925-6425	1	802.11a	93	6415	6Mbps	-	-
Mode 4	UNII-6	6425-6525	1	802.11a	97	6435	6Mbps	-	-
Mode 5	UNII-6	6425-6525	1	802.11a	105	6475	6Mbps	-	-
Mode 6	UNII-6	6425-6525	1	802.11a	113	6515	6Mbps	-	-
Mode 7	UNII-7	6525-6875	1	802.11a	117	6335	6Mbps	-	-
Mode 8	UNII-7	6525-6875	1	802.11a	149	6695	6Mbps	-	-
Mode 9	UNII-7	6525-6875	1	802.11a	181	6855	6Mbps	-	-
Mode 10	UNII-7-8	6525-7125	1	802.11a	185	6875	6Mbps	-	-
Mode 11	UNII-8	6875-7125	1	802.11a	189	6895	6Mbps	-	-
Mode 12	UNII-8	6875-7125	1	802.11a	209	6995	6Mbps	-	-
Mode 13	UNII-8	6875-7125	1	802.11a	229	7095	6Mbps	-	-
Mode 14	UNII-8	6875-7125	1	802.11a	233	7115	6Mbps	-	-
Mode 15	UNII-5	5925-6425	2	802.11a	1	5955	6Mbps	-	-
Mode 16	UNII-5	5925-6425	2	802.11a	49	6195	6Mbps	-	-
Mode 17	UNII-5	5925-6425	2	802.11a	93	6195	6Mbps	-	-
Mode 18	UNII-6	6425-6525	2	802.11a	97	6435	6Mbps	-	-
Mode 19	UNII-6	6425-6525	2	802.11a	105	6475	6Mbps	-	-
Mode 20	UNII-6	6425-6525	2	802.11a	113	6515	6Mbps	-	-
Mode 21	UNII-7	6525-6875	2	802.11a	117	6335	6Mbps	-	-
Mode 22	UNII-7	6525-6875	2	802.11a	149	6695	6Mbps	-	-
Mode 23	UNII-7	6525-6875	2	802.11a	181	6855	6Mbps	-	-
Mode 24	UNII-7-8	6525-7125	2	802.11a	185	6875	6Mbps	-	-
Mode 25	UNII-8	6875-7125	2	802.11a	189	6895	6Mbps	-	-
Mode 26	UNII-8	6875-7125	2	802.11a	209	6995	6Mbps	-	-
Mode 27	UNII-8	6875-7125	2	802.11a	229	7095	6Mbps	-	-
Mode 28	UNII-8	6875-7125	2	802.11a	233	7115	6Mbps	-	-
Mode 29	UNII-5	5925-6425	1+2	802.11ax HE20	1	5955	MCS0	Full	-
Mode 30	UNII-5	5925-6425	1+2	802.11ax HE20	1	5955	MCS0	26/0	-
Mode 31	UNII-5	5925-6425	1+2	802.11ax HE20	1	5955	MCS0	52/37	-
Mode 32	UNII-5	5925-6425	1+2	802.11ax HE20	1	5955	MCS0	106/53	-
Mode 33	UNII-5	5925-6425	1+2	802.11ax HE20	49	6195	MCS0	-	-
Mode 34	UNII-5	5925-6425	1+2	802.11ax HE20	93	6415	MCS0	-	-
Mode 35	UNII-6	6425-6525	1+2	802.11ax HE20	97	6435	MCS0	-	-
Mode 36	UNII-6	6425-6525	1+2	802.11ax HE20	105	6475	MCS0	-	-
Mode 37	UNII-6	6425-6525	1+2	802.11ax HE20	113	6515	MCS0	-	-
Mode 38	UNII-7	6525-6875	1+2	802.11ax HE20	117	6335	MCS0	-	-



Mode 39	UNII-7	6525-6875	1+2	802.11ax HE20	149	6695	MCS0	-	-
Mode 40	UNII-7	6525-6875	1+2	802.11ax HE20	181	6855	MCS0	-	-
Mode 41	UNII-7~8	6525-7125	1+2	802.11ax HE20	185	6875	MCS0	-	-
Mode 42	UNII-8	6875-7125	1+2	802.11ax HE20	189	6895	MCS0	-	-
Mode 43	UNII-8	6875-7125	1+2	802.11ax HE20	209	6995	MCS0	-	-
Mode 44	UNII-8	6875-7125	1+2	802.11ax HE20	229	7095	MCS0	Full	-
Mode 45	UNII-8	6875-7125	1+2	802.11ax HE20	229	7095	MCS0	26/8	-
Mode 46	UNII-8	6875-7125	1+2	802.11ax HE20	229	7095	MCS0	52/40	-
Mode 47	UNII-8	6875-7125	1+2	802.11ax HE20	229	7095	MCS0	106/54	-
Mode 48	UNII-8	6875-7125	1+2	802.11ax HE20	233	7115	MCS0	Full	-
Mode 49	UNII-8	6875-7125	1+2	802.11ax HE20	233	7115	MCS0	26/8	-
Mode 50	UNII-8	6875-7125	1+2	802.11ax HE20	233	7115	MCS0	52/40	-
Mode 51	UNII-8	6875-7125	1+2	802.11ax HE20	233	7115	MCS0	106/54	-
Mode 52	UNII-5	5925-6425	1+2	802.11ax HE40	3	5965	MCS0	-	-
Mode 53	UNII-5	5925-6425	1+2	802.11ax HE40	51	6205	MCS0	-	-
Mode 54	UNII-5	5925-6425	1+2	802.11ax HE40	91	6405	MCS0	-	-
Mode 55	UNII-6	6425-6525	1+2	802.11ax HE40	99	6445	MCS0	-	-
Mode 56	UNII-6	6425-6525	1+2	802.11ax HE40	107	6485	MCS0	-	-
Mode 57	UNII-6~7	6425-6875	1+2	802.11ax HE40	115	6525	MCS0	-	-
Mode 58	UNII-7	6525-6875	1+2	802.11ax HE40	123	6565	MCS0	-	-
Mode 59	UNII-7	6525-6875	1+2	802.11ax HE40	147	6685	MCS0	-	-
Mode 60	UNII-7	6525-6875	1+2	802.11ax HE40	179	6845	MCS0	-	-
Mode 61	UNII-7~8	6525-7125	1+2	802.11ax HE40	187	6885	MCS0	-	-
Mode 62	UNII-8	6875-7125	1+2	802.11ax HE40	211	7005	MCS0	-	-
Mode 63	UNII-8	6875-7125	1+2	802.11ax HE40	203	6965	MCS0	-	-
Mode 64	UNII-8	6875-7125	1+2	802.11ax HE40	227	7085	MCS0	-	-
Mode 65	UNII-5	5925-6425	1+2	802.11ax HE80	7	5985	MCS0	-	-
Mode 66	UNII-5	5925-6425	1+2	802.11ax HE80	39	6145	MCS0	-	-
Mode 67	UNII-5	5925-6425	1+2	802.11ax HE80	87	6385	MCS0	-	-
Mode 68	UNII-6	6425-6525	1+2	802.11ax HE80	103	6465	MCS0	-	-
Mode 69	UNII-6~7	6425-6875	1+2	802.11ax HE80	119	6545	MCS0	-	-
Mode 70	UNII-7	6525-6875	1+2	802.11ax HE80	135	6625	MCS0	-	-
Mode 71	UNII-7	6525-6875	1+2	802.11ax HE80	151	6705	MCS0	-	-
Mode 72	UNII-7~8	6525-7125	1+2	802.11ax HE80	183	6865	MCS0	-	-
Mode 73	UNII-8	6875-7125	1+2	802.11ax HE80	199	6945	MCS0	-	-
Mode 74	UNII-8	6875-7125	1+2	802.11ax HE80	215	7025	MCS0	-	-
Mode 75	UNII-5	5925-6425	1+2	802.11ax HE160	15	6025	MCS0	-	-
Mode 76	UNII-5	5925-6425	1+2	802.11ax HE160	47	6185	MCS0	-	-
Mode 77	UNII-5	5925-6425	1+2	802.11ax HE160	79	6345	MCS0	-	-
Mode 78	UNII-6~7	6425-6875	1+2	802.11ax HE160	111	6505	MCS0	-	-
Mode 79	UNII-7	6525-6875	1+2	802.11ax HE160	143	6665	MCS0	-	-
Mode 80	UNII-7~8	6525-7125	1+2	802.11ax HE160	175	6825	MCS0	-	-
Mode 81	UNII-8	6875-7125	1+2	802.11ax HE160	207	6985	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5923.67	44.28	68.20	-23.92	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.73	74.00	-28.27	H	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	42.76	54.00	-11.24	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.62	88.20	-41.58	V	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.68	88.20	-41.52	V	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	46.28	88.20	-41.92	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	47.96	88.20	-40.24	H	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	12670.00	36.57	54.00	-17.43	V	AVERAGE	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	40.37	54.00	-13.63	H	AVERAGE	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	48.56	88.20	-39.64	V	PEAK	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	13750.00	47.40	88.20	-40.80	H	PEAK	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	39.96	68.20	-28.24	V	AVERAGE	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	49.26	88.20	-38.94	H	PEAK	Pass	Harmonic
13	802.11a	229	7200.36	45.45	68.20	-22.75	H	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	46.90	88.20	-41.30	H	PEAK	Pass	Harmonic
14	802.11a	233	7125.00	65.67	68.20	-2.53	H	AVERAGE	Pass	Band Edge
14	802.11a	233	14230.00	48.46	88.20	-39.74	H	PEAK	Pass	Harmonic
15	802.11a	1	5924.84	44.24	68.20	-23.96	H	AVERAGE	Pass	Band Edge
15	802.11a	1	11910.00	45.88	74.00	-28.12	V	PEAK	Pass	Harmonic
16	802.11a	49	-	-	-	-	-	-	-	Band Edge
16	802.11a	49	12390.00	42.90	54.00	-11.10	V	AVERAGE	Pass	Harmonic
17	802.11a	93	-	-	-	-	-	-	-	Band Edge
17	802.11a	93	12830.00	47.55	88.20	-40.65	H	PEAK	Pass	Harmonic
18	802.11a	97	-	-	-	-	-	-	-	Band Edge
18	802.11a	97	12870.00	49.81	88.20	-38.39	H	PEAK	Pass	Harmonic
19	802.11a	105	-	-	-	-	-	-	-	Band Edge
19	802.11a	105	12950.00	41.70	68.20	-26.50	H	AVERAGE	Pass	Harmonic
20	802.11a	113	-	-	-	-	-	-	-	Band Edge
20	802.11a	113	13030.00	43.60	68.20	-24.60	H	AVERAGE	Pass	Harmonic
21	802.11a	117	-	-	-	-	-	-	-	Band Edge
21	802.11a	117	12670.00	36.50	54.00	-17.50	V	AVERAGE	Pass	Harmonic
22	802.11a	149	-	-	-	-	-	-	-	Band Edge



22	802.11a	149	13390.00	43.48	54.00	-10.52	H	AVERAGE	Pass	Harmonic
23	802.11a	181	-	-	-	-	-	-	-	Band Edge
23	802.11a	181	13710.00	49.01	88.20	-39.19	H	PEAK	Pass	Harmonic
24	802.11a	185	-	-	-	-	-	-	-	Band Edge
24	802.11a	185	13750.00	48.94	88.20	-39.26	H	PEAK	Pass	Harmonic
25	802.11a	189	-	-	-	-	-	-	-	Band Edge
25	802.11a	189	13790.00	47.01	68.20	-21.19	V	AVERAGE	Pass	Harmonic
26	802.11a	209	-	-	-	-	-	-	-	Band Edge
26	802.11a	209	13990.00	43.49	68.20	-24.71	H	AVERAGE	Pass	Harmonic
27	802.11a	229	7203.72	45.65	68.20	-22.55	V	AVERAGE	Pass	Band Edge
27	802.11a	229	14190.00	49.48	88.20	-38.72	V	PEAK	Pass	Harmonic
28	802.11a	233	7125.00	62.96	68.20	-5.24	H	AVERAGE	Pass	Band Edge
28	802.11a	233	14230.00	45.16	68.20	-23.04	V	AVERAGE	Pass	Harmonic
29	802.11ax HE20	1	5828.12	44.06	68.20	-24.14	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	1	11910.00	36.11	54.00	-17.89	V	AVERAGE	Pass	Harmonic
30	802.11ax HE20	1	5905.99	44.34	68.20	-23.86	H	AVERAGE	Pass	Band Edge
30	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	1	5906.90	44.55	68.20	-23.65	H	AVERAGE	Pass	Band Edge
31	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	1	5899.10	44.57	68.20	-23.63	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	49	12390.00	37.66	54.00	-16.34	H	AVERAGE	Pass	Harmonic
34	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	93	12830.00	47.97	88.20	-40.23	H	PEAK	Pass	Harmonic
35	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	97	12870.00	48.06	88.20	-40.14	H	PEAK	Pass	Harmonic
36	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	105	12950.00	42.81	68.20	-25.39	V	AVERAGE	Pass	Harmonic
37	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	113	13030.00	45.02	88.20	-43.18	H	PEAK	Pass	Harmonic
38	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	117	12670.00	37.25	54.00	-16.75	H	AVERAGE	Pass	Harmonic
39	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	149	13390.00	44.59	54.00	-9.41	H	AVERAGE	Pass	Harmonic
40	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	181	13710.00	46.26	88.20	-41.94	V	PEAK	Pass	Harmonic
41	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE20	185	13750.00	46.66	88.20	-41.54	V	PEAK	Pass	Harmonic
42	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE20	189	13790.00	46.78	88.20	-41.42	V	PEAK	Pass	Harmonic
43	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE20	209	13990.00	47.05	88.20	-41.15	H	PEAK	Pass	Harmonic
44	802.11ax HE20	229	7201.96	45.63	68.20	-22.57	V	AVERAGE	Pass	Band Edge
44	802.11ax HE20	229	14190.00	46.54	88.20	-41.66	V	PEAK	Pass	Harmonic
45	802.11ax HE20	229	7200.20	45.61	68.20	-22.59	V	AVERAGE	Pass	Band Edge
45	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic







46	802.11ax HE20	229	7200.52	45.65	68.20	-22.55	V	AVERAGE	Pass	Band Edge
46	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE20	229	7193.48	45.63	68.20	-22.57	V	AVERAGE	Pass	Band Edge
47	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE20	233	7125.00	67.48	68.20	-0.72	H	AVERAGE	Pass	Band Edge
48	802.11ax HE20	233	14230.00	46.40	88.20	-41.80	V	PEAK	Pass	Harmonic
49	802.11ax HE20	233	7125.00	67.18	68.20	-1.02	H	AVERAGE	Pass	Band Edge
49	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE20	233	7125.00	67.17	68.20	-1.03	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE20	233	7125.00	67.64	68.20	-0.56	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE40	3	5922.16	44.31	68.20	-23.89	H	AVERAGE	Pass	Band Edge
52	802.11ax HE40	3	11930.00	45.05	74.00	-28.95	H	PEAK	Pass	Harmonic
53	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE40	51	12330.00	45.99	74.00	-28.01	V	PEAK	Pass	Harmonic
54	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	91	12810.00	47.14	88.20	-41.06	H	PEAK	Pass	Harmonic
55	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	99	12890.00	47.08	88.20	-41.12	H	PEAK	Pass	Harmonic
56	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE40	107	12970.00	46.99	88.20	-41.21	H	PEAK	Pass	Harmonic
57	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE40	115	13050.00	45.61	88.20	-42.59	H	PEAK	Pass	Harmonic
58	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE40	123	13130.00	46.31	88.20	-41.89	V	PEAK	Pass	Harmonic
59	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	147	13370.00	38.26	54.00	-15.74	H	AVERAGE	Pass	Harmonic
60	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE40	179	13690.00	46.39	88.20	-41.81	H	PEAK	Pass	Harmonic
61	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	187	13770.00	46.25	88.20	-41.95	V	PEAK	Pass	Harmonic
62	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE40	211	13850.00	46.53	88.20	-41.67	H	PEAK	Pass	Harmonic
63	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE40	203	13930.00	46.75	88.20	-41.45	H	PEAK	Pass	Harmonic
64	802.11ax HE40	227	7125.00	49.52	68.20	-18.68	H	AVERAGE	Pass	Band Edge
64	802.11ax HE40	227	14170.00	46.16	88.20	-42.04	V	PEAK	Pass	Harmonic
65	802.11ax HE80	7	5906.44	44.49	68.20	-23.71	H	AVERAGE	Pass	Band Edge
65	802.11ax HE80	7	11970.00	45.05	74.00	-28.95	H	PEAK	Pass	Harmonic
66	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
66	802.11ax HE80	39	12290.00	46.03	74.00	-27.97	V	PEAK	Pass	Harmonic
67	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
67	802.11ax HE80	87	12770.00	47.31	88.20	-40.89	V	PEAK	Pass	Harmonic
68	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
68	802.11ax HE80	103	12930.00	47.18	88.20	-41.02	V	PEAK	Pass	Harmonic
69	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge







69	802.11ax HE80	119	13090.00	46.95	88.20	-41.25	V	PEAK	Pass	Harmonic
70	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
70	802.11ax HE80	135	13250.00	46.47	74.00	-27.53	H	PEAK	Pass	Harmonic
71	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
71	802.11ax HE80	151	13410.00	46.79	88.20	-41.41	V	PEAK	Pass	Harmonic
72	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
72	802.11ax HE80	183	13730.00	45.68	88.20	-42.52	V	PEAK	Pass	Harmonic
73	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
73	802.11ax HE80	199	13890.00	46.18	88.20	-42.02	V	PEAK	Pass	Harmonic
74	802.11ax HE80	215	7125.10	51.88	68.20	-16.32	H	AVERAGE	Pass	Band Edge
74	802.11ax HE80	215	14050.00	46.40	88.20	-41.80	H	PEAK	Pass	Harmonic
75	802.11ax HE160	15	5917.40	47.55	68.20	-20.65	H	AVERAGE	Pass	Band Edge
75	802.11ax HE160	15	12050.00	46.25	74.00	-27.75	H	PEAK	Pass	Harmonic
76	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
76	802.11ax HE160	47	12389.60	42.00	54.00	-12.00	V	Average	Pass	Harmonic
77	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
77	802.11ax HE160	79	12690.00	38.96	54.00	-15.04	H	AVERAGE	Pass	Harmonic
78	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
78	802.11ax HE160	111	13010.00	49.32	88.20	-38.88	V	PEAK	Pass	Harmonic
79	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
79	802.11ax HE160	143	13330.00	40.90	54.00	-13.10	V	AVERAGE	Pass	Harmonic
80	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
80	802.11ax HE160	175	13650.00	49.43	88.20	-38.77	V	PEAK	Pass	Harmonic
81	802.11ax HE160	207	7133.33	59.16	68.20	-9.04	H	AVERAGE	Pass	Band Edge
81	802.11ax HE160	207	13970.00	48.32	88.20	-39.88	V	PEAK	Pass	Harmonic





Mode	1																																																																																																														
	Band Edge																																																																																																														
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5863.74</td><td>55.81</td><td>88.20</td><td>-32.39</td><td>39.89</td><td>35.00</td><td>12.69</td><td>31.77</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5863.74	55.81	88.20	-32.39	39.89	35.00	12.69	31.77	0.00	100	238	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.21</td><td>-----</td><td>-----</td><td>85.93</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.21	-----	-----	85.93	35.25	12.83	31.80	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5863.74	55.81	88.20	-32.39	39.89	35.00	12.69	31.77	0.00	100	238	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	102.21	-----	-----	85.93	35.25	12.83	31.80	0.00	100	238	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.67</td><td>44.28</td><td>68.20</td><td>-23.92</td><td>28.20</td><td>35.00</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	44.28	68.20	-23.92	28.20	35.00	12.78	31.79	0.00	100	238	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.91</td><td>-----</td><td>-----</td><td>76.63</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.91	-----	-----	76.63	35.25	12.83	31.80	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5923.67	44.28	68.20	-23.92	28.20	35.00	12.78	31.79	0.00	100	238	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	92.91	-----	-----	76.63	35.25	12.83	31.80	0.00	100	238	AVERAGE																																																																																																			





Mode	1																																																																																																														
	Band Edge																																																																																																														
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5842.68</td><td>55.33</td><td>88.20</td><td>-32.87</td><td>39.44</td><td>35.00</td><td>12.65</td><td>31.76</td><td>0.00</td><td>368</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5842.68	55.33	88.20	-32.87	39.44	35.00	12.65	31.76	0.00	368	306	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.98</td><td>-----</td><td>-----</td><td>77.70</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>368</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.98	-----	-----	77.70	35.25	12.83	31.80	0.00	368	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5842.68	55.33	88.20	-32.87	39.44	35.00	12.65	31.76	0.00	368	306	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	93.98	-----	-----	77.70	35.25	12.83	31.80	0.00	368	306	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.20</td><td>44.09</td><td>68.20</td><td>-24.11</td><td>28.03</td><td>35.00</td><td>12.77</td><td>31.79</td><td>0.00</td><td>368</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.20	44.09	68.20	-24.11	28.03	35.00	12.77	31.79	0.00	368	306	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.04</td><td>-----</td><td>-----</td><td>68.76</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>368</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.04	-----	-----	68.76	35.25	12.83	31.80	0.00	368	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5921.20	44.09	68.20	-24.11	28.03	35.00	12.77	31.79	0.00	368	306	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	85.04	-----	-----	68.76	35.25	12.83	31.80	0.00	368	306	AVERAGE																																																																																																			





Mode	1																																																																																																
	Harmonic																																																																																																
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>49.95</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.73	74.00	-28.27	49.95	38.71	18.20	61.13	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>49.18</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	44.96	74.00	-29.04	49.18	38.71	18.20	61.13	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11910.00	45.73	74.00	-28.27	49.95	38.71	18.20	61.13	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11910.00	44.96	74.00	-29.04	49.18	38.71	18.20	61.13	0.00	--	PEAK																																																																																						

	2										
Mode	Harmonic										
	UNII-5_5925-6425_802.11a_CH49_6195MHz										
ANT	1										
Pol.	Horizontal						Vertical				
Peak											
Avg											
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	Line	Level	Factor	Loss	Factor	Factor	cm	deg	
1	12390.00	52.66	74.00	-21.34	63.67	38.90	15.71	65.62	0.00	300	97 PEAK
2	12390.00	41.33	54.00	-12.67	52.34	38.90	15.71	65.62	0.00	300	97 AVERAGE
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	Line	Level	Factor	Loss	Factor	Factor	cm	deg	
1	12390.00	53.35	74.00	-20.65	64.36	38.90	15.71	65.62	0.00	236	134 PEAK
2	12390.00	42.76	54.00	-11.24	53.77	38.90	15.71	65.62	0.00	236	134 AVERAGE





Mode	3																																																																																																	
	Harmonic																																																																																																	
	UNII-5_5925-6425_802.11a_CH93_6415MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.73</td><td>88.20</td><td>-42.47</td><td>48.43</td><td>39.47</td><td>18.85</td><td>61.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.73	88.20	-42.47	48.43	39.47	18.85	61.02	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.62</td><td>88.20</td><td>-41.58</td><td>49.32</td><td>39.47</td><td>18.85</td><td>61.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.62	88.20	-41.58	49.32	39.47	18.85	61.02	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	45.73	88.20	-42.47	48.43	39.47	18.85	61.02	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	46.62	88.20	-41.58	49.32	39.47	18.85	61.02	0.00	--	PEAK																																																																																							





Mode	4																																																																																																	
	Harmonic																																																																																																	
	UNII-6_6425-6525_802.11a_CH97_6435MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.25</td><td>88.20</td><td>-41.95</td><td>48.95</td><td>39.43</td><td>18.88</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.25	88.20	-41.95	48.95	39.43	18.88	61.01	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.68</td><td>88.20</td><td>-41.52</td><td>49.38</td><td>39.43</td><td>18.88</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.68	88.20	-41.52	49.38	39.43	18.88	61.01	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12870.00	46.25	88.20	-41.95	48.95	39.43	18.88	61.01	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12870.00	46.68	88.20	-41.52	49.38	39.43	18.88	61.01	0.00	--	PEAK																																																																																							





Mode	5																																																																																																
	Harmonic																																																																																																
	UNII-6_6425-6525_802.11a_CH105_6475MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.87</td><td>88.20</td><td>-42.33</td><td>48.52</td><td>39.40</td><td>18.94</td><td>60.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	45.87	88.20	-42.33	48.52	39.40	18.94	60.99	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.28</td><td>88.20</td><td>-41.92</td><td>48.93</td><td>39.40</td><td>18.94</td><td>60.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.28	88.20	-41.92	48.93	39.40	18.94	60.99	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12950.00	45.87	88.20	-42.33	48.52	39.40	18.94	60.99	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12950.00	46.28	88.20	-41.92	48.93	39.40	18.94	60.99	0.00	--	PEAK																																																																																						





Mode	6																																																																																																		
	Harmonic																																																																																																		
	UNII-6_6425-6525_802.11a_CH113_6515MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>50.59</td><td>39.37</td><td>18.99</td><td>60.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	47.96	88.20	-40.24	50.59	39.37	18.99	60.99	0.00	--	PEAK	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>49.94</td><td>39.37</td><td>18.99</td><td>60.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	47.31	88.20	-40.89	49.94	39.37	18.99	60.99	0.00	--
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	13030.00	47.96	88.20	-40.24	50.59	39.37	18.99	60.99	0.00	--	PEAK																																																																																								
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	13030.00	47.31	88.20	-40.89	49.94	39.37	18.99	60.99	0.00	--	PEAK																																																																																								





Mode	7																																																																																																																											
	Harmonic																																																																																																																											
	UNII-7_6525-6875_802.11a_CH117_6335MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12670.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>49.24</td><td>39.34</td><td>18.74</td><td>61.07</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12670.00</td><td>36.52</td><td>54.00</td><td>-17.48</td><td>39.52</td><td>39.33</td><td>18.74</td><td>61.07</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12670.00	46.25	74.00	-27.75	49.24	39.34	18.74	61.07	0.00	300	360	PEAK	2	12670.00	36.52	54.00	-17.48	39.52	39.33	18.74	61.07	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12670.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>50.21</td><td>39.34</td><td>18.74</td><td>61.07</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12670.00</td><td>36.57</td><td>54.00</td><td>-17.43</td><td>39.57</td><td>39.33</td><td>18.74</td><td>61.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12670.00	47.22	74.00	-26.78	50.21	39.34	18.74	61.07	0.00	100	360	PEAK	2	12670.00	36.57	54.00	-17.43	39.57	39.33	18.74	61.07	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	12670.00	46.25	74.00	-27.75	49.24	39.34	18.74	61.07	0.00	300	360	PEAK																																																																																																																
2	12670.00	36.52	54.00	-17.48	39.52	39.33	18.74	61.07	0.00	300	360	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	12670.00	47.22	74.00	-26.78	50.21	39.34	18.74	61.07	0.00	100	360	PEAK																																																																																																																
2	12670.00	36.57	54.00	-17.43	39.57	39.33	18.74	61.07	0.00	100	360	AVERAGE																																																																																																																





Mode	8																																																																																																																					
	Harmonic																																																																																																																					
	UNII-7_6525-6875_802.11a_CH149_6695MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13390.00</td><td>48.25</td><td>74.00 -25.75</td><td>51.01</td><td>39.12</td><td>19.29</td><td>61.17</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 13390.00</td><td>40.37</td><td>54.00 -13.63</td><td>43.14</td><td>39.12</td><td>19.29</td><td>61.18</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	48.25	74.00 -25.75	51.01	39.12	19.29	61.17	0.00	300	360	PEAK	2 13390.00	40.37	54.00 -13.63	43.14	39.12	19.29	61.18	0.00	300	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13390.00</td><td>46.80</td><td>74.00 -27.20</td><td>49.56</td><td>39.12</td><td>19.29</td><td>61.17</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 13390.00</td><td>37.17</td><td>54.00 -16.83</td><td>39.94</td><td>39.12</td><td>19.29</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	46.80	74.00 -27.20	49.56	39.12	19.29	61.17	0.00	100	360	PEAK	2 13390.00	37.17	54.00 -16.83	39.94	39.12	19.29	61.18	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 13390.00	48.25	74.00 -25.75	51.01	39.12	19.29	61.17	0.00	300	360	PEAK																																																																																																												
2 13390.00	40.37	54.00 -13.63	43.14	39.12	19.29	61.18	0.00	300	360	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 13390.00	46.80	74.00 -27.20	49.56	39.12	19.29	61.17	0.00	100	360	PEAK																																																																																																												
2 13390.00	37.17	54.00 -16.83	39.94	39.12	19.29	61.18	0.00	100	360	AVERAGE																																																																																																												





Mode	9																																																					
	Harmonic																																																					
	UNII-7_6525-6875_802.11a_CH181_6855MHz																																																					
ANT	1																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>50.42</td><td>38.80</td><td>19.55</td><td>61.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.16	88.20	-41.04	50.42	38.80	19.55	61.61	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13710.00	47.16	88.20	-41.04	50.42	38.80	19.55	61.61	0.00	--	PEAK																																											
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>48.56</td><td>88.20</td><td>-39.64</td><td>51.82</td><td>38.80</td><td>19.55</td><td>61.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	48.56	88.20	-39.64	51.82	38.80	19.55	61.61	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13710.00	48.56	88.20	-39.64	51.82	38.80	19.55	61.61	0.00	--	PEAK																																											



Mode	10																																																					
	Harmonic																																																					
	UNII-7-8_6525-7125_802.11a_CH185_6875MHz																																																					
ANT	1																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>50.70</td><td>38.80</td><td>19.58</td><td>61.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.40	88.20	-40.80	50.70	38.80	19.58	61.68	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13750.00	47.40	88.20	-40.80	50.70	38.80	19.58	61.68	0.00	--	PEAK																																											
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>50.33</td><td>38.80</td><td>19.58</td><td>61.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.03	88.20	-41.17	50.33	38.80	19.58	61.68	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13750.00	47.03	88.20	-41.17	50.33	38.80	19.58	61.68	0.00	--	PEAK																																											







Mode	11																																																																																																															
	Harmonic																																																																																																															
	UNII-8_6875-7125_802.11a_CH189_6895MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>49.98</td><td>88.20</td><td>-38.22</td><td>53.31</td><td>38.80</td><td>19.62</td><td>61.75</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	49.98	88.20	-38.22	53.31	38.80	19.62	61.75	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>50.41</td><td>88.20</td><td>-37.79</td><td>53.74</td><td>38.80</td><td>19.62</td><td>61.75</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>13790.00</td><td>39.96</td><td>68.20</td><td>-28.24</td><td>43.29</td><td>38.80</td><td>19.62</td><td>61.75</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	50.41	88.20	-37.79	53.74	38.80	19.62	61.75	0.00	100	360	PEAK	2	13790.00	39.96	68.20	-28.24	43.29	38.80	19.62	61.75	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	49.98	88.20	-38.22	53.31	38.80	19.62	61.75	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	50.41	88.20	-37.79	53.74	38.80	19.62	61.75	0.00	100	360	PEAK																																																																																																				
2	13790.00	39.96	68.20	-28.24	43.29	38.80	19.62	61.75	0.00	100	360	AVERAGE																																																																																																				



Mode	12																																																																																																
	Harmonic																																																																																																
	UNII-8_6875-7125_802.11a_CH209_6995MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>49.26</td><td>88.20</td><td>-38.94</td><td>52.60</td><td>38.99</td><td>19.78</td><td>62.11</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	49.26	88.20	-38.94	52.60	38.99	19.78	62.11	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>50.42</td><td>38.99</td><td>19.78</td><td>62.11</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.08	88.20	-41.12	50.42	38.99	19.78	62.11	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13990.00	49.26	88.20	-38.94	52.60	38.99	19.78	62.11	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13990.00	47.08	88.20	-41.12	50.42	38.99	19.78	62.11	0.00	--	PEAK																																																																																						





Mode	13																																																																																																						
	Band Edge																																																																																																						
	UNII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7172.84</td><td>57.63</td><td>88.20</td><td>-30.57</td><td>43.10</td><td>35.65</td><td>11.83</td><td>32.95</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7172.84	57.63	88.20	-30.57	43.10	35.65	11.83	32.95	0.00	164	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>97.02</td><td>-----</td><td>-----</td><td>82.50</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.02	-----	-----	82.50	35.69	11.74	32.91	0.00	164	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7172.84	57.63	88.20	-30.57	43.10	35.65	11.83	32.95	0.00	164	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	97.02	-----	-----	82.50	35.69	11.74	32.91	0.00	164	360	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7200.36</td><td>45.45</td><td>68.20</td><td>-22.75</td><td>30.86</td><td>35.70</td><td>11.86</td><td>32.97</td><td>0.00</td><td>164</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7200.36	45.45	68.20	-22.75	30.86	35.70	11.86	32.97	0.00	164	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>86.91</td><td>-----</td><td>-----</td><td>72.39</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>164</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	86.91	-----	-----	72.39	35.69	11.74	32.91	0.00	164	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7200.36	45.45	68.20	-22.75	30.86	35.70	11.86	32.97	0.00	164	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	86.91	-----	-----	72.39	35.69	11.74	32.91	0.00	164	360	AVERAGE																																																																																											







Mode	13																																																																																																			
	Band Edge																																																																																																			
	UNII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7165.16</td><td>56.25</td><td>88.20</td><td>-31.95</td><td>41.75</td><td>35.63</td><td>11.82</td><td>32.95</td><td>0.00</td><td>100</td><td>34 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7165.16	56.25	88.20	-31.95	41.75	35.63	11.82	32.95	0.00	100	34 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>97.41</td><td>-----</td><td>-----</td><td>82.89</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>100</td><td>34 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.41	-----	-----	82.89	35.69	11.74	32.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7165.16	56.25	88.20	-31.95	41.75	35.63	11.82	32.95	0.00	100	34 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	97.41	-----	-----	82.89	35.69	11.74	32.91	0.00	100	34 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7202.76</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>30.77</td><td>35.69</td><td>11.86</td><td>32.97</td><td>0.00</td><td>100</td><td>34 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7202.76	45.35	68.20	-22.85	30.77	35.69	11.86	32.97	0.00	100	34 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>87.65</td><td>-----</td><td>-----</td><td>73.13</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>100</td><td>34 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.65	-----	-----	73.13	35.69	11.74	32.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7202.76	45.35	68.20	-22.85	30.77	35.69	11.86	32.97	0.00	100	34 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	87.65	-----	-----	73.13	35.69	11.74	32.91	0.00	100	34 AVERAGE																																																																																									







Mode	13																																																																																																					
	Harmonic																																																																																																					
	UNII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>55.94</td><td>38.99</td><td>16.95</td><td>64.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	46.90	88.20	-41.30	55.94	38.99	16.95	64.98	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>55.87</td><td>38.99</td><td>16.95</td><td>64.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	46.83	88.20	-41.37	55.87	38.99	16.95	64.98	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	14190.00	46.90	88.20	-41.30	55.94	38.99	16.95	64.98	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	14190.00	46.83	88.20	-41.37	55.87	38.99	16.95	64.98	0.00	---	PEAK																																																																																											





Mode	14																																																																																																		
	Band Edge																																																																																																		
	UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>75.32</td><td>88.20</td><td>-12.88</td><td>57.81</td><td>35.80</td><td>14.01</td><td>32.30</td><td>0.00</td><td>109</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	75.32	88.20	-12.88	57.81	35.80	14.01	32.30	0.00	109	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>107.42</td><td>-----</td><td>-----</td><td>89.92</td><td>35.80</td><td>14.00</td><td>32.30</td><td>0.00</td><td>109</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	107.42	-----	-----	89.92	35.80	14.00	32.30	0.00	109	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	75.32	88.20	-12.88	57.81	35.80	14.01	32.30	0.00	109	181	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	107.42	-----	-----	89.92	35.80	14.00	32.30	0.00	109	181	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>65.67</td><td>68.20</td><td>-2.53</td><td>48.16</td><td>35.80</td><td>14.01</td><td>32.30</td><td>0.00</td><td>109</td><td>181</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	65.67	68.20	-2.53	48.16	35.80	14.01	32.30	0.00	109	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>98.36</td><td>-----</td><td>-----</td><td>80.86</td><td>35.80</td><td>14.00</td><td>32.30</td><td>0.00</td><td>109</td><td>181</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	98.36	-----	-----	80.86	35.80	14.00	32.30	0.00	109	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	65.67	68.20	-2.53	48.16	35.80	14.01	32.30	0.00	109	181	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	98.36	-----	-----	80.86	35.80	14.00	32.30	0.00	109	181	AVERAGE																																																																																							







Mode	14																																																																																																		
	Band Edge																																																																																																		
	UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.32</td><td>70.46</td><td>88.20</td><td>-17.74</td><td>52.95</td><td>35.00</td><td>14.01</td><td>32.30</td><td>0.00</td><td>324</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.32	70.46	88.20	-17.74	52.95	35.00	14.01	32.30	0.00	324	343	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>99.81</td><td>-----</td><td>-----</td><td>82.30</td><td>35.80</td><td>14.00</td><td>32.29</td><td>0.00</td><td>324</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	99.81	-----	-----	82.30	35.80	14.00	32.29	0.00	324	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.32	70.46	88.20	-17.74	52.95	35.00	14.01	32.30	0.00	324	343	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	99.81	-----	-----	82.30	35.80	14.00	32.29	0.00	324	343	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>40.93</td><td>35.00</td><td>14.01</td><td>32.30</td><td>0.00</td><td>324</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	58.44	68.20	-9.76	40.93	35.00	14.01	32.30	0.00	324	343	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.15</td><td>-----</td><td>-----</td><td>73.65</td><td>35.80</td><td>14.00</td><td>32.30</td><td>0.00</td><td>324</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	91.15	-----	-----	73.65	35.80	14.00	32.30	0.00	324	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	58.44	68.20	-9.76	40.93	35.00	14.01	32.30	0.00	324	343	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	91.15	-----	-----	73.65	35.80	14.00	32.30	0.00	324	343	AVERAGE																																																																																							



Mode	14																																																																																																
	Harmonic																																																																																																
	UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>48.46</td><td>88.20</td><td>-39.74</td><td>51.46</td><td>39.20</td><td>19.97</td><td>62.17</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	48.46	88.20	-39.74	51.46	39.20	19.97	62.17	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>49.89</td><td>39.20</td><td>19.97</td><td>62.17</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.89	88.20	-41.31	49.89	39.20	19.97	62.17	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	14230.00	48.46	88.20	-39.74	51.46	39.20	19.97	62.17	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	14230.00	46.89	88.20	-41.31	49.89	39.20	19.97	62.17	0.00	--	PEAK																																																																																						




Mode	15																																																																																																														
	Band Edge																																																																																																														
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5952.69</td><td>55.52</td><td>88.20</td><td>-32.68</td><td>39.62</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5952.69	55.52	88.20	-32.68	39.62	35.00	12.67	31.77	0.00	100	67	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.80</td><td>-----</td><td>-----</td><td>87.59</td><td>35.20</td><td>12.81</td><td>31.80</td><td>0.00</td><td>100</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.80	-----	-----	87.59	35.20	12.81	31.80	0.00	100	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5952.69	55.52	88.20	-32.68	39.62	35.00	12.67	31.77	0.00	100	67	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	103.80	-----	-----	87.59	35.20	12.81	31.80	0.00	100	67	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>44.24</td><td>68.20</td><td>-23.96</td><td>28.15</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>67</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	44.24	68.20	-23.96	28.15	35.10	12.78	31.79	0.00	100	67	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.05</td><td>-----</td><td>-----</td><td>78.77</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>100</td><td>67</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.05	-----	-----	78.77	35.25	12.83	31.80	0.00	100	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.84	44.24	68.20	-23.96	28.15	35.10	12.78	31.79	0.00	100	67	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	95.05	-----	-----	78.77	35.25	12.83	31.80	0.00	100	67	AVERAGE																																																																																																			





Mode	15																																																																																																		
	Band Edge																																																																																																		
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5889.48</td><td>54.84</td><td>88.20</td><td>-33.36</td><td>38.90</td><td>35.00</td><td>12.72</td><td>31.78</td><td>0.00</td><td>390</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5889.48	54.84	88.20	-33.36	38.90	35.00	12.72	31.78	0.00	390	114	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>97.00</td><td>-----</td><td>-----</td><td>80.72</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>390</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.00	-----	-----	80.72	35.25	12.83	31.80	0.00	390	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5889.48	54.84	88.20	-33.36	38.90	35.00	12.72	31.78	0.00	390	114	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	97.00	-----	-----	80.72	35.25	12.83	31.80	0.00	390	114	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5886.88</td><td>44.13</td><td>68.20</td><td>-24.07</td><td>28.19</td><td>35.00</td><td>12.72</td><td>31.78</td><td>0.00</td><td>390</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5886.88	44.13	68.20	-24.07	28.19	35.00	12.72	31.78	0.00	390	114	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.01</td><td>-----</td><td>-----</td><td>71.73</td><td>35.25</td><td>12.83</td><td>31.80</td><td>0.00</td><td>390</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.01	-----	-----	71.73	35.25	12.83	31.80	0.00	390	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5886.88	44.13	68.20	-24.07	28.19	35.00	12.72	31.78	0.00	390	114	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	88.01	-----	-----	71.73	35.25	12.83	31.80	0.00	390	114	AVERAGE																																																																																							





Mode	15																																																					
	Harmonic																																																					
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																					
ANT	2																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.88</td><td>38.71</td><td>18.20</td><td>61.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11910.00	45.66	74.00	-28.34	49.88	38.71	18.20	61.13	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss																																																





Mode	16																																																																																																																													
	Harmonic																																																																																																																													
	UNII-5_5925-6425_802.11a_CH49_6195MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>59.34</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>37.89</td><td>54.00</td><td>-16.11</td><td>48.88</td><td>38.90</td><td>15.72</td><td>65.61</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.33	74.00	-25.67	59.34	38.90	15.71	65.62	0.00	100	0	PEAK	2	12390.00	37.89	54.00	-16.11	48.88	38.90	15.72	65.61	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>64.41</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>234</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>53.91</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>234</td><td>67</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.40	74.00	-20.60	64.41	38.90	15.71	65.62	0.00	234	67	PEAK	2	12390.00	42.90	54.00	-11.10	53.91	38.90	15.71	65.62	0.00	234	67	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	48.33	74.00	-25.67	59.34	38.90	15.71	65.62	0.00	100	0	PEAK																																																																																																																		
2	12390.00	37.89	54.00	-16.11	48.88	38.90	15.72	65.61	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	53.40	74.00	-20.60	64.41	38.90	15.71	65.62	0.00	234	67	PEAK																																																																																																																		
2	12390.00	42.90	54.00	-11.10	53.91	38.90	15.71	65.62	0.00	234	67	AVERAGE																																																																																																																		





Mode	17																																																																																																
	Harmonic																																																																																																
	UNII-5_5925-6425_802.11a_CH93_6195MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>50.25</td><td>39.47</td><td>18.85</td><td>61.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.55	88.20	-40.65	50.25	39.47	18.85	61.02	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>49.99</td><td>39.47</td><td>18.85</td><td>61.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.29	88.20	-40.91	49.99	39.47	18.85	61.02	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	47.55	88.20	-40.65	50.25	39.47	18.85	61.02	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	47.29	88.20	-40.91	49.99	39.47	18.85	61.02	0.00	--	PEAK																																																																																						





Mode	18																																																																																																																	
	Harmonic																																																																																																																	
	UNII-6_6425-6525_802.11a_CH97_6435MHz																																																																																																																	
ANT	2																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12870.00</td><td>49.81</td><td>88.20</td><td>-38.39</td><td>52.51</td><td>39.43</td><td>18.88</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12870.00	49.81	88.20	-38.39	52.51	39.43	18.88	61.01	0.00	--	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12870.00</td><td>47.76</td><td>88.20</td><td>-40.44</td><td>50.46</td><td>39.43</td><td>18.88</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12870.00	47.76	88.20	-40.44	50.46	39.43	18.88	61.01	0.00	--	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1 12870.00	49.81	88.20	-38.39	52.51	39.43	18.88	61.01	0.00	--	--	--	PEAK																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1 12870.00	47.76	88.20	-40.44	50.46	39.43	18.88	61.01	0.00	--	--	--	PEAK																																																																																																						





		19																																																																					
Mode		Harmonic																																																																					
		UNII-6_6425-6525_802.11a_CH105_6475MHz																																																																					
ANT		2																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>50.58</td><td>88.20</td><td>-37.62</td><td>53.23</td><td>39.40</td><td>18.94</td><td>60.99</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12950.00</td><td>41.70</td><td>60.20</td><td>-26.50</td><td>44.35</td><td>39.40</td><td>18.94</td><td>60.99</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12950.00	50.58	88.20	-37.62	53.23	39.40	18.94	60.99	0.00	300	360	PEAK	2	12950.00	41.70	60.20	-26.50	44.35	39.40	18.94	60.99	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																													
1	12950.00	50.58	88.20	-37.62	53.23	39.40	18.94	60.99	0.00	300	360	PEAK																																																											
2	12950.00	41.70	60.20	-26.50	44.35	39.40	18.94	60.99	0.00	300	360	AVERAGE																																																											
																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>50.53</td><td>39.40</td><td>18.94</td><td>60.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12950.00	47.88	88.20	-40.32	50.53	39.40	18.94	60.99	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																													
1	12950.00	47.88	88.20	-40.32	50.53	39.40	18.94	60.99	0.00	--	--	PEAK																																																											



Mode	20																																																																																																																														
	Harmonic																																																																																																																														
	UNII-6_6425-6525_802.11a_CH113_6515MHz																																																																																																																														
ANT	2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>51.92</td><td>88.20</td><td>-36.28</td><td>54.55</td><td>39.37</td><td>18.99</td><td>60.99</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>13030.00</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>46.24</td><td>39.37</td><td>18.99</td><td>61.00</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13030.00	51.92	88.20	-36.28	54.55	39.37	18.99	60.99	0.00	300	360	PEAK	2	13030.00	43.60	68.20	-24.60	46.24	39.37	18.99	61.00	0.00	300	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>48.52</td><td>88.20</td><td>-39.68</td><td>51.15</td><td>39.37</td><td>18.99</td><td>60.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13030.00	48.52	88.20	-39.68	51.15	39.37	18.99	60.99	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	13030.00	51.92	88.20	-36.28	54.55	39.37	18.99	60.99	0.00	300	360	PEAK																																																																																																																			
2	13030.00	43.60	68.20	-24.60	46.24	39.37	18.99	61.00	0.00	300	360	AVERAGE																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	13030.00	48.52	88.20	-39.68	51.15	39.37	18.99	60.99	0.00	--	--	PEAK																																																																																																																			



Mode	21																																																																																																																														
	Harmonic																																																																																																																														
	UNII-7_6525-6875_802.11a_CH117_6335MHz																																																																																																																														
ANT	2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12670.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>48.67</td><td>39.34</td><td>18.74</td><td>61.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 12670.00	45.68	74.00	-28.32	48.67	39.34	18.74	61.07	0.00	--	--	PEAK		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12670.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>49.07</td><td>39.34</td><td>18.74</td><td>61.07</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td><td></td></tr><tr><td>2 12670.00</td><td>36.50</td><td>54.00</td><td>-17.50</td><td>39.49</td><td>39.34</td><td>18.74</td><td>61.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 12670.00	46.08	74.00	-27.92	49.07	39.34	18.74	61.07	0.00	100	360	PEAK		2 12670.00	36.50	54.00	-17.50	39.49	39.34	18.74	61.07	0.00	100	360	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 12670.00	45.68	74.00	-28.32	48.67	39.34	18.74	61.07	0.00	--	--	PEAK																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 12670.00	46.08	74.00	-27.92	49.07	39.34	18.74	61.07	0.00	100	360	PEAK																																																																																																																				
2 12670.00	36.50	54.00	-17.50	39.49	39.34	18.74	61.07	0.00	100	360	AVERAGE																																																																																																																				