
















Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.160	44.13	-21.34	65.47	33.50	0.18	10.45	QP
2	0.160	27.23	-28.24	55.47	16.60	0.18	10.45	Average
3	0.179	48.43	-16.12	64.55	37.80	0.17	10.46	QP
4	0.179	32.93	-21.62	54.55	22.30	0.17	10.46	Average
5	0.389	38.84	-19.24	58.08	28.20	0.15	10.49	QP
6	0.389	27.54	-20.54	48.08	16.90	0.15	10.49	Average
7	0.502	36.06	-19.94	56.00	25.50	0.15	10.41	QP
8	0.502	24.36	-21.64	46.00	13.80	0.15	10.41	Average
9	2.824	35.96	-20.04	56.00	25.50	0.24	10.22	QP
10	2.824	24.26	-21.74	46.00	13.80	0.24	10.22	Average
11	9.603	42.68	-17.32	60.00	32.20	0.25	10.23	QP
12 *	9.603	36.68	-13.32	50.00	26.20	0.25	10.23	Average



Test Engineer :	Amos	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL
Project : (FZ) 5D0107

	Freq	Level	Limit	mit	Read	LISN	Cable	
	MHz	dBuV	dB	Line	Level	Factor	Loss	Remark
1	0.176	45.08	-19.60	64.68	34.50	0.12	10.46	QP
2	0.176	31.78	-22.90	54.68	21.20	0.12	10.46	Average
3	0.237	37.20	-25.02	62.22	26.60	0.13	10.47	QP
4	0.237	26.50	-25.72	52.22	15.90	0.13	10.47	Average
5	0.404	41.82	-15.95	57.77	31.20	0.13	10.49	QP
6 *	0.404	31.92	-15.85	47.77	21.30	0.13	10.49	Average
7	0.502	37.15	-18.85	56.00	26.60	0.14	10.41	QP
8	0.502	24.15	-21.85	46.00	13.60	0.14	10.41	Average
9	2.993	36.22	-19.78	56.00	25.80	0.20	10.22	QP
10	2.993	25.72	-20.28	46.00	15.30	0.20	10.22	Average
11	9.705	39.33	-20.67	60.00	28.90	0.20	10.23	QP
12	9.705	31.73	-18.27	50.00	21.30	0.20	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Lex Wu	Relative Humidity :	41 ~ 43%
		Temperature :	20.2 ~ 21.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.85	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.85	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps		
Mode 11	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps		
Mode 12	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps		
Mode 13	U-NII-1	5.15-5.25	2	802.11a	36	5180	6Mbps	-	-
Mode 14	U-NII-1	5.15-5.25	2	802.11a	44	5220	6Mbps	-	-
Mode 15	U-NII-1	5.15-5.25	2	802.11a	48	5240	6Mbps	-	-
Mode 16	U-NII-2A	5.25-5.35	2	802.11a	52	5260	6Mbps	-	-
Mode 17	U-NII-2A	5.25-5.35	2	802.11a	60	5300	6Mbps	-	-
Mode 18	U-NII-2A	5.25-5.35	2	802.11a	64	5320	6Mbps	-	-
Mode 19	U-NII-2C	5.47-5.725	2	802.11a	100	5500	6Mbps	-	-
Mode 20	U-NII-2C	5.47-5.85	2	802.11a	116	5580	6Mbps	-	-
Mode 21	U-NII-2C	5.47-5.85	2	802.11a	140	5700	6Mbps	-	-
Mode 22	U-NII-3	5.725-5.85	2	802.11a	149	5745	6Mbps		
Mode 23	U-NII-3	5.725-5.85	2	802.11a	157	5785	6Mbps		
Mode 24	U-NII-3	5.725-5.85	2	802.11a	165	5825	6Mbps		
Mode 25	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0		
Mode 26	U-NII-1	5.15-5.25	1+2	802.11ax HE20	44	5220	MCS0		
Mode 27	U-NII-1	5.15-5.25	1+2	802.11ax HE20	48	5240	MCS0		
Mode 28	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	52	5260	MCS0		
Mode 29	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	60	5300	MCS0	-	-
Mode 30	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	-	-
Mode 31	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	116	5580	MCS0	-	-
Mode 33	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	140	5700	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0		
Mode 35	U-NII-3	5.725-5.85	1+2	802.11ax HE20	157	5785	MCS0		
Mode 36	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0		
Mode 37	U-NII-1	5.15-5.25	1+2	802.11ax HE40	38	5190	MCS0	-	-
Mode 38	U-NII-1	5.15-5.25	1+2	802.11ax HE40	46	5230	MCS0	-	-
Mode 39	U-NII-2A	5.25-5.35	1+2	802.11ax HE40	54	5270	MCS0	-	-
Mode 40	U-NII-2A	5.25-5.35	1+2	802.11ax HE40	62	5310	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	1+2	802.11ax HE40	102	5510	MCS0		
Mode 42	U-NII-2C	5.47-5.85	1+2	802.11ax HE40	110	5550	MCS0		
Mode 43	U-NII-2C	5.47-5.725	1+2	802.11ax HE40	134	5670	MCS0	-	-
Mode 44	U-NII-3	5.725-5.85	1+2	802.11ax HE40	151	5755	MCS0	-	-
Mode 45	U-NII-3	5.725-5.85	1+2	802.11ax HE40	159	5795	MCS0	-	-
Mode 46	U-NII-1	5.15-5.25	1+2	802.11ax HE80	42	5210	MCS0	-	-
Mode 47	U-NII-2A	5.25-5.35	1+2	802.11ax HE80	58	5290	MCS0	-	-
Mode 48	U-NII-2C	5.47-5.725	1+2	802.11ax HE80	106	5530	MCS0	-	-
Mode 49	U-NII-2C	5.47-5.85	1+2	802.11ax HE80	122	5610	MCS0	-	-
Mode 50	U-NII-3	5.725-5.85	1+2	802.11ax HE80	155	5775	MCS0		
Mode 51	U-NII-2A	5.25-5.35	1+2	802.11ax HE160	50	5250	MCS0	-	-
Mode 52	U-NII-2C	5.47-5.725	1+2	802.11ax HE160	114	5570	MCS0	-	-
Mode 53	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 54	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	RU52/37	
Mode 55	U-NII-1	5.15-5.25	1+2	802.11ax HE20	36	5180	MCS0	RU106/53	
Mode 56	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	RU26/8	
Mode 57	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 58	U-NII-2A	5.25-5.35	1+2	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 59	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 60	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 61	U-NII-2C	5.47-5.725	1+2	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 62	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 63	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 64	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	140	5700	MCS0	RU106/54	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	RU26/0	
Mode 66	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	RU52/37	
Mode 67	U-NII-3	5.725-5.85	1+2	802.11ax HE20	149	5745	MCS0	RU106/53	
Mode 68	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	RU26/8	
Mode 69	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	RU52/40	
Mode 70	U-NII-3	5.725-5.85	1+2	802.11ax HE20	165	5825	MCS0	RU106/54	
Mode 71	U-NII-2C	5.47-5.85	1+2	802.11ax HE80	122	5610	MCS0	-	-
Mode 72	U-NII-2C	5.47-5.85	1	802.11a	144	5720	6Mbps	-	-
Mode 73	U-NII-2C	5.47-5.85	2	802.11a	144	5720	6Mbps	-	-
Mode 74	U-NII-2C	5.47-5.85	1+2	802.11ax HE20	144	5720	MCS0	-	-
Mode 75	U-NII-2C	5.47-5.85	1+2	802.11ax HE40	142	5710	MCS0	-	-
Mode 76	U-NII-2C	5.47-5.85	1+2	802.11ax HE80	138	5690	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.95	50.07	54.00	-3.93	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.75	68.20	-22.45	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	45.20	68.20	-23.00	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	47.18	68.20	-21.02	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	48.05	68.20	-20.15	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.83	68.20	-21.37	H	PEAK	Pass	Harmonic
6	802.11a	64	5350.00	50.24	54.00	-3.76	H	AVERAGE	Pass	Band Edge
6	802.11a	64	8512.00	48.13	68.20	-20.07	H	PEAK	Pass	Harmonic
7	802.11a	100	5468.33	60.23	68.20	-7.97	H	PEAK	Pass	Band Edge
7	802.11a	100	8800.00	57.03	68.20	-11.17	V	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	8928.00	54.06	68.20	-14.14	V	PEAK	Pass	Harmonic
9	802.11a	140	5725.32	66.37	68.20	-1.83	H	PEAK	Pass	Band Edge
9	802.11a	140	9120.00	50.45	54.00	-3.55	V	AVERAGE	Pass	Harmonic
10	802.11a	149	5640.00	56.42	68.20	-11.78	H	PEAK	Pass	Band Edge
	802.11a	149	9192.00	48.75	74.00	-25.25	V	PEAK	Pass	Harmonic
11	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	9256.00	49.12	68.20	-19.08	V	PEAK	Pass	Harmonic
12	802.11a	165	5967.20	55.82	68.20	-12.38	H	PEAK	Pass	Band Edge
	802.11a	165	9320.00	49.12	74.00	-24.88	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
13	802.11a	36	5150.00	50.41	54.00	-3.59	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	54.24	68.20	-13.96	H	PEAK	Pass	Harmonic
14	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10440.00	52.27	68.20	-15.93	H	PEAK	Pass	Harmonic
15	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10480.00	47.58	68.20	-20.62	V	PEAK	Pass	Harmonic
16	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	10520.00	47.44	68.20	-20.76	V	PEAK	Pass	Harmonic
17	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.00	46.90	68.20	-21.30	V	PEAK	Pass	Harmonic
18	802.11a	64	5350.00	50.50	54.00	-3.50	H	AVERAGE	Pass	Band Edge
	802.11a	64	8512.00	48.39	68.20	-19.81	H	PEAK	Pass	Harmonic
19	802.11a	100	5469.61	61.54	68.20	-6.66	H	PEAK	Pass	Band Edge
	802.11a	100	8800.00	48.11	68.20	-20.09	H	PEAK	Pass	Harmonic
20	802.11a	116	-	-	-	-	-	-	-	Band Edge
20	802.11a	116	8928.00	48.58	68.20	-19.62	V	PEAK	Pass	Harmonic
21	802.11a	140	5730.28	65.72	68.20	-2.48	H	PEAK	Pass	Band Edge
	802.11a	140	9120.00	48.36	54.00	-5.64	V	AVERAGE	Pass	Harmonic
22	802.11a	149	5615.60	54.95	68.20	-13.25	V	PEAK	Pass	Band Edge
	802.11a	149	9192.00	47.89	54.00	-6.11	V	AVERAGE	Pass	Harmonic
23	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	11570.00	40.75	54.00	-13.25	V	AVERAGE	Pass	Harmonic
24	802.11a	165	5998.00	56.05	68.20	-12.15	H	PEAK	Pass	Band Edge
	802.11a	165	9320.00	47.35	54.00	-6.65	H	AVERAGE	Pass	Harmonic
25	802.11ax HE20	36	5150.00	49.46	54.00	-4.54	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	8288.00	47.13	54.00	-6.87	V	AVERAGE	Pass	Harmonic
26	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	44	8352.00	47.33	54.00	-6.67	V	AVERAGE	Pass	Harmonic
27	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	48	8384.00	46.97	54.00	-7.03	V	AVERAGE	Pass	Harmonic
28	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	52	8416.00	47.53	54.00	-6.47	V	AVERAGE	Pass	Harmonic
29	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	60	8480.00	47.08	54.00	-6.92	V	AVERAGE	Pass	Harmonic
30	802.11ax HE20	64	5350.55	49.27	54.00	-4.73	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	8512.00	48.59	68.20	-19.61	H	PEAK	Pass	Harmonic
31	802.11ax HE20	100	5470.00	62.50	68.20	-5.70	H	PEAK	Pass	Band Edge
	802.11ax HE20	100	8800.00	48.26	68.20	-19.94	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
32	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	116	8928.00	46.96	68.20	-21.24	H	PEAK	Pass	Harmonic
33	802.11ax HE20	140	5725.76	61.32	68.20	-6.88	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	9120.00	49.32	54.00	-4.68	V	AVERAGE	Pass	Harmonic
34	802.11ax HE20	149	5608.80	55.09	68.20	-13.11	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	9192.00	48.41	54.00	-5.59	V	AVERAGE	Pass	Harmonic
35	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	157	9256.00	50.93	68.20	-17.27	V	PEAK	Pass	Harmonic
36	802.11ax HE20	165	5995.20	56.11	68.20	-12.09	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	9320.00	48.21	54.00	-5.79	V	AVERAGE	Pass	Harmonic
37	802.11ax HE40	38	5149.60	46.06	54.00	-7.94	H	AVERAGE	Pass	Band Edge
37	802.11ax HE40	38	10380.00	45.84	68.20	-22.36	V	PEAK	Pass	Harmonic
38	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	46	8368.00	47.77	54.00	-6.23	V	AVERAGE	Pass	Harmonic
39	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	54	8432.00	47.60	54.00	-6.40	V	AVERAGE	Pass	Harmonic
40	802.11ax HE40	62	5106.72	44.79	54.00	-9.21	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	62	8496.00	47.30	54.00	-6.70	H	AVERAGE	Pass	Harmonic
41	802.11ax HE40	102	5458.64	43.76	54.00	-10.24	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	102	8816.00	51.22	68.20	-16.98	V	PEAK	Pass	Harmonic
42	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	110	8880.00	48.35	68.20	-19.85	V	PEAK	Pass	Harmonic
43	802.11ax HE40	134	5457.52	43.45	54.00	-10.55	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	134	9072.00	49.76	54.00	-4.24	V	AVERAGE	Pass	Harmonic
44	802.11ax HE40	151	5601.24	56.44	68.20	-11.76	V	PEAK	Pass	Band Edge
	802.11ax HE40	151	11510.00	39.55	54.00	-14.45	H	AVERAGE	Pass	Harmonic
45	802.11ax HE40	159	5991.20	55.50	68.20	-12.70	H	PEAK	Pass	Band Edge
	802.11ax HE40	159	9272.00	49.99	68.20	-18.21	V	PEAK	Pass	Harmonic
46	802.11ax HE80	42	5145.44	46.02	54.00	-7.98	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	8336.00	47.18	54.00	-6.82	V	AVERAGE	Pass	Harmonic
47	802.11ax HE80	58	5352.74	46.07	54.00	-7.93	H	AVERAGE	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	802.11ax HE80	58	8464.00	47.21	54.00	-6.79	V	AVERAGE	Pass	Harmonic
48	802.11ax HE80	106	5450.89	44.14	54.00	-9.86	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	106	8848.00	47.63	68.20	-20.57	V	PEAK	Pass	Harmonic
49	802.11ax HE80	122	5457.93	43.81	54.00	-10.19	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	122	8976.00	48.56	68.20	-19.64	V	PEAK	Pass	Harmonic
50	802.11ax HE80	155	5934.80	55.42	68.20	-12.78	H	PEAK	Pass	Band Edge
	802.11ax HE80	155	9240.00	49.38	68.20	-18.82	V	PEAK	Pass	Harmonic
51	802.11ax HE160	50	5138.87	46.68	54.00	-7.32	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	8400.00	46.77	54.00	-7.23	V	AVERAGE	Pass	Harmonic
52	802.11ax HE160	114	5458.53	45.15	54.00	-8.85	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	114	8912.00	50.16	68.20	-18.04	V	PEAK	Pass	Harmonic
53	802.11ax HE20	36	5115.45	45.08	54.00	-8.92	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	36	5101.35	45.02	54.00	-8.98	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	36	5103.85	44.99	54.00	-9.01	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	64	5369.45	43.76	54.00	-10.24	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	64	5352.75	43.55	54.00	-10.45	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	64	5354.05	43.47	54.00	-10.53	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	100	5451.05	44.28	54.00	-9.72	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	100	5456.33	44.20	54.00	-9.80	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	100	5457.93	44.25	54.00	-9.75	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	140	5728.84	58.81	68.20	-9.39	H	Peak	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	802.11ax HE20	140	5731.12	56.06	68.20	-12.14	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE20	140	5735.20	57.10	68.20	-11.10	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
65	802.11ax HE20	149	5617.60	55.10	68.20	-13.10	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
66	802.11ax HE20	149	5622.00	56.02	68.20	-12.18	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
67	802.11ax HE20	149	5627.60	54.65	68.20	-13.55	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE20	165	5946.40	55.40	68.20	-12.80	V	PEAK	Pass	Band Edge
68	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
69	802.11ax HE20	165	5996.80	55.82	68.20	-12.38	H	PEAK	Pass	Band Edge
69	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
70	802.11ax HE20	165	5931.20	55.38	68.20	-12.82	H	PEAK	Pass	Band Edge
70	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
71	802.11ax HE80	122	5456.97	44.08	54.00	-9.92	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	122	8976.00	47.12	68.20	-21.08	V	PEAK	Pass	Harmonic
72	802.11a	144	-	-	-	-	-	-	-	Band Edge
72	802.11a	144	11440.00	39.31	54.00	-14.69	H	AVERAGE	Pass	Harmonic
73	802.11a	144	-	-	-	-	-	-	-	Band Edge
73	802.11a	144	11440.00	45.10	54.00	-8.90	H	AVERAGE	Pass	Harmonic
74	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
74	802.11ax HE20	144	11440.00	45.67	54.00	-8.33	H	AVERAGE	Pass	Harmonic
75	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
75	802.11ax HE40	142	9136.00	48.75	74.00	-25.25	V	PEAK	Pass	Harmonic
76	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	138	9104.00	47.77	74.00	-26.23	V	PEAK	Pass	Harmonic



Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.85</td><td>64.86</td><td>74.00</td><td>-9.14</td><td>50.15</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>102</td><td>318</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.85	64.86	74.00	-9.14	50.15	34.40	11.91	31.60	0.00	102	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.85	64.86	74.00	-9.14	50.15	34.40	11.91	31.60	0.00	102	318	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.45</td><td>-----</td><td>-----</td><td>96.67</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>102</td><td>318</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.45	-----	-----	96.67	34.45	11.93	31.60	0.00	102	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	111.45	-----	-----	96.67	34.45	11.93	31.60	0.00	102	318	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>50.07</td><td>54.00</td><td>-3.93</td><td>35.36</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>102</td><td>318</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	50.07	54.00	-3.93	35.36	34.40	11.91	31.60	0.00	102	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.95	50.07	54.00	-3.93	35.36	34.40	11.91	31.60	0.00	102	318	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.98</td><td>-----</td><td>-----</td><td>88.20</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>102</td><td>318</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.98	-----	-----	88.20	34.45	11.93	31.60	0.00	102	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	102.98	-----	-----	88.20	34.45	11.93	31.60	0.00	102	318	AVERAGE																																											





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.95</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>40.96</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>380</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.95	55.67	74.00	-18.33	40.96	34.40	11.91	31.60	0.00	380	348	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.82</td><td>-----</td><td>-----</td><td>91.02</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>380</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.82	-----	-----	91.02	34.46	11.94	31.60	0.00	380	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.95	55.67	74.00	-18.33	40.96	34.40	11.91	31.60	0.00	380	348	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	105.82	-----	-----	91.02	34.46	11.94	31.60	0.00	380	348	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>30.57</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>380</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	45.28	54.00	-8.72	30.57	34.40	11.91	31.60	0.00	380	348	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.63</td><td>-----</td><td>-----</td><td>82.83</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>380</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.63	-----	-----	82.83	34.46	11.94	31.60	0.00	380	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.95	45.28	54.00	-8.72	30.57	34.40	11.91	31.60	0.00	380	348	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.63	-----	-----	82.83	34.46	11.94	31.60	0.00	380	348	AVERAGE																																																																																							





Mode	1																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>8288.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>56.53</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>45.75</td><td>68.20</td><td>-22.45</td><td>52.67</td><td>37.55</td><td>16.91</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8288.00	44.53	74.00	-29.47	56.53	36.08	15.10	63.18	0.00	--	--	PEAK	2	10360.00	45.75	68.20	-22.45	52.67	37.55	16.91	61.38	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>8288.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>55.37</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>45.49</td><td>68.20</td><td>-22.71</td><td>52.39</td><td>37.56</td><td>16.92</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8288.00	43.37	74.00	-30.63	55.37	36.08	15.10	63.18	0.00	--	--	PEAK	2	10360.00	45.49	68.20	-22.71	52.39	37.56	16.92	61.38	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	8288.00	44.53	74.00	-29.47	56.53	36.08	15.10	63.18	0.00	--	--	PEAK																																																																																																																		
2	10360.00	45.75	68.20	-22.45	52.67	37.55	16.91	61.38	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	8288.00	43.37	74.00	-30.63	55.37	36.08	15.10	63.18	0.00	--	--	PEAK																																																																																																																		
2	10360.00	45.49	68.20	-22.71	52.39	37.56	16.92	61.38	0.00	--	--	PEAK																																																																																																																		



Mode	2																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8352.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>55.69</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>51.95</td><td>37.67</td><td>16.97</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8352.00	43.77	74.00	-30.23	55.69	36.10	15.15	63.17	0.00	--	--	PEAK	2	10440.00	45.20	68.20	-23.00	51.95	37.67	16.97	61.39	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8352.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>55.38</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>45.13</td><td>68.20</td><td>-23.07</td><td>51.88</td><td>37.67</td><td>16.97</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8352.00	43.46	74.00	-30.54	55.38	36.10	15.15	63.17	0.00	--	--	PEAK	2	10440.00	45.13	68.20	-23.07	51.88	37.67	16.97	61.39	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8352.00	43.77	74.00	-30.23	55.69	36.10	15.15	63.17	0.00	--	--	PEAK																																																																																																																																
2	10440.00	45.20	68.20	-23.00	51.95	37.67	16.97	61.39	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8352.00	43.46	74.00	-30.54	55.38	36.10	15.15	63.17	0.00	--	--	PEAK																																																																																																																																
2	10440.00	45.13	68.20	-23.07	51.88	37.67	16.97	61.39	0.00	--	--	PEAK																																																																																																																																



Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8304.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>58.87</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>53.81</td><td>37.76</td><td>17.01</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8304.00	46.98	74.00	-27.02	58.87	36.10	15.18	63.17	0.00	--	--	PEAK	2	10480.00	47.18	68.20	-21.02	53.81	37.76	17.01	61.40	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8304.00</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>59.92</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>46.76</td><td>68.20</td><td>-21.44</td><td>53.42</td><td>37.74</td><td>17.00</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8304.00	48.03	74.00	-25.97	59.92	36.10	15.18	63.17	0.00	--	--	PEAK	2	10480.00	46.76	68.20	-21.44	53.42	37.74	17.00	61.40	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8304.00	46.98	74.00	-27.02	58.87	36.10	15.18	63.17	0.00	--	--	PEAK																																																																																																																																
2	10480.00	47.18	68.20	-21.02	53.81	37.76	17.01	61.40	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8304.00	48.03	74.00	-25.97	59.92	36.10	15.18	63.17	0.00	--	--	PEAK																																																																																																																																
2	10480.00	46.76	68.20	-21.44	53.42	37.74	17.00	61.40	0.00	--	--	PEAK																																																																																																																																







Mode	4																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8416.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>58.95</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>46.34</td><td>68.20</td><td>-21.86</td><td>52.88</td><td>37.78</td><td>17.04</td><td>61.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8416.00	47.06	74.00	-26.94	58.95	36.07	15.21	63.17	0.00	--	--	PEAK	2	10520.00	46.34	68.20	-21.86	52.88	37.78	17.04	61.36	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8416.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>59.86</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>48.05</td><td>68.20</td><td>-20.15</td><td>54.59</td><td>37.78</td><td>17.04</td><td>61.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8416.00	47.97	74.00	-26.03	59.86	36.07	15.21	63.17	0.00	--	--	PEAK	2	10520.00	48.05	68.20	-20.15	54.59	37.78	17.04	61.36	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8416.00	47.06	74.00	-26.94	58.95	36.07	15.21	63.17	0.00	--	--	PEAK																																																																																																																																
2	10520.00	46.34	68.20	-21.86	52.88	37.78	17.04	61.36	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8416.00	47.97	74.00	-26.03	59.86	36.07	15.21	63.17	0.00	--	--	PEAK																																																																																																																																
2	10520.00	48.05	68.20	-20.15	54.59	37.78	17.04	61.36	0.00	--	--	PEAK																																																																																																																																







Mode	5																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8400.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>60.25</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.83</td><td>68.20</td><td>-21.37</td><td>53.25</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8400.00	48.39	74.00	-25.61	60.25	36.00	15.30	63.16	0.00	--	--	PEAK	2	10600.00	46.83	68.20	-21.37	53.25	37.70	17.10	61.22	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8400.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>58.52</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>52.77</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8400.00	46.66	74.00	-27.34	58.52	36.00	15.30	63.16	0.00	--	--	PEAK	2	10600.00	46.35	68.20	-21.85	52.77	37.70	17.10	61.22	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8400.00	48.39	74.00	-25.61	60.25	36.00	15.30	63.16	0.00	--	--	PEAK																																																																																																																																
2	10600.00	46.83	68.20	-21.37	53.25	37.70	17.10	61.22	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8400.00	46.66	74.00	-27.34	58.52	36.00	15.30	63.16	0.00	--	--	PEAK																																																																																																																																
2	10600.00	46.35	68.20	-21.85	52.77	37.70	17.10	61.22	0.00	--	--	PEAK																																																																																																																																





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.75</td><td>66.80</td><td>74.00</td><td>-7.20</td><td>51.78</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>109</td><td>225</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.75	66.80	74.00	-7.20	51.78	34.51	12.12	31.61	0.00	109	225	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.43</td><td>-----</td><td>-----</td><td>94.46</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>109</td><td>225</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.43	-----	-----	94.46	34.50	12.08	31.61	0.00	109	225
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.75	66.80	74.00	-7.20	51.78	34.51	12.12	31.61	0.00	109	225	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	109.43	-----	-----	94.46	34.50	12.08	31.61	0.00	109	225	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>35.24</td><td>34.50</td><td>12.11</td><td>31.61</td><td>0.00</td><td>109</td><td>225</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.24	54.00	-3.76	35.24	34.50	12.11	31.61	0.00	109	225	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.20</td><td>-----</td><td>-----</td><td>86.23</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>109</td><td>225</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.20	-----	-----	86.23	34.50	12.08	31.61	0.00	109	225
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	50.24	54.00	-3.76	35.24	34.50	12.11	31.61	0.00	109	225	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.20	-----	-----	86.23	34.50	12.08	31.61	0.00	109	225	AVERAGE																																																																																							







Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.65</td><td>61.65</td><td>74.00</td><td>-12.35</td><td>46.64</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>301</td><td>341</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.65	61.65	74.00	-12.35	46.64	34.50	12.12	31.61	0.00	301	341	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.91</td><td>-----</td><td>-----</td><td>89.94</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>301</td><td>341</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	104.91	-----	-----	89.94	34.50	12.08	31.61	0.00	301	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5350.65	61.65	74.00	-12.35	46.64	34.50	12.12	31.61	0.00	301	341	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5320.00	104.91	-----	-----	89.94	34.50	12.08	31.61	0.00	301	341	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>31.39</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>301</td><td>341</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.15	46.40	54.00	-7.60	31.39	34.50	12.12	31.61	0.00	301	341	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>95.77</td><td>-----</td><td>-----</td><td>80.80</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>301</td><td>341</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	95.77	-----	-----	80.80	34.50	12.08	31.61	0.00	301	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5350.15	46.40	54.00	-7.60	31.39	34.50	12.12	31.61	0.00	301	341	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5320.00	95.77	-----	-----	80.80	34.50	12.08	31.61	0.00	301	341	AVERAGE																																																																																																			







Mode	6																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8512.00</td><td>48.13</td><td>68.20</td><td>-20.07</td><td>59.92</td><td>36.00</td><td>15.35</td><td>63.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>52.88</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8512.00	48.13	68.20	-20.07	59.92	36.00	15.35	63.14	0.00	--	--	PEAK	2	10640.00	46.64	74.00	-27.36	52.88	37.78	17.13	61.15	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8512.00</td><td>46.51</td><td>68.20</td><td>-21.69</td><td>58.30</td><td>36.00</td><td>15.35</td><td>63.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>52.43</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8512.00	46.51	68.20	-21.69	58.30	36.00	15.35	63.14	0.00	--	--	PEAK	2	10640.00	46.19	74.00	-27.81	52.43	37.78	17.13	61.15	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8512.00	48.13	68.20	-20.07	59.92	36.00	15.35	63.14	0.00	--	--	PEAK																																																																																																																																
2	10640.00	46.64	74.00	-27.36	52.88	37.78	17.13	61.15	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8512.00	46.51	68.20	-21.69	58.30	36.00	15.35	63.14	0.00	--	--	PEAK																																																																																																																																
2	10640.00	46.19	74.00	-27.81	52.43	37.78	17.13	61.15	0.00	--	--	PEAK																																																																																																																																





Mode	7																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.09</td><td>62.22</td><td>74.00</td><td>-11.78</td><td>46.83</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr><tr><td>2</td><td>5468.33</td><td>60.23</td><td>68.20</td><td>-7.97</td><td>44.84</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	62.22	74.00	-11.78	46.83	34.78	12.23	31.62	0.00	100	251	PEAK	2	5468.33	60.23	68.20	-7.97	44.84	34.76	12.25	31.62	0.00	100	251	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.07</td><td>-----</td><td>-----</td><td>94.70</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.07	-----	-----	94.70	34.71	12.28	31.62	0.00	100	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.09	62.22	74.00	-11.78	46.83	34.78	12.23	31.62	0.00	100	251	PEAK																																																																																																				
2	5468.33	60.23	68.20	-7.97	44.84	34.76	12.25	31.62	0.00	100	251	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	110.07	-----	-----	94.70	34.71	12.28	31.62	0.00	100	251	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.61</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>29.44</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>251</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	44.83	54.00	-9.17	29.44	34.78	12.23	31.62	0.00	100	251	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.43</td><td>-----</td><td>-----</td><td>86.06</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>100</td><td>251</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.43	-----	-----	86.06	34.71	12.28	31.62	0.00	100	251	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.61	44.83	54.00	-9.17	29.44	34.78	12.23	31.62	0.00	100	251	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	101.43	-----	-----	86.06	34.71	12.28	31.62	0.00	100	251	AVERAGE																																																																																																				





Mode	7																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.09</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>39.45</td><td>34.68</td><td>12.16</td><td>31.61</td><td>0.00</td><td>371</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>55.40</td><td>68.20</td><td>-12.80</td><td>40.01</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>371</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.09	54.68	74.00	-19.32	39.45	34.68	12.16	31.61	0.00	371	356	PEAK	2	5468.97	55.40	68.20	-12.80	40.01	34.76	12.25	31.62	0.00	371	356	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.09</td><td>-----</td><td>-----</td><td>90.72</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>371</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.09	-----	-----	90.72	34.71	12.28	31.62	0.00	371	356
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5394.09	54.68	74.00	-19.32	39.45	34.68	12.16	31.61	0.00	371	356	PEAK																																																																																																				
2	5468.97	55.40	68.20	-12.80	40.01	34.76	12.25	31.62	0.00	371	356	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	106.09	-----	-----	90.72	34.71	12.28	31.62	0.00	371	356	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5478.77</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>28.26</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>371</td><td>356</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5478.77	43.65	54.00	-10.35	28.26	34.78	12.23	31.62	0.00	371	356	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.10</td><td>-----</td><td>-----</td><td>81.73</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>371</td><td>356</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.10	-----	-----	81.73	34.71	12.28	31.62	0.00	371	356	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5478.77	43.65	54.00	-10.35	28.26	34.78	12.23	31.62	0.00	371	356	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	97.10	-----	-----	81.73	34.71	12.28	31.62	0.00	371	356	AVERAGE																																																																																																				






		7																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																										
ANT		1																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8800.00</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>65.27</td><td>36.30</td><td>15.67</td><td>62.66</td><td>0.00</td><td>309</td><td>33</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>51.44</td><td>38.00</td><td>17.41</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8800.00	54.58	68.20	-13.62	65.27	36.30	15.67	62.66	0.00	309	33	PEAK	2	11000.00	46.34	74.00	-27.66	51.44	38.00	17.41	60.51	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8800.00</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>67.72</td><td>36.30</td><td>15.67</td><td>62.66</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>51.81</td><td>38.00</td><td>17.41</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8800.00	57.03	68.20	-11.17	67.72	36.30	15.67	62.66	0.00	100	360	PEAK	2	11000.00	46.71	74.00	-27.29	51.81	38.00	17.41	60.51	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	8800.00	54.58	68.20	-13.62	65.27	36.30	15.67	62.66	0.00	309	33	PEAK																																																																																																																																																
2	11000.00	46.34	74.00	-27.66	51.44	38.00	17.41	60.51	0.00	--	--	PEAK																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	8800.00	57.03	68.20	-11.17	67.72	36.30	15.67	62.66	0.00	100	360	PEAK																																																																																																																																																
2	11000.00	46.71	74.00	-27.29	51.81	38.00	17.41	60.51	0.00	--	--	PEAK																																																																																																																																																






Mode	8																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11a_CH116_5580MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8928.00</td><td>53.11</td><td>68.20</td><td>-15.09</td><td>63.48</td><td>36.30</td><td>15.77</td><td>62.44</td><td>0.00</td><td>134</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>54.33</td><td>38.04</td><td>17.55</td><td>60.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8928.00	53.11	68.20	-15.09	63.48	36.30	15.77	62.44	0.00	134	303	PEAK	2	11160.00	49.20	74.00	-24.80	54.33	38.04	17.55	60.72	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8928.00</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>64.43</td><td>36.30</td><td>15.77</td><td>62.44</td><td>0.00</td><td>100</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>54.51</td><td>38.04</td><td>17.55</td><td>60.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8928.00	54.06	68.20	-14.14	64.43	36.30	15.77	62.44	0.00	100	346	PEAK	2	11160.00	49.38	74.00	-24.62	54.51	38.04	17.55	60.72	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8928.00	53.11	68.20	-15.09	63.48	36.30	15.77	62.44	0.00	134	303	PEAK																																																																																																																																
2	11160.00	49.20	74.00	-24.80	54.33	38.04	17.55	60.72	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8928.00	54.06	68.20	-14.14	64.43	36.30	15.77	62.44	0.00	100	346	PEAK																																																																																																																																
2	11160.00	49.38	74.00	-24.62	54.51	38.04	17.55	60.72	0.00	--	--	PEAK																																																																																																																																



Mode	9																																																											
	Band Edge																																																											
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																											
ANT	1																																																											
Pol.	Horizontal						Fundamental																																																					
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5725.32</td><td>66.37</td><td>68.20</td><td>-1.83</td><td>50.69</td><td>34.85</td><td>12.52</td><td>31.69</td><td>0.00</td><td>100</td><td>277</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5725.32	66.37	68.20	-1.83	50.69	34.85	12.52	31.69	0.00	100	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5725.32	66.37	68.20	-1.83	50.69	34.85	12.52	31.69	0.00	100	277	PEAK																																																
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>108.60</td><td>-----</td><td>-----</td><td>93.00</td><td>34.78</td><td>12.48</td><td>31.66</td><td>0.00</td><td>100</td><td>277</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5700.00	108.60	-----	-----	93.00	34.78	12.48	31.66	0.00	100	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5700.00	108.60	-----	-----	93.00	34.78	12.48	31.66	0.00	100	277	PEAK																																																
Blank																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>100.67</td><td>-----</td><td>-----</td><td>85.05</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>277</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5700.00	100.67	-----	-----	85.05	34.80	12.49	31.67	0.00	100	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5700.00	100.67	-----	-----	85.05	34.80	12.49	31.67	0.00	100	277	AVERAGE																																																






Mode	9																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>45.55</td><td>34.85</td><td>12.52</td><td>31.69</td><td>0.00</td><td>344</td><td>0</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	61.23	68.20	-6.97	45.55	34.85	12.52	31.69	0.00	344	0	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.09</td><td>-----</td><td>-----</td><td>86.47</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>344</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.09	-----	-----	86.47	34.80	12.49	31.67	0.00	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5725.16	61.23	68.20	-6.97	45.55	34.85	12.52	31.69	0.00	344	0																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5700.00	102.09	-----	-----	86.47	34.80	12.49	31.67	0.00	344	0 PEAK																																																																																				
Avg	Blank																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.10</td><td>-----</td><td>-----</td><td>78.48</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>344</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.10	-----	-----	78.48	34.80	12.49	31.67	0.00	344	0 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5700.00	94.10	-----	-----	78.48	34.80	12.49	31.67	0.00	344	0 AVERAGE																																																																																				







Mode	9																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9120.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>55.33</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>53.58</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9120.00	45.57	74.00	-28.43	55.33	36.44	15.88	62.08	0.00	--	PEAK	2	11400.00	48.41	74.00	-25.59	53.58	38.10	17.76	61.03	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9120.00</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>62.63</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>174</td><td>1 PEAK</td></tr><tr><td>2</td><td>9120.00</td><td>50.45</td><td>54.00</td><td>-3.55</td><td>60.21</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>174</td><td>1 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>51.73</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9120.00	52.87	74.00	-21.13	62.63	36.44	15.88	62.08	0.00	174	1 PEAK	2	9120.00	50.45	54.00	-3.55	60.21	36.44	15.88	62.08	0.00	174	1 AVERAGE	3	11400.00	46.56	74.00	-27.44	51.73	38.10	17.76	61.03	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	9120.00	45.57	74.00	-28.43	55.33	36.44	15.88	62.08	0.00	--	PEAK																																																																																																																										
2	11400.00	48.41	74.00	-25.59	53.58	38.10	17.76	61.03	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	9120.00	52.87	74.00	-21.13	62.63	36.44	15.88	62.08	0.00	174	1 PEAK																																																																																																																										
2	9120.00	50.45	54.00	-3.55	60.21	36.44	15.88	62.08	0.00	174	1 AVERAGE																																																																																																																										
3	11400.00	46.56	74.00	-27.44	51.73	38.10	17.76	61.03	0.00	--	PEAK																																																																																																																										





Mode	10																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>56.42</td><td>68.20</td><td>-11.78</td><td>40.92</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>54.09</td><td>69.69</td><td>-15.60</td><td>38.59</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>77.41</td><td>110.34</td><td>-32.93</td><td>61.74</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.04</td><td>110.90</td><td>-39.86</td><td>55.37</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.00	56.42	68.20	-11.78	40.92	34.70	12.43	31.63	0.00	100	274	PEAK	2	5652.00	54.09	69.69	-15.60	38.59	34.70	12.44	31.64	0.00	100	274	PEAK	3	5718.00	77.41	110.34	-32.93	61.74	34.84	12.51	31.68	0.00	100	274	PEAK	4	5720.00	71.04	110.90	-39.86	55.37	34.84	12.51	31.68	0.00	100	274	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.51</td><td>-----</td><td>-----</td><td>99.78</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	115.51	-----	-----	99.78	34.89	12.54	31.70	0.00	100	274	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5640.00	56.42	68.20	-11.78	40.92	34.70	12.43	31.63	0.00	100	274	PEAK																																																																																																																															
2	5652.00	54.09	69.69	-15.60	38.59	34.70	12.44	31.64	0.00	100	274	PEAK																																																																																																																															
3	5718.00	77.41	110.34	-32.93	61.74	34.84	12.51	31.68	0.00	100	274	PEAK																																																																																																																															
4	5720.00	71.04	110.90	-39.86	55.37	34.84	12.51	31.68	0.00	100	274	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	115.51	-----	-----	99.78	34.89	12.54	31.70	0.00	100	274	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.53</td><td>-----</td><td>-----</td><td>90.80</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.53	-----	-----	90.80	34.89	12.54	31.70	0.00	100	274	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.53	-----	-----	90.80	34.89	12.54	31.70	0.00	100	274	AVERAGE																																																																																																																															





Mode	10																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.00</td><td>54.17</td><td>68.20</td><td>-14.03</td><td>38.70</td><td>34.70</td><td>12.40</td><td>31.63</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>52.04</td><td>69.39</td><td>-17.35</td><td>36.54</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>64.18</td><td>110.79</td><td>-46.61</td><td>48.51</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>73.16</td><td>117.28</td><td>-44.12</td><td>57.48</td><td>34.85</td><td>12.51</td><td>31.68</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.00	54.17	68.20	-14.03	38.70	34.70	12.40	31.63	0.00	291	0 PEAK	2	5651.60	52.04	69.39	-17.35	36.54	34.70	12.44	31.64	0.00	291	0 PEAK	3	5719.60	64.18	110.79	-46.61	48.51	34.84	12.51	31.68	0.00	291	0 PEAK	4	5722.80	73.16	117.28	-44.12	57.48	34.85	12.51	31.68	0.00	291	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.63</td><td>-----</td><td>-----</td><td>91.90</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.63	-----	-----	91.90	34.89	12.54	31.70	0.00	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5612.00	54.17	68.20	-14.03	38.70	34.70	12.40	31.63	0.00	291	0 PEAK																																																																																																																								
2	5651.60	52.04	69.39	-17.35	36.54	34.70	12.44	31.64	0.00	291	0 PEAK																																																																																																																								
3	5719.60	64.18	110.79	-46.61	48.51	34.84	12.51	31.68	0.00	291	0 PEAK																																																																																																																								
4	5722.80	73.16	117.28	-44.12	57.48	34.85	12.51	31.68	0.00	291	0 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	107.63	-----	-----	91.90	34.89	12.54	31.70	0.00	291	0 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.87</td><td>-----</td><td>-----</td><td>83.14</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>291</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.87	-----	-----	83.14	34.89	12.54	31.70	0.00	291	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.87</td><td>-----</td><td>-----</td><td>83.14</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>291</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.87	-----	-----	83.14	34.89	12.54	31.70	0.00	291	0 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	98.87	-----	-----	83.14	34.89	12.54	31.70	0.00	291	0 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	98.87	-----	-----	83.14	34.89	12.54	31.70	0.00	291	0 AVERAGE																																																																																																																								






		10																																																																																																																																
Mode		Harmonic																																																																																																																																
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																
ANT		1																																																																																																																																
Pol.		Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																		
																																																																																																																																		
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9192.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>55.82</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>53.23</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9192.00	46.23	74.00	-27.77	55.82	36.42	15.92	61.93	0.00	--	--	PEAK	2	11490.00	48.11	74.00	-25.89	53.23	38.19	17.84	61.15	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9192.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>58.34</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>51.32</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9192.00	48.75	74.00	-25.25	58.34	36.42	15.92	61.93	0.00	--	--	PEAK	2	11490.00	46.20	74.00	-27.80	51.32	38.19	17.84	61.15	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9192.00	46.23	74.00	-27.77	55.82	36.42	15.92	61.93	0.00	--	--	PEAK																																																																																																																						
2	11490.00	48.11	74.00	-25.89	53.23	38.19	17.84	61.15	0.00	--	--	PEAK																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9192.00	48.75	74.00	-25.25	58.34	36.42	15.92	61.93	0.00	--	--	PEAK																																																																																																																						
2	11490.00	46.20	74.00	-27.80	51.32	38.19	17.84	61.15	0.00	--	--	PEAK																																																																																																																						



Mode	11																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9256.00</td><td>45.47</td><td>68.20</td><td>-22.73</td><td>54.78</td><td>36.52</td><td>15.97</td><td>61.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>52.17</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	9256.00	45.47	68.20	-22.73	54.78	36.52	15.97	61.80	0.00	--	--	PEAK	2	11570.00	47.13	74.00	-26.87	52.17	38.20	17.91	61.15	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9256.00</td><td>49.12</td><td>68.20</td><td>-19.08</td><td>58.43</td><td>36.52</td><td>15.97</td><td>61.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>51.54</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	9256.00	49.12	68.20	-19.08	58.43	36.52	15.97	61.80	0.00	--	--	PEAK	2	11570.00	46.50	74.00	-27.50	51.54	38.20	17.91	61.15	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	9256.00	45.47	68.20	-22.73	54.78	36.52	15.97	61.80	0.00	--	--	PEAK																																																																																																																																
2	11570.00	47.13	74.00	-26.87	52.17	38.20	17.91	61.15	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	9256.00	49.12	68.20	-19.08	58.43	36.52	15.97	61.80	0.00	--	--	PEAK																																																																																																																																
2	11570.00	46.50	74.00	-27.50	51.54	38.20	17.91	61.15	0.00	--	--	PEAK																																																																																																																																





Mode	12																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>74.98</td><td>111.36</td><td>-36.38</td><td>59.08</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>76.28</td><td>110.51</td><td>-34.23</td><td>60.38</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.83</td><td>68.94</td><td>-16.11</td><td>36.74</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr><tr><td>4</td><td>5967.20</td><td>55.82</td><td>68.20</td><td>-12.38</td><td>39.49</td><td>35.30</td><td>12.84</td><td>31.81</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	74.98	111.36	-36.38	59.08	35.00	12.67	31.77	0.00	100	275	PEAK	2	5856.40	76.28	110.51	-34.23	60.38	35.00	12.67	31.77	0.00	100	275	PEAK	3	5924.00	52.83	68.94	-16.11	36.74	35.10	12.78	31.79	0.00	100	275	PEAK	4	5967.20	55.82	68.20	-12.38	39.49	35.30	12.84	31.81	0.00	100	275	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.29</td><td>-----</td><td>-----</td><td>97.41</td><td>35.00</td><td>12.63</td><td>31.75</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.29	-----	-----	97.41	35.00	12.63	31.75	0.00	100	275	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	74.98	111.36	-36.38	59.08	35.00	12.67	31.77	0.00	100	275	PEAK																																																																																																																															
2	5856.40	76.28	110.51	-34.23	60.38	35.00	12.67	31.77	0.00	100	275	PEAK																																																																																																																															
3	5924.00	52.83	68.94	-16.11	36.74	35.10	12.78	31.79	0.00	100	275	PEAK																																																																																																																															
4	5967.20	55.82	68.20	-12.38	39.49	35.30	12.84	31.81	0.00	100	275	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	113.29	-----	-----	97.41	35.00	12.63	31.75	0.00	100	275	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.99</td><td>-----</td><td>-----</td><td>89.10</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>100</td><td>275</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.99	-----	-----	89.10	35.00	12.64	31.75	0.00	100	275	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	104.99	-----	-----	89.10	35.00	12.64	31.75	0.00	100	275	AVERAGE																																																																																																																															







Mode	12																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>67.44</td><td>112.27</td><td>-44.83</td><td>51.54</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>332 342 PEAK</td></tr><tr><td>2 5861.60</td><td>68.04</td><td>109.05</td><td>-41.01</td><td>52.13</td><td>35.00</td><td>12.68</td><td>31.77</td><td>0.00</td><td>332 342 PEAK</td></tr><tr><td>3 5924.40</td><td>54.42</td><td>68.64</td><td>-14.22</td><td>38.33</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>332 342 PEAK</td></tr><tr><td>4 5979.60</td><td>54.99</td><td>68.20</td><td>-13.21</td><td>38.56</td><td>35.38</td><td>12.86</td><td>31.81</td><td>0.00</td><td>332 342 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.40	67.44	112.27	-44.83	51.54	35.00	12.67	31.77	0.00	332 342 PEAK	2 5861.60	68.04	109.05	-41.01	52.13	35.00	12.68	31.77	0.00	332 342 PEAK	3 5924.40	54.42	68.64	-14.22	38.33	35.10	12.78	31.79	0.00	332 342 PEAK	4 5979.60	54.99	68.20	-13.21	38.56	35.38	12.86	31.81	0.00	332 342 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.15</td><td>-----</td><td>-----</td><td>92.27</td><td>35.00</td><td>12.63</td><td>31.75</td><td>0.00</td><td>332 342 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	108.15	-----	-----	92.27	35.00	12.63	31.75	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5854.40	67.44	112.27	-44.83	51.54	35.00	12.67	31.77	0.00	332 342 PEAK																																																																																																														
2 5861.60	68.04	109.05	-41.01	52.13	35.00	12.68	31.77	0.00	332 342 PEAK																																																																																																														
3 5924.40	54.42	68.64	-14.22	38.33	35.10	12.78	31.79	0.00	332 342 PEAK																																																																																																														
4 5979.60	54.99	68.20	-13.21	38.56	35.38	12.86	31.81	0.00	332 342 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5825.00	108.15	-----	-----	92.27	35.00	12.63	31.75	0.00	332 342 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.02</td><td>-----</td><td>-----</td><td>84.13</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>332 342 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	108.02	-----	-----	84.13	35.00	12.64	31.75	0.00	332 342 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5825.00	108.02	-----	-----	84.13	35.00	12.64	31.75	0.00	332 342 AVERAGE																																																																																																														







Mode	12																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9320.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>54.58</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>51.94</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9320.00	45.59	74.00	-28.41	54.58	36.66	16.02	61.67	0.00	--	--	PEAK	2	11650.00	47.07	74.00	-26.93	51.94	38.30	17.98	61.15	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9320.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>58.11</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>51.15</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9320.00	49.12	74.00	-24.88	58.11	36.66	16.02	61.67	0.00	--	--	PEAK	2	11650.00	46.28	74.00	-27.72	51.15	38.30	17.98	61.15	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	9320.00	45.59	74.00	-28.41	54.58	36.66	16.02	61.67	0.00	--	--	PEAK																																																																																																																																
2	11650.00	47.07	74.00	-26.93	51.94	38.30	17.98	61.15	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	9320.00	49.12	74.00	-24.88	58.11	36.66	16.02	61.67	0.00	--	--	PEAK																																																																																																																																
2	11650.00	46.28	74.00	-27.72	51.15	38.30	17.98	61.15	0.00	--	--	PEAK																																																																																																																																





Mode	13																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.75</td><td>64.56</td><td>74.00</td><td>-9.44</td><td>49.85</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.75	64.56	74.00	-9.44	49.85	34.40	11.91	31.60	0.00	100	63	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.62</td><td>-----</td><td>-----</td><td>95.82</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.62	-----	-----	95.82	34.46	11.94	31.60	0.00	100	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.75	64.56	74.00	-9.44	49.85	34.40	11.91	31.60	0.00	100	63	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	110.62	-----	-----	95.82	34.46	11.94	31.60	0.00	100	63	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>35.70</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>100</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.41	54.00	-3.59	35.70	34.40	11.91	31.60	0.00	100	63	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.16</td><td>-----</td><td>-----</td><td>87.36</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>100</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.16	-----	-----	87.36	34.46	11.94	31.60	0.00	100	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	50.41	54.00	-3.59	35.70	34.40	11.91	31.60	0.00	100	63	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.16	-----	-----	87.36	34.46	11.94	31.60	0.00	100	63	AVERAGE																																																																																																			





Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.75</td><td>62.01</td><td>74.00</td><td>-11.99</td><td>47.30</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>361</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.75	62.01	74.00	-11.99	47.30	34.40	11.91	31.60	0.00	361	342	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.63</td><td>-----</td><td>-----</td><td>90.84</td><td>34.46</td><td>11.93</td><td>31.60</td><td>0.00</td><td>361</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.63	-----	-----	90.84	34.46	11.93	31.60	0.00	361	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.75	62.01	74.00	-11.99	47.30	34.40	11.91	31.60	0.00	361	342	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	105.63	-----	-----	90.84	34.46	11.93	31.60	0.00	361	342	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>31.67</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>361</td><td>342</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	46.38	54.00	-7.62	31.67	34.40	11.91	31.60	0.00	361	342	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.18</td><td>-----</td><td>-----</td><td>82.38</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>361</td><td>342</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.18	-----	-----	82.38	34.46	11.94	31.60	0.00	361	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	46.38	54.00	-7.62	31.67	34.40	11.91	31.60	0.00	361	342	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.18	-----	-----	82.38	34.46	11.94	31.60	0.00	361	342	AVERAGE																																																																																							





Mode	13																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																									
ANT	2																																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																																													
Peak Avg																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8288.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>57.75</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>54.24</td><td>68.20</td><td>-13.96</td><td>61.14</td><td>37.56</td><td>16.92</td><td>61.38</td><td>0.00</td><td>126</td><td>140</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8288.00	45.75	74.00	-28.25	57.75	36.08	15.10	63.18	0.00	--	--	PEAK	2	10360.00	54.24	68.20	-13.96	61.14	37.56	16.92	61.38	0.00	126	140	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8288.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>60.96</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>53.77</td><td>37.56</td><td>16.92</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8288.00	48.96	74.00	-25.04	60.96	36.08	15.10	63.18	0.00	--	--	PEAK	2	10360.00	46.87	68.20	-21.33	53.77	37.56	16.92	61.38	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	8288.00	45.75	74.00	-28.25	57.75	36.08	15.10	63.18	0.00	--	--	PEAK																																																																																																																																														
2	10360.00	54.24	68.20	-13.96	61.14	37.56	16.92	61.38	0.00	126	140	PEAK																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	8288.00	48.96	74.00	-25.04	60.96	36.08	15.10	63.18	0.00	--	--	PEAK																																																																																																																																														
2	10360.00	46.87	68.20	-21.33	53.77	37.56	16.92	61.38	0.00	--	--	PEAK																																																																																																																																														



Mode	14																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																			
ANT	2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>8352.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>58.99</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>52.27</td><td>68.20</td><td>-15.93</td><td>59.01</td><td>37.67</td><td>16.98</td><td>61.39</td><td>0.00</td><td>121</td><td>219</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8352.00	47.07	74.00	-26.93	58.99	36.10	15.15	63.17	0.00	--	--	PEAK	2	10440.00	52.27	68.20	-15.93	59.01	37.67	16.98	61.39	0.00	121	219	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>8352.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>60.89</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>53.03</td><td>37.69</td><td>16.98</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8352.00	48.97	74.00	-25.03	60.89	36.10	15.15	63.17	0.00	--	--	PEAK	2	10440.00	46.31	68.20	-21.89	53.03	37.69	16.98	61.39	0.00	--	--	PEAK
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	8352.00	47.07	74.00	-26.93	58.99	36.10	15.15	63.17	0.00	--	--	PEAK																																																																																																								
2	10440.00	52.27	68.20	-15.93	59.01	37.67	16.98	61.39	0.00	121	219	PEAK																																																																																																								
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	8352.00	48.97	74.00	-25.03	60.89	36.10	15.15	63.17	0.00	--	--	PEAK																																																																																																								
2	10440.00	46.31	68.20	-21.89	53.03	37.69	16.98	61.39	0.00	--	--	PEAK																																																																																																								




Mode	15																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8384.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>59.44</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>47.01</td><td>68.20</td><td>-21.19</td><td>53.64</td><td>37.76</td><td>17.01</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8384.00	47.55	74.00	-26.45	59.44	36.10	15.18	63.17	0.00	--	--	PEAK	2	10480.00	47.01	68.20	-21.19	53.64	37.76	17.01	61.40	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8384.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>60.00</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>47.58</td><td>68.20</td><td>-20.62</td><td>54.22</td><td>37.75</td><td>17.01</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8384.00	48.91	74.00	-25.09	60.00	36.10	15.18	63.17	0.00	--	--	PEAK	2	10480.00	47.58	68.20	-20.62	54.22	37.75	17.01	61.40	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8384.00	47.55	74.00	-26.45	59.44	36.10	15.18	63.17	0.00	--	--	PEAK																																																																																																																																
2	10480.00	47.01	68.20	-21.19	53.64	37.76	17.01	61.40	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8384.00	48.91	74.00	-25.09	60.00	36.10	15.18	63.17	0.00	--	--	PEAK																																																																																																																																
2	10480.00	47.58	68.20	-20.62	54.22	37.75	17.01	61.40	0.00	--	--	PEAK																																																																																																																																







Mode	16																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8416.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>59.44</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>47.40</td><td>68.20</td><td>-20.80</td><td>53.95</td><td>37.78</td><td>17.04</td><td>61.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8416.00	47.55	74.00	-26.45	59.44	36.07	15.21	63.17	0.00	--	--	PEAK	2	10520.00	47.40	68.20	-20.80	53.95	37.78	17.04	61.37	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8416.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>60.20</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>47.44</td><td>68.20</td><td>-20.76</td><td>53.99</td><td>37.78</td><td>17.04</td><td>61.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8416.00	48.31	74.00	-25.69	60.20	36.07	15.21	63.17	0.00	--	--	PEAK	2	10520.00	47.44	68.20	-20.76	53.99	37.78	17.04	61.37	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8416.00	47.55	74.00	-26.45	59.44	36.07	15.21	63.17	0.00	--	--	PEAK																																																																																																																																
2	10520.00	47.40	68.20	-20.80	53.95	37.78	17.04	61.37	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8416.00	48.31	74.00	-25.69	60.20	36.07	15.21	63.17	0.00	--	--	PEAK																																																																																																																																
2	10520.00	47.44	68.20	-20.76	53.99	37.78	17.04	61.37	0.00	--	--	PEAK																																																																																																																																



		17																																																																												
Mode		Harmonic																																																																												
		U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																												
ANT		2																																																																												
Pol.		Horizontal						Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8400.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>60.03</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.52</td><td>68.20</td><td>-21.68</td><td>52.94</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8400.00	48.17	74.00	-25.83	60.03	36.00	15.30	63.16	0.00	--	--	PEAK	2	10600.00	46.52	68.20	-21.68	52.94	37.70	17.10	61.22	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	8400.00	48.17	74.00	-25.83	60.03	36.00	15.30	63.16	0.00	--	--	PEAK																																																																		
2	10600.00	46.52	68.20	-21.68	52.94	37.70	17.10	61.22	0.00	--	--	PEAK																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8400.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>58.90</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.90</td><td>68.20</td><td>-21.30</td><td>53.32</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8400.00	47.04	74.00	-26.96	58.90	36.00	15.30	63.16	0.00	--	--	PEAK	2	10600.00	46.90	68.20	-21.30	53.32	37.70	17.10	61.22	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	8400.00	47.04	74.00	-26.96	58.90	36.00	15.30	63.16	0.00	--	--	PEAK																																																																		
2	10600.00	46.90	68.20	-21.30	53.32	37.70	17.10	61.22	0.00	--	--	PEAK																																																																		





Mode	18																																																																																																												
	Band Edge																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																												
ANT	2																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.65</td><td>69.41</td><td>74.00</td><td>-4.59</td><td>54.39</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>110</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.65	69.41	74.00	-4.59	54.39	34.51	12.12	31.61	0.00	110	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.27</td><td>-----</td><td>-----</td><td>97.30</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>110</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.27	-----	-----	97.30	34.50	12.08	31.61	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5352.65	69.41	74.00	-4.59	54.39	34.51	12.12	31.61	0.00	110	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5320.00	112.27	-----	-----	97.30	34.50	12.08	31.61	0.00	110	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.50</td><td>54.00</td><td>-3.50</td><td>35.50</td><td>34.50</td><td>12.11</td><td>31.61</td><td>0.00</td><td>110</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.50	54.00	-3.50	35.50	34.50	12.11	31.61	0.00	110	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.24</td><td>-----</td><td>-----</td><td>88.27</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>110</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.24	-----	-----	88.27	34.50	12.08	31.61	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5350.00	50.50	54.00	-3.50	35.50	34.50	12.11	31.61	0.00	110	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5320.00	103.24	-----	-----	88.27	34.50	12.08	31.61	0.00	110	0 AVERAGE																																																																																																		







Mode	18																																																							
	Band Edge																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																							
ANT	2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.25</td><td>60.53</td><td>74.00</td><td>-13.47</td><td>45.51</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>285</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.25	60.53	74.00	-13.47	45.51	34.51	12.12	31.61	0.00	285	327	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.25	60.53	74.00	-13.47	45.51	34.51	12.12	31.61	0.00	285	327	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>31.17</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>285</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.15	46.18	54.00	-7.82	31.17	34.50	12.12	31.61	0.00	285	327	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.15	46.18	54.00	-7.82	31.17	34.50	12.12	31.61	0.00	285	327	AVERAGE																																												







Mode	18																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8512.00</td><td>48.39</td><td>68.20</td><td>-19.81</td><td>60.18</td><td>36.00</td><td>15.35</td><td>63.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>53.00</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8512.00	48.39	68.20	-19.81	60.18	36.00	15.35	63.14	0.00	--	--	PEAK	2	10640.00	46.76	74.00	-27.24	53.00	37.78	17.13	61.15	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8512.00</td><td>46.75</td><td>68.20</td><td>-21.45</td><td>58.54</td><td>36.00</td><td>15.35</td><td>63.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>52.60</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8512.00	46.75	68.20	-21.45	58.54	36.00	15.35	63.14	0.00	--	--	PEAK	2	10640.00	46.36	74.00	-27.64	52.60	37.78	17.13	61.15	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8512.00	48.39	68.20	-19.81	60.18	36.00	15.35	63.14	0.00	--	--	PEAK																																																																																																																																
2	10640.00	46.76	74.00	-27.24	53.00	37.78	17.13	61.15	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	8512.00	46.75	68.20	-21.45	58.54	36.00	15.35	63.14	0.00	--	--	PEAK																																																																																																																																
2	10640.00	46.36	74.00	-27.64	52.60	37.78	17.13	61.15	0.00	--	--	PEAK																																																																																																																																




Mode	19																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.37</td><td>58.62</td><td>74.00</td><td>-15.38</td><td>43.22</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr><tr><td>2</td><td>5469.61</td><td>61.54</td><td>68.20</td><td>-6.66</td><td>46.15</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.37	58.62	74.00	-15.38	43.22	34.79	12.23	31.62	0.00	101	61 PEAK	2	5469.61	61.54	68.20	-6.66	46.15	34.76	12.25	31.62	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5455.37	58.62	74.00	-15.38	43.22	34.79	12.23	31.62	0.00	101	61 PEAK																																																							
2	5469.61	61.54	68.20	-6.66	46.15	34.76	12.25	31.62	0.00	101	61 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.28</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>29.70</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>101</td><td>61 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.28	45.10	54.00	-8.90	29.70	34.79	12.23	31.62	0.00	101	61 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5457.28	45.10	54.00	-8.90	29.70	34.79	12.23	31.62	0.00	101	61 AVERAGE																																																							
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.78</td><td>-----</td><td>-----</td><td>95.41</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.78	-----	-----	95.41	34.72	12.27	31.62	0.00	101	61 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	110.78	-----	-----	95.41	34.72	12.27	31.62	0.00	101	61 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.45</td><td>-----</td><td>-----</td><td>87.08</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>101</td><td>61 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.45	-----	-----	87.08	34.71	12.28	31.62	0.00	101	61 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	102.45	-----	-----	87.08	34.71	12.28	31.62	0.00	101	61 AVERAGE																																																							





Mode	19																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	2																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.89</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>40.77</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>369</td><td>336</td><td>PEAK</td></tr><tr><td>2</td><td>5469.61</td><td>54.84</td><td>68.20</td><td>-13.36</td><td>39.45</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>369</td><td>336</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	56.16	74.00	-17.84	40.77	34.78	12.23	31.62	0.00	369	336	PEAK	2	5469.61	54.84	68.20	-13.36	39.45	34.76	12.25	31.62	0.00	369	336	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.25</td><td>-----</td><td>-----</td><td>88.88</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>369</td><td>336</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.25	-----	-----	88.88	34.71	12.28	31.62	0.00	369	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.89	56.16	74.00	-17.84	40.77	34.78	12.23	31.62	0.00	369	336	PEAK																																																																																																																
2	5469.61	54.84	68.20	-13.36	39.45	34.76	12.25	31.62	0.00	369	336	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	104.25	-----	-----	88.88	34.71	12.28	31.62	0.00	369	336	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.45</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>27.86</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>369</td><td>336</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	43.26	54.00	-10.74	27.86	34.79	12.23	31.62	0.00	369	336	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.62</td><td>-----</td><td>-----</td><td>80.26</td><td>34.70</td><td>12.28</td><td>31.62</td><td>0.00</td><td>369</td><td>336</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.62	-----	-----	80.26	34.70	12.28	31.62	0.00	369	336	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.45	43.26	54.00	-10.74	27.86	34.79	12.23	31.62	0.00	369	336	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	95.62	-----	-----	80.26	34.70	12.28	31.62	0.00	369	336	AVERAGE																																																																																																																






Mode	19																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8800.00</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>58.80</td><td>36.30</td><td>15.67</td><td>62.66</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>52.00</td><td>38.00</td><td>17.41</td><td>60.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8800.00	48.11	68.20	-20.09	58.80	36.30	15.67	62.66	0.00	--	PEAK	2	11000.00	46.90	74.00	-27.10	52.00	38.00	17.41	60.51	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	8800.00	48.11	68.20	-20.09	58.80	36.30	15.67	62.66	0.00	--	PEAK																																																							
2	11000.00	46.90	74.00	-27.10	52.00	38.00	17.41	60.51	0.00	--	PEAK																																																							






Mode	20																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11a_CH116_5580MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8928.00</td><td>47.61</td><td>68.20</td><td>-20.59</td><td>57.98</td><td>36.30</td><td>15.77</td><td>62.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>51.98</td><td>38.04</td><td>17.55</td><td>60.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8928.00	47.61	68.20	-20.59	57.98	36.30	15.77	62.44	0.00	--	--	PEAK	2	11160.00	46.85	74.00	-27.15	51.98	38.04	17.55	60.72	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8928.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>58.95</td><td>36.30</td><td>15.77</td><td>62.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>51.38</td><td>38.04</td><td>17.55</td><td>60.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8928.00	48.58	68.20	-19.62	58.95	36.30	15.77	62.44	0.00	--	--	PEAK	2	11160.00	46.25	74.00	-27.75	51.38	38.04	17.55	60.72	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8928.00	47.61	68.20	-20.59	57.98	36.30	15.77	62.44	0.00	--	--	PEAK																																																																																																																																
2	11160.00	46.85	74.00	-27.15	51.98	38.04	17.55	60.72	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8928.00	48.58	68.20	-19.62	58.95	36.30	15.77	62.44	0.00	--	--	PEAK																																																																																																																																
2	11160.00	46.25	74.00	-27.75	51.38	38.04	17.55	60.72	0.00	--	--	PEAK																																																																																																																																





Mode	21																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5730.28</td><td>65.72</td><td>68.20</td><td>-2.48</td><td>50.03</td><td>34.86</td><td>12.52</td><td>31.69</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5730.28	65.72	68.20	-2.48	50.03	34.86	12.52	31.69	0.00	101	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>109.63</td><td>-----</td><td>-----</td><td>94.01</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	109.63	-----	-----	94.01	34.80	12.49	31.67	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5730.28	65.72	68.20	-2.48	50.03	34.86	12.52	31.69	0.00	101	61 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5700.00	109.63	-----	-----	94.01	34.80	12.49	31.67	0.00	101	61 PEAK																																																																																					
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>101.22</td><td>-----</td><td>-----</td><td>85.60</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>101</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	101.22	-----	-----	85.60	34.80	12.49	31.67	0.00	101	61 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5700.00	101.22	-----	-----	85.60	34.80	12.49	31.67	0.00	101	61 AVERAGE																																																																																					






Mode	21																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.44</td><td>57.95</td><td>68.20</td><td>-10.25</td><td>42.26</td><td>34.86</td><td>12.52</td><td>31.69</td><td>0.00</td><td>201</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5730.44	57.95	68.20	-10.25	42.26	34.86	12.52	31.69	0.00	201	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.01</td><td>-----</td><td>-----</td><td>84.40</td><td>34.79</td><td>12.49</td><td>31.67</td><td>0.00</td><td>201</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.01	-----	-----	84.40	34.79	12.49	31.67	0.00	201	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5730.44	57.95	68.20	-10.25	42.26	34.86	12.52	31.69	0.00	201	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	100.01	-----	-----	84.40	34.79	12.49	31.67	0.00	201	360	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>91.63</td><td>-----</td><td>-----</td><td>76.01</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>201</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	91.63	-----	-----	76.01	34.80	12.49	31.67	0.00	201	360	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	91.63	-----	-----	76.01	34.80	12.49	31.67	0.00	201	360	AVERAGE																																																																																							






Mode	21																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																							
ANT	2																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9120.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>57.09</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>2</td><td>9120.00</td><td>40.32</td><td>54.00</td><td>-13.68</td><td>50.08</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>300 360 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>59.09</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>100 151 PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>48.43</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>100 151 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9120.00	47.33	74.00	-26.67	57.09	36.44	15.88	62.08	0.00	300 360 PEAK	2	9120.00	40.32	54.00	-13.68	50.08	36.44	15.88	62.08	0.00	300 360 AVERAGE	3	11400.00	53.92	74.00	-20.08	59.09	38.10	17.76	61.03	0.00	100 151 PEAK	4	11400.00	43.26	54.00	-10.74	48.43	38.10	17.76	61.03	0.00	100 151 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	9120.00	47.33	74.00	-26.67	57.09	36.44	15.88	62.08	0.00	300 360 PEAK																																																																														
2	9120.00	40.32	54.00	-13.68	50.08	36.44	15.88	62.08	0.00	300 360 AVERAGE																																																																														
3	11400.00	53.92	74.00	-20.08	59.09	38.10	17.76	61.03	0.00	100 151 PEAK																																																																														
4	11400.00	43.26	54.00	-10.74	48.43	38.10	17.76	61.03	0.00	100 151 AVERAGE																																																																														
																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9120.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>61.65</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>100 346 PEAK</td></tr><tr><td>2</td><td>9120.00</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>58.12</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>100 346 AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>50.95</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9120.00	51.89	74.00	-22.11	61.65	36.44	15.88	62.08	0.00	100 346 PEAK	2	9120.00	48.36	54.00	-5.64	58.12	36.44	15.88	62.08	0.00	100 346 AVERAGE	3	11400.00	45.78	74.00	-28.22	50.95	38.10	17.76	61.03	0.00	-- -- PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9120.00	51.89	74.00	-22.11	61.65	36.44	15.88	62.08	0.00	100 346 PEAK																																																																														
2	9120.00	48.36	54.00	-5.64	58.12	36.44	15.88	62.08	0.00	100 346 AVERAGE																																																																														
3	11400.00	45.78	74.00	-28.22	50.95	38.10	17.76	61.03	0.00	-- -- PEAK																																																																														





Mode	22																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																					
ANT	2																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5681.60</td><td>54.84</td><td>68.20</td><td>-13.36</td><td>39.38</td><td>34.70</td><td>12.39</td><td>31.63</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>53.01</td><td>69.09</td><td>-16.08</td><td>37.51</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>77.20</td><td>110.79</td><td>-33.59</td><td>61.53</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>77.09</td><td>110.90</td><td>-33.81</td><td>61.42</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5681.60	54.84	68.20	-13.36	39.38	34.70	12.39	31.63	0.00	101	61 PEAK	2	5651.20	53.01	69.09	-16.08	37.51	34.70	12.44	31.64	0.00	101	61 PEAK	3	5719.60	77.20	110.79	-33.59	61.53	34.84	12.51	31.68	0.00	101	61 PEAK	4	5728.00	77.09	110.90	-33.81	61.42	34.84	12.51	31.68	0.00	101	61 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.94</td><td>-----</td><td>-----</td><td>99.21</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>101</td><td>61 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.94	-----	-----	99.21	34.89	12.54	31.70	0.00	101	61 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5681.60	54.84	68.20	-13.36	39.38	34.70	12.39	31.63	0.00	101	61 PEAK																																																																																																																											
2	5651.20	53.01	69.09	-16.08	37.51	34.70	12.44	31.64	0.00	101	61 PEAK																																																																																																																											
3	5719.60	77.20	110.79	-33.59	61.53	34.84	12.51	31.68	0.00	101	61 PEAK																																																																																																																											
4	5728.00	77.09	110.90	-33.81	61.42	34.84	12.51	31.68	0.00	101	61 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5745.00	114.94	-----	-----	99.21	34.89	12.54	31.70	0.00	101	61 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.42</td><td>-----</td><td>-----</td><td>90.69</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>101</td><td>61 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.42	-----	-----	90.69	34.89	12.54	31.70	0.00	101	61 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5745.00	106.42	-----	-----	90.69	34.89	12.54	31.70	0.00	101	61 AVERAGE																																																																																																																											



Mode	22																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.60</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>39.47</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>52.38</td><td>69.99</td><td>-17.61</td><td>36.88</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5716.40</td><td>73.45</td><td>109.89</td><td>-36.44</td><td>57.79</td><td>34.83</td><td>12.51</td><td>31.68</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.37</td><td>110.90</td><td>-44.53</td><td>50.70</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.60	54.95	68.20	-13.25	39.47	34.70	12.41	31.63	0.00	210	360	PEAK	2	5652.40	52.38	69.99	-17.61	36.88	34.70	12.44	31.64	0.00	210	360	PEAK	3	5716.40	73.45	109.89	-36.44	57.79	34.83	12.51	31.68	0.00	210	360	PEAK	4	5720.00	66.37	110.90	-44.53	50.70	34.84	12.51	31.68	0.00	210	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.65</td><td>-----</td><td>-----</td><td>88.92</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.65	-----	-----	88.92	34.89	12.54	31.70	0.00	210	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5615.60	54.95	68.20	-13.25	39.47	34.70	12.41	31.63	0.00	210	360	PEAK																																																																																																																															
2	5652.40	52.38	69.99	-17.61	36.88	34.70	12.44	31.64	0.00	210	360	PEAK																																																																																																																															
3	5716.40	73.45	109.89	-36.44	57.79	34.83	12.51	31.68	0.00	210	360	PEAK																																																																																																																															
4	5720.00	66.37	110.90	-44.53	50.70	34.84	12.51	31.68	0.00	210	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	104.65	-----	-----	88.92	34.89	12.54	31.70	0.00	210	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.50</td><td>-----</td><td>-----</td><td>80.77</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>210</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.50	-----	-----	80.77	34.89	12.54	31.70	0.00	210	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	96.50	-----	-----	80.77	34.89	12.54	31.70	0.00	210	360	AVERAGE																																																																																																																															






Mode	22																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																	
ANT	2																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																											
Peak Avg																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>56.29</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>52.36</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>37.74</td><td>54.00</td><td>-16.26</td><td>42.86</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9192.00	46.70	74.00	-27.30	56.29	36.42	15.92	61.93	0.00	--	PEAK	2	11490.00	47.24	74.00	-26.76	52.36	38.19	17.84	61.15	0.00	300	360 PEAK	3	11490.00	37.74	54.00	-16.26	42.86	38.19	17.84	61.15	0.00	300	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>60.79</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>100</td><td>344 PEAK</td></tr><tr><td>2</td><td>9192.00</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>57.48</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>100</td><td>344 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>51.24</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9192.00	51.20	74.00	-22.80	60.79	36.42	15.92	61.93	0.00	100	344 PEAK	2	9192.00	47.89	54.00	-6.11	57.48	36.42	15.92	61.93	0.00	100	344 AVERAGE	3	11490.00	46.12	74.00	-27.88	51.24	38.19	17.84	61.15	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	9192.00	46.70	74.00	-27.30	56.29	36.42	15.92	61.93	0.00	--	PEAK																																																																																																																																							
2	11490.00	47.24	74.00	-26.76	52.36	38.19	17.84	61.15	0.00	300	360 PEAK																																																																																																																																							
3	11490.00	37.74	54.00	-16.26	42.86	38.19	17.84	61.15	0.00	300	360 AVERAGE																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	9192.00	51.20	74.00	-22.80	60.79	36.42	15.92	61.93	0.00	100	344 PEAK																																																																																																																																							
2	9192.00	47.89	54.00	-6.11	57.48	36.42	15.92	61.93	0.00	100	344 AVERAGE																																																																																																																																							
3	11490.00	46.12	74.00	-27.88	51.24	38.19	17.84	61.15	0.00	--	PEAK																																																																																																																																							






Mode	23																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																						
ANT	2																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																
Peak Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9256.00</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>55.66</td><td>36.52</td><td>15.97</td><td>61.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>52.07</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>35.85</td><td>54.00</td><td>-18.15</td><td>40.89</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9256.00	46.35	68.20	-21.85	55.66	36.52	15.97	61.80	0.00	--	--	PEAK	2	11570.00	47.03	74.00	-26.97	52.07	38.20	17.91	61.15	0.00	300	0	PEAK	3	11570.00	35.85	54.00	-18.15	40.89	38.20	17.91	61.15	0.00	300	0	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9256.00</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>55.20</td><td>36.52</td><td>15.97</td><td>61.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>56.46</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>300</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>40.75</td><td>54.00</td><td>-13.25</td><td>45.79</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>300</td><td>104</td><td>AVERAGE</td></tr></tbody></table>						Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9256.00	45.89	68.20	-22.31	55.20	36.52	15.97	61.80	0.00	--	--	PEAK	2	11570.00	51.42	74.00	-22.58	56.46	38.20	17.91	61.15	0.00	300	104	PEAK	3	11570.00	40.75	54.00	-13.25	45.79	38.20	17.91	61.15	0.00	300	104	AVERAGE
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	9256.00	46.35	68.20	-21.85	55.66	36.52	15.97	61.80	0.00	--	--	PEAK																																																																																																																											
2	11570.00	47.03	74.00	-26.97	52.07	38.20	17.91	61.15	0.00	300	0	PEAK																																																																																																																											
3	11570.00	35.85	54.00	-18.15	40.89	38.20	17.91	61.15	0.00	300	0	AVERAGE																																																																																																																											
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	9256.00	45.89	68.20	-22.31	55.20	36.52	15.97	61.80	0.00	--	--	PEAK																																																																																																																											
2	11570.00	51.42	74.00	-22.58	56.46	38.20	17.91	61.15	0.00	300	104	PEAK																																																																																																																											
3	11570.00	40.75	54.00	-13.25	45.79	38.20	17.91	61.15	0.00	300	104	AVERAGE																																																																																																																											





Mode	24																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																					
ANT	2																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>75.68</td><td>114.09</td><td>-38.41</td><td>59.78</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>71.43</td><td>107.71</td><td>-36.28</td><td>55.51</td><td>35.00</td><td>12.69</td><td>31.77</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.61</td><td>68.35</td><td>-13.74</td><td>38.52</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr><tr><td>4</td><td>5998.00</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>39.49</td><td>35.49</td><td>12.89</td><td>31.82</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	75.68	114.09	-38.41	59.78	35.00	12.67	31.77	0.00	100	57 PEAK	2	5866.40	71.43	107.71	-36.28	55.51	35.00	12.69	31.77	0.00	100	57 PEAK	3	5924.00	54.61	68.35	-13.74	38.52	35.10	12.78	31.79	0.00	100	57 PEAK	4	5998.00	56.05	68.20	-12.15	39.49	35.49	12.89	31.82	0.00	100	57 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.02</td><td>-----</td><td>-----</td><td>97.14</td><td>35.00</td><td>12.63</td><td>31.75</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.02	-----	-----	97.14	35.00	12.63	31.75	0.00	100	57 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5853.60	75.68	114.09	-38.41	59.78	35.00	12.67	31.77	0.00	100	57 PEAK																																																																																																																											
2	5866.40	71.43	107.71	-36.28	55.51	35.00	12.69	31.77	0.00	100	57 PEAK																																																																																																																											
3	5924.00	54.61	68.35	-13.74	38.52	35.10	12.78	31.79	0.00	100	57 PEAK																																																																																																																											
4	5998.00	56.05	68.20	-12.15	39.49	35.49	12.89	31.82	0.00	100	57 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	113.02	-----	-----	97.14	35.00	12.63	31.75	0.00	100	57 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.20</td><td>-----</td><td>-----</td><td>89.31</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>100</td><td>57 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.20	-----	-----	89.31	35.00	12.64	31.75	0.00	100	57 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	105.20	-----	-----	89.31	35.00	12.64	31.75	0.00	100	57 AVERAGE																																																																																																																											







Mode	24																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>65.15</td><td>112.27</td><td>-47.12</td><td>49.25</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>251</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>66.16</td><td>110.28</td><td>-44.12</td><td>50.25</td><td>35.00</td><td>12.68</td><td>31.77</td><td>0.00</td><td>251</td><td>340</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.42</td><td>68.35</td><td>-16.93</td><td>35.33</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>251</td><td>340</td><td>PEAK</td></tr><tr><td>4</td><td>5986.80</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>38.20</td><td>35.42</td><td>12.87</td><td>31.81</td><td>0.00</td><td>251</td><td>340</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	65.15	112.27	-47.12	49.25	35.00	12.67	31.77	0.00	251	340	PEAK	2	5857.20	66.16	110.28	-44.12	50.25	35.00	12.68	31.77	0.00	251	340	PEAK	3	5924.80	51.42	68.35	-16.93	35.33	35.10	12.78	31.79	0.00	251	340	PEAK	4	5986.80	54.68	68.20	-13.52	38.20	35.42	12.87	31.81	0.00	251	340	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.74</td><td>-----</td><td>-----</td><td>89.86</td><td>35.00</td><td>12.63</td><td>31.75</td><td>0.00</td><td>251</td><td>340</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.74	-----	-----	89.86	35.00	12.63	31.75	0.00	251	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.40	65.15	112.27	-47.12	49.25	35.00	12.67	31.77	0.00	251	340	PEAK																																																																																																																													
2	5857.20	66.16	110.28	-44.12	50.25	35.00	12.68	31.77	0.00	251	340	PEAK																																																																																																																													
3	5924.80	51.42	68.35	-16.93	35.33	35.10	12.78	31.79	0.00	251	340	PEAK																																																																																																																													
4	5986.80	54.68	68.20	-13.52	38.20	35.42	12.87	31.81	0.00	251	340	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	105.74	-----	-----	89.86	35.00	12.63	31.75	0.00	251	340	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.67</td><td>-----</td><td>-----</td><td>81.78</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>251</td><td>340</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.67	-----	-----	81.78	35.00	12.64	31.75	0.00	251	340	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	97.67	-----	-----	81.78	35.00	12.64	31.75	0.00	251	340	AVERAGE																																																																																																																													







Mode	24																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																																																																																															
ANT	2																																																																																																																																																																																																																																															
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																																																																																
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>9320.00</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>59.49</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>100</td><td>241</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>9320.00</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>56.34</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>100</td><td>241</td><td colspan="4">AVERAGE</td></tr><tr><td>3</td><td>11650.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>51.40</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>100</td><td>241</td><td colspan="4">PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>35.99</td><td>54.00</td><td>-18.01</td><td>40.86</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>100</td><td>241</td><td colspan="4">AVERAGE</td></tr></table>												Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	dB	cm	deg					1	9320.00	50.50	74.00	-23.50	59.49	36.66	16.02	61.67	0.00	100	241	PEAK				2	9320.00	47.35	54.00	-6.65	56.34	36.66	16.02	61.67	0.00	100	241	AVERAGE				3	11650.00	46.53	74.00	-27.47	51.40	38.30	17.98	61.15	0.00	100	241	PEAK				4	11650.00	35.99	54.00	-18.01	40.86	38.30	17.98	61.15	0.00	100	241	AVERAGE				<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>9320.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>57.34</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>252</td><td>262</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>9320.00</td><td>43.60</td><td>54.00</td><td>-10.40</td><td>52.59</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>252</td><td>262</td><td colspan="4">AVERAGE</td></tr><tr><td>3</td><td>11650.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>55.47</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>252</td><td>262</td><td colspan="4">PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>39.33</td><td>54.00</td><td>-14.67</td><td>44.20</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>252</td><td>262</td><td colspan="4">AVERAGE</td></tr></table>				Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	dB	cm	deg					1	9320.00	48.35	74.00	-25.65	57.34	36.66	16.02	61.67	0.00	252	262	PEAK				2	9320.00	43.60	54.00	-10.40	52.59	36.66	16.02	61.67	0.00	252	262	AVERAGE				3	11650.00	50.60	74.00	-23.40	55.47	38.30	17.98	61.15	0.00	252	262	PEAK				4	11650.00	39.33	54.00	-14.67	44.20	38.30	17.98	61.15	0.00	252	262	AVERAGE			
	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	dB	cm	deg																																																																																																																																																																																																																																				
	1	9320.00	50.50	74.00	-23.50	59.49	36.66	16.02	61.67	0.00	100	241	PEAK																																																																																																																																																																																																																																			
2	9320.00	47.35	54.00	-6.65	56.34	36.66	16.02	61.67	0.00	100	241	AVERAGE																																																																																																																																																																																																																																				
3	11650.00	46.53	74.00	-27.47	51.40	38.30	17.98	61.15	0.00	100	241	PEAK																																																																																																																																																																																																																																				
4	11650.00	35.99	54.00	-18.01	40.86	38.30	17.98	61.15	0.00	100	241	AVERAGE																																																																																																																																																																																																																																				
Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	dB	cm	deg																																																																																																																																																																																																																																					
1	9320.00	48.35	74.00	-25.65	57.34	36.66	16.02	61.67	0.00	252	262	PEAK																																																																																																																																																																																																																																				
2	9320.00	43.60	54.00	-10.40	52.59	36.66	16.02	61.67	0.00	252	262	AVERAGE																																																																																																																																																																																																																																				
3	11650.00	50.60	74.00	-23.40	55.47	38.30	17.98	61.15	0.00	252	262	PEAK																																																																																																																																																																																																																																				
4	11650.00	39.33	54.00	-14.67	44.20	38.30	17.98	61.15	0.00	252	262	AVERAGE																																																																																																																																																																																																																																				



Mode	25																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.95</td><td>61.08</td><td>74.00</td><td>-12.92</td><td>46.37</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>300</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.95	61.08	74.00	-12.92	46.37	34.40	11.91	31.60	0.00	300	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5137.95	61.08	74.00	-12.92	46.37	34.40	11.91	31.60	0.00	300	275	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.59</td><td>-----</td><td>-----</td><td>96.81</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>300</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.59	-----	-----	96.81	34.45	11.93	31.60	0.00	300	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	111.59	-----	-----	96.81	34.45	11.93	31.60	0.00	300	275	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>34.75</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>300</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	49.46	54.00	-4.54	34.75	34.40	11.91	31.60	0.00	300	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	49.46	54.00	-4.54	34.75	34.40	11.91	31.60	0.00	300	275	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.71</td><td>-----</td><td>-----</td><td>88.92</td><td>34.46</td><td>11.93</td><td>31.60</td><td>0.00</td><td>300</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.71	-----	-----	88.92	34.46	11.93	31.60	0.00	300	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	103.71	-----	-----	88.92	34.46	11.93	31.60	0.00	300	275	AVERAGE																																											





Mode	25																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.75</td><td>56.90</td><td>74.00</td><td>-17.10</td><td>42.19</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>380</td><td>350</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.75	56.90	74.00	-17.10	42.19	34.40	11.91	31.60	0.00	380	350	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>110.35</td><td>-----</td><td>-----</td><td>95.55</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>380</td><td>350</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.35	-----	-----	95.55	34.46	11.94	31.60	0.00	380	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.75	56.90	74.00	-17.10	42.19	34.40	11.91	31.60	0.00	380	350	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	110.35	-----	-----	95.55	34.46	11.94	31.60	0.00	380	350	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>46.11</td><td>54.00</td><td>-7.89</td><td>31.40</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>380</td><td>350</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	46.11	54.00	-7.89	31.40	34.40	11.91	31.60	0.00	380	350	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.34</td><td>-----</td><td>-----</td><td>86.56</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>380</td><td>350</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.34	-----	-----	86.56	34.45	11.93	31.60	0.00	380	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	46.11	54.00	-7.89	31.40	34.40	11.91	31.60	0.00	380	350	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.34	-----	-----	86.56	34.45	11.93	31.60	0.00	380	350	AVERAGE																																																																																							





		25																																																																																																																											
Mode		Harmonic																																																																																																																											
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																																											
ANT		1+2																																																																																																																											
Pol.		Horizontal										Vertical																																																																																																																	
Peak Avg																																																																																																																													
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th></tr></thead><tbody><tr><td>1</td><td>8288.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>55.79</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td colspan="6">PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>52.43</td><td>37.55</td><td>16.91</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td colspan="6">PEAK</td></tr></tbody></table>																				Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1	8288.00	43.79	74.00	-30.21	55.79	36.08	15.10	63.18	0.00	--	--	PEAK						2	10360.00	45.51	68.20	-22.69	52.43	37.55	16.91	61.38	0.00	--	--	PEAK																						
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																		
1	8288.00	43.79	74.00	-30.21	55.79	36.08	15.10	63.18	0.00	--	--	PEAK																																																																																																																	
2	10360.00	45.51	68.20	-22.69	52.43	37.55	16.91	61.38	0.00	--	--	PEAK																																																																																																																	
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th></tr></thead><tbody><tr><td>1</td><td>8288.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>62.42</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>293</td><td>5</td><td colspan="6">PEAK</td></tr><tr><td>2</td><td>8288.00</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>59.13</td><td>36.08</td><td>15.10</td><td>63.18</td><td>0.00</td><td>293</td><td>5</td><td colspan="6">AVERAGE</td></tr><tr><td>3</td><td>10360.00</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>53.57</td><td>37.56</td><td>16.92</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td colspan="6">PEAK</td></tr></tbody></table>																				Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1	8288.00	50.42	74.00	-23.58	62.42	36.08	15.10	63.18	0.00	293	5	PEAK						2	8288.00	47.13	54.00	-6.87	59.13	36.08	15.10	63.18	0.00	293	5	AVERAGE						3	10360.00	46.67	68.20	-21.53	53.57	37.56	16.92	61.38	0.00	--	--	PEAK					
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																		
1	8288.00	50.42	74.00	-23.58	62.42	36.08	15.10	63.18	0.00	293	5	PEAK																																																																																																																	
2	8288.00	47.13	54.00	-6.87	59.13	36.08	15.10	63.18	0.00	293	5	AVERAGE																																																																																																																	
3	10360.00	46.67	68.20	-21.53	53.57	37.56	16.92	61.38	0.00	--	--	PEAK																																																																																																																	





Mode	26																																																																																		
	Harmonic																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8352.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>59.49</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>8352.00</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>55.06</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>10440.00</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>53.93</td><td>37.67</td><td>16.97</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8352.00	47.57	74.00	-26.43	59.49	36.10	15.15	63.17	0.00	100	0	PEAK	2	8352.00	43.14	54.00	-10.86	55.06	36.10	15.15	63.17	0.00	100	0	AVERAGE	3	10440.00	47.18	68.20	-21.02	53.93	37.67	16.97	61.39	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	8352.00	47.57	74.00	-26.43	59.49	36.10	15.15	63.17	0.00	100	0	PEAK																																																																							
2	8352.00	43.14	54.00	-10.86	55.06	36.10	15.15	63.17	0.00	100	0	AVERAGE																																																																							
3	10440.00	47.18	68.20	-21.02	53.93	37.67	16.97	61.39	0.00	--	--	PEAK																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8352.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>62.34</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>297</td><td>1</td><td>PEAK</td></tr><tr><td>2</td><td>8352.00</td><td>47.33</td><td>54.00</td><td>-6.67</td><td>59.25</td><td>36.10</td><td>15.15</td><td>63.17</td><td>0.00</td><td>297</td><td>1</td><td>AVERAGE</td></tr><tr><td>3</td><td>10440.00</td><td>45.91</td><td>68.20</td><td>-22.29</td><td>52.66</td><td>37.67</td><td>16.97</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8352.00	50.42	74.00	-23.58	62.34	36.10	15.15	63.17	0.00	297	1	PEAK	2	8352.00	47.33	54.00	-6.67	59.25	36.10	15.15	63.17	0.00	297	1	AVERAGE	3	10440.00	45.91	68.20	-22.29	52.66	37.67	16.97	61.39	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	8352.00	50.42	74.00	-23.58	62.34	36.10	15.15	63.17	0.00	297	1	PEAK																																																																							
2	8352.00	47.33	54.00	-6.67	59.25	36.10	15.15	63.17	0.00	297	1	AVERAGE																																																																							
3	10440.00	45.91	68.20	-22.29	52.66	37.67	16.97	61.39	0.00	--	--	PEAK																																																																							





Mode	27																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																
ANT	1+2																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8384.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>59.40</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>8384.00</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>55.21</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>10480.00</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>52.62</td><td>37.76</td><td>17.01</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8384.00	47.51	74.00	-26.49	59.40	36.10	15.18	63.17	0.00	100	0	PEAK	2	8384.00	43.32	54.00	-10.68	55.21	36.10	15.18	63.17	0.00	100	0	AVERAGE	3	10480.00	45.99	68.20	-22.21	52.62	37.76	17.01	61.40	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	8384.00	47.51	74.00	-26.49	59.40	36.10	15.18	63.17	0.00	100	0	PEAK																																																																					
2	8384.00	43.32	54.00	-10.68	55.21	36.10	15.18	63.17	0.00	100	0	AVERAGE																																																																					
3	10480.00	45.99	68.20	-22.21	52.62	37.76	17.01	61.40	0.00	--	--	PEAK																																																																					
																																																																																	
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8384.00</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>61.81</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>298</td><td>1</td><td>PEAK</td></tr><tr><td>2</td><td>8384.00</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>58.86</td><td>36.10</td><td>15.18</td><td>63.17</td><td>0.00</td><td>298</td><td>1</td><td>AVERAGE</td></tr><tr><td>3</td><td>10480.00</td><td>47.01</td><td>68.20</td><td>-21.19</td><td>53.66</td><td>37.75</td><td>17.00</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8384.00	49.92	74.00	-24.08	61.81	36.10	15.18	63.17	0.00	298	1	PEAK	2	8384.00	46.97	54.00	-7.03	58.86	36.10	15.18	63.17	0.00	298	1	AVERAGE	3	10480.00	47.01	68.20	-21.19	53.66	37.75	17.00	61.40	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	8384.00	49.92	74.00	-24.08	61.81	36.10	15.18	63.17	0.00	298	1	PEAK																																																																					
2	8384.00	46.97	54.00	-7.03	58.86	36.10	15.18	63.17	0.00	298	1	AVERAGE																																																																					
3	10480.00	47.01	68.20	-21.19	53.66	37.75	17.00	61.40	0.00	--	--	PEAK																																																																					







Mode	28																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																																																																												
ANT	1+2																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8416.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>61.05</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>305</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>8416.00</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>57.68</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>305</td><td>168</td><td>AVERAGE</td></tr><tr><td>3</td><td>10520.00</td><td>46.18</td><td>68.20</td><td>-22.02</td><td>52.73</td><td>37.78</td><td>17.04</td><td>61.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8416.00	49.16	74.00	-24.84	61.05	36.07	15.21	63.17	0.00	305	168	PEAK	2	8416.00	45.79	54.00	-8.21	57.68	36.07	15.21	63.17	0.00	305	168	AVERAGE	3	10520.00	46.18	68.20	-22.02	52.73	37.78	17.04	61.37	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8416.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>62.24</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>293</td><td>6</td><td>PEAK</td></tr><tr><td>2</td><td>8416.00</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>59.42</td><td>36.07</td><td>15.21</td><td>63.17</td><td>0.00</td><td>293</td><td>6</td><td>AVERAGE</td></tr><tr><td>3</td><td>10520.00</td><td>46.70</td><td>68.20</td><td>-21.50</td><td>53.23</td><td>37.77</td><td>17.05</td><td>61.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8416.00	50.35	74.00	-23.65	62.24	36.07	15.21	63.17	0.00	293	6	PEAK	2	8416.00	47.53	54.00	-6.47	59.42	36.07	15.21	63.17	0.00	293	6	AVERAGE	3	10520.00	46.70	68.20	-21.50	53.23	37.77	17.05	61.35	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	8416.00	49.16	74.00	-24.84	61.05	36.07	15.21	63.17	0.00	305	168	PEAK																																																																																																																																	
2	8416.00	45.79	54.00	-8.21	57.68	36.07	15.21	63.17	0.00	305	168	AVERAGE																																																																																																																																	
3	10520.00	46.18	68.20	-22.02	52.73	37.78	17.04	61.37	0.00	--	--	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	8416.00	50.35	74.00	-23.65	62.24	36.07	15.21	63.17	0.00	293	6	PEAK																																																																																																																																	
2	8416.00	47.53	54.00	-6.47	59.42	36.07	15.21	63.17	0.00	293	6	AVERAGE																																																																																																																																	
3	10520.00	46.70	68.20	-21.50	53.23	37.77	17.05	61.35	0.00	--	--	PEAK																																																																																																																																	







Mode	29																																																																																
	Harmonic																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																
ANT	1+2																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8400.00</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>60.79</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>8400.00</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>56.71</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>10600.00</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>52.84</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8400.00	48.93	74.00	-25.07	60.79	36.00	15.30	63.16	0.00	100	0	PEAK	2	8400.00	44.85	54.00	-9.15	56.71	36.00	15.30	63.16	0.00	100	0	AVERAGE	3	10600.00	46.42	68.20	-21.78	52.84	37.70	17.10	61.22	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	8400.00	48.93	74.00	-25.07	60.79	36.00	15.30	63.16	0.00	100	0	PEAK																																																																					
2	8400.00	44.85	54.00	-9.15	56.71	36.00	15.30	63.16	0.00	100	0	AVERAGE																																																																					
3	10600.00	46.42	68.20	-21.78	52.84	37.70	17.10	61.22	0.00	--	--	PEAK																																																																					
Vertical																																																																																	
																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8400.00</td><td>50.02</td><td>74.00</td><td>-23.98</td><td>61.88</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>206</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>8400.00</td><td>47.08</td><td>54.00</td><td>-6.92</td><td>58.94</td><td>36.00</td><td>15.30</td><td>63.16</td><td>0.00</td><td>206</td><td>9</td><td>AVERAGE</td></tr><tr><td>3</td><td>10600.00</td><td>45.91</td><td>68.20</td><td>-22.29</td><td>52.33</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8400.00	50.02	74.00	-23.98	61.88	36.00	15.30	63.16	0.00	206	9	PEAK	2	8400.00	47.08	54.00	-6.92	58.94	36.00	15.30	63.16	0.00	206	9	AVERAGE	3	10600.00	45.91	68.20	-22.29	52.33	37.70	17.10	61.22	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	8400.00	50.02	74.00	-23.98	61.88	36.00	15.30	63.16	0.00	206	9	PEAK																																																																					
2	8400.00	47.08	54.00	-6.92	58.94	36.00	15.30	63.16	0.00	206	9	AVERAGE																																																																					
3	10600.00	45.91	68.20	-22.29	52.33	37.70	17.10	61.22	0.00	--	--	PEAK																																																																					





Mode	30																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.45</td><td>62.42</td><td>74.00</td><td>-11.58</td><td>47.33</td><td>34.57</td><td>12.13</td><td>31.61</td><td>0.00</td><td>287</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.45	62.42	74.00	-11.58	47.33	34.57	12.13	31.61	0.00	287	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5367.45	62.42	74.00	-11.58	47.33	34.57	12.13	31.61	0.00	287	275	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.02</td><td>-----</td><td>-----</td><td>95.04</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>287</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.02	-----	-----	95.04	34.50	12.09	31.61	0.00	287	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	110.02	-----	-----	95.04	34.50	12.09	31.61	0.00	287	275	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.55</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>34.26</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>287</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.55	49.27	54.00	-4.73	34.26	34.50	12.12	31.61	0.00	287	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.55	49.27	54.00	-4.73	34.26	34.50	12.12	31.61	0.00	287	275	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.89</td><td>-----</td><td>-----</td><td>86.92</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>287</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.89	-----	-----	86.92	34.50	12.08	31.61	0.00	287	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	101.89	-----	-----	86.92	34.50	12.08	31.61	0.00	287	275	AVERAGE																																											







Mode	30																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																														
ANT	1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.65</td><td>60.48</td><td>74.00</td><td>-13.52</td><td>45.46</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>380</td><td>343</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.65	60.48	74.00	-13.52	45.46	34.51	12.12	31.61	0.00	380	343	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.21</td><td>-----</td><td>-----</td><td>93.24</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>380</td><td>343</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.21	-----	-----	93.24	34.50	12.08	31.61	0.00	380	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5353.65	60.48	74.00	-13.52	45.46	34.51	12.12	31.61	0.00	380	343	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	108.21	-----	-----	93.24	34.50	12.08	31.61	0.00	380	343	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.04</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>31.52</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>380</td><td>343</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.04	46.53	54.00	-7.47	31.52	34.50	12.12	31.61	0.00	380	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.87</td><td>-----</td><td>-----</td><td>84.90</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>380</td><td>343</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.87	-----	-----	84.90	34.50	12.08	31.61	0.00	380	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.04	46.53	54.00	-7.47	31.52	34.50	12.12	31.61	0.00	380	343	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	99.87	-----	-----	84.90	34.50	12.08	31.61	0.00	380	343	AVERAGE																																																																																																			



Mode	30																																																																																																											
	Harmonic																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Read Level</th><th>Line Margin</th><th>Ant Level</th><th>Cable Factor</th><th>Preamp Loss</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8512.00</td><td>48.59</td><td>68.20</td><td>-19.61</td><td>60.38</td><td>36.00</td><td>15.35</td><td>63.14</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>52.85</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8512.00	48.59	68.20	-19.61	60.38	36.00	15.35	63.14	0.00	--	-- PEAK	2	10640.00	46.61	74.00	-27.39	52.85	37.78	17.13	61.15	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Read Level</th><th>Line Margin</th><th>Ant Level</th><th>Cable Factor</th><th>Preamp Loss</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8512.00</td><td>48.41</td><td>68.20</td><td>-19.79</td><td>60.20</td><td>36.00</td><td>15.35</td><td>63.14</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>52.13</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8512.00	48.41	68.20	-19.79	60.20	36.00	15.35	63.14	0.00	--	-- PEAK	2	10640.00	45.89	74.00	-28.11	52.13	37.78	17.13	61.15	0.00	--	-- PEAK
		Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	8512.00	48.59	68.20	-19.61	60.38	36.00	15.35	63.14	0.00	--	-- PEAK																																																																																																	
2	10640.00	46.61	74.00	-27.39	52.85	37.78	17.13	61.15	0.00	--	-- PEAK																																																																																																	
	Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	8512.00	48.41	68.20	-19.79	60.20	36.00	15.35	63.14	0.00	--	-- PEAK																																																																																																	
2	10640.00	45.89	74.00	-28.11	52.13	37.78	17.13	61.15	0.00	--	-- PEAK																																																																																																	



Mode	31																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.41</td><td>57.06</td><td>74.00</td><td>-16.94</td><td>41.66</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr><tr><td>2</td><td>5478.00</td><td>62.50</td><td>68.20</td><td>-5.70</td><td>47.11</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.41	57.06	74.00	-16.94	41.66	34.79	12.23	31.62	0.00	100	252	PEAK	2	5478.00	62.50	68.20	-5.70	47.11	34.76	12.25	31.62	0.00	100	252	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.73</td><td>-----</td><td>-----</td><td>94.36</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.73	-----	-----	94.36	34.72	12.27	31.62	0.00	100	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.41	57.06	74.00	-16.94	41.66	34.79	12.23	31.62	0.00	100	252	PEAK																																																																																																				
2	5478.00	62.50	68.20	-5.70	47.11	34.76	12.25	31.62	0.00	100	252	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.73	-----	-----	94.36	34.72	12.27	31.62	0.00	100	252	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>28.85</td><td>34.78</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	44.25	54.00	-9.75	28.85	34.78	12.24	31.62	0.00	100	252	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.40</td><td>-----</td><td>-----</td><td>87.03</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.40	-----	-----	87.03	34.72	12.27	31.62	0.00	100	252	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	44.25	54.00	-9.75	28.85	34.78	12.24	31.62	0.00	100	252	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	102.40	-----	-----	87.03	34.72	12.27	31.62	0.00	100	252	AVERAGE																																																																																																				





Mode	31																																																																						
	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																						
ANT	1+2																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5450.41</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>38.30</td><td>34.00</td><td>12.23</td><td>31.62</td><td>0.00</td><td>374</td><td>352 PEAK</td></tr><tr><td>2</td><td>5469.61</td><td>56.69</td><td>68.20</td><td>-11.51</td><td>41.30</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>374</td><td>352 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5450.41	53.71	74.00	-20.29	38.30	34.00	12.23	31.62	0.00	374	352 PEAK	2	5469.61	56.69	68.20	-11.51	41.30	34.76	12.25	31.62	0.00	374
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5450.41	53.71	74.00	-20.29	38.30	34.00	12.23	31.62	0.00	374	352 PEAK																																																												
2	5469.61	56.69	68.20	-11.51	41.30	34.76	12.25	31.62	0.00	374	352 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.09</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>28.13</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>374</td><td>352 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5458.09	43.52	54.00	-10.48	28.13	34.78	12.23	31.62	0.00	374	352 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5458.09	43.52	54.00	-10.48	28.13	34.78	12.23	31.62	0.00	374	352 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>107.70</td><td>-----</td><td>-----</td><td>92.33</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>374</td><td>352 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	107.70	-----	-----	92.33	34.71	12.28	31.62	0.00	374	352 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5500.00	107.70	-----	-----	92.33	34.71	12.28	31.62	0.00	374	352 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>99.73</td><td>-----</td><td>-----</td><td>84.36</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>374</td><td>352 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	99.73	-----	-----	84.36	34.71	12.28	31.62	0.00	374	352 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5500.00	99.73	-----	-----	84.36	34.71	12.28	31.62	0.00	374	352 AVERAGE																																																												






Mode	31																																																																												
	Harmonic																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																												
ANT	1+2																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8000.00</td><td>48.26</td><td>68.20</td><td>-19.94</td><td>58.95</td><td>36.30</td><td>15.67</td><td>62.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>51.05</td><td>38.00</td><td>17.41</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8000.00	48.26	68.20	-19.94	58.95	36.30	15.67	62.66	0.00	--	--	PEAK	2	11000.00	45.95	74.00	-28.05	51.05	38.00	17.41	60.51	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	8000.00	48.26	68.20	-19.94	58.95	36.30	15.67	62.66	0.00	--	--	PEAK																																																																	
2	11000.00	45.95	74.00	-28.05	51.05	38.00	17.41	60.51	0.00	--	--	PEAK																																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8000.00</td><td>46.83</td><td>68.20</td><td>-21.37</td><td>57.52</td><td>36.30</td><td>15.67</td><td>62.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>50.95</td><td>38.00</td><td>17.41</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8000.00	46.83	68.20	-21.37	57.52	36.30	15.67	62.66	0.00	--	--	PEAK	2	11000.00	45.85	74.00	-28.15	50.95	38.00	17.41	60.51	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	8000.00	46.83	68.20	-21.37	57.52	36.30	15.67	62.66	0.00	--	--	PEAK																																																																	
2	11000.00	45.85	74.00	-28.15	50.95	38.00	17.41	60.51	0.00	--	--	PEAK																																																																	






Mode	32																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE20_CH116_5580MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8928.00</td><td>46.96</td><td>68.20</td><td>-21.24</td><td>57.33</td><td>36.30</td><td>15.77</td><td>62.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>51.36</td><td>38.04</td><td>17.55</td><td>60.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8928.00	46.96	68.20	-21.24	57.33	36.30	15.77	62.44	0.00	--	--	PEAK	2	11160.00	46.23	74.00	-27.77	51.36	38.04	17.55	60.72	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8928.00</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>57.01</td><td>36.30</td><td>15.77</td><td>62.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>51.13</td><td>38.04</td><td>17.55</td><td>60.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8928.00	46.64	68.20	-21.56	57.01	36.30	15.77	62.44	0.00	--	--	PEAK	2	11160.00	46.00	74.00	-28.00	51.13	38.04	17.55	60.72	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8928.00	46.96	68.20	-21.24	57.33	36.30	15.77	62.44	0.00	--	--	PEAK																																																																																																																																
2	11160.00	46.23	74.00	-27.77	51.36	38.04	17.55	60.72	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8928.00	46.64	68.20	-21.56	57.01	36.30	15.77	62.44	0.00	--	--	PEAK																																																																																																																																
2	11160.00	46.00	74.00	-28.00	51.13	38.04	17.55	60.72	0.00	--	--	PEAK																																																																																																																																





Mode	33																																																							
	Band Edge																																																							
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_5700MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.08</td><td>65.42</td><td>68.20</td><td>-2.78</td><td>49.74</td><td>34.85</td><td>12.52</td><td>31.69</td><td>0.00</td><td>100</td><td>124</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.08	65.42	68.20	-2.78	49.74	34.85	12.52	31.69	0.00	100	124	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.08	65.42	68.20	-2.78	49.74	34.85	12.52	31.69	0.00	100	124	Peak																																												
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.24</td><td>-----</td><td>-----</td><td>93.63</td><td>34.79</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.24	-----	-----	93.63	34.79	12.49	31.67	0.00	100	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5700.00	109.24	-----	-----	93.63	34.79	12.49	31.67	0.00	100	124	PEAK																																												
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.85</td><td>-----</td><td>-----</td><td>84.24</td><td>34.79</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.85	-----	-----	84.24	34.79	12.49	31.67	0.00	100	124	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5700.00	99.85	-----	-----	84.24	34.79	12.49	31.67	0.00	100	124	AVERAGE																																												






Mode	33																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.32</td><td>54.80</td><td>68.20</td><td>-13.40</td><td>39.11</td><td>34.86</td><td>12.52</td><td>31.69</td><td>0.00</td><td>384</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.32	54.80	68.20	-13.40	39.11	34.86	12.52	31.69	0.00	384	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.93</td><td>-----</td><td>-----</td><td>87.31</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>384</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.93	-----	-----	87.31	34.80	12.49	31.67	0.00	384	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5728.32	54.80	68.20	-13.40	39.11	34.86	12.52	31.69	0.00	384	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	102.93	-----	-----	87.31	34.80	12.49	31.67	0.00	384	360	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.00</td><td>-----</td><td>-----</td><td>78.38</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>384</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	94.00	-----	-----	78.38	34.80	12.49	31.67	0.00	384	360	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	94.00	-----	-----	78.38	34.80	12.49	31.67	0.00	384	360	AVERAGE																																																																																							






Mode	33																																																																																													
	Harmonic																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_5700MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9120.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>57.94</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>9120.00</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>52.86</td><td>36.44</td><td>15.88</td><td>62.08</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>52.63</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>38.19</td><td>54.00</td><td>-15.81</td><td>43.36</td><td>38.10</td><td>17.76</td><td>61.03</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9120.00	48.18	74.00	-25.82	57.94	36.44	15.88	62.08	0.00	300	360	PEAK	2	9120.00	43.10	54.00	-10.90	52.86	36.44	15.88	62.08	0.00	300	360	AVERAGE	3	11400.00	47.46	74.00	-26.54	52.63	38.10	17.76	61.03	0.00	300	360	PEAK	4	11400.00	38.19	54.00	-15.81	43.36	38.10	17.76	61.03	0.00	300	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	9120.00	48.18	74.00	-25.82	57.94	36.44	15.88	62.08	0.00	300	360	PEAK																																																																																		
2	9120.00	43.10	54.00	-10.90	52.86	36.44	15.88	62.08	0.00	300	360	AVERAGE																																																																																		
3	11400.00	47.46	74.00	-26.54	52.63	38.10	17.76	61.03	0.00	300	360	PEAK																																																																																		
4	11400.00	38.19	54.00	-15.81	43.36	38.10	17.76	61.03	0.00	300	360	AVERAGE																																																																																		



Mode	34																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5688.80</td><td>55.09</td><td>68.20</td><td>-13.11</td><td>39.62</td><td>34.70</td><td>12.40</td><td>31.63</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>53.44</td><td>68.80</td><td>-15.36</td><td>37.94</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5782.80</td><td>53.52</td><td>106.09</td><td>-52.57</td><td>37.89</td><td>34.81</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>52.01</td><td>110.90</td><td>-58.89</td><td>36.34</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5688.80	55.09	68.20	-13.11	39.62	34.70	12.40	31.63	0.00	100	124	PEAK	2	5650.80	53.44	68.80	-15.36	37.94	34.70	12.44	31.64	0.00	100	124	PEAK	3	5782.80	53.52	106.09	-52.57	37.89	34.81	12.49	31.67	0.00	100	124	PEAK	4	5728.00	52.01	110.90	-58.89	36.34	34.84	12.51	31.68	0.00	100	124	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.82</td><td>-----</td><td>-----</td><td>90.11</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.82	-----	-----	90.11	34.88	12.53	31.70	0.00	100	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5688.80	55.09	68.20	-13.11	39.62	34.70	12.40	31.63	0.00	100	124	PEAK																																																																																																																															
2	5650.80	53.44	68.80	-15.36	37.94	34.70	12.44	31.64	0.00	100	124	PEAK																																																																																																																															
3	5782.80	53.52	106.09	-52.57	37.89	34.81	12.49	31.67	0.00	100	124	PEAK																																																																																																																															
4	5728.00	52.01	110.90	-58.89	36.34	34.84	12.51	31.68	0.00	100	124	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.82	-----	-----	90.11	34.88	12.53	31.70	0.00	100	124	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.53</td><td>-----</td><td>-----</td><td>81.80</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.53	-----	-----	81.80	34.89	12.54	31.70	0.00	100	124	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.53	-----	-----	81.80	34.89	12.54	31.70	0.00	100	124	AVERAGE																																																																																																																															





Mode	34																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.00</td><td>55.01</td><td>68.20</td><td>-13.19</td><td>39.53</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>359</td><td>344</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.64</td><td>68.50</td><td>-14.86</td><td>38.14</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>359</td><td>344</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>53.49</td><td>105.30</td><td>-51.81</td><td>37.87</td><td>34.00</td><td>12.49</td><td>31.67</td><td>0.00</td><td>359</td><td>344</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.42</td><td>112.72</td><td>-59.30</td><td>37.75</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>359</td><td>344</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5620.00	55.01	68.20	-13.19	39.53	34.70	12.41	31.63	0.00	359	344	PEAK	2	5650.40	53.64	68.50	-14.86	38.14	34.70	12.44	31.64	0.00	359	344	PEAK	3	5700.00	53.49	105.30	-51.81	37.87	34.00	12.49	31.67	0.00	359	344	PEAK	4	5720.00	53.42	112.72	-59.30	37.75	34.84	12.51	31.68	0.00	359	344	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.58</td><td>-----</td><td>-----</td><td>84.85</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>359</td><td>344</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.58	-----	-----	84.85	34.89	12.54	31.70	0.00	359	344	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5620.00	55.01	68.20	-13.19	39.53	34.70	12.41	31.63	0.00	359	344	PEAK																																																																																																																													
2	5650.40	53.64	68.50	-14.86	38.14	34.70	12.44	31.64	0.00	359	344	PEAK																																																																																																																													
3	5700.00	53.49	105.30	-51.81	37.87	34.00	12.49	31.67	0.00	359	344	PEAK																																																																																																																													
4	5720.00	53.42	112.72	-59.30	37.75	34.84	12.51	31.68	0.00	359	344	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	100.58	-----	-----	84.85	34.89	12.54	31.70	0.00	359	344	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.38</td><td>-----</td><td>-----</td><td>76.65</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>359</td><td>344</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	92.38	-----	-----	76.65	34.89	12.54	31.70	0.00	359	344	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	92.38	-----	-----	76.65	34.89	12.54	31.70	0.00	359	344	AVERAGE																																																																																																																													






Mode	34																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 9192.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>58.04</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 9192.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>52.75</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 11490.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>52.47</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4 11490.00</td><td>37.12</td><td>54.00</td><td>-16.88</td><td>42.24</td><td>38.19</td><td>17.83</td><td>61.14</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 9192.00	48.45	74.00	-25.55	58.04	36.42	15.92	61.93	0.00	300	360	PEAK	2 9192.00	43.16	54.00	-10.84	52.75	36.42	15.92	61.93	0.00	300	360	AVERAGE	3 11490.00	47.35	74.00	-26.65	52.47	38.19	17.84	61.15	0.00	300	360	PEAK	4 11490.00	37.12	54.00	-16.88	42.24	38.19	17.83	61.14	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 9192.00	48.45	74.00	-25.55	58.04	36.42	15.92	61.93	0.00	300	360	PEAK																																																																																	
2 9192.00	43.16	54.00	-10.84	52.75	36.42	15.92	61.93	0.00	300	360	AVERAGE																																																																																	
3 11490.00	47.35	74.00	-26.65	52.47	38.19	17.84	61.15	0.00	300	360	PEAK																																																																																	
4 11490.00	37.12	54.00	-16.88	42.24	38.19	17.83	61.14	0.00	300	360	AVERAGE																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 9192.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>58.04</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 9192.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>52.75</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 11490.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>52.47</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4 11490.00</td><td>37.12</td><td>54.00</td><td>-16.88</td><td>42.24</td><td>38.19</td><td>17.83</td><td>61.14</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 9192.00	48.45	74.00	-25.55	58.04	36.42	15.92	61.93	0.00	300	360	PEAK	2 9192.00	43.16	54.00	-10.84	52.75	36.42	15.92	61.93	0.00	300	360	AVERAGE	3 11490.00	47.35	74.00	-26.65	52.47	38.19	17.84	61.15	0.00	300	360	PEAK	4 11490.00	37.12	54.00	-16.88	42.24	38.19	17.83	61.14	0.00	300	360	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 9192.00	48.45	74.00	-25.55	58.04	36.42	15.92	61.93	0.00	300	360	PEAK																																																																																	
2 9192.00	43.16	54.00	-10.84	52.75	36.42	15.92	61.93	0.00	300	360	AVERAGE																																																																																	
3 11490.00	47.35	74.00	-26.65	52.47	38.19	17.84	61.15	0.00	300	360	PEAK																																																																																	
4 11490.00	37.12	54.00	-16.88	42.24	38.19	17.83	61.14	0.00	300	360	AVERAGE																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 9192.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>58.04</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 9192.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>52.75</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 11490.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>52.47</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4 11490.00</td><td>37.12</td><td>54.00</td><td>-16.88</td><td>42.24</td><td>38.19</td><td>17.83</td><td>61.14</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 9192.00	48.45	74.00	-25.55	58.04	36.42	15.92	61.93	0.00	300	360	PEAK	2 9192.00	43.16	54.00	-10.84	52.75	36.42	15.92	61.93	0.00	300	360	AVERAGE	3 11490.00	47.35	74.00	-26.65	52.47	38.19	17.84	61.15	0.00	300	360	PEAK	4 11490.00	37.12	54.00	-16.88	42.24	38.19	17.83	61.14	0.00	300	360	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 9192.00	48.45	74.00	-25.55	58.04	36.42	15.92	61.93	0.00	300	360	PEAK																																																																																	
2 9192.00	43.16	54.00	-10.84	52.75	36.42	15.92	61.93	0.00	300	360	AVERAGE																																																																																	
3 11490.00	47.35	74.00	-26.65	52.47	38.19	17.84	61.15	0.00	300	360	PEAK																																																																																	
4 11490.00	37.12	54.00	-16.88	42.24	38.19	17.83	61.14	0.00	300	360	AVERAGE																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 9192.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>61.15</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>100</td><td>351</td><td>PEAK</td></tr><tr><td>2 9192.00</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>58.00</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>100</td><td>351</td><td>AVERAGE</td></tr><tr><td>3 11490.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>51.85</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 9192.00	51.56	74.00	-22.44	61.15	36.42	15.92	61.93	0.00	100	351	PEAK	2 9192.00	48.41	54.00	-5.59	58.00	36.42	15.92	61.93	0.00	100	351	AVERAGE	3 11490.00	46.73	74.00	-27.27	51.85	38.19	17.84	61.15	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 9192.00	51.56	74.00	-22.44	61.15	36.42	15.92	61.93	0.00	100	351	PEAK																																																																																	
2 9192.00	48.41	54.00	-5.59	58.00	36.42	15.92	61.93	0.00	100	351	AVERAGE																																																																																	
3 11490.00	46.73	74.00	-27.27	51.85	38.19	17.84	61.15	0.00	--	--	PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 9192.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>61.15</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>100</td><td>351</td><td>PEAK</td></tr><tr><td>2 9192.00</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>58.00</td><td>36.42</td><td>15.92</td><td>61.93</td><td>0.00</td><td>100</td><td>351</td><td>AVERAGE</td></tr><tr><td>3 11490.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>51.85</td><td>38.19</td><td>17.84</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 9192.00	51.56	74.00	-22.44	61.15	36.42	15.92	61.93	0.00	100	351	PEAK	2 9192.00	48.41	54.00	-5.59	58.00	36.42	15.92	61.93	0.00	100	351	AVERAGE	3 11490.00	46.73	74.00	-27.27	51.85	38.19	17.84	61.15	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 9192.00	51.56	74.00	-22.44	61.15	36.42	15.92	61.93	0.00	100	351	PEAK																																																																																	
2 9192.00	48.41	54.00	-5.59	58.00	36.42	15.92	61.93	0.00	100	351	AVERAGE																																																																																	
3 11490.00	46.73	74.00	-27.27	51.85	38.19	17.84	61.15	0.00	--	--	PEAK																																																																																	






Mode	35																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																															
ANT	1+2																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9256.00</td><td>48.42</td><td>68.20</td><td>-19.78</td><td>57.73</td><td>36.52</td><td>15.97</td><td>61.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>51.77</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9256.00	48.42	68.20	-19.78	57.73	36.52	15.97	61.80	0.00	--	--	PEAK	2	11570.00	46.73	74.00	-27.27	51.77	38.20	17.91	61.15	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9256.00</td><td>50.93</td><td>68.20</td><td>-17.27</td><td>60.24</td><td>36.52</td><td>15.97</td><td>61.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>51.23</td><td>38.20</td><td>17.91</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9256.00	50.93	68.20	-17.27	60.24	36.52	15.97	61.80	0.00	--	--	PEAK	2	11570.00	46.19	74.00	-27.81	51.23	38.20	17.91	61.15	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	9256.00	48.42	68.20	-19.78	57.73	36.52	15.97	61.80	0.00	--	--	PEAK																																																																																																																				
2	11570.00	46.73	74.00	-27.27	51.77	38.20	17.91	61.15	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	9256.00	50.93	68.20	-17.27	60.24	36.52	15.97	61.80	0.00	--	--	PEAK																																																																																																																				
2	11570.00	46.19	74.00	-27.81	51.23	38.20	17.91	61.15	0.00	--	--	PEAK																																																																																																																				







Mode	36																																																																																														
	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>52.46</td><td>112.27</td><td>-59.81</td><td>36.56</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>104</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>54.02</td><td>107.03</td><td>-53.01</td><td>38.10</td><td>35.00</td><td>12.69</td><td>31.77</td><td>0.00</td><td>104</td><td>123</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.58</td><td>68.35</td><td>-14.77</td><td>37.49</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>104</td><td>123</td><td>PEAK</td></tr><tr><td>4</td><td>5982.00</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>38.53</td><td>35.39</td><td>12.86</td><td>31.81</td><td>0.00</td><td>104</td><td>123</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	52.46	112.27	-59.81	36.56	35.00	12.67	31.77	0.00	104	123	PEAK	2	5868.00	54.02	107.03	-53.01	38.10	35.00	12.69	31.77	0.00	104	123	PEAK	3	5924.00	53.58	68.35	-14.77	37.49	35.10	12.78	31.79	0.00	104	123	PEAK	4	5982.00	54.97	68.20	-13.23	38.53	35.39	12.86	31.81	0.00	104	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	52.46	112.27	-59.81	36.56	35.00	12.67	31.77	0.00	104	123	PEAK																																																																																			
2	5868.00	54.02	107.03	-53.01	38.10	35.00	12.69	31.77	0.00	104	123	PEAK																																																																																			
3	5924.00	53.58	68.35	-14.77	37.49	35.10	12.78	31.79	0.00	104	123	PEAK																																																																																			
4	5982.00	54.97	68.20	-13.23	38.53	35.39	12.86	31.81	0.00	104	123	PEAK																																																																																			
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.10</td><td>-----</td><td>-----</td><td>89.22</td><td>35.00</td><td>12.63</td><td>31.75</td><td>0.00</td><td>104</td><td>123</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.10	-----	-----	89.22	35.00	12.63	31.75	0.00	104	123	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5825.00	105.10	-----	-----	89.22	35.00	12.63	31.75	0.00	104	123	PEAK																																																																																			
Blank																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.98</td><td>-----</td><td>-----</td><td>81.09</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>104</td><td>123</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.98	-----	-----	81.09	35.00	12.64	31.75	0.00	104	123	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5825.00	96.98	-----	-----	81.09	35.00	12.64	31.75	0.00	104	123	AVERAGE																																																																																			



Mode	36																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>50.56</td><td>111.36</td><td>-60.80</td><td>34.66</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00 349 360 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>53.82</td><td>106.47</td><td>-52.65</td><td>37.90</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00 349 360 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.35</td><td>68.94</td><td>-15.59</td><td>37.26</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00 349 360 PEAK</td></tr><tr><td>4</td><td>5995.20</td><td>56.11</td><td>68.20</td><td>-12.09</td><td>39.58</td><td>35.47</td><td>12.88</td><td>31.82</td><td>0.00 349 360 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	50.56	111.36	-60.80	34.66	35.00	12.67	31.77	0.00 349 360 PEAK	2	5870.00	53.82	106.47	-52.65	37.90	35.00	12.70	31.78	0.00 349 360 PEAK	3	5924.00	53.35	68.94	-15.59	37.26	35.10	12.78	31.79	0.00 349 360 PEAK	4	5995.20	56.11	68.20	-12.09	39.58	35.47	12.88	31.82	0.00 349 360 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.52</td><td>-----</td><td>-----</td><td>86.63</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00 349 360 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.52	-----	-----	86.63	35.00	12.64	31.75	0.00 349 360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5854.00	50.56	111.36	-60.80	34.66	35.00	12.67	31.77	0.00 349 360 PEAK																																																																																																							
2	5870.00	53.82	106.47	-52.65	37.90	35.00	12.70	31.78	0.00 349 360 PEAK																																																																																																							
3	5924.00	53.35	68.94	-15.59	37.26	35.10	12.78	31.79	0.00 349 360 PEAK																																																																																																							
4	5995.20	56.11	68.20	-12.09	39.58	35.47	12.88	31.82	0.00 349 360 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5825.00	102.52	-----	-----	86.63	35.00	12.64	31.75	0.00 349 360 PEAK																																																																																																							
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>91.72</td><td>-----</td><td>-----</td><td>75.83</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00 349 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	91.72	-----	-----	75.83	35.00	12.64	31.75	0.00 349 360 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5825.00	91.72	-----	-----	75.83	35.00	12.64	31.75	0.00 349 360 AVERAGE																																																																																																							







Mode	36																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																																								
ANT	1+2																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9320.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>57.40</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>9320.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>52.16</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11650.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>51.31</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9320.00	48.41	74.00	-25.59	57.40	36.66	16.02	61.67	0.00	300	360	PEAK	2	9320.00	43.17	54.00	-10.83	52.16	36.66	16.02	61.67	0.00	300	360	AVERAGE	3	11650.00	46.44	74.00	-27.56	51.31	38.30	17.98	61.15	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9320.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>60.28</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>100</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>9320.00</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>57.20</td><td>36.66</td><td>16.02</td><td>61.67</td><td>0.00</td><td>100</td><td>353</td><td>AVERAGE</td></tr><tr><td>3</td><td>11650.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>50.96</td><td>38.30</td><td>17.98</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9320.00	51.29	74.00	-22.71	60.28	36.66	16.02	61.67	0.00	100	353	PEAK	2	9320.00	48.21	54.00	-5.79	57.20	36.66	16.02	61.67	0.00	100	353	AVERAGE	3	11650.00	46.09	74.00	-27.91	50.96	38.30	17.98	61.15	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	9320.00	48.41	74.00	-25.59	57.40	36.66	16.02	61.67	0.00	300	360	PEAK																																																																																																																																													
2	9320.00	43.17	54.00	-10.83	52.16	36.66	16.02	61.67	0.00	300	360	AVERAGE																																																																																																																																													
3	11650.00	46.44	74.00	-27.56	51.31	38.30	17.98	61.15	0.00	--	--	PEAK																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	9320.00	51.29	74.00	-22.71	60.28	36.66	16.02	61.67	0.00	100	353	PEAK																																																																																																																																													
2	9320.00	48.21	54.00	-5.79	57.20	36.66	16.02	61.67	0.00	100	353	AVERAGE																																																																																																																																													
3	11650.00	46.09	74.00	-27.91	50.96	38.30	17.98	61.15	0.00	--	--	PEAK																																																																																																																																													

	37																																																																																																			
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.72</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>41.50</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.72	56.21	74.00	-17.79	41.50	34.40	11.91	31.60	0.00	300	284 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>103.17</td><td>-----</td><td>-----</td><td>88.37</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>300</td><td>284 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	103.17	-----	-----	88.37	34.46	11.94	31.60	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5146.72	56.21	74.00	-17.79	41.50	34.40	11.91	31.60	0.00	300	284 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5190.00	103.17	-----	-----	88.37	34.46	11.94	31.60	0.00	300	284 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.60</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>31.35</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>300</td><td>284 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	46.06	54.00	-7.94	31.35	34.40	11.91	31.60	0.00	300	284 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>95.23</td><td>-----</td><td>-----</td><td>80.43</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>300</td><td>284 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	95.23	-----	-----	80.43	34.46	11.94	31.60	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5149.60	46.06	54.00	-7.94	31.35	34.40	11.91	31.60	0.00	300	284 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5190.00	95.23	-----	-----	80.43	34.46	11.94	31.60	0.00	300	284 AVERAGE																																																																																									





Mode	37																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.08</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>38.31</td><td>34.77</td><td>12.21</td><td>31.62</td><td>0.00</td><td>300</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.08	53.67	74.00	-20.33	38.31	34.77	12.21	31.62	0.00	300	284	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5434.08	53.67	74.00	-20.33	38.31	34.77	12.21	31.62	0.00	300	284	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.76</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>28.00</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>300</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.76	43.40	54.00	-10.60	28.00	34.79	12.23	31.62	0.00	300	284	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5456.76	43.40	54.00	-10.60	28.00	34.79	12.23	31.62	0.00	300	284	AVERAGE																																											





Mode	37																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.64</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>40.92</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>382</td><td>349</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.64	55.63	74.00	-18.37	40.92	34.40	11.91	31.60	0.00	382	349	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>100.54</td><td>-----</td><td>-----</td><td>85.74</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>382</td><td>349</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.54	-----	-----	85.74	34.46	11.94	31.60	0.00	382	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5140.64	55.63	74.00	-18.37	40.92	34.40	11.91	31.60	0.00	382	349	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	100.54	-----	-----	85.74	34.46	11.94	31.60	0.00	382	349	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.08</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>30.40</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>382</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.08	45.11	54.00	-8.89	30.40	34.40	11.91	31.60	0.00	382	349	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>92.48</td><td>-----</td><td>-----</td><td>77.70</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>382</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.48	-----	-----	77.70	34.45	11.93	31.60	0.00	382	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.08	45.11	54.00	-8.89	30.40	34.40	11.91	31.60	0.00	382	349	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	92.48	-----	-----	77.70	34.45	11.93	31.60	0.00	382	349	AVERAGE																																																																																							



Mode	37																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																							
ANT	1+2																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5435.97</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>38.10</td><td>34.77</td><td>12.21</td><td>31.62</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>382</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>349 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5435.97	53.46	74.00	-20.54	38.10	34.77	12.21	31.62								0.00	382									349 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5435.97	53.46	74.00	-20.54	38.10	34.77	12.21	31.62																																																
							0.00	382																																																
								349 PEAK																																																
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5451.09</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>27.96</td><td>34.80</td><td>12.23</td><td>31.62</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>382</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>349 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5451.09	43.37	54.00	-10.63	27.96	34.80	12.23	31.62								0.00	382									349 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5451.09	43.37	54.00	-10.63	27.96	34.80	12.23	31.62																																																
							0.00	382																																																
								349 AVERAGE																																																



Mode	37																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8304.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>56.33</td><td>36.10</td><td>15.11</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10380.00</td><td>45.29</td><td>68.20</td><td>-22.91</td><td>52.16</td><td>37.58</td><td>16.93</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8304.00	44.36	74.00	-29.64	56.33	36.10	15.11	63.18	0.00	--	--	PEAK	2	10380.00	45.29	68.20	-22.91	52.16	37.58	16.93	61.38	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8304.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>57.94</td><td>36.10</td><td>15.11</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10380.00</td><td>45.84</td><td>68.20</td><td>-22.36</td><td>52.69</td><td>37.59</td><td>16.94</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8304.00	45.97	74.00	-28.03	57.94	36.10	15.11	63.18	0.00	--	--	PEAK	2	10380.00	45.84	68.20	-22.36	52.69	37.59	16.94	61.38	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8304.00	44.36	74.00	-29.64	56.33	36.10	15.11	63.18	0.00	--	--	PEAK																																																																																																																																
2	10380.00	45.29	68.20	-22.91	52.16	37.58	16.93	61.38	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8304.00	45.97	74.00	-28.03	57.94	36.10	15.11	63.18	0.00	--	--	PEAK																																																																																																																																
2	10380.00	45.84	68.20	-22.36	52.69	37.59	16.94	61.38	0.00	--	--	PEAK																																																																																																																																







Mode	38																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																																																																							
ANT	1+2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8368.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>60.85</td><td>36.10</td><td>15.16</td><td>63.17</td><td>0.00</td><td>319</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>8368.00</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>57.30</td><td>36.10</td><td>15.16</td><td>63.17</td><td>0.00</td><td>319</td><td>183</td><td>AVERAGE</td></tr><tr><td>3</td><td>10460.00</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>52.81</td><td>37.71</td><td>16.99</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8368.00	48.94	74.00	-25.06	60.85	36.10	15.16	63.17	0.00	319	183	PEAK	2	8368.00	45.39	54.00	-8.61	57.30	36.10	15.16	63.17	0.00	319	183	AVERAGE	3	10460.00	46.12	68.20	-22.08	52.81	37.71	16.99	61.39	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8368.00</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>62.40</td><td>36.10</td><td>15.16</td><td>63.17</td><td>0.00</td><td>296</td><td>8</td><td>PEAK</td></tr><tr><td>2</td><td>8368.00</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>59.68</td><td>36.10</td><td>15.16</td><td>63.17</td><td>0.00</td><td>296</td><td>8</td><td>AVERAGE</td></tr><tr><td>3</td><td>10460.00</td><td>45.98</td><td>68.20</td><td>-22.22</td><td>52.61</td><td>37.76</td><td>17.01</td><td>61.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8368.00	50.49	74.00	-23.51	62.40	36.10	15.16	63.17	0.00	296	8	PEAK	2	8368.00	47.77	54.00	-6.23	59.68	36.10	15.16	63.17	0.00	296	8	AVERAGE	3	10460.00	45.98	68.20	-22.22	52.61	37.76	17.01	61.40	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	8368.00	48.94	74.00	-25.06	60.85	36.10	15.16	63.17	0.00	319	183	PEAK																																																																																																																																												
2	8368.00	45.39	54.00	-8.61	57.30	36.10	15.16	63.17	0.00	319	183	AVERAGE																																																																																																																																												
3	10460.00	46.12	68.20	-22.08	52.81	37.71	16.99	61.39	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	8368.00	50.49	74.00	-23.51	62.40	36.10	15.16	63.17	0.00	296	8	PEAK																																																																																																																																												
2	8368.00	47.77	54.00	-6.23	59.68	36.10	15.16	63.17	0.00	296	8	AVERAGE																																																																																																																																												
3	10460.00	45.98	68.20	-22.22	52.61	37.76	17.01	61.40	0.00	--	--	PEAK																																																																																																																																												



Mode	39																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>8432.00</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>61.09</td><td>36.04</td><td>15.23</td><td>63.17</td><td>0.00 302 165 PEAK</td></tr><tr><td>2</td><td>8432.00</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>58.22</td><td>36.04</td><td>15.23</td><td>63.17</td><td>0.00 302 165 AVERAGE</td></tr><tr><td>3</td><td>10540.00</td><td>47.50</td><td>68.20</td><td>-20.70</td><td>54.03</td><td>37.77</td><td>17.05</td><td>61.35</td><td>0.00 -- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	8432.00	49.19	74.00	-24.81	61.09	36.04	15.23	63.17	0.00 302 165 PEAK	2	8432.00	46.32	54.00	-7.68	58.22	36.04	15.23	63.17	0.00 302 165 AVERAGE	3	10540.00	47.50	68.20	-20.70	54.03	37.77	17.05	61.35	0.00 -- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>8432.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>62.38</td><td>36.04</td><td>15.23</td><td>63.17</td><td>0.00 283 9 PEAK</td></tr><tr><td>2</td><td>8432.00</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>59.50</td><td>36.04</td><td>15.23</td><td>63.17</td><td>0.00 283 9 AVERAGE</td></tr><tr><td>3</td><td>10540.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>52.33</td><td>37.77</td><td>17.05</td><td>61.35</td><td>0.00 -- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	8432.00	50.48	74.00	-23.52	62.38	36.04	15.23	63.17	0.00 283 9 PEAK	2	8432.00	47.60	54.00	-6.40	59.50	36.04	15.23	63.17	0.00 283 9 AVERAGE	3	10540.00	45.80	68.20	-22.40	52.33	37.77	17.05	61.35	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1	8432.00	49.19	74.00	-24.81	61.09	36.04	15.23	63.17	0.00 302 165 PEAK																																																																																																																											
2	8432.00	46.32	54.00	-7.68	58.22	36.04	15.23	63.17	0.00 302 165 AVERAGE																																																																																																																											
3	10540.00	47.50	68.20	-20.70	54.03	37.77	17.05	61.35	0.00 -- -- PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1	8432.00	50.48	74.00	-23.52	62.38	36.04	15.23	63.17	0.00 283 9 PEAK																																																																																																																											
2	8432.00	47.60	54.00	-6.40	59.50	36.04	15.23	63.17	0.00 283 9 AVERAGE																																																																																																																											
3	10540.00	45.80	68.20	-22.40	52.33	37.77	17.05	61.35	0.00 -- -- PEAK																																																																																																																											







Mode	40																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																								
ANT	1+2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5110.88</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>40.30</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00 300 288 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5110.88	54.99	74.00	-19.01	40.30	34.40	11.89	31.60	0.00 300 288 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>103.84</td><td>-----</td><td>-----</td><td>88.87</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00 300 288 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5310.00	103.84	-----	-----	88.87	34.50	12.08	31.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5110.88	54.99	74.00	-19.01	40.30	34.40	11.89	31.60	0.00 300 288 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5310.00	103.84	-----	-----	88.87	34.50	12.08	31.61	0.00 300 288 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5106.72</td><td>44.79</td><td>54.00</td><td>-9.21</td><td>30.11</td><td>34.40</td><td>11.88</td><td>31.60</td><td>0.00 300 288 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5106.72	44.79	54.00	-9.21	30.11	34.40	11.88	31.60	0.00 300 288 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>94.94</td><td>-----</td><td>-----</td><td>79.97</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00 300 288 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5310.00	94.94	-----	-----	79.97	34.50	12.08	31.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5106.72	44.79	54.00	-9.21	30.11	34.40	11.88	31.60	0.00 300 288 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5310.00	94.94	-----	-----	79.97	34.50	12.08	31.61	0.00 300 288 AVERAGE																																																																																



Mode	40																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																				
ANT	1+2																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5352.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>38.99</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>300</td><td>288 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5352.00	54.01	74.00	-19.99	38.99	34.51	12.12	31.61	0.00	300	288 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5352.00	54.01	74.00	-19.99	38.99	34.51	12.12	31.61	0.00	300	288 PEAK																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.70</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>28.85</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>300</td><td>288 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.70	43.86	54.00	-10.14	28.85	34.50	12.12	31.61	0.00	300	288 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.70	43.86	54.00	-10.14	28.85	34.50	12.12	31.61	0.00	300	288 AVERAGE																																										



Mode	40																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.28</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>40.86</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>359</td><td>350</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.28	55.55	74.00	-18.45	40.86	34.40	11.89	31.60	0.00	359	350	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>102.09</td><td>-----</td><td>-----</td><td>87.12</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>359</td><td>350</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	102.09	-----	-----	87.12	34.50	12.08	31.61	0.00	359	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5117.28	55.55	74.00	-18.45	40.86	34.40	11.89	31.60	0.00	359	350	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	102.09	-----	-----	87.12	34.50	12.08	31.61	0.00	359	350	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5110.56</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>30.00</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>359</td><td>350</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.56	44.69	54.00	-9.31	30.00	34.40	11.89	31.60	0.00	359	350	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>92.61</td><td>-----</td><td>-----</td><td>77.65</td><td>34.50</td><td>12.07</td><td>31.61</td><td>0.00</td><td>359</td><td>350</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	92.61	-----	-----	77.65	34.50	12.07	31.61	0.00	359	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5110.56	44.69	54.00	-9.31	30.00	34.40	11.89	31.60	0.00	359	350	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	92.61	-----	-----	77.65	34.50	12.07	31.61	0.00	359	350	AVERAGE																																																																																							







Mode	40																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																				
ANT	1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5351.00</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>38.85</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>359</td><td>350 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5351.00	53.86	74.00	-20.14	38.85	34.50	12.12	31.61	0.00	359	350 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5351.00	53.86	74.00	-20.14	38.85	34.50	12.12	31.61	0.00	359	350 PEAK																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>28.12</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>359</td><td>350 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.10	43.13	54.00	-10.87	28.12	34.50	12.12	31.61	0.00	359	350 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.10	43.13	54.00	-10.87	28.12	34.50	12.12	31.61	0.00	359	350 AVERAGE																																										




Mode	40																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																																																																						
ANT	1+2																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8496.00</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>61.99</td><td>36.00</td><td>15.32</td><td>63.16</td><td>0.00</td><td>302</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>8496.00</td><td>47.30</td><td>54.00</td><td>-6.70</td><td>59.14</td><td>36.00</td><td>15.32</td><td>63.16</td><td>0.00</td><td>302</td><td>178</td><td>AVERAGE</td></tr><tr><td>3</td><td>10620.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>51.92</td><td>37.74</td><td>17.12</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8496.00	50.15	74.00	-23.85	61.99	36.00	15.32	63.16	0.00	302	178	PEAK	2	8496.00	47.30	54.00	-6.70	59.14	36.00	15.32	63.16	0.00	302	178	AVERAGE	3	10620.00	45.59	74.00	-28.41	51.92	37.74	17.12	61.19	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8496.00</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>61.60</td><td>36.00</td><td>15.32</td><td>63.16</td><td>0.00</td><td>260</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>8496.00</td><td>47.08</td><td>54.00</td><td>-6.92</td><td>58.92</td><td>36.00</td><td>15.32</td><td>63.16</td><td>0.00</td><td>260</td><td>26</td><td>AVERAGE</td></tr><tr><td>3</td><td>10620.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>51.96</td><td>37.74</td><td>17.12</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8496.00	49.76	74.00	-24.24	61.60	36.00	15.32	63.16	0.00	260	26	PEAK	2	8496.00	47.08	54.00	-6.92	58.92	36.00	15.32	63.16	0.00	260	26	AVERAGE	3	10620.00	45.63	74.00	-28.37	51.96	37.74	17.12	61.19	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	8496.00	50.15	74.00	-23.85	61.99	36.00	15.32	63.16	0.00	302	178	PEAK																																																																																																																																											
2	8496.00	47.30	54.00	-6.70	59.14	36.00	15.32	63.16	0.00	302	178	AVERAGE																																																																																																																																											
3	10620.00	45.59	74.00	-28.41	51.92	37.74	17.12	61.19	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	8496.00	49.76	74.00	-24.24	61.60	36.00	15.32	63.16	0.00	260	26	PEAK																																																																																																																																											
2	8496.00	47.08	54.00	-6.92	58.92	36.00	15.32	63.16	0.00	260	26	AVERAGE																																																																																																																																											
3	10620.00	45.63	74.00	-28.37	51.96	37.74	17.12	61.19	0.00	--	--	PEAK																																																																																																																																											



Mode	41																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.48</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>38.69</td><td>34.75</td><td>12.20</td><td>31.62</td><td>0.00</td><td>100</td><td>286</td><td>PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>54.60</td><td>68.20</td><td>-13.60</td><td>39.20</td><td>34.78</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>286</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.48	54.02	74.00	-19.98	38.69	34.75	12.20	31.62	0.00	100	286	PEAK	2	5462.00	54.60	68.20	-13.60	39.20	34.78	12.24	31.62	0.00	100	286	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5426.48	54.02	74.00	-19.98	38.69	34.75	12.20	31.62	0.00	100	286	PEAK																																																									
2	5462.00	54.60	68.20	-13.60	39.20	34.78	12.24	31.62	0.00	100	286	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>28.37</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>286</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	43.76	54.00	-10.24	28.37	34.78	12.23	31.62	0.00	100	286	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5458.64	43.76	54.00	-10.24	28.37	34.78	12.23	31.62	0.00	100	286	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.22</td><td>-----</td><td>-----</td><td>88.83</td><td>34.70</td><td>12.31</td><td>31.62</td><td>0.00</td><td>100</td><td>286</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.22	-----	-----	88.83	34.70	12.31	31.62	0.00	100	286	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	104.22	-----	-----	88.83	34.70	12.31	31.62	0.00	100	286	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>92.78</td><td>-----</td><td>-----</td><td>77.40</td><td>34.70</td><td>12.30</td><td>31.62</td><td>0.00</td><td>100</td><td>286</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.78	-----	-----	77.40	34.70	12.30	31.62	0.00	100	286	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	92.78	-----	-----	77.40	34.70	12.30	31.62	0.00	100	286	AVERAGE																																																									



Mode	41																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																				
ANT	1+2																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5740.12</td><td>55.33</td><td>68.20</td><td>-12.87</td><td>39.62</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5740.12	55.33	68.20	-12.87	39.62	34.88	12.53	31.70	0.00	100	286 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5740.12	55.33	68.20	-12.87	39.62	34.88	12.53	31.70	0.00	100	286 PEAK																																										