Mode	22	
	Harmonic	
	UNII-7_6525-6875_802.11a_CH149_6695MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13390.00	49.96	74.00	-24.04	52.72	39.12	19.29	61.17	0.00	125	7	PEAK
2	13390.00	43.48	54.00	-10.52	46.25	39.12	19.29	61.18	0.00	125	7	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13390.00	49.88	74.00	-24.12	52.64	39.12	19.29	61.17	0.00	301	251	PEAK
2	13390.00	43.18	54.00	-10.82	45.95	39.12	19.29	61.18	0.00	301	251	AVERAGE

Mode	23	
	Harmonic	
	UNII-7_6525-6875_802.11a_CH181_6855MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 49.01 88.20 -39.19 52.27 38.80 19.55 61.61 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 48.01 88.20 -40.19 51.27 38.80 19.55 61.61 0.00 -- -- PEAK

Mode	24	
	Harmonic	
	UNII-7-8_6525-7125_802.11a_CH185_6875MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13750.00	48.94	88.20	-39.26	52.24	38.80	19.58	61.68	0.00	--	--	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13750.00	46.71	88.20	-41.49	50.01	38.80	19.58	61.68	0.00	--	--	PEAK

Mode	25	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH189_6895MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13790.00	51.29	88.20	-36.91	54.62	38.80	19.62	61.75	0.00	237	108	PEAK
2	13790.00	44.17	68.20	-24.03	47.50	38.80	19.62	61.75	0.00	237	108	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13790.00	55.30	88.20	-32.90	58.63	38.80	19.62	61.75	0.00	100	243	PEAK
2	13790.00	47.01	68.20	-21.19	50.34	38.80	19.62	61.75	0.00	100	243	AVERAGE

Mode	26	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH209_6995MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13990.00	51.28	88.20	-36.92	54.62	38.99	19.78	62.11	0.00	300	360	PEAK
2	13990.00	43.49	68.20	-24.71	46.83	38.99	19.78	62.11	0.00	300	360	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13990.00	47.31	88.20	-40.89	50.65	38.99	19.78	62.11	0.00	--	--	PEAK

Mode	27	
	Band Edge	
	UNII-8_6875-7125_802.11a_CH229_7095MHz	
ANT	2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7157.64	56.60	88.20	-31.60	42.12	35.62	11.81	32.95	0.00	100	319	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	97.58	------	------	83.06	35.69	11.74	32.91	0.00	100	319	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7201.32	45.53	68.20	-22.67	30.94	35.70	11.86	32.97	0.00	100	319	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	88.20	------	------	73.67	35.70	11.75	32.92	0.00	100	319	AVERAGE

Mode	27	
	Band Edge	
	UNII-8_6875-7125_802.11a_CH229_7095MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7135.56	56.63	88.20	-31.57	42.14	35.63	11.79	32.93	0.00	100	266	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	100.17	------	------	85.65	35.69	11.74	32.91	0.00	100	266	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7203.72	45.65	68.20	-22.55	31.07	35.69	11.86	32.97	0.00	100	266	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	90.88	------	------	76.36	35.69	11.74	32.91	0.00	100	266	AVERAGE

Mode	27	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH229_7095MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.35 88.20 -41.85 55.39 38.99 16.95 64.98 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 49.48 88.20 -38.72 58.52 38.99 16.95 64.98 0.00 --- --- PEAK

Mode	28	
	Band Edge	
	UNII-8_6875-7125_802.11a_CH233_7115MHz	
ANT	2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.16	72.27	88.20	-15.93	54.76	35.80	14.01	32.30	0.00	100	82	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	104.79	------	------	87.29	35.80	14.00	32.30	0.00	100	82	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	62.96	68.20	-5.24	45.45	35.80	14.01	32.30	0.00	100	82	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	96.02	------	------	78.52	35.80	14.00	32.30	0.00	100	82	AVERAGE

Mode	28	
	Band Edge	
	UNII-8_6875-7125_802.11a_CH233_7115MHz	
ANT	2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.16	66.23	88.20	-21.97	48.72	35.80	14.01	32.30	0.00	291	333	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	95.75	------	------	78.25	35.80	14.00	32.30	0.00	291	333	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	54.25	68.20	-13.95	36.74	35.80	14.01	32.30	0.00	291	333	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	86.93	------	------	69.42	35.80	14.00	32.29	0.00	291	333	AVERAGE

Mode	28	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH233_7115MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	14230.00	50.46	88.20	-37.74	53.46	39.20	19.97	62.17	0.00	300	360	PEAK
2	14230.00	43.63	68.20	-24.57	46.63	39.20	19.97	62.17	0.00	300	360	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	14230.00	52.15	88.20	-36.05	55.15	39.20	19.97	62.17	0.00	241	92	PEAK
2	14230.00	45.16	68.20	-23.04	48.16	39.20	19.97	62.17	0.00	241	92	AVERAGE

Mode	29	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5919.51	55.58	88.20	-32.62	39.52	35.08	12.77	31.79	0.00	100	237	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	96.79	------	------	80.58	35.20	12.81	31.80	0.00	100	237	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5828.12	44.06	68.20	-24.14	28.18	35.00	12.63	31.75	0.00	100	237	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	87.43	------	------	71.15	35.25	12.83	31.80	0.00	100	237	AVERAGE

Mode	29	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5918.08	55.13	88.20	-33.07	39.08	35.07	12.77	31.79	0.00	300	298	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	89.72	------	------	73.51	35.20	12.81	31.80	0.00	300	298	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5923.41	44.00	68.20	-24.20	27.92	35.09	12.78	31.79	0.00	300	298	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	80.21	------	------	63.93	35.25	12.83	31.80	0.00	300	298	AVERAGE

Mode	29
	Harmonic
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz
ANT	1+2

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11910.00	45.67	74.00	-28.33	49.89	38.71	18.20	61.13	0.00	--	--	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11910.00	46.28	74.00	-27.72	50.50	38.71	18.20	61.13	0.00	300	0	PEAK
2	11910.00	36.11	54.00	-17.89	40.33	38.71	18.20	61.13	0.00	300	0	AVERAGE

Mode	30	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_26/0_5955MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5903.26	56.66	88.20	-31.54	43.19	35.01	10.68	32.22	0.00	100	328	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	102.08	------	------	88.42	35.10	10.73	32.17	0.00	100	328	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5905.99	44.34	68.20	-23.86	30.86	35.01	10.68	32.21	0.00	100	328	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	93.08	------	------	79.42	35.10	10.73	32.17	0.00	100	328	AVERAGE

Mode	30	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_26/0_5955MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5910.80 57.02 88.20 -31.18 43.52 35.02 10.69 32.21 0.00 109 83 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 101.35 ------ ------ 87.69 35.10 10.73 32.17 0.00 109 83 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5906.12 44.30 68.20 -23.90 30.82 35.01 10.68 32.21 0.00 109 83 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 91.90 ------ ------ 78.24 35.10 10.73 32.17 0.00 109 83 AVERAGE

Mode	31	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_52/37_5955MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5922.24	56.47	88.20	-31.73	42.93	35.04	10.70	32.20	0.00	100	58	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	99.54	------	------	85.88	35.10	10.73	32.17	0.00	100	58	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5906.90	44.55	68.20	-23.65	31.07	35.01	10.68	32.21	0.00	100	58	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	90.24	------	------	76.58	35.10	10.73	32.17	0.00	100	58	AVERAGE

Mode	31	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_52/37_5955MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5878.30	55.83	88.20	-32.37	42.46	34.96	10.65	32.24	0.00	100	88	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	98.28	------	------	84.62	35.10	10.73	32.17	0.00	100	88	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5910.02	44.45	68.20	-23.75	30.95	35.02	10.69	32.21	0.00	100	88	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	87.66	------	------	74.00	35.10	10.73	32.17	0.00	100	88	AVERAGE

Mode	32	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_106/53_5955MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5913.79	56.44	88.20	-31.76	42.92	35.03	10.69	32.20	0.00	159	331	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	97.81	------	------	84.15	35.10	10.73	32.17	0.00	159	331	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5899.88	44.57	68.20	-23.63	31.12	35.00	10.67	32.22	0.00	159	331	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	87.93	------	------	74.27	35.10	10.73	32.17	0.00	159	331	AVERAGE

Mode	32	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE20_CH1_106/53_5955MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5884.54	55.67	88.20	-32.53	42.27	34.97	10.66	32.23	0.00	100	83	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	96.25	------	------	82.59	35.10	10.73	32.17	0.00	100	83	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5899.10	44.57	68.20	-23.63	31.12	35.00	10.67	32.22	0.00	100	83	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	86.31	------	------	72.65	35.10	10.73	32.17	0.00	100	83	AVERAGE

Mode	33	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE20_CH49_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12390.00	47.35	74.00	-26.65	58.36	38.90	15.71	65.62	0.00	100	0	PEAK
2	12390.00	37.66	54.00	-16.34	48.65	38.90	15.72	65.61	0.00	100	0	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12390.00	45.86	74.00	-28.14	56.87	38.90	15.71	65.62	0.00	---	---	PEAK

Mode	34	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE20_CH93_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 47.97 88.20 -40.23 50.67 39.47 18.85 61.02 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 47.52 88.20 -40.68 50.22 39.47 18.85 61.02 0.00 -- -- PEAK

Mode	35	
	Harmonic	
	UNII-6_6425-6525_802.11ax HE20_CH97_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12870.00	48.06	88.20	-40.14	50.76	39.43	18.88	61.01	0.00	--	--	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12870.00	46.93	88.20	-41.27	49.63	39.43	18.88	61.01	0.00	--	--	PEAK

Mode	36	
	Harmonic	
	UNII-6_6425-6525_802.11ax HE20_CH105_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12950.00	49.23	88.20	-38.97	60.49	39.40	16.02	66.68	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12950.00	54.79	88.20	-33.41	66.05	39.40	16.02	66.68	0.00	300	360	PEAK
2	12950.00	42.81	68.20	-25.39	54.07	39.40	16.02	66.68	0.00	300	360	AVERAGE

Mode	37	
	Harmonic	
	UNII-6_6425-6525_802.11ax HE20_CH113_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13030.00	45.02	88.20	-43.18	56.34	39.34	16.07	66.73	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13030.00	44.30	88.20	-43.90	55.62	39.34	16.07	66.73	0.00	---	---	PEAK

Mode	38	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE20_CH117_6335MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12670.00	47.86	74.00	-26.14	58.68	39.24	15.87	65.93	0.00	100	360	PEAK
2	12670.00	37.25	54.00	-16.75	48.07	39.23	15.86	65.91	0.00	100	360	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12670.00	46.38	74.00	-27.62	57.20	39.24	15.87	65.93	0.00	---	---	PEAK

Mode	39
	Harmonic
	UNII-7_6525-6875_802.11ax HE20_CH149_6695MHz
ANT	1+2

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13390.00	49.20	74.00	-24.80	59.51	39.01	16.36	65.68	0.00	100	127	PEAK
2	13390.00	44.59	54.00	-9.41	54.90	39.01	16.36	65.68	0.00	100	127	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13390.00	46.15	74.00	-27.85	56.46	39.01	16.36	65.68	0.00	---	---	PEAK

Mode	40	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE20_CH181_6855MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13710.00	45.32	88.20	-42.88	55.16	38.70	16.61	65.15	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13710.00	46.26	88.20	-41.94	56.10	38.70	16.61	65.15	0.00	---	---	PEAK

Mode	41	
	Harmonic	
	UNII-7~8_UNII-7~8_802.11ax HE20_CH185_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13750.00	45.65	88.20	-42.55	55.42	38.70	16.64	65.11	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13750.00	46.66	88.20	-41.54	56.43	38.70	16.64	65.11	0.00	---	---	PEAK

Mode	42	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE20_CH189_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 46.62 88.20 -41.58 56.32 38.70 16.67 65.07 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 46.78 88.20 -41.42 56.48 38.70 16.67 65.07 0.00 --- --- PEAK

Mode	43	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE20_CH209_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13990.00	47.05	88.20	-41.15	56.30	38.79	16.83	64.87	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13990.00	46.38	88.20	-41.82	55.63	38.79	16.83	64.87	0.00	---	---	PEAK

Mode	44	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_Full_7095MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7194.12	56.28	88.20	-31.92	41.70	35.69	11.85	32.96	0.00	119	0	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	94.83	------	------	80.30	35.70	11.75	32.92	0.00	119	0	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7198.60	45.46	68.20	-22.74	30.87	35.70	11.86	32.97	0.00	119	0	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	84.17	------	------	69.65	35.69	11.74	32.91	0.00	119	0	AVERAGE

Mode	44	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_Full_7095MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7213.64	56.39	88.20	-31.81	41.83	35.67	11.87	32.98	0.00	100	272	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	93.47	------	------	78.95	35.69	11.74	32.91	0.00	100	272	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7201.96	45.63	68.20	-22.57	31.04	35.70	11.86	32.97	0.00	100	272	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	83.06	------	------	68.53	35.70	11.75	32.92	0.00	100	272	AVERAGE

Mode	44	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE20_CH229_Full_7095MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 45.98 88.20 -42.22 55.02 38.99 16.95 64.98 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.54 88.20 -41.66 55.58 38.99 16.95 64.98 0.00 --- --- PEAK

Mode	45	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_26/8_7095MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7187.08	56.31	88.20	-31.89	41.75	35.67	11.85	32.96	0.00	100	325	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	101.45	------	------	86.92	35.70	11.75	32.92	0.00	100	325	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7171.72	45.47	68.20	-22.73	30.95	35.64	11.83	32.95	0.00	100	325	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	94.01	------	------	79.48	35.70	11.75	32.92	0.00	100	325	AVERAGE

Mode	45	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_26/8_7095MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7229.32	57.07	88.20	-31.13	42.53	35.64	11.88	32.98	0.00	100	269	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	101.63	------	------	87.10	35.70	11.75	32.92	0.00	100	269	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7200.20	45.61	68.20	-22.59	31.02	35.70	11.86	32.97	0.00	100	269	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	93.98	------	------	79.45	35.70	11.75	32.92	0.00	100	269	AVERAGE

Mode	46	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_52/40_7095MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7210.76	57.50	88.20	-30.70	42.92	35.68	11.87	32.97	0.00	118	0	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	100.92	------	------	86.39	35.70	11.75	32.92	0.00	118	0	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7203.88	45.43	68.20	-22.77	30.85	35.69	11.86	32.97	0.00	118	0	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	92.16	------	------	77.63	35.70	11.75	32.92	0.00	118	0	AVERAGE

Mode	46	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_52/40_7095MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7210.28	56.34	88.20	-31.86	41.76	35.68	11.87	32.97	0.00	100	270	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	100.07	------	------	85.54	35.70	11.75	32.92	0.00	100	270	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7200.52	45.65	68.20	-22.55	31.06	35.70	11.86	32.97	0.00	100	270	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	91.46	------	------	76.93	35.70	11.75	32.92	0.00	100	270	AVERAGE

Mode	47	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_106/54_7095MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7231.56	57.25	88.20	-30.95	42.72	35.64	11.88	32.99	0.00	100	335	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	101.13	------	------	86.60	35.70	11.75	32.92	0.00	100	335	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7208.36	45.59	68.20	-22.61	31.01	35.68	11.87	32.97	0.00	100	335	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	89.64	------	------	75.12	35.69	11.74	32.91	0.00	100	335	AVERAGE

Mode	47	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH229_106/54_7095MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7137.32	57.18	88.20	-31.02	42.69	35.63	11.79	32.93	0.00	100	85	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	100.21	------	------	85.68	35.70	11.75	32.92	0.00	100	85	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7193.48	45.63	68.20	-22.57	31.05	35.69	11.85	32.96	0.00	100	85	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7095.00	89.61	------	------	75.08	35.70	11.75	32.92	0.00	100	85	AVERAGE

Mode	48	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_Full_7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	76.34	88.20	-11.86	58.83	35.80	14.01	32.30	0.00	100	215	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	87.18	------	------	69.68	35.80	14.00	32.30	0.00	100	215	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	67.48	68.20	-0.72	49.97	35.80	14.01	32.30	0.00	100	215	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	76.73	------	------	59.22	35.80	14.00	32.29	0.00	100	215	AVERAGE

Mode	48	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_Full_7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	70.72	88.20	-17.48	53.21	35.80	14.01	32.30	0.00	364	13	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	82.54	------	------	65.04	35.80	14.00	32.30	0.00	364	13	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	63.15	68.20	-5.05	45.64	35.80	14.01	32.30	0.00	364	13	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	72.06	------	------	54.55	35.80	14.00	32.29	0.00	364	13	AVERAGE

Mode	48	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE20_CH233_Full_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14230.00 45.84 88.20 -42.36 54.81 39.06 16.97 65.00 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14230.00 46.40 88.20 -41.80 55.37 39.06 16.97 65.00 0.00 --- --- PEAK

Mode	49	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_26/8_7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	80.49	88.20	-7.71	67.52	35.70	13.98	36.71	0.00	100	337	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	98.01	------	------	85.04	35.70	13.98	36.71	0.00	100	337	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	67.18	68.20	-1.02	54.21	35.70	13.98	36.71	0.00	100	337	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	88.43	------	------	75.46	35.70	13.98	36.71	0.00	100	337	AVERAGE

Mode	49	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_26/8_7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	75.97	88.20	-12.23	63.00	35.70	13.98	36.71	0.00	100	83	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	92.70	------	------	79.73	35.70	13.98	36.71	0.00	100	83	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	64.30	68.20	-3.90	51.33	35.70	13.98	36.71	0.00	100	83	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	85.31	------	------	72.34	35.70	13.98	36.71	0.00	100	83	AVERAGE

Mode	50	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_52/40_7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	79.85	88.20	-8.35	66.88	35.70	13.98	36.71	0.00	100	335	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	94.88	------	------	81.91	35.70	13.98	36.71	0.00	100	335	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	67.17	68.20	-1.03	54.20	35.70	13.98	36.71	0.00	100	335	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	84.97	------	------	72.00	35.70	13.98	36.71	0.00	100	335	AVERAGE

Mode	50	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_52/40_7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	76.47	88.20	-11.73	63.50	35.70	13.98	36.71	0.00	100	72	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	94.24	------	------	81.27	35.70	13.98	36.71	0.00	100	72	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	60.77	68.20	-7.43	47.80	35.70	13.98	36.71	0.00	100	72	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	83.35	------	------	70.38	35.70	13.98	36.71	0.00	100	72	AVERAGE

Mode	51	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_106/54_7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	77.97	88.20	-10.23	65.00	35.70	13.98	36.71	0.00	100	340	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	94.61	------	------	81.64	35.70	13.98	36.71	0.00	100	340	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	67.64	68.20	-0.56	54.67	35.70	13.98	36.71	0.00	100	340	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	86.32	------	------	73.35	35.70	13.98	36.71	0.00	100	340	AVERAGE

Mode	51	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE20_CH233_106/54_7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	76.88	88.20	-11.32	63.91	35.70	13.98	36.71	0.00	100	73	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	91.61	------	------	78.64	35.70	13.98	36.71	0.00	100	73	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	64.40	68.20	-3.80	51.43	35.70	13.98	36.71	0.00	100	73	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	81.89	------	------	68.92	35.70	13.98	36.71	0.00	100	73	AVERAGE

Mode	52	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE40_CH3_5965MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5890.38	57.30	88.20	-30.90	41.35	35.00	12.73	31.78	0.00	100	68	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5965.00	99.13	------	------	82.85	35.25	12.83	31.80	0.00	100	68	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5922.16	44.31	68.20	-23.89	28.24	35.09	12.77	31.79	0.00	100	68	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5965.00	88.00	------	------	71.72	35.25	12.83	31.80	0.00	100	68	AVERAGE

Mode	52	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE40_CH3_5965MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5909.14	54.42	88.20	-33.78	38.42	35.04	12.75	31.79	0.00	299	295	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5965.00	91.51	------	------	75.10	35.36	12.86	31.81	0.00	299	295	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5882.82	44.19	68.20	-24.01	28.26	35.00	12.71	31.78	0.00	299	295	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5965.00	80.04	------	------	63.63	35.36	12.86	31.81	0.00	299	295	AVERAGE

Mode	52	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE40_CH3_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11930.00	45.05	74.00	-28.95	57.12	38.70	15.44	66.21	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11930.00	44.83	74.00	-29.17	56.90	38.70	15.44	66.21	0.00	---	---	PEAK

Mode	53	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE40_CH51_6205MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12330.00	45.88	74.00	-28.12	57.00	38.90	15.68	65.70	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12330.00	45.99	74.00	-28.01	57.11	38.90	15.68	65.70	0.00	---	---	PEAK

Mode	54	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE40_CH91_6405MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12810.00	47.14	88.20	-41.06	58.10	39.40	15.95	66.31	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12810.00	46.60	88.20	-41.60	57.56	39.40	15.95	66.31	0.00	---	---	PEAK

Mode	55	
	Harmonic	
	UNII-6_6425-6525_802.11ax HE40_CH99_6445MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12890.00	47.08	88.20	-41.12	58.21	39.40	15.99	66.52	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12890.00	44.98	88.20	-43.22	56.11	39.40	15.99	66.52	0.00	---	---	PEAK

Mode	56	
	Harmonic	
	UNII-6_6425-6525_802.11ax HE40_CH107_6485MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12970.00	46.99	88.20	-41.21	58.30	39.40	16.03	66.74	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12970.00	44.31	88.20	-43.89	55.62	39.40	16.03	66.74	0.00	---	---	PEAK

Mode	57	
	Harmonic	
	UNII-6~7_6425-6875_802.11ax HE40_CH115_6525MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13050.00	45.61	88.20	-42.59	56.89	39.30	16.09	66.67	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13050.00	44.22	88.20	-43.98	55.50	39.30	16.09	66.67	0.00	---	---	PEAK

Mode	58	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE40_CH123_6565MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 45.77 88.20 -42.43 56.89 39.17 16.15 66.44 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 46.31 88.20 -41.89 57.43 39.17 16.15 66.44 0.00 --- --- PEAK

Mode	59	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE40_CH147_6685MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13370.00	47.17	74.00	-26.83	57.54	39.03	16.34	65.74	0.00	300	0	PEAK
2	13370.00	38.26	54.00	-15.74	48.63	39.03	16.34	65.74	0.00	300	0	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13370.00	44.89	74.00	-29.11	55.26	39.03	16.34	65.74	0.00	---	---	PEAK

Mode	60	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE40_CH179_6845MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13690.00 46.39 88.20 -41.81 56.25 38.71 16.60 65.17 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13690.00 45.87 88.20 -42.33 55.73 38.71 16.60 65.17 0.00 --- --- PEAK

Mode	61	
	Harmonic	
	UNII-7~8_UNII-7~8_802.11ax HE40_CH187_6885MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13770.00	46.21	88.20	-41.99	55.94	38.70	16.66	65.09	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13770.00	46.25	88.20	-41.95	55.98	38.70	16.66	65.09	0.00	---	---	PEAK

Mode	62	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE40_CH211_7005MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13850.00	46.53	88.20	-41.67	56.12	38.70	16.72	65.01	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13850.00	46.00	88.20	-42.20	55.59	38.70	16.72	65.01	0.00	---	---	PEAK

Mode	63	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE40_CH203_6965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13930.00	46.75	88.20	-41.45	56.17	38.73	16.78	64.93	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13930.00	45.85	88.20	-42.35	55.27	38.73	16.78	64.93	0.00	---	---	PEAK

Mode	64	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE40_CH227_7085MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.16	58.12	88.20	-30.08	40.61	35.80	14.01	32.30	0.00	100	182	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7085.00	102.87	------	------	85.35	35.80	13.98	32.26	0.00	100	182	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	49.52	68.20	-18.68	32.01	35.80	14.01	32.30	0.00	100	182	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7085.00	91.92	------	------	74.40	35.80	13.98	32.26	0.00	100	182	AVERAGE

Mode	64	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE40_CH227_7085MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7128.52	56.70	88.20	-31.50	39.19	35.80	14.01	32.30	0.00	300	340	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7085.00	97.03	------	------	79.51	35.80	13.98	32.26	0.00	300	340	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7126.28	46.67	68.20	-21.53	29.16	35.80	14.01	32.30	0.00	300	340	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7085.00	85.81	------	------	68.29	35.80	13.98	32.26	0.00	300	340	AVERAGE

Mode	64	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE40_CH227_7085MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	14170.00	45.96	88.20	-42.24	55.02	38.97	16.94	64.97	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	14170.00	46.16	88.20	-42.04	55.22	38.97	16.94	64.97	0.00	---	---	PEAK

Mode	65
	Band Edge
	UNII-5_5925-6425_802.11ax HE80_CH7_5985MHz
ANT	1+2

Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5890.92	54.74	88.20	-33.46	38.79	35.00	12.73	31.78	0.00	100	67	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5985.00	99.17	------	------	82.96	35.20	12.81	31.80	0.00	100	67	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5906.44	44.49	68.20	-23.71	28.50	35.03	12.75	31.79	0.00	100	67	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5985.00	87.73	------	------	71.52	35.20	12.81	31.80	0.00	100	67	AVERAGE

Mode	65	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE80_CH7_5985MHz	
ANT	1+2	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5909.80	54.98	88.20	-33.22	38.98	35.04	12.75	31.79	0.00	299	295	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5985.00	89.99	------	------	73.71	35.25	12.83	31.80	0.00	299	295	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5917.32	44.34	68.20	-23.86	28.29	35.07	12.77	31.79	0.00	299	295	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5985.00	79.55	------	------	63.27	35.25	12.83	31.80	0.00	299	295	AVERAGE

Mode	65	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE80_CH7_5985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11970.00	45.05	74.00	-28.95	57.05	38.70	15.47	66.17	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11970.00	44.60	74.00	-29.40	56.60	38.70	15.47	66.17	0.00	---	---	PEAK

Mode	66	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE80_CH39_6145MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12290.00	45.83	74.00	-28.17	57.03	38.89	15.66	65.75	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12290.00	46.03	74.00	-27.97	57.23	38.89	15.66	65.75	0.00	---	---	PEAK

Mode	67	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE80_CH87_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 46.30 88.20 -41.90 57.21 39.37 15.92 66.20 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 47.31 88.20 -40.89 58.22 39.37 15.92 66.20 0.00 --- --- PEAK

Mode	68	
	Harmonic	
	UNII-6_6425-6525_802.11ax HE80_CH103_6465MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12930.00	46.33	88.20	-41.87	57.55	39.40	16.01	66.63	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12930.00	47.18	88.20	-41.02	58.40	39.40	16.01	66.63	0.00	---	---	PEAK

Mode	69	
	Harmonic	
	UNII-6~7_6425-6875_802.11ax HE80_CH119_6545MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13090.00	46.93	88.20	-41.27	58.15	39.22	16.12	66.56	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13090.00	46.95	88.20	-41.25	58.17	39.22	16.12	66.56	0.00	---	---	PEAK

Mode	70	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE80_CH135_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13250.00	46.47	74.00	-27.53	57.21	39.10	16.25	66.09	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13250.00	45.68	74.00	-28.32	56.42	39.10	16.25	66.09	0.00	---	---	PEAK

Mode	71	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE80_CH151_6705MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13410.00	45.33	88.20	-42.87	55.60	38.98	16.37	65.62	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13410.00	46.79	88.20	-41.41	57.06	38.98	16.37	65.62	0.00	---	---	PEAK

Mode	72	
	Harmonic	
	UNII-7~8_UNII-7~8_802.11ax HE80_CH183_6865MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 45.61 88.20 -42.59 55.41 38.70 16.63 65.13 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 45.68 88.20 -42.52 55.48 38.70 16.63 65.13 0.00 --- --- PEAK

Mode	73	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE80_CH199_6945MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 45.26 88.20 -42.94 54.78 38.70 16.75 64.97 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 46.18 88.20 -42.02 55.70 38.70 16.75 64.97 0.00 --- --- PEAK

Mode	74	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE80_CH215_7025MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7129.28	63.47	88.20	-24.73	45.96	35.80	14.01	32.30	0.00	100	199	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7025.00	101.10	------	------	83.53	35.84	13.95	32.22	0.00	100	199	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.10	51.88	68.20	-16.32	34.37	35.80	14.01	32.30	0.00	100	199	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7025.00	90.71	------	------	73.09	35.88	13.94	32.20	0.00	100	199	AVERAGE

Mode	74	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE80_CH215_7025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7126.64	56.80	88.20	-31.40	39.29	35.80	14.01	32.30	0.00	288	0	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7025.00	95.72	------	------	78.15	35.84	13.95	32.22	0.00	288	0	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.10	47.82	68.20	-20.38	30.31	35.80	14.01	32.30	0.00	288	0	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7025.00	85.74	------	------	68.22	35.80	13.97	32.25	0.00	288	0	AVERAGE

Mode	74	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE80_CH215_7025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	14050.00	46.40	88.20	-41.80	55.57	38.85	16.87	64.89	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	14050.00	45.73	88.20	-42.47	54.90	38.85	16.87	64.89	0.00	---	---	PEAK

Mode	75	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE160_CH15_6025MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5897.40	59.56	88.20	-28.64	43.60	35.00	12.74	31.78	0.00	101	89	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6025.00	98.41	------	------	82.20	35.20	12.81	31.80	0.00	101	89	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5917.40	47.55	68.20	-20.65	31.50	35.07	12.77	31.79	0.00	101	89	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6025.00	87.26	------	------	71.05	35.20	12.81	31.80	0.00	101	89	AVERAGE

Mode	75	
	Band Edge	
	UNII-5_5925-6425_802.11ax HE160_CH15_6025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5873.00	55.49	88.20	-32.71	39.57	35.00	12.70	31.78	0.00	300	328	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6025.00	91.26	------	------	74.98	35.25	12.83	31.80	0.00	300	328	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5904.00	44.87	68.20	-23.33	28.89	35.02	12.75	31.79	0.00	300	328	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6025.00	81.33	------	------	65.05	35.25	12.83	31.80	0.00	300	328	AVERAGE

Mode	75	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE160_CH15_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12050.00	46.25	74.00	-27.75	58.04	38.75	15.53	66.07	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12050.00	45.50	74.00	-28.50	57.29	38.75	15.53	66.07	0.00	---	---	PEAK

Mode	76	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE160_CH47_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12370.00	49.84	74.00	-24.16	60.88	38.90	15.70	65.64	0.00	300	360	PEAK
2	12370.00	38.80	54.00	-15.20	49.81	38.90	15.71	65.62	0.00	300	360	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12389.60	52.79	74.00	-21.21	63.80	38.90	15.71	65.62	0.00	100	97	Peak
2	12389.60	42.00	54.00	-12.00	53.01	38.90	15.71	65.62	0.00	100	97	Average

Mode	77	
	Harmonic	
	UNII-5_5925-6425_802.11ax HE160_CH79_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12690.00	48.39	74.00	-25.61	59.21	39.28	15.88	65.98	0.00	300	360	PEAK
2	12690.00	38.96	54.00	-15.04	49.81	39.32	15.89	66.06	0.00	300	360	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12690.00	47.50	74.00	-26.50	58.32	39.28	15.88	65.98	0.00	100	360	PEAK
2	12690.00	38.12	54.00	-15.88	48.95	39.31	15.89	66.03	0.00	100	360	AVERAGE

Mode	78	
	Harmonic	
	UNII-6~7_6425-6875_802.11ax HE160_CH111_6505MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 48.27 88.20 -39.93 59.62 39.38 16.06 66.79 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 49.32 88.20 -38.88 60.67 39.38 16.06 66.79 0.00 --- --- PEAK

Mode	79	
	Harmonic	
	UNII-7_6525-6875_802.11ax HE160_CH143_6665MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13330.00	46.14	74.00	-27.86	56.62	39.07	16.31	65.86	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13330.00	50.20	74.00	-23.80	60.68	39.07	16.31	65.86	0.00	300	0	PEAK
2	13330.00	40.90	54.00	-13.10	51.38	39.07	16.31	65.86	0.00	300	0	AVERAGE

Mode	80	
	Harmonic	
	UNII-7~8_UNII-7~8_802.11ax HE160_CH175_6825MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13650.00	45.88	88.20	-42.32	55.78	38.75	16.56	65.21	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13650.00	49.43	88.20	-38.77	59.33	38.75	16.56	65.21	0.00	---	---	PEAK

Mode	81	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE160_CH207_6985MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7129.26	69.59	88.20	-18.61	52.08	35.80	14.01	32.30	0.00	108	199	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6985.00	98.31	------	------	80.74	35.84	13.95	32.22	0.00	108	199	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7133.33	59.16	68.20	-9.04	41.66	35.80	14.01	32.31	0.00	108	199	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6985.00	87.69	------	------	70.07	35.88	13.94	32.20	0.00	108	199	AVERAGE

Mode	81	
	Band Edge	
	UNII-8_6875-7125_802.11ax HE160_CH207_6985MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7139.04	67.43	88.20	-20.77	49.93	35.80	14.01	32.31	0.00	293	0	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6985.00	92.47	------	------	74.93	35.83	13.89	32.18	0.00	293	0	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7126.81	53.81	68.20	-14.39	36.30	35.80	14.01	32.30	0.00	293	0	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6985.00	82.28	------	------	64.66	35.88	13.94	32.20	0.00	293	0	AVERAGE

Mode	81	
	Harmonic	
	UNII-8_6875-7125_802.11ax HE160_CH207_6985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13970.00 45.19 88.20 -43.01 54.49 38.77 16.82 64.89 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13970.00 48.32 88.20 -39.88 57.62 38.77 16.82 64.89 0.00 --- --- PEAK

Mode	51	
	18G-40G	
	UNII-8_6875-7125_802.11ax HE20_CH233_106/54_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	51
	30M-1G
	UNII-8_6875-7125_802.11ax HE20_CH233_106/54_7115MHz
ANT	1+2

Pol.	Horizontal	Vertical

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	30.24	20.13	40.00	-19.87	27.55	25.05	0.48	32.95	0.00	---	---	Peak
2	201.45	24.34	43.50	-19.16	40.03	15.21	1.96	32.86	0.00	---	---	Peak
3	295.30	27.52	46.00	-18.48	38.65	19.44	2.37	32.94	0.00	---	---	Peak
4	393.51	25.76	46.00	-20.24	34.22	21.78	2.74	32.98	0.00	---	---	Peak
5	560.11	26.44	46.00	-19.56	29.43	26.47	3.25	32.71	0.00	---	---	Peak
6	860.32	28.07	46.00	-17.93	26.22	29.89	4.02	32.06	0.00	---	---	Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	32.67	21.11	40.00	-18.89	29.55	23.90	0.51	32.85	0.00	---	---	Peak
2	160.95	20.05	43.50	-23.45	34.74	16.65	1.73	33.07	0.00	---	---	Peak
3	201.69	20.77	43.50	-22.73	36.45	15.22	1.96	32.86	0.00	---	---	Peak
4	406.36	24.94	46.00	-21.06	32.81	22.32	2.78	32.97	0.00	---	---	Peak
5	483.23	26.76	46.00	-19.24	32.62	23.95	3.02	32.83	0.00	---	---	Peak
6	560.35	31.15	46.00	-14.85	34.13	26.48	3.25	32.71	0.00	---	---	Peak

<7.5G-10G>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	UNII-5	5925-6425	1	802.11a	1	5955	6Mbps	-	-
Mode 2	UNII-5	5925-6425	1	802.11a	49	6195	6Mbps	-	-
Mode 9	UNII-7	6525-6875	1	802.11a	181	6855	6Mbps	-	-
Mode 10	UNII-7-8	6525-7125	1	802.11a	185	6875	6Mbps	-	-
Mode 11	UNII-8	6875-7125	1	802.11a	189	6895	6Mbps	-	-
Mode 12	UNII-8	6875-7125	1	802.11a	209	6995	6Mbps	-	-
Mode 13	UNII-8	6875-7125	1	802.11a	229	7095	6Mbps	-	-
Mode 14	UNII-8	6875-7125	1	802.11a	233	7115	6Mbps	-	-
Mode 16	UNII-5	5925-6425	2	802.11a	49	6195	6Mbps	-	-
Mode 23	UNII-7	6525-6875	2	802.11a	181	6855	6Mbps	-	-
Mode 24	UNII-7-8	6525-7125	2	802.11a	185	6875	6Mbps	-	-
Mode 25	UNII-8	6875-7125	2	802.11a	189	6895	6Mbps	-	-
Mode 26	UNII-8	6875-7125	2	802.11a	209	6995	6Mbps	-	-
Mode 27	UNII-8	6875-7125	2	802.11a	229	7095	6Mbps	-	-
Mode 28	UNII-8	6875-7125	2	802.11a	233	7115	6Mbps	-	-
Mode 29	UNII-5	5925-6425	1+2	802.11ax HE20	1	5955	MCS0	Full	-
Mode 33	UNII-5	5925-6425	1+2	802.11ax HE20	49	6195	MCS0	-	-
Mode 34	UNII-5	5925-6425	1+2	802.11ax HE20	93	6415	MCS0	-	-
Mode 40	UNII-7	6525-6875	1+2	802.11ax HE20	181	6855	MCS0	-	-
Mode 41	UNII-7~8	6525-7125	1+2	802.11ax HE20	185	6875	MCS0	-	-
Mode 42	UNII-8	6875-7125	1+2	802.11ax HE20	189	6895	MCS0	-	-
Mode 43	UNII-8	6875-7125	1+2	802.11ax HE20	209	6995	MCS0	-	-
Mode 44	UNII-8	6875-7125	1+2	802.11ax HE20	229	7095	MCS0	Full	-
Mode 53	UNII-5	5925-6425	1+2	802.11ax HE40	51	6205	MCS0	-	-
Mode 66	UNII-5	5925-6425	1+2	802.11ax HE80	39	6145	MCS0	-	-
Mode 76	UNII-5	5925-6425	1+2	802.11ax HE160	47	6185	MCS0	-	-
Mode 77	UNII-5	5925-6425	1+2	802.11ax HE160	79	6345	MCS0	-	-
Mode 81	UNII-8	6875-7125	1+2	802.11ax HE160	207	6985	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	7940.00	50.46	68.20	-17.74	H	AVERAGE	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	8260.00	51.24	54.00	-2.76	H	AVERAGE	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	9140.00	47.89	54.00	-6.11	H	AVERAGE	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	9166.66	48.23	54.00	-5.77	H	AVERAGE	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	9193.33	48.91	54.00	-5.09	H	AVERAGE	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	9326.66	47.17	54.00	-6.83	H	AVERAGE	Pass	Harmonic
13	802.11a	229	-	-	-	-	-	-	-	Band Edge
13	802.11a	229	9460.00	46.89	54.00	-7.11	H	AVERAGE	Pass	Harmonic
14	802.11a	233	-	-	-	-	-	-	-	Band Edge
14	802.11a	233	9486.66	47.42	54.00	-6.58	H	AVERAGE	Pass	Harmonic
16	802.11a	49	-	-	-	-	-	-	-	Band Edge
16	802.11a	49	8259.98	52.38	54.00	-1.62	H	AVERAGE	Pass	Harmonic
23	802.11a	181	-	-	-	-	-	-	-	Band Edge
23	802.11a	181	9139.98	47.03	54.00	-6.97	H	AVERAGE	Pass	Harmonic
24	802.11a	185	-	-	-	-	-	-	-	Band Edge
24	802.11a	185	9166.64	47.71	54.00	-6.29	H	AVERAGE	Pass	Harmonic
25	802.11a	189	-	-	-	-	-	-	-	Band Edge
25	802.11a	189	9193.31	47.35	54.00	-6.65	H	AVERAGE	Pass	Harmonic
26	802.11a	209	-	-	-	-	-	-	-	Band Edge
26	802.11a	209	9326.64	47.21	54.00	-6.79	H	AVERAGE	Pass	Harmonic
27	802.11a	229	-	-	-	-	-	-	-	Band Edge
27	802.11a	229	9460.40	44.37	54.00	-9.63	H	Average	Pass	Harmonic
28	802.11a	233	-	-	-	-	-	-	-	Band Edge
28	802.11a	233	9486.64	48.89	54.00	-5.11	V	AVERAGE	Pass	Harmonic
29	802.11ax HE20	1	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	1	7940.50	50.59	88.20	-37.61	V	Peak	Pass	Harmonic
33	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	49	8260.00	51.85	54.00	-2.15	V	AVERAGE	Pass	Harmonic
34	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	93	8554.00	50.28	88.20	-37.92	H	Peak	Pass	Harmonic
40	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	181	9139.98	50.69	54.00	-3.31	H	AVERAGE	Pass	Harmonic
41	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE20	185	9166.64	48.26	54.00	-5.74	H	AVERAGE	Pass	Harmonic
42	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE20	189	9193.31	49.31	54.00	-4.69	V	AVERAGE	Pass	Harmonic
43	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge

43	802.11ax HE20	209	9327.20	46.97	54.00	-7.03	H	Average	Pass	Harmonic
44	802.11ax HE20	229	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE20	229	9460.60	46.86	74.00	-27.14	H	Peak	Pass	Harmonic
53	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE40	51	8273.31	50.85	54.00	-3.15	H	AVERAGE	Pass	Harmonic
66	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
66	802.11ax HE80	39	8193.31	51.26	54.00	-2.74	H	AVERAGE	Pass	Harmonic
76	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
76	802.11ax HE160	47	8246.65	48.36	54.00	-5.64	H	AVERAGE	Pass	Harmonic
77	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
77	802.11ax HE160	79	8459.98	51.25	54.00	-2.75	H	AVERAGE	Pass	Harmonic
81	802.11ax HE160	207	-	-	-	-	-	-	-	Band Edge
81	802.11ax HE160	207	9314.00	46.45	54.00	-7.55	H	Average	Pass	Harmonic

Mode	1	
	Harmonic	
	UNII-5_5925-6425_802.11a_CH1_5955MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7940.00	52.87	88.20	-35.33	71.74	35.82	12.43	67.12	0.00	222	155	PEAK
2	7940.00	50.46	68.20	-17.74	69.33	35.82	12.43	67.12	0.00	222	155	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7940.00	45.94	88.20	-42.26	64.81	35.82	12.43	67.12	0.00	---	---	PEAK

Mode	2	
	Harmonic	
	UNII-5_5925-6425_802.11a_CH49_6195MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8260.00	54.39	74.00	-19.61	72.97	35.88	12.66	67.12	0.00	277	160	PEAK
2	8260.00	51.24	54.00	-2.76	69.82	35.88	12.66	67.12	0.00	277	160	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8260.00	50.77	74.00	-23.23	69.35	35.88	12.66	67.12	0.00	100	164	PEAK
2	8260.00	45.11	54.00	-8.89	63.69	35.88	12.66	67.12	0.00	100	164	AVERAGE

Mode	9	
	Harmonic	
	UNII-7_6525-6875_802.11a_CH181_6855MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9140.00	50.56	74.00	-23.44	67.98	36.28	13.35	67.05	0.00	119	168	PEAK
2	9140.00	47.89	54.00	-6.11	65.31	36.28	13.35	67.05	0.00	119	168	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9140.00	48.81	74.00	-25.19	66.23	36.28	13.35	67.05	0.00	286	75	PEAK
2	9140.00	45.91	54.00	-8.09	63.33	36.28	13.35	67.05	0.00	286	75	AVERAGE

Mode	10	
	Harmonic	
	UNII-7-8_6525-7125_802.11a_CH185_6875MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9166.66	50.84	74.00	-23.16	68.20	36.33	13.36	67.05	0.00	105	166	PEAK
2	9166.66	48.23	54.00	-5.77	65.59	36.33	13.36	67.05	0.00	105	166	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9166.66	49.61	74.00	-24.39	66.97	36.33	13.36	67.05	0.00	280	75	PEAK
2	9166.66	46.24	54.00	-7.76	63.60	36.33	13.36	67.05	0.00	280	75	AVERAGE

Mode	11	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH189_6895MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9193.33	51.18	74.00	-22.82	68.47	36.39	13.38	67.06	0.00	100	168	PEAK
2	9193.33	48.91	54.00	-5.09	66.20	36.39	13.38	67.06	0.00	100	168	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9193.33	48.25	74.00	-25.75	65.54	36.39	13.38	67.06	0.00	297	68	PEAK
2	9193.33	45.15	54.00	-8.85	62.44	36.39	13.38	67.06	0.00	297	68	AVERAGE

Mode	12	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH209_6995MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9326.66	50.37	74.00	-23.63	67.41	36.55	13.49	67.08	0.00	100	169	PEAK
2	9326.66	47.17	54.00	-6.83	64.21	36.55	13.49	67.08	0.00	100	169	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9326.66	44.11	74.00	-29.89	61.15	36.55	13.49	67.08	0.00	---	---	PEAK

Mode	13	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH229_7095MHz	
ANT	1	
Pol.	Horizontal	Vertical

Peak

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9460.00	49.84	74.00	-24.16	66.72	36.62	13.59	67.09	0.00	100	176	PEAK
2	9460.00	46.89	54.00	-7.11	63.77	36.62	13.59	67.09	0.00	100	176	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9460.00	44.48	74.00	-29.52	61.36	36.62	13.59	67.09	0.00	---	---	PEAK

Mode	14	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH233_7115MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9486.66	50.01	74.00	-23.99	66.83	36.67	13.61	67.10	0.00	106	173	PEAK
2	9486.66	47.42	54.00	-6.58	64.24	36.67	13.61	67.10	0.00	106	173	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9486.66	44.65	74.00	-29.35	61.47	36.67	13.61	67.10	0.00	---	---	PEAK

Mode	16
	Harmonic
	UNII-5_5925-6425_802.11a_CH49_6195MHz
ANT	2

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8259.98	53.64	74.00	-20.36	72.22	35.88	12.66	67.12	0.00	142	181	PEAK
2	8259.98	52.38	54.00	-1.62	70.96	35.88	12.66	67.12	0.00	142	181	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8259.98	49.76	74.00	-24.24	68.34	35.88	12.66	67.12	0.00	287	147	PEAK
2	8259.98	47.48	54.00	-6.52	66.06	35.88	12.66	67.12	0.00	287	147	AVERAGE

Mode	23	
	Harmonic	
	UNII-7_6525-6875_802.11a_CH181_6855MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9139.98	49.76	74.00	-24.24	67.18	36.28	13.35	67.05	0.00	100	166	PEAK
2	9139.98	47.03	54.00	-6.97	64.45	36.28	13.35	67.05	0.00	100	166	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9139.98	43.46	74.00	-30.54	60.88	36.28	13.35	67.05	0.00	---	---	PEAK

Mode	24	
	Harmonic	
	UNII-7-8_6525-7125_802.11a_CH185_6875MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9166.64	50.16	74.00	-23.84	67.52	36.33	13.36	67.05	0.00	100	176	PEAK
2	9166.64	47.71	54.00	-6.29	65.07	36.33	13.36	67.05	0.00	100	176	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9166.64	48.58	74.00	-25.42	65.94	36.33	13.36	67.05	0.00	100	167	PEAK
2	9166.64	44.97	54.00	-9.03	62.33	36.33	13.36	67.05	0.00	100	167	AVERAGE

Mode	25	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH189_6895MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9193.31	50.08	74.00	-23.92	67.37	36.39	13.38	67.06	0.00	100	170	PEAK
2	9193.31	47.35	54.00	-6.65	64.64	36.39	13.38	67.06	0.00	100	170	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9193.31	48.77	74.00	-25.23	66.06	36.39	13.38	67.06	0.00	100	171	PEAK
2	9193.31	44.49	54.00	-9.51	61.78	36.39	13.38	67.06	0.00	100	171	AVERAGE

Mode	26	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH209_6995MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9326.64	49.77	74.00	-24.23	66.81	36.55	13.49	67.08	0.00	100	170	PEAK
2	9326.64	47.21	54.00	-6.79	64.25	36.55	13.49	67.08	0.00	100	170	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9326.64	44.07	74.00	-29.93	61.11	36.55	13.49	67.08	0.00	---	---	PEAK

Mode	27	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH229_7095MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9460.40	49.97	74.00	-24.03	66.85	36.62	13.59	67.09	0.00	100	25	Peak
2	9460.40	44.37	54.00	-9.63	61.25	36.62	13.59	67.09	0.00	100	25	Average

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9459.98	47.72	74.00	-26.28	64.60	36.62	13.59	67.09	0.00	300	61	PEAK
2	9459.98	43.51	54.00	-10.49	60.39	36.62	13.59	67.09	0.00	300	61	AVERAGE

Mode	28	
	Harmonic	
	UNII-8_6875-7125_802.11a_CH233_7115MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9486.64	50.07	74.00	-23.93	66.89	36.67	13.61	67.10	0.00	100	165	PEAK
2	9486.64	46.71	54.00	-7.29	63.53	36.67	13.61	67.10	0.00	100	165	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9486.64	51.33	74.00	-22.67	68.15	36.67	13.61	67.10	0.00	111	165	PEAK
2	9486.64	48.89	54.00	-5.11	65.71	36.67	13.61	67.10	0.00	111	165	AVERAGE