










Mode	41																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																	
ANT	1+2																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.72</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>38.86</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>372</td><td>5 PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>53.87</td><td>68.20</td><td>-14.33</td><td>38.48</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>372</td><td>5 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.72	54.26	74.00	-19.74	38.86	34.79	12.23	31.62	0.00	372	5 PEAK	2	5465.68	53.87	68.20	-14.33	38.48	34.77	12.24	31.62	0.00	372	5 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5452.72	54.26	74.00	-19.74	38.86	34.79	12.23	31.62	0.00	372	5 PEAK																																																							
2	5465.68	53.87	68.20	-14.33	38.48	34.77	12.24	31.62	0.00	372	5 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>43.51</td><td>54.00</td><td>-10.49</td><td>28.11</td><td>34.78</td><td>12.24</td><td>31.62</td><td>0.00</td><td>372</td><td>5 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.51	54.00	-10.49	28.11	34.78	12.24	31.62	0.00	372	5 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.92	43.51	54.00	-10.49	28.11	34.78	12.24	31.62	0.00	372	5 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>101.82</td><td>-----</td><td>-----</td><td>86.46</td><td>34.70</td><td>12.28</td><td>31.62</td><td>0.00</td><td>372</td><td>5 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.82	-----	-----	86.46	34.70	12.28	31.62	0.00	372	5 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	101.82	-----	-----	86.46	34.70	12.28	31.62	0.00	372	5 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>90.21</td><td>-----</td><td>-----</td><td>74.85</td><td>34.70</td><td>12.28</td><td>31.62</td><td>0.00</td><td>372</td><td>5 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.21	-----	-----	74.85	34.70	12.28	31.62	0.00	372	5 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	90.21	-----	-----	74.85	34.70	12.28	31.62	0.00	372	5 AVERAGE																																																							





Mode	41																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																														
ANT	1+2																																														
Pol.	Vertical						Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5753.48</td><td>54.56</td><td>68.20</td><td>-13.64</td><td>38.81</td><td>34.91</td><td>12.54</td><td>31.70</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5753.48	54.56	68.20	-13.64	38.81	34.91	12.54	31.70	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5753.48	54.56	68.20	-13.64	38.81	34.91	12.54	31.70																																							







Mode	41																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8816.00</td><td>45.32</td><td>68.20</td><td>-22.88</td><td>55.97</td><td>36.30</td><td>15.68</td><td>62.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>50.73</td><td>38.02</td><td>17.43</td><td>60.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8816.00	45.32	68.20	-22.88	55.97	36.30	15.68	62.63	0.00	--	--	PEAK	2	11020.00	45.64	74.00	-28.36	50.73	38.02	17.43	60.54	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8816.00</td><td>51.22</td><td>68.20</td><td>-16.98</td><td>61.87</td><td>36.30</td><td>15.68</td><td>62.63</td><td>0.00</td><td>100</td><td>338</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>50.73</td><td>38.02</td><td>17.43</td><td>60.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8816.00	51.22	68.20	-16.98	61.87	36.30	15.68	62.63	0.00	100	338	PEAK	2	11020.00	45.64	74.00	-28.36	50.73	38.02	17.43	60.54	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8816.00	45.32	68.20	-22.88	55.97	36.30	15.68	62.63	0.00	--	--	PEAK																																																																																																																																
2	11020.00	45.64	74.00	-28.36	50.73	38.02	17.43	60.54	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8816.00	51.22	68.20	-16.98	61.87	36.30	15.68	62.63	0.00	100	338	PEAK																																																																																																																																
2	11020.00	45.64	74.00	-28.36	50.73	38.02	17.43	60.54	0.00	--	--	PEAK																																																																																																																																




Mode	42																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE40_CH110_5550MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8880.00</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>55.11</td><td>36.30</td><td>15.73</td><td>62.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>50.45</td><td>38.10</td><td>17.50</td><td>60.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8880.00	44.62	68.20	-23.58	55.11	36.30	15.73	62.52	0.00	--	--	PEAK	2	11100.00	45.41	74.00	-28.59	50.45	38.10	17.50	60.64	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8880.00</td><td>48.35</td><td>68.20</td><td>-19.85</td><td>58.84</td><td>36.30</td><td>15.73</td><td>62.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>50.53</td><td>38.10</td><td>17.50</td><td>60.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8880.00	48.35	68.20	-19.85	58.84	36.30	15.73	62.52	0.00	--	--	PEAK	2	11100.00	45.49	74.00	-28.51	50.53	38.10	17.50	60.64	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8880.00	44.62	68.20	-23.58	55.11	36.30	15.73	62.52	0.00	--	--	PEAK																																																																																																																																
2	11100.00	45.41	74.00	-28.59	50.45	38.10	17.50	60.64	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8880.00	48.35	68.20	-19.85	58.84	36.30	15.73	62.52	0.00	--	--	PEAK																																																																																																																																
2	11100.00	45.49	74.00	-28.51	50.53	38.10	17.50	60.64	0.00	--	--	PEAK																																																																																																																																







Mode	43																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.76</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>38.83</td><td>34.77</td><td>12.21</td><td>31.62</td><td>0.00</td><td>102</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>53.14</td><td>68.20</td><td>-15.06</td><td>37.75</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>102</td><td>124</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.76	54.19	74.00	-19.81	38.83	34.77	12.21	31.62	0.00	102	124	PEAK	2	5463.44	53.14	68.20	-15.06	37.75	34.77	12.24	31.62	0.00	102	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.54</td><td>-----</td><td>-----</td><td>88.97</td><td>34.76</td><td>12.47</td><td>31.66</td><td>0.00</td><td>102</td><td>124</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.54	-----	-----	88.97	34.76	12.47	31.66	0.00	102	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5435.76	54.19	74.00	-19.81	38.83	34.77	12.21	31.62	0.00	102	124	PEAK																																																																																																																	
2	5463.44	53.14	68.20	-15.06	37.75	34.77	12.24	31.62	0.00	102	124	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5670.00	104.54	-----	-----	88.97	34.76	12.47	31.66	0.00	102	124	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.12</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>28.03</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>102</td><td>124</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	43.43	54.00	-10.57	28.03	34.79	12.23	31.62	0.00	102	124	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.74</td><td>-----</td><td>-----</td><td>79.17</td><td>34.76</td><td>12.47</td><td>31.66</td><td>0.00</td><td>102</td><td>124</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.74	-----	-----	79.17	34.76	12.47	31.66	0.00	102	124	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5455.12	43.43	54.00	-10.57	28.03	34.79	12.23	31.62	0.00	102	124	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5670.00	94.74	-----	-----	79.17	34.76	12.47	31.66	0.00	102	124	AVERAGE																																																																																																																	




Mode	43																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																					
ANT	1+2																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5741.32</td><td>54.92</td><td>68.20</td><td>-13.28</td><td>39.21</td><td>34.88</td><td>12.53</td><td>31.70</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5741.32	54.92	68.20	-13.28	39.21	34.88	12.53	31.70	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5741.32	54.92	68.20	-13.28	39.21	34.88	12.53	31.70																														




Mode	43																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																												
ANT	1+2																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5425.68</td><td>54.14</td><td>74.00</td><td>-19.86</td><td>38.81</td><td>34.75</td><td>12.20</td><td>31.62</td><td>0.00</td><td>369</td><td>6 PEAK</td></tr><tr><td>2</td><td>5461.36</td><td>54.41</td><td>68.20</td><td>-13.79</td><td>39.01</td><td>34.78</td><td>12.24</td><td>31.62</td><td>0.00</td><td>369</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.68	54.14	74.00	-19.86	38.81	34.75	12.20	31.62	0.00	369	6 PEAK	2	5461.36	54.41	68.20	-13.79	39.01	34.78	12.24	31.62	0.00	369	6 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.58</td><td>-----</td><td>-----</td><td>84.06</td><td>34.71</td><td>12.45</td><td>31.64</td><td>0.00</td><td>369</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.58	-----	-----	84.06	34.71	12.45	31.64	0.00	369
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5425.68	54.14	74.00	-19.86	38.81	34.75	12.20	31.62	0.00	369	6 PEAK																																																																																																		
2	5461.36	54.41	68.20	-13.79	39.01	34.78	12.24	31.62	0.00	369	6 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	99.58	-----	-----	84.06	34.71	12.45	31.64	0.00	369	6 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>28.06</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>369</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	43.45	54.00	-10.55	28.06	34.78	12.23	31.62	0.00	369	6 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>90.39</td><td>-----</td><td>-----</td><td>74.84</td><td>34.74</td><td>12.46</td><td>31.65</td><td>0.00</td><td>369</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	90.39	-----	-----	74.84	34.74	12.46	31.65	0.00	369	6 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5457.52	43.45	54.00	-10.55	28.06	34.78	12.23	31.62	0.00	369	6 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	90.39	-----	-----	74.84	34.74	12.46	31.65	0.00	369	6 AVERAGE																																																																																																		






Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.20</td><td>54.66</td><td>68.20</td><td>-13.54</td><td>38.97</td><td>34.86</td><td>12.52</td><td>31.69</td><td>0.00</td><td>369</td><td>6</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.20	54.66	68.20	-13.54	38.97	34.86	12.52	31.69	0.00	369	6	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.20	54.66	68.20	-13.54	38.97	34.86	12.52	31.69	0.00	369	6	PEAK																																												




Mode	43																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9072.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>57.38</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>2</td><td>9072.00</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>52.06</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>300 360 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>53.09</td><td>38.04</td><td>17.71</td><td>60.95</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>4</td><td>11340.00</td><td>37.88</td><td>54.00</td><td>-16.12</td><td>43.08</td><td>38.05</td><td>17.71</td><td>60.96</td><td>0.00</td><td>300 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9072.00	47.41	74.00	-26.59	57.38	36.34	15.86	62.17	0.00	300 360 PEAK	2	9072.00	42.09	54.00	-11.91	52.06	36.34	15.86	62.17	0.00	300 360 AVERAGE	3	11340.00	47.89	74.00	-26.11	53.09	38.04	17.71	60.95	0.00	300 360 PEAK	4	11340.00	37.88	54.00	-16.12	43.08	38.05	17.71	60.96	0.00	300 360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	9072.00	47.41	74.00	-26.59	57.38	36.34	15.86	62.17	0.00	300 360 PEAK																																																																														
2	9072.00	42.09	54.00	-11.91	52.06	36.34	15.86	62.17	0.00	300 360 AVERAGE																																																																														
3	11340.00	47.89	74.00	-26.11	53.09	38.04	17.71	60.95	0.00	300 360 PEAK																																																																														
4	11340.00	37.88	54.00	-16.12	43.08	38.05	17.71	60.96	0.00	300 360 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9072.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>57.38</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>2</td><td>9072.00</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>52.06</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>300 360 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>53.09</td><td>38.04</td><td>17.71</td><td>60.95</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>4</td><td>11340.00</td><td>37.88</td><td>54.00</td><td>-16.12</td><td>43.08</td><td>38.05</td><td>17.71</td><td>60.96</td><td>0.00</td><td>300 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9072.00	47.41	74.00	-26.59	57.38	36.34	15.86	62.17	0.00	300 360 PEAK	2	9072.00	42.09	54.00	-11.91	52.06	36.34	15.86	62.17	0.00	300 360 AVERAGE	3	11340.00	47.89	74.00	-26.11	53.09	38.04	17.71	60.95	0.00	300 360 PEAK	4	11340.00	37.88	54.00	-16.12	43.08	38.05	17.71	60.96	0.00	300 360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9072.00	47.41	74.00	-26.59	57.38	36.34	15.86	62.17	0.00	300 360 PEAK																																																																														
2	9072.00	42.09	54.00	-11.91	52.06	36.34	15.86	62.17	0.00	300 360 AVERAGE																																																																														
3	11340.00	47.89	74.00	-26.11	53.09	38.04	17.71	60.95	0.00	300 360 PEAK																																																																														
4	11340.00	37.88	54.00	-16.12	43.08	38.05	17.71	60.96	0.00	300 360 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9072.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>57.38</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>2</td><td>9072.00</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>52.06</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>300 360 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>53.09</td><td>38.04</td><td>17.71</td><td>60.95</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>4</td><td>11340.00</td><td>37.88</td><td>54.00</td><td>-16.12</td><td>43.08</td><td>38.05</td><td>17.71</td><td>60.96</td><td>0.00</td><td>300 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9072.00	47.41	74.00	-26.59	57.38	36.34	15.86	62.17	0.00	300 360 PEAK	2	9072.00	42.09	54.00	-11.91	52.06	36.34	15.86	62.17	0.00	300 360 AVERAGE	3	11340.00	47.89	74.00	-26.11	53.09	38.04	17.71	60.95	0.00	300 360 PEAK	4	11340.00	37.88	54.00	-16.12	43.08	38.05	17.71	60.96	0.00	300 360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9072.00	47.41	74.00	-26.59	57.38	36.34	15.86	62.17	0.00	300 360 PEAK																																																																														
2	9072.00	42.09	54.00	-11.91	52.06	36.34	15.86	62.17	0.00	300 360 AVERAGE																																																																														
3	11340.00	47.89	74.00	-26.11	53.09	38.04	17.71	60.95	0.00	300 360 PEAK																																																																														
4	11340.00	37.88	54.00	-16.12	43.08	38.05	17.71	60.96	0.00	300 360 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9072.00</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>62.20</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>100 339 PEAK</td></tr><tr><td>2</td><td>9072.00</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>59.73</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>100 339 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>50.45</td><td>38.04</td><td>17.71</td><td>60.95</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9072.00	52.23	74.00	-21.77	62.20	36.34	15.86	62.17	0.00	100 339 PEAK	2	9072.00	49.76	54.00	-4.24	59.73	36.34	15.86	62.17	0.00	100 339 AVERAGE	3	11340.00	45.25	74.00	-28.75	50.45	38.04	17.71	60.95	0.00	-- -- PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9072.00	52.23	74.00	-21.77	62.20	36.34	15.86	62.17	0.00	100 339 PEAK																																																																														
2	9072.00	49.76	54.00	-4.24	59.73	36.34	15.86	62.17	0.00	100 339 AVERAGE																																																																														
3	11340.00	45.25	74.00	-28.75	50.45	38.04	17.71	60.95	0.00	-- -- PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9072.00</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>62.20</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>100 339 PEAK</td></tr><tr><td>2</td><td>9072.00</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>59.73</td><td>36.34</td><td>15.86</td><td>62.17</td><td>0.00</td><td>100 339 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>50.45</td><td>38.04</td><td>17.71</td><td>60.95</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9072.00	52.23	74.00	-21.77	62.20	36.34	15.86	62.17	0.00	100 339 PEAK	2	9072.00	49.76	54.00	-4.24	59.73	36.34	15.86	62.17	0.00	100 339 AVERAGE	3	11340.00	45.25	74.00	-28.75	50.45	38.04	17.71	60.95	0.00	-- -- PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9072.00	52.23	74.00	-21.77	62.20	36.34	15.86	62.17	0.00	100 339 PEAK																																																																														
2	9072.00	49.76	54.00	-4.24	59.73	36.34	15.86	62.17	0.00	100 339 AVERAGE																																																																														
3	11340.00	45.25	74.00	-28.75	50.45	38.04	17.71	60.95	0.00	-- -- PEAK																																																																														






Mode	44																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.05</td><td>55.21</td><td>68.20</td><td>-12.99</td><td>39.71</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5651.15</td><td>53.67</td><td>69.06</td><td>-15.39</td><td>38.17</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>3</td><td>5700.75</td><td>53.53</td><td>105.51</td><td>-51.98</td><td>37.91</td><td>34.00</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>52.85</td><td>111.89</td><td>-59.04</td><td>37.18</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.05	55.21	68.20	-12.99	39.71	34.70	12.43	31.63	0.00	100	123	PEAK	2	5651.15	53.67	69.06	-15.39	38.17	34.70	12.44	31.64	0.00	100	123	PEAK	3	5700.75	53.53	105.51	-51.98	37.91	34.00	12.49	31.67	0.00	100	123	PEAK	4	5720.44	52.85	111.89	-59.04	37.18	34.84	12.51	31.68	0.00	100	123	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.97</td><td>-----</td><td>-----</td><td>86.21</td><td>34.92</td><td>12.55</td><td>31.71</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.97	-----	-----	86.21	34.92	12.55	31.71	0.00	100	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5637.05	55.21	68.20	-12.99	39.71	34.70	12.43	31.63	0.00	100	123	PEAK																																																																																																																															
2	5651.15	53.67	69.06	-15.39	38.17	34.70	12.44	31.64	0.00	100	123	PEAK																																																																																																																															
3	5700.75	53.53	105.51	-51.98	37.91	34.00	12.49	31.67	0.00	100	123	PEAK																																																																																																																															
4	5720.44	52.85	111.89	-59.04	37.18	34.84	12.51	31.68	0.00	100	123	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	101.97	-----	-----	86.21	34.92	12.55	31.71	0.00	100	123	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.38</td><td>-----</td><td>-----</td><td>77.65</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.38	-----	-----	77.65	34.89	12.54	31.70	0.00	100	123	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	93.38	-----	-----	77.65	34.89	12.54	31.70	0.00	100	123	AVERAGE																																																																																																																															




Mode	44																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																				
ANT	1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.93</td><td>111.26</td><td>-59.33</td><td>36.03</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>54.18</td><td>105.48</td><td>-51.30</td><td>38.26</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>53.20</td><td>68.75</td><td>-15.55</td><td>37.11</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>4</td><td>5946.49</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>38.70</td><td>35.19</td><td>12.81</td><td>31.80</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	51.93	111.26	-59.33	36.03	35.00	12.67	31.77	0.00	100	123	PEAK	2	5874.34	54.18	105.48	-51.30	38.26	35.00	12.70	31.78	0.00	100	123	PEAK	3	5924.26	53.20	68.75	-15.55	37.11	35.10	12.78	31.79	0.00	100	123	PEAK	4	5946.49	54.90	68.20	-13.30	38.70	35.19	12.81	31.80	0.00	100	123	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	51.93	111.26	-59.33	36.03	35.00	12.67	31.77	0.00	100	123	PEAK																																																																									
2	5874.34	54.18	105.48	-51.30	38.26	35.00	12.70	31.78	0.00	100	123	PEAK																																																																									
3	5924.26	53.20	68.75	-15.55	37.11	35.10	12.78	31.79	0.00	100	123	PEAK																																																																									
4	5946.49	54.90	68.20	-13.30	38.70	35.19	12.81	31.80	0.00	100	123	PEAK																																																																									





Mode	44																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5681.24</td><td>56.44</td><td>68.20</td><td>-11.76</td><td>40.98</td><td>34.70</td><td>12.39</td><td>31.63</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>53.50</td><td>68.48</td><td>-14.98</td><td>38.00</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5701.22</td><td>54.25</td><td>105.64</td><td>-51.39</td><td>38.63</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>53.09</td><td>111.89</td><td>-58.80</td><td>37.42</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5681.24	56.44	68.20	-11.76	40.98	34.70	12.39	31.63	0.00	339	356	PEAK	2	5650.38	53.50	68.48	-14.98	38.00	34.70	12.44	31.64	0.00	339	356	PEAK	3	5701.22	54.25	105.64	-51.39	38.63	34.80	12.49	31.67	0.00	339	356	PEAK	4	5720.44	53.09	111.89	-58.80	37.42	34.84	12.51	31.68	0.00	339	356	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.60</td><td>-----</td><td>-----</td><td>81.86</td><td>34.90</td><td>12.54</td><td>31.70</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.60	-----	-----	81.86	34.90	12.54	31.70	0.00	339	356	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5681.24	56.44	68.20	-11.76	40.98	34.70	12.39	31.63	0.00	339	356	PEAK																																																																																																																															
2	5650.38	53.50	68.48	-14.98	38.00	34.70	12.44	31.64	0.00	339	356	PEAK																																																																																																																															
3	5701.22	54.25	105.64	-51.39	38.63	34.80	12.49	31.67	0.00	339	356	PEAK																																																																																																																															
4	5720.44	53.09	111.89	-58.80	37.42	34.84	12.51	31.68	0.00	339	356	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	97.60	-----	-----	81.86	34.90	12.54	31.70	0.00	339	356	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>88.78</td><td>-----</td><td>-----</td><td>73.04</td><td>34.90</td><td>12.54</td><td>31.70</td><td>0.00</td><td>339</td><td>356</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	88.78	-----	-----	73.04	34.90	12.54	31.70	0.00	339	356	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	88.78	-----	-----	73.04	34.90	12.54	31.70	0.00	339	356	AVERAGE																																																																																																																															






Mode	44																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																				
ANT	1+2																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>52.55</td><td>112.60</td><td>-60.05</td><td>36.65</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>53.69</td><td>106.00</td><td>-52.39</td><td>37.77</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.02</td><td>68.46</td><td>-15.44</td><td>36.93</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5935.38</td><td>54.76</td><td>68.20</td><td>-13.44</td><td>38.63</td><td>35.14</td><td>12.79</td><td>31.80</td><td>0.00</td><td>339</td><td>356</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	52.55	112.60	-60.05	36.65	35.00	12.67	31.77	0.00	339	356	PEAK	2	5872.20	53.69	106.00	-52.39	37.77	35.00	12.70	31.78	0.00	339	356	PEAK	3	5924.65	53.02	68.46	-15.44	36.93	35.10	12.78	31.79	0.00	339	356	PEAK	4	5935.38	54.76	68.20	-13.44	38.63	35.14	12.79	31.80	0.00	339	356	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.26	52.55	112.60	-60.05	36.65	35.00	12.67	31.77	0.00	339	356	PEAK																																																																									
2	5872.20	53.69	106.00	-52.39	37.77	35.00	12.70	31.78	0.00	339	356	PEAK																																																																									
3	5924.65	53.02	68.46	-15.44	36.93	35.10	12.78	31.79	0.00	339	356	PEAK																																																																									
4	5935.38	54.76	68.20	-13.44	38.63	35.14	12.79	31.80	0.00	339	356	PEAK																																																																									




Mode	44																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																												
ANT	1+2																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9208.00</td><td>47.37</td><td>68.20</td><td>-20.83</td><td>56.92</td><td>36.42</td><td>15.93</td><td>61.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>54.35</td><td>38.20</td><td>17.85</td><td>61.16</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11510.00</td><td>39.55</td><td>54.00</td><td>-14.45</td><td>44.66</td><td>38.20</td><td>17.85</td><td>61.16</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9208.00	47.37	68.20	-20.83	56.92	36.42	15.93	61.90	0.00	--	--	PEAK	2	11510.00	49.24	74.00	-24.76	54.35	38.20	17.85	61.16	0.00	300	360	PEAK	3	11510.00	39.55	54.00	-14.45	44.66	38.20	17.85	61.16	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9208.00</td><td>50.41</td><td>68.20</td><td>-17.79</td><td>59.96</td><td>36.42</td><td>15.93</td><td>61.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>51.39</td><td>38.20</td><td>17.85</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9208.00	50.41	68.20	-17.79	59.96	36.42	15.93	61.90	0.00	--	--	PEAK	2	11510.00	46.28	74.00	-27.72	51.39	38.20	17.85	61.16	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	9208.00	47.37	68.20	-20.83	56.92	36.42	15.93	61.90	0.00	--	--	PEAK																																																																																																																																	
2	11510.00	49.24	74.00	-24.76	54.35	38.20	17.85	61.16	0.00	300	360	PEAK																																																																																																																																	
3	11510.00	39.55	54.00	-14.45	44.66	38.20	17.85	61.16	0.00	300	360	AVERAGE																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	9208.00	50.41	68.20	-17.79	59.96	36.42	15.93	61.90	0.00	--	--	PEAK																																																																																																																																	
2	11510.00	46.28	74.00	-27.72	51.39	38.20	17.85	61.16	0.00	--	--	PEAK																																																																																																																																	





Mode	45																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.40</td><td>54.45</td><td>68.20</td><td>-13.75</td><td>38.98</td><td>34.70</td><td>12.40</td><td>31.63</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.99</td><td>68.20</td><td>-16.21</td><td>36.49</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>53.87</td><td>105.97</td><td>-52.10</td><td>38.25</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>54.72</td><td>113.64</td><td>-58.92</td><td>39.05</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.40	54.45	68.20	-13.75	38.98	34.70	12.40	31.63	0.00	100	125	PEAK	2	5650.00	51.99	68.20	-16.21	36.49	34.70	12.44	31.64	0.00	100	125	PEAK	3	5702.40	53.87	105.97	-52.10	38.25	34.80	12.49	31.67	0.00	100	125	PEAK	4	5721.20	54.72	113.64	-58.92	39.05	34.84	12.51	31.68	0.00	100	125	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.51</td><td>-----</td><td>-----</td><td>85.68</td><td>34.98</td><td>12.58</td><td>31.73</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.51	-----	-----	85.68	34.98	12.58	31.73	0.00	100	125	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5612.40	54.45	68.20	-13.75	38.98	34.70	12.40	31.63	0.00	100	125	PEAK																																																																																																																													
2	5650.00	51.99	68.20	-16.21	36.49	34.70	12.44	31.64	0.00	100	125	PEAK																																																																																																																													
3	5702.40	53.87	105.97	-52.10	38.25	34.80	12.49	31.67	0.00	100	125	PEAK																																																																																																																													
4	5721.20	54.72	113.64	-58.92	39.05	34.84	12.51	31.68	0.00	100	125	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	101.51	-----	-----	85.68	34.98	12.58	31.73	0.00	100	125	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.19</td><td>-----</td><td>-----</td><td>77.36</td><td>34.98</td><td>12.58</td><td>31.73</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.19	-----	-----	77.36	34.98	12.58	31.73	0.00	100	125	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	93.19	-----	-----	77.36	34.98	12.58	31.73	0.00	100	125	AVERAGE																																																																																																																													




Mode	45																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																				
ANT	1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>52.57</td><td>111.36</td><td>-58.79</td><td>36.67</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>53.31</td><td>105.69</td><td>-52.38</td><td>37.39</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.21</td><td>68.35</td><td>-14.14</td><td>38.12</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>5991.20</td><td>55.50</td><td>68.20</td><td>-12.70</td><td>38.99</td><td>35.45</td><td>12.88</td><td>31.82</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	52.57	111.36	-58.79	36.67	35.00	12.67	31.77	0.00	100	125	PEAK	2	5873.60	53.31	105.69	-52.38	37.39	35.00	12.70	31.78	0.00	100	125	PEAK	3	5924.80	54.21	68.35	-14.14	38.12	35.10	12.78	31.79	0.00	100	125	PEAK	4	5991.20	55.50	68.20	-12.70	38.99	35.45	12.88	31.82	0.00	100	125	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	52.57	111.36	-58.79	36.67	35.00	12.67	31.77	0.00	100	125	PEAK																																																																									
2	5873.60	53.31	105.69	-52.38	37.39	35.00	12.70	31.78	0.00	100	125	PEAK																																																																									
3	5924.80	54.21	68.35	-14.14	38.12	35.10	12.78	31.79	0.00	100	125	PEAK																																																																									
4	5991.20	55.50	68.20	-12.70	38.99	35.45	12.88	31.82	0.00	100	125	PEAK																																																																									





Mode	45																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5614.00</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>39.95</td><td>34.70</td><td>12.40</td><td>31.63</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.91</td><td>68.20</td><td>-14.29</td><td>38.41</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>53.80</td><td>105.41</td><td>-51.61</td><td>38.18</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.78</td><td>110.90</td><td>-59.12</td><td>36.11</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.00	55.42	68.20	-12.78	39.95	34.70	12.40	31.63	0.00	297	6 PEAK	2	5650.00	53.91	68.20	-14.29	38.41	34.70	12.44	31.64	0.00	297	6 PEAK	3	5700.40	53.80	105.41	-51.61	38.18	34.80	12.49	31.67	0.00	297	6 PEAK	4	5720.00	51.78	110.90	-59.12	36.11	34.84	12.51	31.68	0.00	297	6 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5614.00	55.42	68.20	-12.78	39.95	34.70	12.40	31.63	0.00	297	6 PEAK																																																																															
2	5650.00	53.91	68.20	-14.29	38.41	34.70	12.44	31.64	0.00	297	6 PEAK																																																																															
3	5700.40	53.80	105.41	-51.61	38.18	34.80	12.49	31.67	0.00	297	6 PEAK																																																																															
4	5720.00	51.78	110.90	-59.12	36.11	34.84	12.51	31.68	0.00	297	6 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.61</td><td>-----</td><td>-----</td><td>80.78</td><td>34.98</td><td>12.58</td><td>31.73</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.61	-----	-----	80.78	34.98	12.58	31.73	0.00	297	6 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5795.00	96.61	-----	-----	80.78	34.98	12.58	31.73	0.00	297	6 PEAK																																																																															







Mode	45																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																
ANT	1+2																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.35</td><td>111.36</td><td>-60.01</td><td>35.45</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>55.05</td><td>106.70</td><td>-51.65</td><td>39.14</td><td>35.00</td><td>12.69</td><td>31.78</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.92</td><td>68.94</td><td>-16.02</td><td>36.83</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>4</td><td>5995.20</td><td>55.39</td><td>68.20</td><td>-12.81</td><td>38.86</td><td>35.47</td><td>12.88</td><td>31.82</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.35	111.36	-60.01	35.45	35.00	12.67	31.77	0.00	297	6 PEAK	2	5870.00	55.05	106.70	-51.65	39.14	35.00	12.69	31.78	0.00	297	6 PEAK	3	5924.00	52.92	68.94	-16.02	36.83	35.10	12.78	31.79	0.00	297	6 PEAK	4	5995.20	55.39	68.20	-12.81	38.86	35.47	12.88	31.82	0.00	297	6 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.00	51.35	111.36	-60.01	35.45	35.00	12.67	31.77	0.00	297	6 PEAK																																																																						
2	5870.00	55.05	106.70	-51.65	39.14	35.00	12.69	31.78	0.00	297	6 PEAK																																																																						
3	5924.00	52.92	68.94	-16.02	36.83	35.10	12.78	31.79	0.00	297	6 PEAK																																																																						
4	5995.20	55.39	68.20	-12.81	38.86	35.47	12.88	31.82	0.00	297	6 PEAK																																																																						







Mode	45																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																															
ANT	1+2																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.00</td><td>46.63</td><td>68.20</td><td>-21.57</td><td>55.83</td><td>36.59</td><td>15.98</td><td>61.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>50.83</td><td>38.20</td><td>17.92</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9272.00	46.63	68.20	-21.57	55.83	36.59	15.98	61.77	0.00	--	--	PEAK	2	11590.00	45.80	74.00	-28.20	50.83	38.20	17.92	61.15	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.00</td><td>49.99</td><td>68.20</td><td>-18.21</td><td>59.19</td><td>36.59</td><td>15.98</td><td>61.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>50.94</td><td>38.20</td><td>17.92</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9272.00	49.99	68.20	-18.21	59.19	36.59	15.98	61.77	0.00	--	--	PEAK	2	11590.00	45.91	74.00	-28.09	50.94	38.20	17.92	61.15	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	9272.00	46.63	68.20	-21.57	55.83	36.59	15.98	61.77	0.00	--	--	PEAK																																																																																																																				
2	11590.00	45.80	74.00	-28.20	50.83	38.20	17.92	61.15	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	9272.00	49.99	68.20	-18.21	59.19	36.59	15.98	61.77	0.00	--	--	PEAK																																																																																																																				
2	11590.00	45.91	74.00	-28.09	50.94	38.20	17.92	61.15	0.00	--	--	PEAK																																																																																																																				





Mode	46																																																																																															
	Band Edge - L																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.12</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>41.25</td><td>34.40</td><td>11.88</td><td>31.60</td><td>0.00</td><td>280</td><td>287 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5105.12	55.93	74.00	-18.07	41.25	34.40	11.88	31.60	0.00	280	287 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>102.02</td><td>-----</td><td>-----</td><td>87.20</td><td>34.48</td><td>11.94</td><td>31.60</td><td>0.00</td><td>280</td><td>287 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	102.02	-----	-----	87.20	34.48	11.94	31.60	0.00	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5105.12	55.93	74.00	-18.07	41.25	34.40	11.88	31.60	0.00	280	287 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5210.00	102.02	-----	-----	87.20	34.48	11.94	31.60	0.00	280	287 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.44</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>31.31</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>280</td><td>287 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.44	46.02	54.00	-7.98	31.31	34.40	11.91	31.60	0.00	280	287 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>92.14</td><td>-----</td><td>-----</td><td>77.32</td><td>34.48</td><td>11.94</td><td>31.60</td><td>0.00</td><td>280</td><td>287 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	92.14	-----	-----	77.32	34.48	11.94	31.60	0.00	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5145.44	46.02	54.00	-7.98	31.31	34.40	11.91	31.60	0.00	280	287 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5210.00	92.14	-----	-----	77.32	34.48	11.94	31.60	0.00	280	287 AVERAGE																																																																																					



Mode	46																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																											
ANT	1+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5361.48</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>38.58</td><td>34.55</td><td>12.13</td><td>31.61</td><td>0.00</td><td>280</td><td>287 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5361.48	53.65	74.00	-20.35	38.58	34.55	12.13	31.61	0.00	280	287 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5361.48	53.65	74.00	-20.35	38.58	34.55	12.13	31.61	0.00	280	287 PEAK																																	
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5394.78</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>27.92</td><td>34.68</td><td>12.16</td><td>31.61</td><td>0.00</td><td>280</td><td>287 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5394.78	43.15	54.00	-10.85	27.92	34.68	12.16	31.61	0.00	280	287 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5394.78	43.15	54.00	-10.85	27.92	34.68	12.16	31.61	0.00	280	287 AVERAGE																																	

		46																																																			
Mode		Band Edge - L																																																			
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																			
ANT		1+2																																																			
Pol.		Vertical																																																			
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5141.28</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>41.23</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>380</td><td>352 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5141.28	55.94	74.00	-18.06	41.23	34.40	11.91	31.60	0.00	380
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																												
1	5141.28	55.94	74.00	-18.06	41.23	34.40	11.91	31.60	0.00	380	352 PEAK																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5210.00</td><td>99.28</td><td>-----</td><td>-----</td><td>84.50</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>380</td><td>352 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5210.00	99.28	-----	-----	84.50	34.45	11.93	31.60	0.00	380
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																												
1	5210.00	99.28	-----	-----	84.50	34.45	11.93	31.60	0.00	380	352 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5146.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>30.50</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>380</td><td>352 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5146.00	45.21	54.00	-8.79	30.50	34.40	11.91	31.60	0.00	380
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																												
1	5146.00	45.21	54.00	-8.79	30.50	34.40	11.91	31.60	0.00	380	352 AVERAGE																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5210.00</td><td>89.64</td><td>-----</td><td>-----</td><td>74.86</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>380</td><td>352 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5210.00	89.64	-----	-----	74.86	34.45	11.93	31.60	0.00	380
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																												
1	5210.00	89.64	-----	-----	74.86	34.45	11.93	31.60	0.00	380	352 AVERAGE																																										



Mode	46																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																				
ANT	1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.64</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>37.77</td><td>34.70</td><td>12.17</td><td>31.61</td><td>0.00</td><td>300</td><td>352</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.64	53.03	74.00	-20.97	37.77	34.70	12.17	31.61	0.00	300	352	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5399.64	53.03	74.00	-20.97	37.77	34.70	12.17	31.61	0.00	300	352	PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.00</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>27.77</td><td>34.70</td><td>12.17</td><td>31.61</td><td>0.00</td><td>300</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.00	43.03	54.00	-10.97	27.77	34.70	12.17	31.61	0.00	300	352	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5400.00	43.03	54.00	-10.97	27.77	34.70	12.17	31.61	0.00	300	352	AVERAGE																																									





		46																																																																																							
Mode		Harmonic																																																																																							
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal						Vertical																																																																																	
Peak Avg																																																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8336.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>58.30</td><td>36.10</td><td>15.14</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>45.57</td><td>68.20</td><td>-22.63</td><td>52.33</td><td>37.66</td><td>16.97</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	8336.00	46.36	74.00	-27.64	58.30	36.10	15.14	63.18	0.00	--	--	PEAK	2	10420.00	45.57	68.20	-22.63	52.33	37.66	16.97	61.39	0.00	--	--	PEAK													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	8336.00	46.36	74.00	-27.64	58.30	36.10	15.14	63.18	0.00	--	--	PEAK																																																																													
2	10420.00	45.57	68.20	-22.63	52.33	37.66	16.97	61.39	0.00	--	--	PEAK																																																																													
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8336.00</td><td>49.48</td><td>74.00</td><td>-24.52</td><td>61.42</td><td>36.10</td><td>15.14</td><td>63.18</td><td>0.00</td><td>309</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>8336.00</td><td>47.18</td><td>54.00</td><td>-6.82</td><td>59.12</td><td>36.10</td><td>15.14</td><td>63.18</td><td>0.00</td><td>309</td><td>14</td><td>AVERAGE</td></tr><tr><td>3</td><td>10420.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>52.39</td><td>37.69</td><td>16.98</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	8336.00	49.48	74.00	-24.52	61.42	36.10	15.14	63.18	0.00	309	14	PEAK	2	8336.00	47.18	54.00	-6.82	59.12	36.10	15.14	63.18	0.00	309	14	AVERAGE	3	10420.00	45.67	68.20	-22.53	52.39	37.69	16.98	61.39	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	8336.00	49.48	74.00	-24.52	61.42	36.10	15.14	63.18	0.00	309	14	PEAK																																																																													
2	8336.00	47.18	54.00	-6.82	59.12	36.10	15.14	63.18	0.00	309	14	AVERAGE																																																																													
3	10420.00	45.67	68.20	-22.53	52.39	37.69	16.98	61.39	0.00	--	--	PEAK																																																																													







Mode	47																																																													
	Band Edge - L																																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5119.29</td><td>55.71</td><td>74.00</td><td>-18.29</td><td>41.02</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>275</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5119.29	55.71	74.00	-18.29	41.02	34.40	11.89	31.60	0.00	275	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5119.29	55.71	74.00	-18.29	41.02	34.40	11.89	31.60	0.00	275	284	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5108.24</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>30.24</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>275</td><td>284</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5108.24	44.93	54.00	-9.07	30.24	34.40	11.89	31.60	0.00	275	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5108.24	44.93	54.00	-9.07	30.24	34.40	11.89	31.60	0.00	275	284	AVERAGE																																																		
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>101.66</td><td>-----</td><td>-----</td><td>86.67</td><td>34.59</td><td>12.01</td><td>31.61</td><td>0.00</td><td>275</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	101.66	-----	-----	86.67	34.59	12.01	31.61	0.00	275	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5290.00	101.66	-----	-----	86.67	34.59	12.01	31.61	0.00	275	284	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>92.36</td><td>-----</td><td>-----</td><td>77.35</td><td>34.60</td><td>12.01</td><td>31.60</td><td>0.00</td><td>275</td><td>284</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	92.36	-----	-----	77.35	34.60	12.01	31.60	0.00	275	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5290.00	92.36	-----	-----	77.35	34.60	12.01	31.60	0.00	275	284	AVERAGE																																																		





Mode	47																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5378.55</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>42.53</td><td>34.61</td><td>12.15</td><td>31.61</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>275</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>284 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5378.55	57.68	74.00	-16.32	42.53	34.61	12.15	31.61								0.00	275									284 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5378.55	57.68	74.00	-16.32	42.53	34.61	12.15	31.61																																																
							0.00	275																																																
								284 PEAK																																																
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5352.74</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>31.05</td><td>34.51</td><td>12.12</td><td>31.61</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>275</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>284 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.74	46.07	54.00	-7.93	31.05	34.51	12.12	31.61								0.00	275									284 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5352.74	46.07	54.00	-7.93	31.05	34.51	12.12	31.61																																																
							0.00	275																																																
								284 AVERAGE																																																





Mode	47																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.37</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>41.73</td><td>34.40</td><td>11.90</td><td>31.60</td><td>0.00</td><td>366</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.37	56.43	74.00	-17.57	41.73	34.40	11.90	31.60	0.00	366	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.95</td><td>-----</td><td>-----</td><td>83.96</td><td>34.59</td><td>12.01</td><td>31.61</td><td>0.00</td><td>366</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.95	-----	-----	83.96	34.59	12.01	31.61	0.00	366
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5133.37	56.43	74.00	-17.57	41.73	34.40	11.90	31.60	0.00	366	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	98.95	-----	-----	83.96	34.59	12.01	31.61	0.00	366	0 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5112.25</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>30.26</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>366</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.25	44.95	54.00	-9.05	30.26	34.40	11.89	31.60	0.00	366	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.51</td><td>-----</td><td>-----</td><td>74.53</td><td>34.57</td><td>12.02</td><td>31.61</td><td>0.00</td><td>366</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.51	-----	-----	74.53	34.57	12.02	31.61	0.00	366
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5112.25	44.95	54.00	-9.05	30.26	34.40	11.89	31.60	0.00	366	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	89.51	-----	-----	74.53	34.57	12.02	31.61	0.00	366	0 AVERAGE																																																																																						







Mode	47																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																											
ANT	1+2																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5375.45</td><td>61.24</td><td>74.00</td><td>-12.76</td><td>46.11</td><td>34.60</td><td>12.14</td><td>31.61</td><td>0.00</td><td>366</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5375.45	61.24	74.00	-12.76	46.11	34.60	12.14	31.61	0.00	366	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5375.45	61.24	74.00	-12.76	46.11	34.60	12.14	31.61	0.00	366	0 PEAK																																	
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5374.45</td><td>45.02</td><td>54.00</td><td>-8.98</td><td>29.89</td><td>34.60</td><td>12.14</td><td>31.61</td><td>0.00</td><td>366</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5374.45	45.02	54.00	-8.98	29.89	34.60	12.14	31.61	0.00	366	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5374.45	45.02	54.00	-8.98	29.89	34.60	12.14	31.61	0.00	366	0 AVERAGE																																	




Mode	47																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																								
ANT	1+2																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>8464.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>61.14</td><td>36.00</td><td>15.28</td><td>63.16</td><td>0.00 300 166 PEAK</td></tr><tr><td>2</td><td>8464.00</td><td>46.62</td><td>54.00</td><td>-7.38</td><td>58.50</td><td>36.00</td><td>15.28</td><td>63.16</td><td>0.00 300 166 AVERAGE</td></tr><tr><td>3</td><td>10580.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>51.44</td><td>37.72</td><td>17.09</td><td>61.25</td><td>0.00 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	8464.00	49.26	74.00	-24.74	61.14	36.00	15.28	63.16	0.00 300 166 PEAK	2	8464.00	46.62	54.00	-7.38	58.50	36.00	15.28	63.16	0.00 300 166 AVERAGE	3	10580.00	45.00	68.20	-23.20	51.44	37.72	17.09	61.25	0.00 -- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>8464.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>61.29</td><td>36.00</td><td>15.28</td><td>63.16</td><td>0.00 300 18 PEAK</td></tr><tr><td>2</td><td>8464.00</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>59.09</td><td>36.00</td><td>15.28</td><td>63.16</td><td>0.00 300 18 AVERAGE</td></tr><tr><td>3</td><td>10580.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>51.95</td><td>37.74</td><td>17.07</td><td>61.30</td><td>0.00 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	8464.00	49.41	74.00	-24.59	61.29	36.00	15.28	63.16	0.00 300 18 PEAK	2	8464.00	47.21	54.00	-6.79	59.09	36.00	15.28	63.16	0.00 300 18 AVERAGE	3	10580.00	45.46	68.20	-22.74	51.95	37.74	17.07	61.30
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																	
1	8464.00	49.26	74.00	-24.74	61.14	36.00	15.28	63.16	0.00 300 166 PEAK																																																																																																																
2	8464.00	46.62	54.00	-7.38	58.50	36.00	15.28	63.16	0.00 300 166 AVERAGE																																																																																																																
3	10580.00	45.00	68.20	-23.20	51.44	37.72	17.09	61.25	0.00 -- -- PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																	
1	8464.00	49.41	74.00	-24.59	61.29	36.00	15.28	63.16	0.00 300 18 PEAK																																																																																																																
2	8464.00	47.21	54.00	-6.79	59.09	36.00	15.28	63.16	0.00 300 18 AVERAGE																																																																																																																
3	10580.00	45.46	68.20	-22.74	51.95	37.74	17.07	61.30	0.00 -- -- PEAK																																																																																																																







Mode	48																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.61</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>38.58</td><td>34.80</td><td>12.22</td><td>31.62</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5463.37</td><td>54.05</td><td>68.20</td><td>-14.15</td><td>38.66</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.61	53.98	74.00	-20.02	38.58	34.80	12.22	31.62	0.00	100	124	PEAK	2	5463.37	54.05	68.20	-14.15	38.66	34.77	12.24	31.62	0.00	100	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5449.61	53.98	74.00	-20.02	38.58	34.80	12.22	31.62	0.00	100	124	PEAK																																																									
2	5463.37	54.05	68.20	-14.15	38.66	34.77	12.24	31.62	0.00	100	124	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.89</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>28.73</td><td>34.80</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.89	44.14	54.00	-9.86	28.73	34.80	12.23	31.62	0.00	100	124	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5450.89	44.14	54.00	-9.86	28.73	34.80	12.23	31.62	0.00	100	124	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.84</td><td>-----</td><td>-----</td><td>83.42</td><td>34.70</td><td>12.34</td><td>31.62</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.84	-----	-----	83.42	34.70	12.34	31.62	0.00	100	124	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	98.84	-----	-----	83.42	34.70	12.34	31.62	0.00	100	124	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.73</td><td>-----</td><td>-----</td><td>74.31</td><td>34.70</td><td>12.34</td><td>31.62</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.73	-----	-----	74.31	34.70	12.34	31.62	0.00	100	124	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	89.73	-----	-----	74.31	34.70	12.34	31.62	0.00	100	124	AVERAGE																																																									




Mode	48																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.04</td><td>55.55</td><td>68.20</td><td>-12.65</td><td>39.81</td><td>34.90</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.04	55.55	68.20	-12.65	39.81	34.90	12.54	31.70	0.00	100	124	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.04	55.55	68.20	-12.65	39.81	34.90	12.54	31.70	0.00	100	124	PEAK																																												





Mode	48																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																																									
ANT	1+2																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.57</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>38.84</td><td>34.79</td><td>12.22</td><td>31.62</td><td>0.00</td><td>371</td><td>3 PEAK</td></tr><tr><td>2</td><td>5464.33</td><td>53.25</td><td>68.20</td><td>-14.95</td><td>37.86</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>371</td><td>3 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.57	54.23	74.00	-19.77	38.84	34.79	12.22	31.62	0.00	371	3 PEAK	2	5464.33	53.25	68.20	-14.95	37.86	34.77	12.24	31.62	0.00	371	3 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.67</td><td>-----</td><td>-----</td><td>80.31</td><td>34.70</td><td>12.28</td><td>31.62</td><td>0.00</td><td>371</td><td>3 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	95.67	-----	-----	80.31	34.70	12.28	31.62	0.00	371	3 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5446.57	54.23	74.00	-19.77	38.84	34.79	12.22	31.62	0.00	371	3 PEAK																																																																																																															
2	5464.33	53.25	68.20	-14.95	37.86	34.77	12.24	31.62	0.00	371	3 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5530.00	95.67	-----	-----	80.31	34.70	12.28	31.62	0.00	371	3 PEAK																																																																																																															
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.01</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>28.42</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>371</td><td>3 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.01	43.82	54.00	-10.18	28.42	34.79	12.23	31.62	0.00	371	3 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>87.57</td><td>-----</td><td>-----</td><td>72.20</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>371</td><td>3 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	87.57	-----	-----	72.20	34.71	12.28	31.62	0.00	371	3 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5456.01	43.82	54.00	-10.18	28.42	34.79	12.23	31.62	0.00	371	3 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5530.00	87.57	-----	-----	72.20	34.71	12.28	31.62	0.00	371	3 AVERAGE																																																																																																															







Mode	48																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																				
ANT	1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5727.20</td><td>54.88</td><td>68.20</td><td>-13.32</td><td>39.20</td><td>34.85</td><td>12.52</td><td>31.69</td><td>0.00</td><td>371</td><td>3 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5727.20	54.88	68.20	-13.32	39.20	34.85	12.52	31.69	0.00	371	3 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5727.20	54.88	68.20	-13.32	39.20	34.85	12.52	31.69	0.00	371	3 PEAK																																										




Mode	48																																																																												
	Harmonic																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																												
ANT	1+2																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8848.00</td><td>44.01</td><td>68.20</td><td>-24.19</td><td>54.58</td><td>36.30</td><td>15.71</td><td>62.58</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>50.06</td><td>38.06</td><td>17.46</td><td>60.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8848.00	44.01	68.20	-24.19	54.58	36.30	15.71	62.58	0.00	--	--	PEAK	2	11060.00	44.99	74.00	-29.01	50.06	38.06	17.46	60.59	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	8848.00	44.01	68.20	-24.19	54.58	36.30	15.71	62.58	0.00	--	--	PEAK																																																																	
2	11060.00	44.99	74.00	-29.01	50.06	38.06	17.46	60.59	0.00	--	--	PEAK																																																																	
																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8848.00</td><td>47.63</td><td>68.20</td><td>-20.57</td><td>58.20</td><td>36.30</td><td>15.71</td><td>62.58</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>50.47</td><td>38.06</td><td>17.46</td><td>60.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8848.00	47.63	68.20	-20.57	58.20	36.30	15.71	62.58	0.00	--	--	PEAK	2	11060.00	45.40	74.00	-28.60	50.47	38.06	17.46	60.59	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	8848.00	47.63	68.20	-20.57	58.20	36.30	15.71	62.58	0.00	--	--	PEAK																																																																	
2	11060.00	45.40	74.00	-28.60	50.47	38.06	17.46	60.59	0.00	--	--	PEAK																																																																	







Mode	49																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_5610MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.61</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>39.37</td><td>34.71</td><td>12.18</td><td>31.61</td><td>0.00</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>53.26</td><td>68.20</td><td>-14.94</td><td>37.87</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.61	54.65	74.00	-19.35	39.37	34.71	12.18	31.61	0.00	100	283	PEAK	2	5467.05	53.26	68.20	-14.94	37.87	34.77	12.24	31.62	0.00	100	283	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.69</td><td>-----</td><td>-----</td><td>83.21</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>100</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.69	-----	-----	83.21	34.70	12.41	31.63	0.00	100	283	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5405.61	54.65	74.00	-19.35	39.37	34.71	12.18	31.61	0.00	100	283	PEAK																																																																																																					
2	5467.05	53.26	68.20	-14.94	37.87	34.77	12.24	31.62	0.00	100	283	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	98.69	-----	-----	83.21	34.70	12.41	31.63	0.00	100	283	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.93</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>28.42</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.93	43.81	54.00	-10.19	28.42	34.78	12.23	31.62	0.00	100	283	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>90.64</td><td>-----</td><td>-----</td><td>75.16</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>100</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.64	-----	-----	75.16	34.70	12.41	31.63	0.00	100	283	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.93	43.81	54.00	-10.19	28.42	34.78	12.23	31.62	0.00	100	283	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	90.64	-----	-----	75.16	34.70	12.41	31.63	0.00	100	283	AVERAGE																																																																																																					




Mode	49																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_5610MHz																																																				
ANT	1+2																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5748.72</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>39.29</td><td>34.90</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>283 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5748.72	55.03	68.20	-13.17	39.29	34.90	12.54	31.70	0.00	100	283 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5748.72	55.03	68.20	-13.17	39.29	34.90	12.54	31.70	0.00	100	283 PEAK																																										





Mode	49																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_5610MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5420.21</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>38.42</td><td>34.74</td><td>12.19</td><td>31.62</td><td>0.00</td><td>369</td><td>357</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>53.86</td><td>68.20</td><td>-14.34</td><td>38.47</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>369</td><td>357</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5420.21	53.73	74.00	-20.27	38.42	34.74	12.19	31.62	0.00	369	357	PEAK	2	5469.13	53.86	68.20	-14.34	38.47	34.76	12.25	31.62	0.00	369	357	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.61</td><td>-----</td><td>-----</td><td>78.11</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>369</td><td>357</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.61	-----	-----	78.11	34.70	12.43	31.63	0.00	369	357	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5420.21	53.73	74.00	-20.27	38.42	34.74	12.19	31.62	0.00	369	357	PEAK																																																																																																					
2	5469.13	53.86	68.20	-14.34	38.47	34.76	12.25	31.62	0.00	369	357	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	93.61	-----	-----	78.11	34.70	12.43	31.63	0.00	369	357	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.17</td><td>43.60</td><td>54.00</td><td>-10.40</td><td>28.20</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>369</td><td>357</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	43.60	54.00	-10.40	28.20	34.79	12.23	31.62	0.00	369	357	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>85.97</td><td>-----</td><td>-----</td><td>70.47</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>369</td><td>357</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	85.97	-----	-----	70.47	34.70	12.43	31.63	0.00	369	357	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.17	43.60	54.00	-10.40	28.20	34.79	12.23	31.62	0.00	369	357	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	85.97	-----	-----	70.47	34.70	12.43	31.63	0.00	369	357	AVERAGE																																																																																																					






Mode	49																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_5610MHz																																																				
ANT	1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5726.56</td><td>55.06</td><td>68.20</td><td>-13.14</td><td>39.38</td><td>34.85</td><td>12.52</td><td>31.69</td><td>0.00</td><td>369</td><td>357 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5726.56	55.06	68.20	-13.14	39.38	34.85	12.52	31.69	0.00	369	357 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5726.56	55.06	68.20	-13.14	39.38	34.85	12.52	31.69	0.00	369	357 PEAK																																										




Mode	49																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_5610MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8976.00</td><td>43.73</td><td>68.20</td><td>-24.47</td><td>53.99</td><td>36.30</td><td>15.80</td><td>62.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>44.75</td><td>74.00</td><td>-29.25</td><td>49.95</td><td>38.00</td><td>17.60</td><td>60.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8976.00	43.73	68.20	-24.47	53.99	36.30	15.80	62.36	0.00	--	--	PEAK	2	11220.00	44.75	74.00	-29.25	49.95	38.00	17.60	60.80	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8976.00</td><td>40.56</td><td>68.20</td><td>-19.64</td><td>50.82</td><td>36.30</td><td>15.80</td><td>62.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>51.15</td><td>38.00</td><td>17.60</td><td>60.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8976.00	40.56	68.20	-19.64	50.82	36.30	15.80	62.36	0.00	--	--	PEAK	2	11220.00	45.95	74.00	-28.05	51.15	38.00	17.60	60.80	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8976.00	43.73	68.20	-24.47	53.99	36.30	15.80	62.36	0.00	--	--	PEAK																																																																																																																																
2	11220.00	44.75	74.00	-29.25	49.95	38.00	17.60	60.80	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8976.00	40.56	68.20	-19.64	50.82	36.30	15.80	62.36	0.00	--	--	PEAK																																																																																																																																
2	11220.00	45.95	74.00	-28.05	51.15	38.00	17.60	60.80	0.00	--	--	PEAK																																																																																																																																






Mode	50																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>39.40</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>39.40</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>54.88</td><td>105.41</td><td>-50.53</td><td>39.26</td><td>34.00</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.76</td><td>110.90</td><td>-57.14</td><td>38.09</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5650.00	54.90	68.20	-13.30	39.40	34.70	12.44	31.64	0.00	100	125	PEAK	2	5650.00	54.90	68.20	-13.30	39.40	34.70	12.44	31.64	0.00	100	125	PEAK	3	5700.40	54.88	105.41	-50.53	39.26	34.00	12.49	31.67	0.00	100	125	PEAK	4	5720.00	53.76	110.90	-57.14	38.09	34.84	12.51	31.68	0.00	100	125	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.93</td><td>-----</td><td>-----</td><td>84.19</td><td>34.90</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.93	-----	-----	84.19	34.90	12.54	31.70	0.00	100	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5650.00	54.90	68.20	-13.30	39.40	34.70	12.44	31.64	0.00	100	125	PEAK																																																																																																																														
2	5650.00	54.90	68.20	-13.30	39.40	34.70	12.44	31.64	0.00	100	125	PEAK																																																																																																																														
3	5700.40	54.88	105.41	-50.53	39.26	34.00	12.49	31.67	0.00	100	125	PEAK																																																																																																																														
4	5720.00	53.76	110.90	-57.14	38.09	34.84	12.51	31.68	0.00	100	125	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	99.93	-----	-----	84.19	34.90	12.54	31.70	0.00	100	125	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.67</td><td>-----</td><td>-----</td><td>74.83</td><td>34.99</td><td>12.58</td><td>31.73</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.67	-----	-----	74.83	34.99	12.58	31.73	0.00	100	125	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	90.67	-----	-----	74.83	34.99	12.58	31.73	0.00	100	125	AVERAGE																																																																																																																														




Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																				
ANT	1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.88</td><td>111.36</td><td>-56.48</td><td>38.98</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>55.80</td><td>105.47</td><td>-49.67</td><td>39.88</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.48</td><td>68.35</td><td>-14.87</td><td>37.39</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>39.29</td><td>35.14</td><td>12.79</td><td>31.80</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.88	111.36	-56.48	38.98	35.00	12.67	31.77	0.00	100	125	PEAK	2	5874.40	55.80	105.47	-49.67	39.88	35.00	12.70	31.78	0.00	100	125	PEAK	3	5924.80	53.48	68.35	-14.87	37.39	35.10	12.78	31.79	0.00	100	125	PEAK	4	5934.80	55.42	68.20	-12.78	39.29	35.14	12.79	31.80	0.00	100	125	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	54.88	111.36	-56.48	38.98	35.00	12.67	31.77	0.00	100	125	PEAK																																																																									
2	5874.40	55.80	105.47	-49.67	39.88	35.00	12.70	31.78	0.00	100	125	PEAK																																																																									
3	5924.80	53.48	68.35	-14.87	37.39	35.10	12.78	31.79	0.00	100	125	PEAK																																																																									
4	5934.80	55.42	68.20	-12.78	39.29	35.14	12.79	31.80	0.00	100	125	PEAK																																																																									





Mode	50																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>55.29</td><td>68.20</td><td>-12.91</td><td>39.79</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.49</td><td>68.00</td><td>-14.31</td><td>38.99</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.62</td><td>105.30</td><td>-52.68</td><td>37.00</td><td>34.00</td><td>12.49</td><td>31.67</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.68</td><td>110.90</td><td>-60.22</td><td>35.01</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	55.29	68.20	-12.91	39.79	34.70	12.43	31.63	0.00	297	6 PEAK	2	5650.00	54.49	68.00	-14.31	38.99	34.70	12.44	31.64	0.00	297	6 PEAK	3	5700.00	52.62	105.30	-52.68	37.00	34.00	12.49	31.67	0.00	297	6 PEAK	4	5720.00	50.68	110.90	-60.22	35.01	34.84	12.51	31.68	0.00	297	6 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.70</td><td>-----</td><td>-----</td><td>78.84</td><td>35.00</td><td>12.60</td><td>31.74</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.70	-----	-----	78.84	35.00	12.60	31.74	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5644.00	55.29	68.20	-12.91	39.79	34.70	12.43	31.63	0.00	297	6 PEAK																																																																																																																									
2	5650.00	54.49	68.00	-14.31	38.99	34.70	12.44	31.64	0.00	297	6 PEAK																																																																																																																									
3	5700.00	52.62	105.30	-52.68	37.00	34.00	12.49	31.67	0.00	297	6 PEAK																																																																																																																									
4	5720.00	50.68	110.90	-60.22	35.01	34.84	12.51	31.68	0.00	297	6 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5775.00	94.70	-----	-----	78.84	35.00	12.60	31.74	0.00	297	6 PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>85.68</td><td>-----</td><td>-----</td><td>69.84</td><td>34.99</td><td>12.58</td><td>31.73</td><td>0.00</td><td>297</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	85.68	-----	-----	69.84	34.99	12.58	31.73	0.00	297	6 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5775.00	85.68	-----	-----	69.84	34.99	12.58	31.73	0.00	297	6 AVERAGE																																																																																																																									







Mode	50																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.98</td><td>111.36</td><td>-59.38</td><td>36.08</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.69</td><td>105.69</td><td>-51.00</td><td>38.77</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.25</td><td>68.35</td><td>-16.10</td><td>36.16</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>39.16</td><td>35.13</td><td>12.79</td><td>31.80</td><td>0.00</td><td>297</td><td>6 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	51.98	111.36	-59.38	36.08	35.00	12.67	31.77	0.00	297	6 PEAK	2	5873.60	54.69	105.69	-51.00	38.77	35.00	12.70	31.78	0.00	297	6 PEAK	3	5924.80	52.25	68.35	-16.10	36.16	35.10	12.78	31.79	0.00	297	6 PEAK	4	5932.80	55.28	68.20	-12.92	39.16	35.13	12.79	31.80	0.00	297	6 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.00	51.98	111.36	-59.38	36.08	35.00	12.67	31.77	0.00	297	6 PEAK																																																																															
2	5873.60	54.69	105.69	-51.00	38.77	35.00	12.70	31.78	0.00	297	6 PEAK																																																																															
3	5924.80	52.25	68.35	-16.10	36.16	35.10	12.78	31.79	0.00	297	6 PEAK																																																																															
4	5932.80	55.28	68.20	-12.92	39.16	35.13	12.79	31.80	0.00	297	6 PEAK																																																																															





Mode	50																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9240.00</td><td>46.48</td><td>68.20</td><td>-21.72</td><td>55.88</td><td>36.48</td><td>15.95</td><td>61.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>50.23</td><td>38.20</td><td>17.89</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9240.00	46.48	68.20	-21.72	55.88	36.48	15.95	61.83	0.00	--	--	PEAK	2	11550.00	45.16	74.00	-28.84	50.23	38.20	17.89	61.16	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9240.00</td><td>49.38</td><td>68.20</td><td>-18.82</td><td>50.78</td><td>36.48</td><td>15.95</td><td>61.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>50.37</td><td>38.20</td><td>17.89</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9240.00	49.38	68.20	-18.82	50.78	36.48	15.95	61.83	0.00	--	--	PEAK	2	11550.00	45.30	74.00	-28.70	50.37	38.20	17.89	61.16	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	9240.00	46.48	68.20	-21.72	55.88	36.48	15.95	61.83	0.00	--	--	PEAK																																																																																																																																
2	11550.00	45.16	74.00	-28.84	50.23	38.20	17.89	61.16	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	9240.00	49.38	68.20	-18.82	50.78	36.48	15.95	61.83	0.00	--	--	PEAK																																																																																																																																
2	11550.00	45.30	74.00	-28.70	50.37	38.20	17.89	61.16	0.00	--	--	PEAK																																																																																																																																



Mode	51																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																																																															
ANT	1+2																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5065.63</td><td>56.10</td><td>74.00</td><td>-17.90</td><td>41.50</td><td>34.33</td><td>11.86</td><td>31.59</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>289</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5065.63	56.10	74.00	-17.90	41.50	34.33	11.86	31.59								0.00	289									287									PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5250.00</td><td>95.68</td><td>-----</td><td>-----</td><td>80.84</td><td>34.49</td><td>11.95</td><td>31.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>289</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	95.68	-----	-----	80.84	34.49	11.95	31.60								0.00	289									287									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5065.63	56.10	74.00	-17.90	41.50	34.33	11.86	31.59																																																																																																																								
							0.00	289																																																																																																																								
								287																																																																																																																								
								PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5250.00	95.68	-----	-----	80.84	34.49	11.95	31.60																																																																																																																								
							0.00	289																																																																																																																								
								287																																																																																																																								
								PEAK																																																																																																																								
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5138.87</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>31.97</td><td>34.40</td><td>11.91</td><td>31.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>289</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5138.87	46.68	54.00	-7.32	31.97	34.40	11.91	31.60								0.00	289									287									AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5250.00</td><td>85.03</td><td>-----</td><td>-----</td><td>70.06</td><td>34.58</td><td>11.99</td><td>31.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>289</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	85.03	-----	-----	70.06	34.58	11.99	31.60								0.00	289									287									AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5138.87	46.68	54.00	-7.32	31.97	34.40	11.91	31.60																																																																																																																								
							0.00	289																																																																																																																								
								287																																																																																																																								
								AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5250.00	85.03	-----	-----	70.06	34.58	11.99	31.60																																																																																																																								
							0.00	289																																																																																																																								
								287																																																																																																																								
								AVERAGE																																																																																																																								



Mode	51																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5392.07</td><td>57.73</td><td>74.00</td><td>-16.27</td><td>42.51</td><td>34.67</td><td>12.16</td><td>31.61</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>289</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5392.07	57.73	74.00	-16.27	42.51	34.67	12.16	31.61								0.00	289									287 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5392.07	57.73	74.00	-16.27	42.51	34.67	12.16	31.61																																																
							0.00	289																																																
								287 PEAK																																																
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5353.01</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>29.87</td><td>34.51</td><td>12.12</td><td>31.61</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>289</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.01	44.89	54.00	-9.11	29.87	34.51	12.12	31.61								0.00	289									287 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5353.01	44.89	54.00	-9.11	29.87	34.51	12.12	31.61																																																
							0.00	289																																																
								287 AVERAGE																																																





Mode	51																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5060.88</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>41.01</td><td>34.32</td><td>11.85</td><td>31.59</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>380</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>350 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5060.88	55.59	74.00	-18.41	41.01	34.32	11.85	31.59								0.00	380									350 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5250.00</td><td>93.62</td><td>-----</td><td>-----</td><td>78.86</td><td>34.43</td><td>11.93</td><td>31.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>380</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>350 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	93.62	-----	-----	78.86	34.43	11.93	31.60								0.00	380									350 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5060.88	55.59	74.00	-18.41	41.01	34.32	11.85	31.59																																																																																																						
							0.00	380																																																																																																						
								350 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5250.00	93.62	-----	-----	78.86	34.43	11.93	31.60																																																																																																						
							0.00	380																																																																																																						
								350 PEAK																																																																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5147.88</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>31.13</td><td>34.40</td><td>11.91</td><td>31.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>380</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>350 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5147.88	45.84	54.00	-8.16	31.13	34.40	11.91	31.60								0.00	380									350 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5250.00</td><td>83.04</td><td>-----</td><td>-----</td><td>68.26</td><td>34.45</td><td>11.93</td><td>31.60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>380</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>350 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5250.00	83.04	-----	-----	68.26	34.45	11.93	31.60								0.00	380									350 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5147.88	45.84	54.00	-8.16	31.13	34.40	11.91	31.60																																																																																																						
							0.00	380																																																																																																						
								350 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5250.00	83.04	-----	-----	68.26	34.45	11.93	31.60																																																																																																						
							0.00	380																																																																																																						
								350 AVERAGE																																																																																																						







Mode	51																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.11</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>39.01</td><td>34.78</td><td>12.21</td><td>31.62</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.11	54.38	74.00	-19.62	39.01	34.78	12.21	31.62	0.00	300	350	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5439.11	54.38	74.00	-19.62	39.01	34.78	12.21	31.62	0.00	300	350	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.59</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>28.62</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.59	44.01	54.00	-9.99	28.62	34.78	12.23	31.62	0.00	300	350	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.59	44.01	54.00	-9.99	28.62	34.78	12.23	31.62	0.00	300	350	AVERAGE																																												




		51																																																																																									
Mode		Harmonic																																																																																									
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																									
ANT		1+2																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8400.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>60.56</td><td>36.10</td><td>15.19</td><td>63.17</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>8400.00</td><td>45.77</td><td>54.00</td><td>-8.23</td><td>57.65</td><td>36.10</td><td>15.19</td><td>63.17</td><td>0.00</td><td>300</td><td>190</td><td>AVERAGE</td></tr><tr><td>3</td><td>10500.00</td><td>45.88</td><td>68.20</td><td>-22.32</td><td>52.58</td><td>37.70</td><td>16.99</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	8400.00	48.68	74.00	-25.32	60.56	36.10	15.19	63.17	0.00	300	190	PEAK	2	8400.00	45.77	54.00	-8.23	57.65	36.10	15.19	63.17	0.00	300	190	AVERAGE	3	10500.00	45.88	68.20	-22.32	52.58	37.70	16.99	61.39	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	8400.00	48.68	74.00	-25.32	60.56	36.10	15.19	63.17	0.00	300	190	PEAK																																																																															
2	8400.00	45.77	54.00	-8.23	57.65	36.10	15.19	63.17	0.00	300	190	AVERAGE																																																																															
3	10500.00	45.88	68.20	-22.32	52.58	37.70	16.99	61.39	0.00	--	--	PEAK																																																																															
																																																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8400.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>61.11</td><td>36.10</td><td>15.19</td><td>63.17</td><td>0.00</td><td>304</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>8400.00</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>58.65</td><td>36.10</td><td>15.19</td><td>63.17</td><td>0.00</td><td>304</td><td>17</td><td>AVERAGE</td></tr><tr><td>3</td><td>10500.00</td><td>45.69</td><td>68.20</td><td>-22.51</td><td>52.25</td><td>37.80</td><td>17.03</td><td>61.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	8400.00	49.23	74.00	-24.77	61.11	36.10	15.19	63.17	0.00	304	17	PEAK	2	8400.00	46.77	54.00	-7.23	58.65	36.10	15.19	63.17	0.00	304	17	AVERAGE	3	10500.00	45.69	68.20	-22.51	52.25	37.80	17.03	61.39	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	8400.00	49.23	74.00	-24.77	61.11	36.10	15.19	63.17	0.00	304	17	PEAK																																																																															
2	8400.00	46.77	54.00	-7.23	58.65	36.10	15.19	63.17	0.00	304	17	AVERAGE																																																																															
3	10500.00	45.69	68.20	-22.51	52.25	37.80	17.03	61.39	0.00	--	--	PEAK																																																																															







Mode	52																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5407.54</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>38.51</td><td>34.72</td><td>12.18</td><td>31.62</td><td>0.00</td><td>102</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>5462.98</td><td>53.65</td><td>68.20</td><td>-14.55</td><td>38.26</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>102</td><td>126</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5407.54	53.79	74.00	-20.21	38.51	34.72	12.18	31.62	0.00	102	126	PEAK	2	5462.98	53.65	68.20	-14.55	38.26	34.77	12.24	31.62	0.00	102	126	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.03</td><td>-----</td><td>-----</td><td>77.57</td><td>34.70</td><td>12.39</td><td>31.63</td><td>0.00</td><td>102</td><td>126</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.03	-----	-----	77.57	34.70	12.39	31.63	0.00	102	126	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5407.54	53.79	74.00	-20.21	38.51	34.72	12.18	31.62	0.00	102	126	PEAK																																																																																																					
2	5462.98	53.65	68.20	-14.55	38.26	34.77	12.24	31.62	0.00	102	126	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	93.03	-----	-----	77.57	34.70	12.39	31.63	0.00	102	126	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.53</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>29.76</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>102</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.53	45.15	54.00	-8.85	29.76	34.78	12.23	31.62	0.00	102	126	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>83.58</td><td>-----</td><td>-----</td><td>68.11</td><td>34.70</td><td>12.40</td><td>31.63</td><td>0.00</td><td>102</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	83.58	-----	-----	68.11	34.70	12.40	31.63	0.00	102	126	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.53	45.15	54.00	-8.85	29.76	34.78	12.23	31.62	0.00	102	126	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	83.58	-----	-----	68.11	34.70	12.40	31.63	0.00	102	126	AVERAGE																																																																																																					




Mode	52																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5747.36</td><td>55.09</td><td>68.20</td><td>-13.11</td><td>39.36</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>102</td><td>126 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5747.36	55.09	68.20	-13.11	39.36	34.89	12.54	31.70	0.00	102	126 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5747.36	55.09	68.20	-13.11	39.36	34.89	12.54	31.70	0.00	102	126 PEAK																																												





Mode	52																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.34</td><td>53.49</td><td>74.00</td><td>-20.51</td><td>38.19</td><td>34.73</td><td>12.19</td><td>31.62</td><td>0.00</td><td>360</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5466.94</td><td>53.70</td><td>68.20</td><td>-14.50</td><td>38.31</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>360</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.34	53.49	74.00	-20.51	38.19	34.73	12.19	31.62	0.00	360	354	PEAK	2	5466.94	53.70	68.20	-14.50	38.31	34.77	12.24	31.62	0.00	360	354	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>88.75</td><td>-----</td><td>-----</td><td>73.31</td><td>34.70</td><td>12.37</td><td>31.63</td><td>0.00</td><td>360</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.75	-----	-----	73.31	34.70	12.37	31.63	0.00	360	354	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5416.34	53.49	74.00	-20.51	38.19	34.73	12.19	31.62	0.00	360	354	PEAK																																																																																																					
2	5466.94	53.70	68.20	-14.50	38.31	34.77	12.24	31.62	0.00	360	354	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	88.75	-----	-----	73.31	34.70	12.37	31.63	0.00	360	354	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.02</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>28.82</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>360</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.02	44.21	54.00	-9.79	28.82	34.78	12.23	31.62	0.00	360	354	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>79.96</td><td>-----</td><td>-----</td><td>64.51</td><td>34.70</td><td>12.38</td><td>31.63</td><td>0.00</td><td>360</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	79.96	-----	-----	64.51	34.70	12.38	31.63	0.00	360	354	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.02	44.21	54.00	-9.79	28.82	34.78	12.23	31.62	0.00	360	354	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	79.96	-----	-----	64.51	34.70	12.38	31.63	0.00	360	354	AVERAGE																																																																																																					







Mode	52																																																																									
	Band Edge - R																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical						Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5745.99</td><td>54.21</td><td>68.20</td><td>-13.99</td><td>38.48</td><td>34.89</td><td>12.54</td><td>31.70</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>360</td><td>354</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.99	54.21	68.20	-13.99	38.48	34.89	12.54	31.70								0.00									360	354									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5745.99	54.21	68.20	-13.99	38.48	34.89	12.54	31.70																																																																		
							0.00																																																																			
							360	354																																																																		
								PEAK																																																																		







Mode	52																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8912.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>55.62</td><td>36.30</td><td>15.75</td><td>62.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>49.62</td><td>38.06</td><td>17.53</td><td>60.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8912.00	45.20	68.20	-23.00	55.62	36.30	15.75	62.47	0.00	--	--	PEAK	2	11140.00	44.52	74.00	-29.48	49.62	38.06	17.53	60.69	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8912.00</td><td>50.16</td><td>68.20</td><td>-18.04</td><td>60.58</td><td>36.30</td><td>15.75</td><td>62.47</td><td>0.00</td><td>100</td><td>336</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>50.80</td><td>38.06</td><td>17.53</td><td>60.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8912.00	50.16	68.20	-18.04	60.58	36.30	15.75	62.47	0.00	100	336	PEAK	2	11140.00	45.70	74.00	-28.30	50.80	38.06	17.53	60.69	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8912.00	45.20	68.20	-23.00	55.62	36.30	15.75	62.47	0.00	--	--	PEAK																																																																																																																																
2	11140.00	44.52	74.00	-29.48	49.62	38.06	17.53	60.69	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8912.00	50.16	68.20	-18.04	60.58	36.30	15.75	62.47	0.00	100	336	PEAK																																																																																																																																
2	11140.00	45.70	74.00	-28.30	50.80	38.06	17.53	60.69	0.00	--	--	PEAK																																																																																																																																







Mode	53																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.35</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>41.22</td><td>34.40</td><td>11.88</td><td>31.60</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.35	55.90	74.00	-18.10	41.22	34.40	11.88	31.60	0.00	100	275	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.38</td><td>-----</td><td>-----</td><td>91.62</td><td>34.43</td><td>11.93</td><td>31.60</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.38	-----	-----	91.62	34.43	11.93	31.60	0.00	100	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.35	55.90	74.00	-18.10	41.22	34.40	11.88	31.60	0.00	100	275	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	106.38	-----	-----	91.62	34.43	11.93	31.60	0.00	100	275	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.45</td><td>45.00</td><td>54.00</td><td>-8.92</td><td>30.39</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>100</td><td>275</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.45	45.00	54.00	-8.92	30.39	34.40	11.89	31.60	0.00	100	275	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.94</td><td>-----</td><td>-----</td><td>83.18</td><td>34.43</td><td>11.93</td><td>31.60</td><td>0.00</td><td>100</td><td>275</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.94	-----	-----	83.18	34.43	11.93	31.60	0.00	100	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5115.45	45.00	54.00	-8.92	30.39	34.40	11.89	31.60	0.00	100	275	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.94	-----	-----	83.18	34.43	11.93	31.60	0.00	100	275	AVERAGE																																																																																							







Mode	53																																																																																																												
	Band Edge																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																																												
ANT	1+2																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.65</td><td>55.06</td><td>74.00</td><td>-18.94</td><td>40.37</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.65	55.06	74.00	-18.94	40.37	34.40	11.89	31.60	0.00	250	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.95</td><td>-----</td><td>-----</td><td>85.19</td><td>34.43</td><td>11.93</td><td>31.60</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.95	-----	-----	85.19	34.43	11.93	31.60	0.00	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5119.65	55.06	74.00	-18.94	40.37	34.40	11.89	31.60	0.00	250	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	99.95	-----	-----	85.19	34.43	11.93	31.60	0.00	250	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.35</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>30.38</td><td>34.40</td><td>11.88</td><td>31.60</td><td>0.00</td><td>250</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.35	45.06	54.00	-8.94	30.38	34.40	11.88	31.60	0.00	250	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>82.70</td><td>-----</td><td>-----</td><td>67.94</td><td>34.43</td><td>11.93</td><td>31.60</td><td>0.00</td><td>250</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	82.70	-----	-----	67.94	34.43	11.93	31.60	0.00	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5103.35	45.06	54.00	-8.94	30.38	34.40	11.88	31.60	0.00	250	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	82.70	-----	-----	67.94	34.43	11.93	31.60	0.00	250	0 AVERAGE																																																																																																		







Mode	54																																																					
	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.95</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>40.81</td><td>34.40</td><td>11.90</td><td>31.60</td><td>0.00</td><td>300</td><td>67 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.95	55.51	74.00	-18.49	40.81	34.40	11.90	31.60	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.95	55.51	74.00	-18.49	40.81	34.40	11.90	31.60	0.00	300	67 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.78</td><td>-----</td><td>-----</td><td>86.00</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>300</td><td>67 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.78	-----	-----	86.00	34.45	11.93	31.60	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	100.78	-----	-----	86.00	34.45	11.93	31.60	0.00	300	67 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.95</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>30.31</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>300</td><td>67 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.95	45.00	54.00	-9.00	30.31	34.40	11.89	31.60	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.95	45.00	54.00	-9.00	30.31	34.40	11.89	31.60	0.00	300	67 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.52</td><td>-----</td><td>-----</td><td>79.74</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>300</td><td>67 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.52	-----	-----	79.74	34.45	11.93	31.60	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	94.52	-----	-----	79.74	34.45	11.93	31.60	0.00	300	67 AVERAGE																																											







Mode	54																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5182.95</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>40.80</td><td>34.40</td><td>11.90</td><td>31.60</td><td>0.00</td><td>264</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5182.95	55.50	74.00	-18.50	40.80	34.40	11.90	31.60	0.00	264	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>97.12</td><td>-----</td><td>-----</td><td>82.34</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>264</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.12	-----	-----	82.34	34.45	11.93	31.60	0.00	264	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5182.95	55.50	74.00	-18.50	40.80	34.40	11.90	31.60	0.00	264	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.12	-----	-----	82.34	34.45	11.93	31.60	0.00	264	360	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5181.35</td><td>45.02</td><td>54.00</td><td>-8.98</td><td>30.34</td><td>34.40</td><td>11.88</td><td>31.60</td><td>0.00</td><td>264</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5181.35	45.02	54.00	-8.98	30.34	34.40	11.88	31.60	0.00	264	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>89.51</td><td>-----</td><td>-----</td><td>74.73</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>264</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	89.51	-----	-----	74.73	34.45	11.93	31.60	0.00	264	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5181.35	45.02	54.00	-8.98	30.34	34.40	11.88	31.60	0.00	264	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	89.51	-----	-----	74.73	34.45	11.93	31.60	0.00	264	360	AVERAGE																																																																																							







Mode	55																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.95</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>41.28</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>112</td><td>276</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.95	55.99	74.00	-18.01	41.28	34.40	11.91	31.60	0.00	112	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.95	55.99	74.00	-18.01	41.28	34.40	11.91	31.60	0.00	112	276	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.15</td><td>-----</td><td>-----</td><td>92.37</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>112</td><td>276</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.15	-----	-----	92.37	34.45	11.93	31.60	0.00	112	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	107.15	-----	-----	92.37	34.45	11.93	31.60	0.00	112	276	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.85</td><td>44.99</td><td>54.00</td><td>-9.01</td><td>30.31</td><td>34.40</td><td>11.88</td><td>31.60</td><td>0.00</td><td>112</td><td>276</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.85	44.99	54.00	-9.01	30.31	34.40	11.88	31.60	0.00	112	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5103.85	44.99	54.00	-9.01	30.31	34.40	11.88	31.60	0.00	112	276	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.75</td><td>-----</td><td>-----</td><td>79.97</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>112</td><td>276</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.75	-----	-----	79.97	34.45	11.93	31.60	0.00	112	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	94.75	-----	-----	79.97	34.45	11.93	31.60	0.00	112	276	AVERAGE																																											







Mode	55																																																					
	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																					
ANT	1+2																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.25</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>40.15</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.25	54.86	74.00	-19.14	40.15	34.40	11.91	31.60	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5146.25	54.86	74.00	-19.14	40.15	34.40	11.91	31.60	0.00	266	0 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.52</td><td>-----</td><td>-----</td><td>87.74</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.52	-----	-----	87.74	34.45	11.93	31.60	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	102.52	-----	-----	87.74	34.45	11.93	31.60	0.00	266	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.15</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>30.26</td><td>34.40</td><td>11.89</td><td>31.60</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.15	44.95	54.00	-9.05	30.26	34.40	11.89	31.60	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5107.15	44.95	54.00	-9.05	30.26	34.40	11.89	31.60	0.00	266	0 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>92.84</td><td>-----</td><td>-----</td><td>78.06</td><td>34.45</td><td>11.93</td><td>31.60</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.84	-----	-----	78.06	34.45	11.93	31.60	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	92.84	-----	-----	78.06	34.45	11.93	31.60	0.00	266	0 AVERAGE																																											







Mode	56																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																														
ANT	1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>58.83</td><td>74.00</td><td>-15.17</td><td>43.82</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	58.83	74.00	-15.17	43.82	34.50	12.12	31.61	0.00	100	78	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.75</td><td>-----</td><td>-----</td><td>91.77</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.75	-----	-----	91.77	34.50	12.09	31.61	0.00	100	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.05	58.83	74.00	-15.17	43.82	34.50	12.12	31.61	0.00	100	78	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	106.75	-----	-----	91.77	34.50	12.09	31.61	0.00	100	78	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.45</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>28.65</td><td>34.58</td><td>12.14</td><td>31.61</td><td>0.00</td><td>100</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.45	43.76	54.00	-10.24	28.65	34.58	12.14	31.61	0.00	100	78	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.50</td><td>-----</td><td>-----</td><td>84.52</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.50	-----	-----	84.52	34.50	12.09	31.61	0.00	100	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5369.45	43.76	54.00	-10.24	28.65	34.58	12.14	31.61	0.00	100	78	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	99.50	-----	-----	84.52	34.50	12.09	31.61	0.00	100	78	AVERAGE																																																																																																			







Mode	56																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																														
ANT	1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.25</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>37.95</td><td>34.53</td><td>12.12</td><td>31.61</td><td>0.00</td><td>100</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.25	52.99	74.00	-21.01	37.95	34.53	12.12	31.61	0.00	100	15	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>98.25</td><td>-----</td><td>-----</td><td>83.27</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.25	-----	-----	83.27	34.50	12.09	31.61	0.00	100	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5358.25	52.99	74.00	-21.01	37.95	34.53	12.12	31.61	0.00	100	15	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	98.25	-----	-----	83.27	34.50	12.09	31.61	0.00	100	15	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.25</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>28.21</td><td>34.69</td><td>12.17</td><td>31.61</td><td>0.00</td><td>100</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.25	43.46	54.00	-10.54	28.21	34.69	12.17	31.61	0.00	100	15	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>92.67</td><td>-----</td><td>-----</td><td>77.69</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	92.67	-----	-----	77.69	34.50	12.09	31.61	0.00	100	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5398.25	43.46	54.00	-10.54	28.21	34.69	12.17	31.61	0.00	100	15	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	92.67	-----	-----	77.69	34.50	12.09	31.61	0.00	100	15	AVERAGE																																																																																																			







Mode	57																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																																																						
ANT	1+2																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.00</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>39.39</td><td>34.50</td><td>12.11</td><td>31.61</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.00	54.39	74.00	-19.61	39.39	34.50	12.11	31.61	0.00	100	279 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>106.42</td><td>-----</td><td>-----</td><td>91.44</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	106.42	-----	-----	91.44	34.50	12.09	31.61	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5350.00	54.39	74.00	-19.61	39.39	34.50	12.11	31.61	0.00	100	279 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5320.00	106.42	-----	-----	91.44	34.50	12.09	31.61	0.00	100	279 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5352.75</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>28.53</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5352.75	43.55	54.00	-10.45	28.53	34.51	12.12	31.61	0.00	100	279 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>98.83</td><td>-----</td><td>-----</td><td>83.85</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	98.83	-----	-----	83.85	34.50	12.09	31.61	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5352.75	43.55	54.00	-10.45	28.53	34.51	12.12	31.61	0.00	100	279 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5320.00	98.83	-----	-----	83.85	34.50	12.09	31.61	0.00	100	279 AVERAGE																																																																																																												







Mode	57																																																							
	Band Edge																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.05</td><td>99.76</td><td>74.00</td><td>-20.98</td><td>37.98</td><td>34.53</td><td>12.12</td><td>31.61</td><td>0.00</td><td>262</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.05	99.76	74.00	-20.98	37.98	34.53	12.12	31.61	0.00	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5320.05	99.76	74.00	-20.98	37.98	34.53	12.12	31.61	0.00	262	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.76</td><td>-----</td><td>-----</td><td>84.78</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>262</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.76	-----	-----	84.78	34.50	12.09	31.61	0.00	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5320.00	99.76	-----	-----	84.78	34.50	12.09	31.61	0.00	262	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.05</td><td>92.44</td><td>74.00</td><td>-10.64</td><td>28.15</td><td>34.66</td><td>12.16</td><td>31.61</td><td>0.00</td><td>262</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.05	92.44	74.00	-10.64	28.15	34.66	12.16	31.61	0.00	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5320.05	92.44	74.00	-10.64	28.15	34.66	12.16	31.61	0.00	262	0 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>92.44</td><td>-----</td><td>-----</td><td>77.46</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>262</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	92.44	-----	-----	77.46	34.50	12.09	31.61	0.00	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5320.00	92.44	-----	-----	77.46	34.50	12.09	31.61	0.00	262	0 AVERAGE																																													







Mode	58																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.45</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>38.66</td><td>34.59</td><td>12.14</td><td>31.61</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.45	53.78	74.00	-20.22	38.66	34.59	12.14	31.61	0.00	100	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.53</td><td>-----</td><td>-----</td><td>89.55</td><td>34.50</td><td>12.09</td><td>31.61</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.53	-----	-----	89.55	34.50	12.09	31.61	0.00	100	302	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5371.45	53.78	74.00	-20.22	38.66	34.59	12.14	31.61	0.00	100	302	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	104.53	-----	-----	89.55	34.50	12.09	31.61	0.00	100	302	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.05</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>28.44</td><td>34.52</td><td>12.12</td><td>31.61</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.05	43.47	54.00	-10.53	28.44	34.52	12.12	31.61	0.00	100	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>98.14</td><td>-----</td><td>-----</td><td>83.17</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.14	-----	-----	83.17	34.50	12.08	31.61	0.00	100	302	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5354.05	43.47	54.00	-10.53	28.44	34.52	12.12	31.61	0.00	100	302	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	98.14	-----	-----	83.17	34.50	12.08	31.61	0.00	100	302	AVERAGE																																																																																								



Mode	58																																										
	Band Edge																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																										
ANT	1+2																																										
Pol.	Vertical																																										
Peak	Fundamental																																										
																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.25	53.32	74.00	-20.68	38.15	34.63	12.15	31.61	0.00	194	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5382.25	53.32	74.00	-20.68	38.15	34.63	12.15	31.61	0.00	194	0 PEAK																																
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.73	-----	-----	85.76	34.50	12.08	31.61	0.00	194	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5320.00	100.73	-----	-----	85.76	34.50	12.08	31.61	0.00	194	0 PEAK																																
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.15	43.35	54.00	-10.65	28.10	34.69	12.17	31.61	0.00	194	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5398.15	43.35	54.00	-10.65	28.10	34.69	12.17	31.61	0.00	194	0 AVERAGE																																
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	92.87	-----	-----	77.90	34.50	12.08	31.61	0.00	194	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5320.00	92.87	-----	-----	77.90	34.50	12.08	31.61	0.00	194	0 AVERAGE																																







Mode	59																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.53</td><td>53.85</td><td>74.00</td><td>-20.15</td><td>38.44</td><td>34.80</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>5464.81</td><td>53.63</td><td>68.20</td><td>-14.57</td><td>38.24</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.53	53.85	74.00	-20.15	38.44	34.80	12.23	31.62	0.00	100	310	PEAK	2	5464.81	53.63	68.20	-14.57	38.24	34.77	12.24	31.62	0.00	100	310	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.72</td><td>-----</td><td>-----</td><td>91.35</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.72	-----	-----	91.35	34.72	12.27	31.62	0.00	100	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.53	53.85	74.00	-20.15	38.44	34.80	12.23	31.62	0.00	100	310	PEAK																																																																																																				
2	5464.81	53.63	68.20	-14.57	38.24	34.77	12.24	31.62	0.00	100	310	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	106.72	-----	-----	91.35	34.72	12.27	31.62	0.00	100	310	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.05</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>28.87</td><td>34.80</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.05	44.28	54.00	-9.72	28.87	34.80	12.23	31.62	0.00	100	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.13</td><td>-----</td><td>-----</td><td>82.76</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.13	-----	-----	82.76	34.72	12.27	31.62	0.00	100	310	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.05	44.28	54.00	-9.72	28.87	34.80	12.23	31.62	0.00	100	310	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	98.13	-----	-----	82.76	34.72	12.27	31.62	0.00	100	310	AVERAGE																																																																																																				







Mode	59																																																																							
	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																							
ANT	1+2																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.73</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>39.31</td><td>34.75</td><td>12.20</td><td>31.62</td><td>0.00</td><td>346</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>52.93</td><td>68.20</td><td>-15.27</td><td>37.54</td><td>34.76</td><td>12.25</td><td>31.62</td><td>0.00</td><td>346</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5426.73	54.64	74.00	-19.36	39.31	34.75	12.20	31.62	0.00	346	0 PEAK	2	5468.65	52.93	68.20	-15.27	37.54	34.76	12.25	31.62	0.00	346	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5426.73	54.64	74.00	-19.36	39.31	34.75	12.20	31.62	0.00	346	0 PEAK																																																													
2	5468.65	52.93	68.20	-15.27	37.54	34.76	12.25	31.62	0.00	346	0 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.89</td><td>43.98</td><td>54.00</td><td>-10.02</td><td>28.61</td><td>34.78</td><td>12.21</td><td>31.62</td><td>0.00</td><td>346</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5438.89	43.98	54.00	-10.02	28.61	34.78	12.21	31.62	0.00	346	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5438.89	43.98	54.00	-10.02	28.61	34.78	12.21	31.62	0.00	346	0 AVERAGE																																																													
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.18</td><td>-----</td><td>-----</td><td>84.81</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>346</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	100.18	-----	-----	84.81	34.72	12.27	31.62	0.00	346	0 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5500.00	100.18	-----	-----	84.81	34.72	12.27	31.62	0.00	346	0 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>85.25</td><td>-----</td><td>-----</td><td>69.88</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>346</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	85.25	-----	-----	69.88	34.72	12.27	31.62	0.00	346	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5500.00	85.25	-----	-----	69.88	34.72	12.27	31.62	0.00	346	0 AVERAGE																																																													







Mode	60																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.21</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>39.87</td><td>34.68</td><td>12.16</td><td>31.61</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>54.35</td><td>68.20</td><td>-13.85</td><td>38.96</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.21	55.10	74.00	-18.90	39.87	34.68	12.16	31.61	0.00	100	95 PEAK	2	5462.57	54.35	68.20	-13.85	38.96	34.77	12.24	31.62	0.00	100	95 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5395.21	55.10	74.00	-18.90	39.87	34.68	12.16	31.61	0.00	100	95 PEAK																																																									
2	5462.57	54.35	68.20	-13.85	38.96	34.77	12.24	31.62	0.00	100	95 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.33</td><td>44.20</td><td>54.00</td><td>-9.80</td><td>28.80</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>95 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.33	44.20	54.00	-9.80	28.80	34.79	12.23	31.62	0.00	100	95 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5456.33	44.20	54.00	-9.80	28.80	34.79	12.23	31.62	0.00	100	95 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.44</td><td>-----</td><td>-----</td><td>88.07</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.44	-----	-----	88.07	34.72	12.27	31.62	0.00	100	95 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	103.44	-----	-----	88.07	34.72	12.27	31.62	0.00	100	95 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.82</td><td>-----</td><td>-----</td><td>81.45</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>95 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.82	-----	-----	81.45	34.72	12.27	31.62	0.00	100	95 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	96.82	-----	-----	81.45	34.72	12.27	31.62	0.00	100	95 AVERAGE																																																									







Mode	60																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.05	53.63	74.00	-20.37	38.22	34.00	12.23	31.62	0.00	344	349	PEAK	2	5460.01	53.52	68.20	-14.68	38.12	34.78	12.24	31.62	0.00	344	349	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.88</td><td>-----</td><td>-----</td><td>84.51</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>344</td><td>349</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.88	-----	-----	84.51	34.72	12.27	31.62	0.00	344	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5451.05	53.63	74.00	-20.37	38.22	34.00	12.23	31.62	0.00	344	349	PEAK																																																																																									
2	5460.01	53.52	68.20	-14.68	38.12	34.78	12.24	31.62	0.00	344	349	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	99.88	-----	-----	84.51	34.72	12.27	31.62	0.00	344	349	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.57	43.97	54.00	-10.03	28.58	34.79	12.22	31.62	0.00	344	349	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>92.73</td><td>-----</td><td>-----</td><td>77.36</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>344</td><td>349</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	92.73	-----	-----	77.36	34.72	12.27	31.62	0.00	344	349	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5446.57	43.97	54.00	-10.03	28.58	34.79	12.22	31.62	0.00	344	349	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	92.73	-----	-----	77.36	34.72	12.27	31.62	0.00	344	349	AVERAGE																																																																																									






Mode	61																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.65</td><td>53.94</td><td>74.00</td><td>-20.06</td><td>38.69</td><td>34.69</td><td>12.17</td><td>31.61</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr><tr><td>2</td><td>5466.89</td><td>53.41</td><td>68.20</td><td>-14.79</td><td>38.02</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.65	53.94	74.00	-20.06	38.69	34.69	12.17	31.61	0.00	100	274	PEAK	2	5466.89	53.41	68.20	-14.79	38.02	34.77	12.24	31.62	0.00	100	274	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.79</td><td>-----</td><td>-----</td><td>87.42</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.79	-----	-----	87.42	34.72	12.27	31.62	0.00	100	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5396.65	53.94	74.00	-20.06	38.69	34.69	12.17	31.61	0.00	100	274	PEAK																																																																																																				
2	5466.89	53.41	68.20	-14.79	38.02	34.77	12.24	31.62	0.00	100	274	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	102.79	-----	-----	87.42	34.72	12.27	31.62	0.00	100	274	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.93</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>28.86</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.93	44.25	54.00	-9.75	28.86	34.78	12.23	31.62	0.00	100	274	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>91.92</td><td>-----</td><td>-----</td><td>76.55</td><td>34.72</td><td>12.27</td><td>31.62</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	91.92	-----	-----	76.55	34.72	12.27	31.62	0.00	100	274	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.93	44.25	54.00	-9.75	28.86	34.78	12.23	31.62	0.00	100	274	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	91.92	-----	-----	76.55	34.72	12.27	31.62	0.00	100	274	AVERAGE																																																																																																				






Mode	61																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.25</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>39.10</td><td>34.50</td><td>12.12</td><td>31.61</td><td>0.00</td><td>341</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5464.49</td><td>53.32</td><td>68.20</td><td>-14.88</td><td>37.93</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>341</td><td>349</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	54.11	74.00	-19.89	39.10	34.50	12.12	31.61	0.00	341	349	PEAK	2	5464.49	53.32	68.20	-14.88	37.93	34.77	12.24	31.62	0.00	341	349	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.42</td><td>-----</td><td>-----</td><td>84.05</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>341</td><td>349</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.42	-----	-----	84.05	34.71	12.28	31.62	0.00	341	349	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5350.25	54.11	74.00	-19.89	39.10	34.50	12.12	31.61	0.00	341	349	PEAK																																																																																																					
2	5464.49	53.32	68.20	-14.88	37.93	34.77	12.24	31.62	0.00	341	349	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	99.42	-----	-----	84.05	34.71	12.28	31.62	0.00	341	349	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.85</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>28.64</td><td>34.78</td><td>12.21</td><td>31.62</td><td>0.00</td><td>341</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.85	44.01	54.00	-9.99	28.64	34.78	12.21	31.62	0.00	341	349	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>92.59</td><td>-----</td><td>-----</td><td>77.22</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>341</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	92.59	-----	-----	77.22	34.71	12.28	31.62	0.00	341	349	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5439.85	44.01	54.00	-9.99	28.64	34.78	12.21	31.62	0.00	341	349	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	92.59	-----	-----	77.22	34.71	12.28	31.62	0.00	341	349	AVERAGE																																																																																																					





Mode	62																																																										
	Band Edge																																																										
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_RU26/8_5700MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5728.84</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>43.12</td><td>34.86</td><td>12.52</td><td>31.69</td><td>0.00</td><td>100</td><td>62 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5728.84	58.81	68.20	-9.39	43.12	34.86	12.52	31.69	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5728.84	58.81	68.20	-9.39	43.12	34.86	12.52	31.69	0.00	100	62 Peak																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>107.64</td><td>-----</td><td>-----</td><td>92.00</td><td>34.81</td><td>12.50</td><td>31.67</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5700.00	107.64	-----	-----	92.00	34.81	12.50	31.67	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5700.00	107.64	-----	-----	92.00	34.81	12.50	31.67	0.00	100	62 PEAK																																																
Avg	Blank																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>97.29</td><td>-----</td><td>-----</td><td>81.65</td><td>34.81</td><td>12.50</td><td>31.67</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5700.00	97.29	-----	-----	81.65	34.81	12.50	31.67	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5700.00	97.29	-----	-----	81.65	34.81	12.50	31.67	0.00	100	62 AVERAGE																																																






Mode	62																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5744.16</td><td>54.77</td><td>68.20</td><td>-13.43</td><td>39.05</td><td>34.89</td><td>12.53</td><td>31.70</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5744.16	54.77	68.20	-13.43	39.05	34.89	12.53	31.70	0.00	369	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.08</td><td>-----</td><td>-----</td><td>82.44</td><td>34.81</td><td>12.50</td><td>31.67</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.08	-----	-----	82.44	34.81	12.50	31.67	0.00	369	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5744.16	54.77	68.20	-13.43	39.05	34.89	12.53	31.70	0.00	369	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	98.08	-----	-----	82.44	34.81	12.50	31.67	0.00	369	360	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>88.06</td><td>-----</td><td>-----</td><td>72.42</td><td>34.81</td><td>12.50</td><td>31.67</td><td>0.00</td><td>369</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	88.06	-----	-----	72.42	34.81	12.50	31.67	0.00	369	360	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	88.06	-----	-----	72.42	34.81	12.50	31.67	0.00	369	360	AVERAGE																																																																																							






Mode	63																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_RU52/40_5700MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.12</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>40.37</td><td>34.86</td><td>12.52</td><td>31.69</td><td>0.00</td><td>102</td><td>280</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.12	56.06	68.20	-12.14	40.37	34.86	12.52	31.69	0.00	102	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5731.12	56.06	68.20	-12.14	40.37	34.86	12.52	31.69	0.00	102	280	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.77</td><td>-----</td><td>-----</td><td>83.15</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>102</td><td>280</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.77	-----	-----	83.15	34.80	12.49	31.67	0.00	102	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	98.77	-----	-----	83.15	34.80	12.49	31.67	0.00	102	280	AVERAGE																																											



Mode	63																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5743.52</td><td>55.17</td><td>68.20</td><td>-13.03</td><td>39.45</td><td>34.89</td><td>12.53</td><td>31.70</td><td>0.00</td><td>368</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.52	55.17	68.20	-13.03	39.45	34.89	12.53	31.70	0.00	368	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.70</td><td>-----</td><td>-----</td><td>83.08</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>368</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.70	-----	-----	83.08	34.80	12.49	31.67	0.00	368
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5743.52	55.17	68.20	-13.03	39.45	34.89	12.53	31.70	0.00	368	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	98.70	-----	-----	83.08	34.80	12.49	31.67	0.00	368	0 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>89.92</td><td>-----</td><td>-----</td><td>74.28</td><td>34.81</td><td>12.50</td><td>31.67</td><td>0.00</td><td>368</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	89.92	-----	-----	74.28	34.81	12.50	31.67	0.00	368	0 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	89.92	-----	-----	74.28	34.81	12.50	31.67	0.00	368	0 AVERAGE																																																																																						






Mode	64																																																							
	Band Edge																																																							
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_RU106/54_5700MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.20</td><td>57.10</td><td>68.20</td><td>-11.10</td><td>41.39</td><td>34.87</td><td>12.53</td><td>31.69</td><td>0.00</td><td>101</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5735.20	57.10	68.20	-11.10	41.39	34.87	12.53	31.69	0.00	101	284	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5735.20	57.10	68.20	-11.10	41.39	34.87	12.53	31.69	0.00	101	284	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.36</td><td>-----</td><td>-----</td><td>90.74</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>101</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.36	-----	-----	90.74	34.80	12.49	31.67	0.00	101	284	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5700.00	106.36	-----	-----	90.74	34.80	12.49	31.67	0.00	101	284	PEAK																																												
Avg	Blank																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.31</td><td>-----</td><td>-----</td><td>79.69</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>101</td><td>284</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	95.31	-----	-----	79.69	34.80	12.49	31.67	0.00	101	284	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5700.00	95.31	-----	-----	79.69	34.80	12.49	31.67	0.00	101	284	AVERAGE																																												






Mode	64																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.85_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5760.32</td><td>55.54</td><td>68.20</td><td>-12.66</td><td>39.78</td><td>34.92</td><td>12.55</td><td>31.71</td><td>0.00</td><td>370</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.32	55.54	68.20	-12.66	39.78	34.92	12.55	31.71	0.00	370	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.88</td><td>-----</td><td>-----</td><td>85.26</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>370</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.88	-----	-----	85.26	34.80	12.49	31.67	0.00	370	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5760.32	55.54	68.20	-12.66	39.78	34.92	12.55	31.71	0.00	370	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	100.88	-----	-----	85.26	34.80	12.49	31.67	0.00	370	0	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.22</td><td>-----</td><td>-----</td><td>77.60</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>370</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.22	-----	-----	77.60	34.80	12.49	31.67	0.00	370	0	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	93.22	-----	-----	77.60	34.80	12.49	31.67	0.00	370	0	AVERAGE																																																																																								






Mode	65																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.60</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>39.62</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.85</td><td>68.20</td><td>-15.35</td><td>37.35</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>53.99</td><td>106.53</td><td>-52.54</td><td>38.36</td><td>34.81</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.95</td><td>110.90</td><td>-59.95</td><td>35.28</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5617.60	55.10	68.20	-13.10	39.62	34.70	12.41	31.63	0.00	100	284	PEAK	2	5650.00	52.85	68.20	-15.35	37.35	34.70	12.44	31.64	0.00	100	284	PEAK	3	5704.40	53.99	106.53	-52.54	38.36	34.81	12.49	31.67	0.00	100	284	PEAK	4	5720.00	50.95	110.90	-59.95	35.28	34.84	12.51	31.68	0.00	100	284	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.64</td><td>-----</td><td>-----</td><td>77.93</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>100</td><td>284</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.64	-----	-----	77.93	34.88	12.53	31.70	0.00	100	284	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5617.60	55.10	68.20	-13.10	39.62	34.70	12.41	31.63	0.00	100	284	PEAK																																																																																																																															
2	5650.00	52.85	68.20	-15.35	37.35	34.70	12.44	31.64	0.00	100	284	PEAK																																																																																																																															
3	5704.40	53.99	106.53	-52.54	38.36	34.81	12.49	31.67	0.00	100	284	PEAK																																																																																																																															
4	5720.00	50.95	110.90	-59.95	35.28	34.84	12.51	31.68	0.00	100	284	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	93.64	-----	-----	77.93	34.88	12.53	31.70	0.00	100	284	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>70.39</td><td>-----</td><td>-----</td><td>62.69</td><td>34.87</td><td>12.52</td><td>31.69</td><td>0.00</td><td>100</td><td>284</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	70.39	-----	-----	62.69	34.87	12.52	31.69	0.00	100	284	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	70.39	-----	-----	62.69	34.87	12.52	31.69	0.00	100	284	AVERAGE																																																																																																																															






Mode	65																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/O_5745MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.20</td><td>53.98</td><td>68.20</td><td>-14.22</td><td>38.50</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>334</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>52.49</td><td>69.69</td><td>-17.20</td><td>36.99</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>334</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.02</td><td>105.30</td><td>-53.28</td><td>36.40</td><td>34.00</td><td>12.49</td><td>31.67</td><td>0.00</td><td>334</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.77</td><td>110.90</td><td>-60.13</td><td>35.10</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>334</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.20	53.98	68.20	-14.22	38.50	34.70	12.41	31.63	0.00	334	183	PEAK	2	5652.00	52.49	69.69	-17.20	36.99	34.70	12.44	31.64	0.00	334	183	PEAK	3	5700.00	52.02	105.30	-53.28	36.40	34.00	12.49	31.67	0.00	334	183	PEAK	4	5720.00	50.77	110.90	-60.13	35.10	34.84	12.51	31.68	0.00	334	183	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>88.79</td><td>-----</td><td>-----</td><td>73.08</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>334</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	88.79	-----	-----	73.08	34.88	12.53	31.70	0.00	334	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5617.20	53.98	68.20	-14.22	38.50	34.70	12.41	31.63	0.00	334	183	PEAK																																																																																																																															
2	5652.00	52.49	69.69	-17.20	36.99	34.70	12.44	31.64	0.00	334	183	PEAK																																																																																																																															
3	5700.00	52.02	105.30	-53.28	36.40	34.00	12.49	31.67	0.00	334	183	PEAK																																																																																																																															
4	5720.00	50.77	110.90	-60.13	35.10	34.84	12.51	31.68	0.00	334	183	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	88.79	-----	-----	73.08	34.88	12.53	31.70	0.00	334	183	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>81.97</td><td>-----</td><td>-----</td><td>66.26</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>334</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	81.97	-----	-----	66.26	34.88	12.53	31.70	0.00	334	183	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	81.97	-----	-----	66.26	34.88	12.53	31.70	0.00	334	183	AVERAGE																																																																																																																															






Mode	66																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																								
ANT	1+2																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																			
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.00</td><td>56.02</td><td>68.20</td><td>-12.18</td><td>40.54</td><td>34.70</td><td>12.41</td><td>31.63</td><td>0.00</td><td>100 120 PEAK</td></tr><tr><td>2 5650.40</td><td>52.36</td><td>68.50</td><td>-16.14</td><td>36.86</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100 120 PEAK</td></tr><tr><td>3 5702.80</td><td>54.19</td><td>106.09</td><td>-51.90</td><td>38.56</td><td>34.81</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100 120 PEAK</td></tr><tr><td>4 5720.00</td><td>51.99</td><td>110.90</td><td>-58.91</td><td>36.32</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100 120 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5622.00	56.02	68.20	-12.18	40.54	34.70	12.41	31.63	0.00	100 120 PEAK	2 5650.40	52.36	68.50	-16.14	36.86	34.70	12.44	31.64	0.00	100 120 PEAK	3 5702.80	54.19	106.09	-51.90	38.56	34.81	12.49	31.67	0.00	100 120 PEAK	4 5720.00	51.99	110.90	-58.91	36.32	34.84	12.51	31.68	0.00	100 120 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>109.35</td><td>-----</td><td>-----</td><td>93.65</td><td>34.87</td><td>12.52</td><td>31.69</td><td>0.00</td><td>100 120 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.35	-----	-----	93.65	34.87	12.52	31.69	0.00	100 120 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5622.00	56.02	68.20	-12.18	40.54	34.70	12.41	31.63	0.00	100 120 PEAK																																																																																																																
2 5650.40	52.36	68.50	-16.14	36.86	34.70	12.44	31.64	0.00	100 120 PEAK																																																																																																																
3 5702.80	54.19	106.09	-51.90	38.56	34.81	12.49	31.67	0.00	100 120 PEAK																																																																																																																
4 5720.00	51.99	110.90	-58.91	36.32	34.84	12.51	31.68	0.00	100 120 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5745.00	109.35	-----	-----	93.65	34.87	12.52	31.69	0.00	100 120 PEAK																																																																																																																
Avg	Blank																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.60</td><td>-----</td><td>-----</td><td>85.89</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>100 120 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.60	-----	-----	85.89	34.88	12.53	31.70	0.00	100 120 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5745.00	101.60	-----	-----	85.89	34.88	12.53	31.70	0.00	100 120 AVERAGE																																																																																																																






Mode	66																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.40</td><td>55.59</td><td>68.20</td><td>-12.61</td><td>40.10</td><td>34.70</td><td>12.42</td><td>31.63</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.13</td><td>68.20</td><td>-16.07</td><td>36.63</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>54.93</td><td>107.09</td><td>-52.16</td><td>39.29</td><td>34.81</td><td>12.50</td><td>31.67</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.07</td><td>110.90</td><td>-58.83</td><td>36.40</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.40	55.59	68.20	-12.61	40.10	34.70	12.42	31.63	0.00	369	360	PEAK	2	5650.00	52.13	68.20	-16.07	36.63	34.70	12.44	31.64	0.00	369	360	PEAK	3	5706.40	54.93	107.09	-52.16	39.29	34.81	12.50	31.67	0.00	369	360	PEAK	4	5720.00	52.07	110.90	-58.83	36.40	34.84	12.51	31.68	0.00	369	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.57</td><td>-----</td><td>-----</td><td>87.86</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.57	-----	-----	87.86	34.88	12.53	31.70	0.00	369	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5630.40	55.59	68.20	-12.61	40.10	34.70	12.42	31.63	0.00	369	360	PEAK																																																																																																																														
2	5650.00	52.13	68.20	-16.07	36.63	34.70	12.44	31.64	0.00	369	360	PEAK																																																																																																																														
3	5706.40	54.93	107.09	-52.16	39.29	34.81	12.50	31.67	0.00	369	360	PEAK																																																																																																																														
4	5720.00	52.07	110.90	-58.83	36.40	34.84	12.51	31.68	0.00	369	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.57	-----	-----	87.86	34.88	12.53	31.70	0.00	369	360	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.23</td><td>-----</td><td>-----</td><td>78.52</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>369</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.23	-----	-----	78.52	34.88	12.53	31.70	0.00	369	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	94.23	-----	-----	78.52	34.88	12.53	31.70	0.00	369	360	AVERAGE																																																																																																																														






		67																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.60</td><td>54.65</td><td>68.20</td><td>-13.55</td><td>39.16</td><td>34.70</td><td>12.42</td><td>31.63</td><td>0.00</td><td>100</td><td>72</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.00</td><td>68.50</td><td>-14.50</td><td>38.50</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>100</td><td>72</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>53.42</td><td>105.86</td><td>-52.44</td><td>37.80</td><td>34.80</td><td>12.49</td><td>31.67</td><td>0.00</td><td>100</td><td>72</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.03</td><td>110.90</td><td>-58.87</td><td>36.36</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>100</td><td>72</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.60	54.65	68.20	-13.55	39.16	34.70	12.42	31.63	0.00	100	72	PEAK	2	5650.40	54.00	68.50	-14.50	38.50	34.70	12.44	31.64	0.00	100	72	PEAK	3	5702.00	53.42	105.86	-52.44	37.80	34.80	12.49	31.67	0.00	100	72	PEAK	4	5720.00	52.03	110.90	-58.87	36.36	34.84	12.51	31.68	0.00	100	72	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.04</td><td>-----</td><td>-----</td><td>94.33</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>100</td><td>72</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.04	-----	-----	94.33	34.88	12.53	31.70	0.00	100	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5627.60	54.65	68.20	-13.55	39.16	34.70	12.42	31.63	0.00	100	72	PEAK																																																																																																																														
2	5650.40	54.00	68.50	-14.50	38.50	34.70	12.44	31.64	0.00	100	72	PEAK																																																																																																																														
3	5702.00	53.42	105.86	-52.44	37.80	34.80	12.49	31.67	0.00	100	72	PEAK																																																																																																																														
4	5720.00	52.03	110.90	-58.87	36.36	34.84	12.51	31.68	0.00	100	72	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.04	-----	-----	94.33	34.88	12.53	31.70	0.00	100	72	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.92</td><td>-----</td><td>-----</td><td>88.19</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>100</td><td>72</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.92	-----	-----	88.19	34.89	12.54	31.70	0.00	100	72	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.92	-----	-----	88.19	34.89	12.54	31.70	0.00	100	72	AVERAGE																																																																																																																														





Mode	67																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.20</td><td>54.11</td><td>68.20</td><td>-14.09</td><td>38.61</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.67</td><td>68.50</td><td>-14.83</td><td>38.17</td><td>34.70</td><td>12.44</td><td>31.64</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>53.43</td><td>105.97</td><td>-52.54</td><td>37.81</td><td>34.00</td><td>12.49</td><td>31.67</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.17</td><td>111.81</td><td>-58.64</td><td>37.50</td><td>34.84</td><td>12.51</td><td>31.68</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.20	54.11	68.20	-14.09	38.61	34.70	12.43	31.63	0.00	369	360	PEAK	2	5650.40	53.67	68.50	-14.83	38.17	34.70	12.44	31.64	0.00	369	360	PEAK	3	5702.40	53.43	105.97	-52.54	37.81	34.00	12.49	31.67	0.00	369	360	PEAK	4	5720.40	53.17	111.81	-58.64	37.50	34.84	12.51	31.68	0.00	369	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.64</td><td>-----</td><td>-----</td><td>88.93</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>369</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.64	-----	-----	88.93	34.88	12.53	31.70	0.00	369	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5635.20	54.11	68.20	-14.09	38.61	34.70	12.43	31.63	0.00	369	360	PEAK																																																																																																																															
2	5650.40	53.67	68.50	-14.83	38.17	34.70	12.44	31.64	0.00	369	360	PEAK																																																																																																																															
3	5702.40	53.43	105.97	-52.54	37.81	34.00	12.49	31.67	0.00	369	360	PEAK																																																																																																																															
4	5720.40	53.17	111.81	-58.64	37.50	34.84	12.51	31.68	0.00	369	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	104.64	-----	-----	88.93	34.88	12.53	31.70	0.00	369	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.18</td><td>-----</td><td>-----</td><td>81.45</td><td>34.89</td><td>12.54</td><td>31.70</td><td>0.00</td><td>369</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.18	-----	-----	81.45	34.89	12.54	31.70	0.00	369	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.18	-----	-----	81.45	34.89	12.54	31.70	0.00	369	360	AVERAGE																																																																																																																															






Mode	68																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>51.66</td><td>111.36</td><td>-59.70</td><td>35.76</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>110</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>53.93</td><td>105.58</td><td>-51.65</td><td>38.01</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>110</td><td>282</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.65</td><td>68.64</td><td>-14.99</td><td>37.56</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>110</td><td>282</td><td>PEAK</td></tr><tr><td>4</td><td>5982.40</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>38.91</td><td>35.39</td><td>12.86</td><td>31.81</td><td>0.00</td><td>110</td><td>282</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.00	51.66	111.36	-59.70	35.76	35.00	12.67	31.77	0.00	110	282	PEAK	2	5874.00	53.93	105.58	-51.65	38.01	35.00	12.70	31.78	0.00	110	282	PEAK	3	5924.40	53.65	68.64	-14.99	37.56	35.10	12.78	31.79	0.00	110	282	PEAK	4	5982.40	55.35	68.20	-12.85	38.91	35.39	12.86	31.81	0.00	110	282	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.67</td><td>-----</td><td>-----</td><td>88.79</td><td>35.00</td><td>12.64</td><td>31.76</td><td>0.00</td><td>110</td><td>282</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	104.67	-----	-----	88.79	35.00	12.64	31.76	0.00	110	282	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5854.00	51.66	111.36	-59.70	35.76	35.00	12.67	31.77	0.00	110	282	PEAK																																																																																																																																
2	5874.00	53.93	105.58	-51.65	38.01	35.00	12.70	31.78	0.00	110	282	PEAK																																																																																																																																
3	5924.40	53.65	68.64	-14.99	37.56	35.10	12.78	31.79	0.00	110	282	PEAK																																																																																																																																
4	5982.40	55.35	68.20	-12.85	38.91	35.39	12.86	31.81	0.00	110	282	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	104.67	-----	-----	88.79	35.00	12.64	31.76	0.00	110	282	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.93</td><td>-----</td><td>-----</td><td>78.05</td><td>35.00</td><td>12.64</td><td>31.76</td><td>0.00</td><td>110</td><td>282</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	93.93	-----	-----	78.05	35.00	12.64	31.76	0.00	110	282	AVERAGE																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	93.93	-----	-----	78.05	35.00	12.64	31.76	0.00	110	282	AVERAGE																																																																																																																																





Mode	68																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.77</td><td>111.36</td><td>-59.59</td><td>35.87</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>373</td><td>0 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>53.40</td><td>105.47</td><td>-52.07</td><td>37.48</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>373</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.38</td><td>68.35</td><td>-15.97</td><td>36.29</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>373</td><td>0 PEAK</td></tr><tr><td>4</td><td>5946.40</td><td>55.40</td><td>68.20</td><td>-12.80</td><td>39.20</td><td>35.19</td><td>12.81</td><td>31.80</td><td>0.00</td><td>373</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	51.77	111.36	-59.59	35.87	35.00	12.67	31.77	0.00	373	0 PEAK	2	5874.40	53.40	105.47	-52.07	37.48	35.00	12.70	31.78	0.00	373	0 PEAK	3	5924.00	52.38	68.35	-15.97	36.29	35.10	12.78	31.79	0.00	373	0 PEAK	4	5946.40	55.40	68.20	-12.80	39.20	35.19	12.81	31.80	0.00	373	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	51.77	111.36	-59.59	35.87	35.00	12.67	31.77	0.00	373	0 PEAK																																																																																	
2	5874.40	53.40	105.47	-52.07	37.48	35.00	12.70	31.78	0.00	373	0 PEAK																																																																																	
3	5924.00	52.38	68.35	-15.97	36.29	35.10	12.78	31.79	0.00	373	0 PEAK																																																																																	
4	5946.40	55.40	68.20	-12.80	39.20	35.19	12.81	31.80	0.00	373	0 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>92.46</td><td>-----</td><td>-----</td><td>76.58</td><td>35.00</td><td>12.64</td><td>31.76</td><td>0.00</td><td>373</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	92.46	-----	-----	76.58	35.00	12.64	31.76	0.00	373	0 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	92.46	-----	-----	76.58	35.00	12.64	31.76	0.00	373	0 AVERAGE																																																																																	






Mode	69																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>52.10</td><td>112.27</td><td>-60.17</td><td>36.20</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>54.44</td><td>105.80</td><td>-51.36</td><td>38.52</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.69</td><td>68.35</td><td>-16.66</td><td>35.60</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>4</td><td>5996.80</td><td>55.82</td><td>68.20</td><td>-12.38</td><td>39.27</td><td>35.48</td><td>12.89</td><td>31.82</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	52.10	112.27	-60.17	36.20	35.00	12.67	31.77	0.00	100	237	PEAK	2	5873.20	54.44	105.80	-51.36	38.52	35.00	12.70	31.78	0.00	100	237	PEAK	3	5924.80	51.69	68.35	-16.66	35.60	35.10	12.78	31.79	0.00	100	237	PEAK	4	5996.80	55.82	68.20	-12.38	39.27	35.48	12.89	31.82	0.00	100	237	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.64</td><td>-----</td><td>-----</td><td>89.75</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.64	-----	-----	89.75	35.00	12.64	31.75	0.00	100	237	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.40	52.10	112.27	-60.17	36.20	35.00	12.67	31.77	0.00	100	237	PEAK																																																																																																																															
2	5873.20	54.44	105.80	-51.36	38.52	35.00	12.70	31.78	0.00	100	237	PEAK																																																																																																																															
3	5924.80	51.69	68.35	-16.66	35.60	35.10	12.78	31.79	0.00	100	237	PEAK																																																																																																																															
4	5996.80	55.82	68.20	-12.38	39.27	35.48	12.89	31.82	0.00	100	237	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	105.64	-----	-----	89.75	35.00	12.64	31.75	0.00	100	237	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.39</td><td>-----</td><td>-----</td><td>83.50</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.39	-----	-----	83.50	35.00	12.64	31.75	0.00	100	237	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	99.39	-----	-----	83.50	35.00	12.64	31.75	0.00	100	237	AVERAGE																																																																																																																															






Mode	69																																																																																
	Band Edge																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																
ANT	1+2																																																																																
Pol.	Vertical																																																																																
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>51.55</td><td>111.36</td><td>-59.81</td><td>35.65</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>375</td><td>0 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.27</td><td>105.36</td><td>-51.09</td><td>38.35</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>375</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.57</td><td>68.64</td><td>-16.07</td><td>36.48</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>375</td><td>0 PEAK</td></tr><tr><td>4</td><td>5982.00</td><td>55.09</td><td>68.20</td><td>-13.11</td><td>38.64</td><td>35.40</td><td>12.86</td><td>31.81</td><td>0.00</td><td>375</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	51.55	111.36	-59.81	35.65	35.00	12.67	31.77	0.00	375	0 PEAK	2	5874.00	54.27	105.36	-51.09	38.35	35.00	12.70	31.78	0.00	375	0 PEAK	3	5924.40	52.57	68.64	-16.07	36.48	35.10	12.78	31.79	0.00	375	0 PEAK	4	5982.00	55.09	68.20	-13.11	38.64	35.40	12.86	31.81	0.00	375	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5854.00	51.55	111.36	-59.81	35.65	35.00	12.67	31.77	0.00	375	0 PEAK																																																																						
2	5874.00	54.27	105.36	-51.09	38.35	35.00	12.70	31.78	0.00	375	0 PEAK																																																																						
3	5924.40	52.57	68.64	-16.07	36.48	35.10	12.78	31.79	0.00	375	0 PEAK																																																																						
4	5982.00	55.09	68.20	-13.11	38.64	35.40	12.86	31.81	0.00	375	0 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.98</td><td>-----</td><td>-----</td><td>79.09</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>375</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	94.98	-----	-----	79.09	35.00	12.64	31.75	0.00	375	0 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5825.00	94.98	-----	-----	79.09	35.00	12.64	31.75	0.00	375	0 AVERAGE																																																																						







Mode	70																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>53.43</td><td>112.27</td><td>-58.84</td><td>37.53</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>101</td><td>122</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>53.66</td><td>105.36</td><td>-51.70</td><td>37.74</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>101</td><td>122</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.27</td><td>68.64</td><td>-16.37</td><td>36.18</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>101</td><td>122</td><td>PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>39.27</td><td>35.12</td><td>12.79</td><td>31.80</td><td>0.00</td><td>101</td><td>122</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	53.43	112.27	-58.84	37.53	35.00	12.67	31.77	0.00	101	122	PEAK	2	5874.80	53.66	105.36	-51.70	37.74	35.00	12.70	31.78	0.00	101	122	PEAK	3	5924.40	52.27	68.64	-16.37	36.18	35.10	12.78	31.79	0.00	101	122	PEAK	4	5931.20	55.38	68.20	-12.82	39.27	35.12	12.79	31.80	0.00	101	122	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.44</td><td>-----</td><td>-----</td><td>95.55</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>101</td><td>122</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.44	-----	-----	95.55	35.00	12.64	31.75	0.00	101	122	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.40	53.43	112.27	-58.84	37.53	35.00	12.67	31.77	0.00	101	122	PEAK																																																																																																																													
2	5874.80	53.66	105.36	-51.70	37.74	35.00	12.70	31.78	0.00	101	122	PEAK																																																																																																																													
3	5924.40	52.27	68.64	-16.37	36.18	35.10	12.78	31.79	0.00	101	122	PEAK																																																																																																																													
4	5931.20	55.38	68.20	-12.82	39.27	35.12	12.79	31.80	0.00	101	122	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	111.44	-----	-----	95.55	35.00	12.64	31.75	0.00	101	122	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.27</td><td>-----</td><td>-----</td><td>86.38</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>101</td><td>122</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.27	-----	-----	86.38	35.00	12.64	31.75	0.00	101	122	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	102.27	-----	-----	86.38	35.00	12.64	31.75	0.00	101	122	AVERAGE																																																																																																																													




Mode	70																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																								
ANT	1+2																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																			
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.89</td><td>111.36</td><td>-56.47</td><td>38.99</td><td>35.00</td><td>12.67</td><td>31.77</td><td>0.00</td><td>373 360 PEAK</td></tr><tr><td>2 5874.00</td><td>54.45</td><td>105.36</td><td>-50.91</td><td>38.53</td><td>35.00</td><td>12.70</td><td>31.78</td><td>0.00</td><td>373 360 PEAK</td></tr><tr><td>3 5924.40</td><td>53.73</td><td>68.64</td><td>-14.91</td><td>37.64</td><td>35.10</td><td>12.78</td><td>31.79</td><td>0.00</td><td>373 360 PEAK</td></tr><tr><td>4 5952.00</td><td>55.34</td><td>68.20</td><td>-12.86</td><td>39.11</td><td>35.21</td><td>12.82</td><td>31.80</td><td>0.00</td><td>373 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	54.89	111.36	-56.47	38.99	35.00	12.67	31.77	0.00	373 360 PEAK	2 5874.00	54.45	105.36	-50.91	38.53	35.00	12.70	31.78	0.00	373 360 PEAK	3 5924.40	53.73	68.64	-14.91	37.64	35.10	12.78	31.79	0.00	373 360 PEAK	4 5952.00	55.34	68.20	-12.86	39.11	35.21	12.82	31.80	0.00	373 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.82</td><td>-----</td><td>-----</td><td>87.93</td><td>35.00</td><td>12.64</td><td>31.75</td><td>0.00</td><td>373 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.82	-----	-----	87.93	35.00	12.64	31.75	0.00	373 360 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5854.00	54.89	111.36	-56.47	38.99	35.00	12.67	31.77	0.00	373 360 PEAK																																																																																																																
2 5874.00	54.45	105.36	-50.91	38.53	35.00	12.70	31.78	0.00	373 360 PEAK																																																																																																																
3 5924.40	53.73	68.64	-14.91	37.64	35.10	12.78	31.79	0.00	373 360 PEAK																																																																																																																
4 5952.00	55.34	68.20	-12.86	39.11	35.21	12.82	31.80	0.00	373 360 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	103.82	-----	-----	87.93	35.00	12.64	31.75	0.00	373 360 PEAK																																																																																																																
Avg	Blank																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.27</td><td>-----</td><td>-----</td><td>80.39</td><td>35.00</td><td>12.63</td><td>31.75</td><td>0.00</td><td>373 360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.27	-----	-----	80.39	35.00	12.63	31.75	0.00	373 360 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	96.27	-----	-----	80.39	35.00	12.63	31.75	0.00	373 360 AVERAGE																																																																																																																







Mode	71																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.65</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>38.86</td><td>34.75</td><td>12.20</td><td>31.62</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5466.89</td><td>54.52</td><td>68.20</td><td>-13.68</td><td>39.13</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.65	54.19	74.00	-19.81	38.86	34.75	12.20	31.62	0.00	100	123	PEAK	2	5466.89	54.52	68.20	-13.68	39.13	34.77	12.24	31.62	0.00	100	123	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.83</td><td>-----</td><td>-----</td><td>87.33</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.83	-----	-----	87.33	34.70	12.43	31.63	0.00	100	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5424.65	54.19	74.00	-19.81	38.86	34.75	12.20	31.62	0.00	100	123	PEAK																																																																																																					
2	5466.89	54.52	68.20	-13.68	39.13	34.77	12.24	31.62	0.00	100	123	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	102.83	-----	-----	87.33	34.70	12.43	31.63	0.00	100	123	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.97</td><td>44.08</td><td>54.00</td><td>-9.92</td><td>28.68</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.97	44.08	54.00	-9.92	28.68	34.79	12.23	31.62	0.00	100	123	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.79</td><td>-----</td><td>-----</td><td>79.29</td><td>34.70</td><td>12.43</td><td>31.63</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.79	-----	-----	79.29	34.70	12.43	31.63	0.00	100	123	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.97	44.08	54.00	-9.92	28.68	34.79	12.23	31.62	0.00	100	123	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	94.79	-----	-----	79.29	34.70	12.43	31.63	0.00	100	123	AVERAGE																																																																																																					




Mode	71																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.16</td><td>55.18</td><td>68.20</td><td>-13.02</td><td>39.47</td><td>34.88</td><td>12.53</td><td>31.70</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.16	55.18	68.20	-13.02	39.47	34.88	12.53	31.70	0.00	100	123	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5740.16	55.18	68.20	-13.02	39.47	34.88	12.53	31.70	0.00	100	123	PEAK																																											





Mode	71																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.61</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>39.07</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>398</td><td>166</td><td>PEAK</td></tr><tr><td>2</td><td>5461.29</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>37.88</td><td>34.78</td><td>12.24</td><td>31.62</td><td>0.00</td><td>398</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	54.46	74.00	-19.54	39.07	34.78	12.23	31.62	0.00	398	166	PEAK	2	5461.29	53.28	68.20	-14.92	37.88	34.78	12.24	31.62	0.00	398	166	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.18</td><td>-----</td><td>-----</td><td>82.73</td><td>34.70</td><td>12.38</td><td>31.63</td><td>0.00</td><td>398</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.18	-----	-----	82.73	34.70	12.38	31.63	0.00	398	166	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.61	54.46	74.00	-19.54	39.07	34.78	12.23	31.62	0.00	398	166	PEAK																																																																																																					
2	5461.29	53.28	68.20	-14.92	37.88	34.78	12.24	31.62	0.00	398	166	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	98.18	-----	-----	82.73	34.70	12.38	31.63	0.00	398	166	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.53</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>28.42</td><td>34.00</td><td>12.22</td><td>31.62</td><td>0.00</td><td>398</td><td>166</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.53	43.82	54.00	-10.18	28.42	34.00	12.22	31.62	0.00	398	166	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>88.82</td><td>-----</td><td>-----</td><td>73.38</td><td>34.70</td><td>12.37</td><td>31.63</td><td>0.00</td><td>398</td><td>166</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	88.82	-----	-----	73.38	34.70	12.37	31.63	0.00	398	166	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5447.53	43.82	54.00	-10.18	28.42	34.00	12.22	31.62	0.00	398	166	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	88.82	-----	-----	73.38	34.70	12.37	31.63	0.00	398	166	AVERAGE																																																																																																					



Mode	71																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.56</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>38.84</td><td>34.87</td><td>12.52</td><td>31.69</td><td>0.00</td><td>398</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.56	54.54	68.20	-13.66	38.84	34.87	12.52	31.69	0.00	398	166	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.56	54.54	68.20	-13.66	38.84	34.87	12.52	31.69	0.00	398	166	PEAK																																												





Mode	71																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>50.20</td><td>38.00</td><td>17.60</td><td>60.80</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	45.00	74.00	-29.00	50.20	38.00	17.60	60.80	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8976.00</td><td>47.12</td><td>68.20</td><td>-21.00</td><td>57.38</td><td>36.30</td><td>15.80</td><td>62.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>50.70</td><td>38.00</td><td>17.60</td><td>60.80</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8976.00	47.12	68.20	-21.00	57.38	36.30	15.80	62.36	0.00	--	PEAK	2	11220.00	45.50	74.00	-28.50	50.70	38.00	17.60	60.80	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11220.00	45.00	74.00	-29.00	50.20	38.00	17.60	60.80	0.00	--	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	8976.00	47.12	68.20	-21.00	57.38	36.30	15.80	62.36	0.00	--	PEAK																																																																																																			
2	11220.00	45.50	74.00	-28.50	50.70	38.00	17.60	60.80	0.00	--	PEAK																																																																																																			





Mode	72																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>55.79</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>54.74</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>39.31</td><td>54.00</td><td>-14.69</td><td>44.47</td><td>38.14</td><td>17.79</td><td>61.09</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9152.00	46.18	74.00	-27.82	55.79	36.50	15.90	62.01	0.00	--	PEAK	2	11440.00	49.59	74.00	-24.41	54.74	38.14	17.79	61.08	0.00	100	0 PEAK	3	11440.00	39.31	54.00	-14.69	44.47	38.14	17.79	61.09	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>58.42</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>51.32</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9152.00	48.81	74.00	-25.19	58.42	36.50	15.90	62.01	0.00	--	PEAK	2	11440.00	46.17	74.00	-27.83	51.32	38.14	17.79	61.08	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	9152.00	46.18	74.00	-27.82	55.79	36.50	15.90	62.01	0.00	--	PEAK																																																																																																																										
2	11440.00	49.59	74.00	-24.41	54.74	38.14	17.79	61.08	0.00	100	0 PEAK																																																																																																																										
3	11440.00	39.31	54.00	-14.69	44.47	38.14	17.79	61.09	0.00	100	0 AVERAGE																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	9152.00	48.81	74.00	-25.19	58.42	36.50	15.90	62.01	0.00	--	PEAK																																																																																																																										
2	11440.00	46.17	74.00	-27.83	51.32	38.14	17.79	61.08	0.00	--	PEAK																																																																																																																										





		73																																																																																								
Mode		Harmonic																																																																																								
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																								
ANT		2																																																																																								
Pol.		Horizontal						Vertical																																																																																		
Peak Avg																																																																																										
																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9152.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>56.12</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>60.70</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>136</td><td>146</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>50.25</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>136</td><td>146</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9152.00	46.51	74.00	-27.49	56.12	36.50	15.90	62.01	0.00	--	--	PEAK	2	11440.00	55.55	74.00	-18.45	60.70	38.14	17.79	61.08	0.00	136	146	PEAK	3	11440.00	45.10	54.00	-8.90	50.25	38.14	17.79	61.08	0.00	136	146	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	9152.00	46.51	74.00	-27.49	56.12	36.50	15.90	62.01	0.00	--	--	PEAK																																																																														
2	11440.00	55.55	74.00	-18.45	60.70	38.14	17.79	61.08	0.00	136	146	PEAK																																																																														
3	11440.00	45.10	54.00	-8.90	50.25	38.14	17.79	61.08	0.00	136	146	AVERAGE																																																																														
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9152.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>59.01</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>9152.00</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>54.11</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>51.40</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9152.00	49.40	74.00	-24.60	59.01	36.50	15.90	62.01	0.00	300	0	PEAK	2	9152.00	44.50	54.00	-9.50	54.11	36.50	15.90	62.01	0.00	300	0	AVERAGE	3	11440.00	46.25	74.00	-27.75	51.40	38.14	17.79	61.08	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	9152.00	49.40	74.00	-24.60	59.01	36.50	15.90	62.01	0.00	300	0	PEAK																																																																														
2	9152.00	44.50	54.00	-9.50	54.11	36.50	15.90	62.01	0.00	300	0	AVERAGE																																																																														
3	11440.00	46.25	74.00	-27.75	51.40	38.14	17.79	61.08	0.00	--	--	PEAK																																																																														





		74																																																																																		
Mode		Harmonic																																																																																		
		U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																		
ANT		1+2																																																																																		
Pol.		Horizontal						Vertical																																																																												
Peak Avg																																																																																				
																																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>55.01</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>60.15</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>122</td><td>144</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>50.82</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>122</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9152.00	45.40	74.00	-28.60	55.01	36.50	15.90	62.01	0.00	--	--	PEAK	2	11440.00	55.00	74.00	-19.00	60.15	38.14	17.79	61.08	0.00	122	144	PEAK	3	11440.00	45.67	54.00	-8.33	50.82	38.14	17.79	61.08	0.00	122	144	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	9152.00	45.40	74.00	-28.60	55.01	36.50	15.90	62.01	0.00	--	--	PEAK																																																																								
2	11440.00	55.00	74.00	-19.00	60.15	38.14	17.79	61.08	0.00	122	144	PEAK																																																																								
3	11440.00	45.67	54.00	-8.33	50.82	38.14	17.79	61.08	0.00	122	144	AVERAGE																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>58.70</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>9152.00</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>54.20</td><td>36.50</td><td>15.90</td><td>62.01</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>51.50</td><td>38.14</td><td>17.79</td><td>61.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9152.00	49.09	74.00	-24.91	58.70	36.50	15.90	62.01	0.00	300	0	PEAK	2	9152.00	44.59	54.00	-9.41	54.20	36.50	15.90	62.01	0.00	300	0	AVERAGE	3	11440.00	46.35	74.00	-27.65	51.50	38.14	17.79	61.08	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	9152.00	49.09	74.00	-24.91	58.70	36.50	15.90	62.01	0.00	300	0	PEAK																																																																								
2	9152.00	44.59	54.00	-9.41	54.20	36.50	15.90	62.01	0.00	300	0	AVERAGE																																																																								
3	11440.00	46.35	74.00	-27.65	51.50	38.14	17.79	61.08	0.00	--	--	PEAK																																																																								






Mode	75																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																																																													
ANT	1+2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9136.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>55.12</td><td>36.47</td><td>15.89</td><td>62.04</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>53.39</td><td>38.12</td><td>17.78</td><td>61.06</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9136.00	45.44	74.00	-28.56	55.12	36.47	15.89	62.04	0.00	--	-- PEAK	2	11420.00	48.23	74.00	-25.77	53.39	38.12	17.78	61.06	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9136.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>58.43</td><td>36.47</td><td>15.89</td><td>62.04</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>51.38</td><td>38.12</td><td>17.78</td><td>61.06</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9136.00	48.75	74.00	-25.25	58.43	36.47	15.89	62.04	0.00	--	-- PEAK	2	11420.00	46.22	74.00	-27.78	51.38	38.12	17.78	61.06	0.00	--	-- PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	9136.00	45.44	74.00	-28.56	55.12	36.47	15.89	62.04	0.00	--	-- PEAK																																																																																																																			
2	11420.00	48.23	74.00	-25.77	53.39	38.12	17.78	61.06	0.00	--	-- PEAK																																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	9136.00	48.75	74.00	-25.25	58.43	36.47	15.89	62.04	0.00	--	-- PEAK																																																																																																																			
2	11420.00	46.22	74.00	-27.78	51.38	38.12	17.78	61.06	0.00	--	-- PEAK																																																																																																																			





Mode	76																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz																																																																																																																																											
ANT	1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9104.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>54.56</td><td>36.41</td><td>15.87</td><td>62.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>51.49</td><td>38.08</td><td>17.74</td><td>61.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9104.00	44.73	74.00	-29.27	54.56	36.41	15.87	62.11	0.00	--	--	PEAK	2	11380.00	46.31	74.00	-27.69	51.49	38.08	17.74	61.00	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9104.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>57.60</td><td>36.41</td><td>15.87</td><td>62.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>50.59</td><td>38.08</td><td>17.74</td><td>61.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9104.00	47.77	74.00	-26.23	57.60	36.41	15.87	62.11	0.00	--	--	PEAK	2	11380.00	45.41	74.00	-28.59	50.59	38.08	17.74	61.00	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	9104.00	44.73	74.00	-29.27	54.56	36.41	15.87	62.11	0.00	--	--	PEAK																																																																																																																																
2	11380.00	46.31	74.00	-27.69	51.49	38.08	17.74	61.00	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	9104.00	47.77	74.00	-26.23	57.60	36.41	15.87	62.11	0.00	--	--	PEAK																																																																																																																																
2	11380.00	45.41	74.00	-28.59	50.59	38.08	17.74	61.00	0.00	--	--	PEAK																																																																																																																																





Mode	9																																																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																																																																																																																																							
Peak																																																																																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.73</td><td>21.24</td><td>40.00</td><td>-18.76</td><td>28.70</td><td>24.98</td><td>0.36</td><td>32.80</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>122.39</td><td>15.72</td><td>43.50</td><td>-27.78</td><td>29.83</td><td>17.48</td><td>1.08</td><td>32.67</td><td>0.00</td><td>-- Peak</td></tr><tr><td>3</td><td>249.95</td><td>18.27</td><td>46.00</td><td>-27.73</td><td>30.81</td><td>18.70</td><td>1.65</td><td>32.89</td><td>0.00</td><td>-- Peak</td></tr><tr><td>4</td><td>434.01</td><td>22.12</td><td>46.00</td><td>-23.88</td><td>30.30</td><td>22.64</td><td>2.23</td><td>33.05</td><td>0.00</td><td>-- Peak</td></tr><tr><td>5</td><td>739.07</td><td>37.96</td><td>46.00</td><td>-8.04</td><td>40.42</td><td>27.90</td><td>2.86</td><td>33.22</td><td>0.00</td><td>-- Peak</td></tr><tr><td>6</td><td>817.40</td><td>28.89</td><td>46.00</td><td>-17.11</td><td>30.70</td><td>28.07</td><td>2.98</td><td>32.86</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7</td><td>953.20</td><td>30.85</td><td>46.00</td><td>-15.15</td><td>28.20</td><td>31.05</td><td>3.23</td><td>31.63</td><td>0.00</td><td>-- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.73	21.24	40.00	-18.76	28.70	24.98	0.36	32.80	0.00	-- Peak	2	122.39	15.72	43.50	-27.78	29.83	17.48	1.08	32.67	0.00	-- Peak	3	249.95	18.27	46.00	-27.73	30.81	18.70	1.65	32.89	0.00	-- Peak	4	434.01	22.12	46.00	-23.88	30.30	22.64	2.23	33.05	0.00	-- Peak	5	739.07	37.96	46.00	-8.04	40.42	27.90	2.86	33.22	0.00	-- Peak	6	817.40	28.89	46.00	-17.11	30.70	28.07	2.98	32.86	0.00	-- Peak	7	953.20	30.85	46.00	-15.15	28.20	31.05	3.23	31.63	0.00	-- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.46</td><td>22.37</td><td>40.00</td><td>-17.63</td><td>30.25</td><td>24.56</td><td>0.36</td><td>32.80</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>106.15</td><td>14.72</td><td>43.50</td><td>-28.78</td><td>29.70</td><td>16.63</td><td>1.05</td><td>32.66</td><td>0.00</td><td>-- Peak</td></tr><tr><td>3</td><td>261.35</td><td>19.72</td><td>46.00</td><td>-26.28</td><td>30.66</td><td>20.23</td><td>1.71</td><td>32.88</td><td>0.00</td><td>-- Peak</td></tr><tr><td>4</td><td>557.44</td><td>25.77</td><td>46.00</td><td>-20.23</td><td>30.12</td><td>26.43</td><td>2.45</td><td>33.23</td><td>0.00</td><td>-- Peak</td></tr><tr><td>5</td><td>739.07</td><td>36.78</td><td>46.00</td><td>-9.22</td><td>39.24</td><td>27.90</td><td>2.86</td><td>33.22</td><td>0.00</td><td>-- Peak</td></tr><tr><td>6</td><td>853.05</td><td>28.67</td><td>46.00</td><td>-17.33</td><td>29.49</td><td>28.70</td><td>3.04</td><td>32.56</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7</td><td>963.14</td><td>30.91</td><td>54.00</td><td>-23.09</td><td>27.90</td><td>31.28</td><td>3.26</td><td>31.53</td><td>0.00</td><td>-- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	31.46	22.37	40.00	-17.63	30.25	24.56	0.36	32.80	0.00	-- Peak	2	106.15	14.72	43.50	-28.78	29.70	16.63	1.05	32.66	0.00	-- Peak	3	261.35	19.72	46.00	-26.28	30.66	20.23	1.71	32.88	0.00	-- Peak	4	557.44	25.77	46.00	-20.23	30.12	26.43	2.45	33.23	0.00	-- Peak	5	739.07	36.78	46.00	-9.22	39.24	27.90	2.86	33.22	0.00	-- Peak	6	853.05	28.67	46.00	-17.33	29.49	28.70	3.04	32.56	0.00	-- Peak	7	963.14	30.91	54.00	-23.09	27.90	31.28	3.26	31.53	0.00	-- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																								
1	30.73	21.24	40.00	-18.76	28.70	24.98	0.36	32.80	0.00	-- Peak																																																																																																																																																																																																																																								
2	122.39	15.72	43.50	-27.78	29.83	17.48	1.08	32.67	0.00	-- Peak																																																																																																																																																																																																																																								
3	249.95	18.27	46.00	-27.73	30.81	18.70	1.65	32.89	0.00	-- Peak																																																																																																																																																																																																																																								
4	434.01	22.12	46.00	-23.88	30.30	22.64	2.23	33.05	0.00	-- Peak																																																																																																																																																																																																																																								
5	739.07	37.96	46.00	-8.04	40.42	27.90	2.86	33.22	0.00	-- Peak																																																																																																																																																																																																																																								
6	817.40	28.89	46.00	-17.11	30.70	28.07	2.98	32.86	0.00	-- Peak																																																																																																																																																																																																																																								
7	953.20	30.85	46.00	-15.15	28.20	31.05	3.23	31.63	0.00	-- Peak																																																																																																																																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																								
1	31.46	22.37	40.00	-17.63	30.25	24.56	0.36	32.80	0.00	-- Peak																																																																																																																																																																																																																																								
2	106.15	14.72	43.50	-28.78	29.70	16.63	1.05	32.66	0.00	-- Peak																																																																																																																																																																																																																																								
3	261.35	19.72	46.00	-26.28	30.66	20.23	1.71	32.88	0.00	-- Peak																																																																																																																																																																																																																																								
4	557.44	25.77	46.00	-20.23	30.12	26.43	2.45	33.23	0.00	-- Peak																																																																																																																																																																																																																																								
5	739.07	36.78	46.00	-9.22	39.24	27.90	2.86	33.22	0.00	-- Peak																																																																																																																																																																																																																																								
6	853.05	28.67	46.00	-17.33	29.49	28.70	3.04	32.56	0.00	-- Peak																																																																																																																																																																																																																																								
7	963.14	30.91	54.00	-23.09	27.90	31.28	3.26	31.53	0.00	-- Peak																																																																																																																																																																																																																																								





Mode	36																																																																																																		
	Band Edge																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal																																																																																																		
Peak																																																																																																			
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>20.84</td><td>40.00</td><td>-19.16</td><td>27.54</td><td>24.67</td><td>0.84</td><td>32.21</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>67.35</td><td>18.76</td><td>40.00</td><td>-21.24</td><td>37.53</td><td>11.99</td><td>1.25</td><td>32.01</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>143.73</td><td>19.72</td><td>43.50</td><td>-23.78</td><td>32.63</td><td>17.32</td><td>1.83</td><td>32.06</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>259.41</td><td>23.21</td><td>46.00</td><td>-22.79</td><td>32.93</td><td>19.72</td><td>2.47</td><td>31.91</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>325.61</td><td>22.02</td><td>46.00</td><td>-23.98</td><td>31.87</td><td>19.53</td><td>2.76</td><td>32.14</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>709.00</td><td>25.65</td><td>46.00</td><td>-20.35</td><td>27.30</td><td>26.60</td><td>4.06</td><td>32.31</td><td>--</td><td>-- Peak</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.97	20.84	40.00	-19.16	27.54	24.67	0.84	32.21	--	-- Peak	2	67.35	18.76	40.00	-21.24	37.53	11.99	1.25	32.01	--	-- Peak	3	143.73	19.72	43.50	-23.78	32.63	17.32	1.83	32.06	--	-- Peak	4	259.41	23.21	46.00	-22.79	32.93	19.72	2.47	31.91	--	-- Peak	5	325.61	22.02	46.00	-23.98	31.87	19.53	2.76	32.14	--	-- Peak	6	709.00	25.65	46.00	-20.35	27.30	26.60	4.06	32.31	--	-- Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	30.97	20.84	40.00	-19.16	27.54	24.67	0.84	32.21	--	-- Peak																																																																																									
2	67.35	18.76	40.00	-21.24	37.53	11.99	1.25	32.01	--	-- Peak																																																																																									
3	143.73	19.72	43.50	-23.78	32.63	17.32	1.83	32.06	--	-- Peak																																																																																									
4	259.41	23.21	46.00	-22.79	32.93	19.72	2.47	31.91	--	-- Peak																																																																																									
5	325.61	22.02	46.00	-23.98	31.87	19.53	2.76	32.14	--	-- Peak																																																																																									
6	709.00	25.65	46.00	-20.35	27.30	26.60	4.06	32.31	--	-- Peak																																																																																									
Peak																																																																																																			
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.64</td><td>32.32</td><td>40.00</td><td>-7.68</td><td>40.60</td><td>23.84</td><td>0.88</td><td>32.20</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>43.10</td><td>28.02</td><td>40.00</td><td>-11.98</td><td>41.29</td><td>17.92</td><td>1.00</td><td>32.19</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>72.92</td><td>24.27</td><td>40.00</td><td>-15.73</td><td>42.35</td><td>12.60</td><td>1.30</td><td>31.98</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>106.87</td><td>22.30</td><td>43.50</td><td>-21.20</td><td>36.06</td><td>16.72</td><td>1.58</td><td>32.06</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>268.86</td><td>19.71</td><td>46.00</td><td>-26.29</td><td>29.45</td><td>19.72</td><td>2.47</td><td>31.93</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>420.91</td><td>21.52</td><td>46.00</td><td>-24.48</td><td>28.15</td><td>22.45</td><td>3.13</td><td>32.21</td><td>--</td><td>-- Peak</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	33.64	32.32	40.00	-7.68	40.60	23.84	0.88	32.20	--	-- Peak	2	43.10	28.02	40.00	-11.98	41.29	17.92	1.00	32.19	--	-- Peak	3	72.92	24.27	40.00	-15.73	42.35	12.60	1.30	31.98	--	-- Peak	4	106.87	22.30	43.50	-21.20	36.06	16.72	1.58	32.06	--	-- Peak	5	268.86	19.71	46.00	-26.29	29.45	19.72	2.47	31.93	--	-- Peak	6	420.91	21.52	46.00	-24.48	28.15	22.45	3.13	32.21	--	-- Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	33.64	32.32	40.00	-7.68	40.60	23.84	0.88	32.20	--	-- Peak																																																																																									
2	43.10	28.02	40.00	-11.98	41.29	17.92	1.00	32.19	--	-- Peak																																																																																									
3	72.92	24.27	40.00	-15.73	42.35	12.60	1.30	31.98	--	-- Peak																																																																																									
4	106.87	22.30	43.50	-21.20	36.06	16.72	1.58	32.06	--	-- Peak																																																																																									
5	268.86	19.71	46.00	-26.29	29.45	19.72	2.47	31.93	--	-- Peak																																																																																									
6	420.91	21.52	46.00	-24.48	28.15	22.45	3.13	32.21	--	-- Peak																																																																																									



Mode	36	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1	802.11a	95.20	5.160	0.194	0.2K
2	802.11a	95.22	5.180	0.193	0.2K
1+2	802.11ax HE20	95.86	5.560	0.180	0.2K
1+2	802.11ax HE20 RU26	91.59	2.830	0.353	0.36K
1+2	802.11ax HE40	95.51	5.530	0.181	0.2K
1+2	802.11ax HE80	91.16	2.680	0.373	0.39K
1+2	802.11ax HE160	79.02	1.375	0.727	0.75K