









Mode	29																																																																																																				
	Harmonic																																																																																																				
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.50</td><td>47.06</td><td>88.20</td><td>-41.14</td><td>65.93</td><td>35.82</td><td>12.43</td><td>67.12</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7940.50	47.06	88.20	-41.14	65.93	35.82	12.43	67.12	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.50</td><td>50.59</td><td>88.20</td><td>-37.61</td><td>69.46</td><td>35.82</td><td>12.43</td><td>67.12</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7940.50	50.59	88.20	-37.61	69.46	35.82	12.43	67.12	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7940.50	47.06	88.20	-41.14	65.93	35.82	12.43	67.12	0.00	---	Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7940.50	50.59	88.20	-37.61	69.46	35.82	12.43	67.12	0.00	---	Peak																																																																																										





Mode	33																																																																																																																																	
	Harmonic																																																																																																																																	
	UNII-5_5925-6425_802.11ax HE20_CH49_6195MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8260.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>69.62</td><td>35.88</td><td>12.66</td><td>67.12</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>8260.00</td><td>48.93</td><td>54.00</td><td>-5.07</td><td>67.51</td><td>35.88</td><td>12.66</td><td>67.12</td><td>0.00</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8260.00	51.04	74.00	-22.96	69.62	35.88	12.66	67.12	0.00	100	245	PEAK	2	8260.00	48.93	54.00	-5.07	67.51	35.88	12.66	67.12	0.00	100	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8260.00</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>72.92</td><td>35.88</td><td>12.66</td><td>67.12</td><td>0.00</td><td>297</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>8260.00</td><td>51.85</td><td>54.00</td><td>-2.15</td><td>70.43</td><td>35.88</td><td>12.66</td><td>67.12</td><td>0.00</td><td>297</td><td>165</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8260.00	54.34	74.00	-19.66	72.92	35.88	12.66	67.12	0.00	297	165	PEAK	2	8260.00	51.85	54.00	-2.15	70.43	35.88	12.66	67.12	0.00	297	165	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	8260.00	51.04	74.00	-22.96	69.62	35.88	12.66	67.12	0.00	100	245	PEAK																																																																																																																						
2	8260.00	48.93	54.00	-5.07	67.51	35.88	12.66	67.12	0.00	100	245	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	8260.00	54.34	74.00	-19.66	72.92	35.88	12.66	67.12	0.00	297	165	PEAK																																																																																																																						
2	8260.00	51.85	54.00	-2.15	70.43	35.88	12.66	67.12	0.00	297	165	AVERAGE																																																																																																																						





Mode	34																																																																																																								
	Harmonic																																																																																																								
	UNII-5_5925-6425_802.11ax HE20_CH93_6415MHz																																																																																																								
ANT	1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8554.00</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>68.55</td><td>35.91</td><td>12.88</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8554.00	50.28	88.20	-37.92	68.55	35.91	12.88	67.06	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8554.00</td><td>49.24</td><td>88.20</td><td>-38.96</td><td>67.51</td><td>35.91</td><td>12.88</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8554.00	49.24	88.20	-38.96	67.51	35.91	12.88	67.06	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	8554.00	50.28	88.20	-37.92	68.55	35.91	12.88	67.06	0.00	---	---	Peak																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	8554.00	49.24	88.20	-38.96	67.51	35.91	12.88	67.06	0.00	---	---	Peak																																																																																													





Mode	40																																																																						
	Harmonic																																																																						
	UNII-7_6525-6875_802.11ax HE20_CH181_6855MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9139.98</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>70.17</td><td>36.28</td><td>13.35</td><td>67.05</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>9139.98</td><td>50.69</td><td>54.00</td><td>-3.31</td><td>68.11</td><td>36.28</td><td>13.35</td><td>67.05</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9139.98	52.75	74.00	-21.25	70.17	36.28	13.35	67.05	0.00	100	180	PEAK	2	9139.98	50.69	54.00	-3.31	68.11	36.28	13.35	67.05	0.00	100	180	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9139.98	52.75	74.00	-21.25	70.17	36.28	13.35	67.05	0.00	100	180	PEAK																																																											
2	9139.98	50.69	54.00	-3.31	68.11	36.28	13.35	67.05	0.00	100	180	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9139.98</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>68.77</td><td>36.28</td><td>13.35</td><td>67.05</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>9139.98</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>66.22</td><td>36.28</td><td>13.35</td><td>67.05</td><td>0.00</td><td>100</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9139.98	51.35	74.00	-22.65	68.77	36.28	13.35	67.05	0.00	100	165	PEAK	2	9139.98	48.80	54.00	-5.20	66.22	36.28	13.35	67.05	0.00	100	165	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9139.98	51.35	74.00	-22.65	68.77	36.28	13.35	67.05	0.00	100	165	PEAK																																																											
2	9139.98	48.80	54.00	-5.20	66.22	36.28	13.35	67.05	0.00	100	165	AVERAGE																																																											





Mode	41																																																																																																																			
	Harmonic																																																																																																																			
	UNII-7~8_UNII-7~8_802.11ax HE20_CH185_6875MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9166.64</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>68.29</td><td>36.33</td><td>13.36</td><td>67.05</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>2</td><td>9166.64</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>65.62</td><td>36.33</td><td>13.36</td><td>67.05</td><td>0.00</td><td>100</td><td>177 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9166.64	50.93	74.00	-23.07	68.29	36.33	13.36	67.05	0.00	100	177 PEAK	2	9166.64	48.26	54.00	-5.74	65.62	36.33	13.36	67.05	0.00	100	177 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9166.64</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>64.31</td><td>36.33</td><td>13.36</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9166.64	46.95	74.00	-27.05	64.31	36.33	13.36	67.05	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	9166.64	50.93	74.00	-23.07	68.29	36.33	13.36	67.05	0.00	100	177 PEAK																																																																																																									
2	9166.64	48.26	54.00	-5.74	65.62	36.33	13.36	67.05	0.00	100	177 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	9166.64	46.95	74.00	-27.05	64.31	36.33	13.36	67.05	0.00	---	---	PEAK																																																																																																								





Mode	42																																																																			
	Harmonic																																																																			
	UNII-8_6875-7125_802.11ax HE20_CH189_6895MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9193.31</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>67.94</td><td>36.39</td><td>13.38</td><td>67.06</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>2</td><td>9193.31</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>65.34</td><td>36.39</td><td>13.38</td><td>67.06</td><td>0.00</td><td>100</td><td>177 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9193.31	50.65	74.00	-23.35	67.94	36.39	13.38	67.06	0.00	100	177 PEAK	2	9193.31	48.05	54.00	-5.95	65.34	36.39	13.38	67.06	0.00	100	177 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	9193.31	50.65	74.00	-23.35	67.94	36.39	13.38	67.06	0.00	100	177 PEAK																																																									
2	9193.31	48.05	54.00	-5.95	65.34	36.39	13.38	67.06	0.00	100	177 AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9193.31</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>68.69</td><td>36.39</td><td>13.38</td><td>67.06</td><td>0.00</td><td>106</td><td>162 PEAK</td></tr><tr><td>2</td><td>9193.31</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>66.60</td><td>36.39</td><td>13.38</td><td>67.06</td><td>0.00</td><td>106</td><td>162 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9193.31	51.40	74.00	-22.60	68.69	36.39	13.38	67.06	0.00	106	162 PEAK	2	9193.31	49.31	54.00	-4.69	66.60	36.39	13.38	67.06	0.00	106	162 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	9193.31	51.40	74.00	-22.60	68.69	36.39	13.38	67.06	0.00	106	162 PEAK																																																									
2	9193.31	49.31	54.00	-4.69	66.60	36.39	13.38	67.06	0.00	106	162 AVERAGE																																																									





Mode	43																																																																				
	Harmonic																																																																				
	UNII-8_6875-7125_802.11ax HE20_CH209_6995MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9327.20</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>66.21</td><td>36.55</td><td>13.49</td><td>67.08</td><td>0.00</td><td>100</td><td>177 Peak</td></tr><tr><td>2</td><td>9327.20</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>64.01</td><td>36.55</td><td>13.49</td><td>67.08</td><td>0.00</td><td>100</td><td>177 Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9327.20	49.17	74.00	-24.83	66.21	36.55	13.49	67.08	0.00	100	177 Peak	2	9327.20	46.97	54.00	-7.03	64.01	36.55	13.49	67.08	0.00	100	177 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	9327.20	49.17	74.00	-24.83	66.21	36.55	13.49	67.08	0.00	100	177 Peak																																																										
2	9327.20	46.97	54.00	-7.03	64.01	36.55	13.49	67.08	0.00	100	177 Average																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9327.20</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>63.84</td><td>36.55</td><td>13.49</td><td>67.08</td><td>0.00</td><td>100</td><td>151 Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9327.20	46.80	74.00	-27.20	63.84	36.55	13.49	67.08	0.00	100	151 Peak													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	9327.20	46.80	74.00	-27.20	63.84	36.55	13.49	67.08	0.00	100	151 Peak																																																										





Mode	44																																																																																																								
	Harmonic																																																																																																								
	UNII-8_6875-7125_802.11ax HE20_CH229_Full_7095MHz																																																																																																								
ANT	1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9460.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>63.74</td><td>36.62</td><td>13.59</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9460.00	46.86	74.00	-27.14	63.74	36.62	13.59	67.09	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9460.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>62.46</td><td>36.62</td><td>13.59</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9460.00	45.58	74.00	-28.42	62.46	36.62	13.59	67.09	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	9460.00	46.86	74.00	-27.14	63.74	36.62	13.59	67.09	0.00	---	---	Peak																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	9460.00	45.58	74.00	-28.42	62.46	36.62	13.59	67.09	0.00	---	---	Peak																																																																																													





Mode	53																																																																																																																				
	Harmonic																																																																																																																				
	UNII-5_5925-6425_802.11ax HE40_CH51_6205MHz																																																																																																																				
ANT	1+2																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8273.31</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>71.48</td><td>35.85</td><td>12.66</td><td>67.11</td><td>0.00</td><td>126</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>8273.31</td><td>50.85</td><td>54.00</td><td>-3.15</td><td>69.45</td><td>35.85</td><td>12.66</td><td>67.11</td><td>0.00</td><td>126</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8273.31	52.88	74.00	-21.12	71.48	35.85	12.66	67.11	0.00	126	149	PEAK	2	8273.31	50.85	54.00	-3.15	69.45	35.85	12.66	67.11	0.00	126	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8273.31</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>62.67</td><td>35.85</td><td>12.66</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8273.31	44.07	74.00	-29.93	62.67	35.85	12.66	67.11	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	8273.31	52.88	74.00	-21.12	71.48	35.85	12.66	67.11	0.00	126	149	PEAK																																																																																																									
2	8273.31	50.85	54.00	-3.15	69.45	35.85	12.66	67.11	0.00	126	149	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	8273.31	44.07	74.00	-29.93	62.67	35.85	12.66	67.11	0.00	---	---	PEAK																																																																																																									





Mode	66																																																																																																																		
	Harmonic																																																																																																																		
	UNII-5_5925-6425_802.11ax HE80_CH39_6145MHz																																																																																																																		
ANT	1+2																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8193.31</td><td>52.35</td><td>74.00</td><td>-21.65</td><td>70.95</td><td>35.90</td><td>12.63</td><td>67.13</td><td>0.00</td><td>100</td><td>149 PEAK</td></tr><tr><td>2</td><td>8193.31</td><td>51.26</td><td>54.00</td><td>-2.74</td><td>69.86</td><td>35.90</td><td>12.63</td><td>67.13</td><td>0.00</td><td>100</td><td>149 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8193.31	52.35	74.00	-21.65	70.95	35.90	12.63	67.13	0.00	100	149 PEAK	2	8193.31	51.26	54.00	-2.74	69.86	35.90	12.63	67.13	0.00	100	149 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8193.31</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>62.40</td><td>35.90</td><td>12.63</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8193.31	43.80	74.00	-30.20	62.40	35.90	12.63	67.13	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	8193.31	52.35	74.00	-21.65	70.95	35.90	12.63	67.13	0.00	100	149 PEAK																																																																																																								
2	8193.31	51.26	54.00	-2.74	69.86	35.90	12.63	67.13	0.00	100	149 AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	8193.31	43.80	74.00	-30.20	62.40	35.90	12.63	67.13	0.00	---	---	PEAK																																																																																																							





Mode	76																																																																						
	Harmonic																																																																						
	UNII-5_5925-6425_802.11ax HE160_CH47_6185MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8246.65</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>70.83</td><td>35.90</td><td>12.65</td><td>67.12</td><td>0.00</td><td>148</td><td>184</td><td>PEAK</td></tr><tr><td>2</td><td>8246.65</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>66.93</td><td>35.90</td><td>12.65</td><td>67.12</td><td>0.00</td><td>148</td><td>184</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8246.65	52.26	74.00	-21.74	70.83	35.90	12.65	67.12	0.00	148	184	PEAK	2	8246.65	48.36	54.00	-5.64	66.93	35.90	12.65	67.12	0.00	148	184	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	8246.65	52.26	74.00	-21.74	70.83	35.90	12.65	67.12	0.00	148	184	PEAK																																																											
2	8246.65	48.36	54.00	-5.64	66.93	35.90	12.65	67.12	0.00	148	184	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8247.20</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>66.34</td><td>35.90</td><td>12.65</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8247.20	47.77	74.00	-26.23	66.34	35.90	12.65	67.12	0.00	---	---	Peak													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	8247.20	47.77	74.00	-26.23	66.34	35.90	12.65	67.12	0.00	---	---	Peak																																																											



Mode	77																																																																						
	Harmonic																																																																						
	UNII-5_5925-6425_802.11ax HE160_CH79_6345MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8459.98</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>71.56</td><td>35.82</td><td>12.77</td><td>67.07</td><td>0.00</td><td>148</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>8459.98</td><td>51.25</td><td>54.00</td><td>-2.75</td><td>69.73</td><td>35.82</td><td>12.77</td><td>67.07</td><td>0.00</td><td>148</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8459.98	53.08	74.00	-20.92	71.56	35.82	12.77	67.07	0.00	148	171	PEAK	2	8459.98	51.25	54.00	-2.75	69.73	35.82	12.77	67.07	0.00	148	171	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	8459.98	53.08	74.00	-20.92	71.56	35.82	12.77	67.07	0.00	148	171	PEAK																																																											
2	8459.98	51.25	54.00	-2.75	69.73	35.82	12.77	67.07	0.00	148	171	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8459.98</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>64.00</td><td>35.82</td><td>12.77</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8459.98	45.52	74.00	-28.48	64.00	35.82	12.77	67.07	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	8459.98	45.52	74.00	-28.48	64.00	35.82	12.77	67.07	0.00	---	---	PEAK																																																											




Mode	81																																																																																																																		
	Harmonic																																																																																																																		
	UNII-8_6875-7125_802.11ax HE160_CH207_6985MHz																																																																																																																		
ANT	1+2																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9314.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>65.93</td><td>36.53</td><td>13.48</td><td>67.07</td><td>0.00</td><td>100</td><td>45 Peak</td></tr><tr><td>2</td><td>9314.00</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>63.51</td><td>36.53</td><td>13.48</td><td>67.07</td><td>0.00</td><td>100</td><td>45 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9314.00	48.87	74.00	-25.13	65.93	36.53	13.48	67.07	0.00	100	45 Peak	2	9314.00	46.45	54.00	-7.55	63.51	36.53	13.48	67.07	0.00	100	45 Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9313.80</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>65.08</td><td>36.53</td><td>13.48</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9313.80	48.02	74.00	-25.98	65.08	36.53	13.48	67.07	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	9314.00	48.87	74.00	-25.13	65.93	36.53	13.48	67.07	0.00	100	45 Peak																																																																																																								
2	9314.00	46.45	54.00	-7.55	63.51	36.53	13.48	67.07	0.00	100	45 Average																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	9313.80	48.02	74.00	-25.98	65.08	36.53	13.48	67.07	0.00	---	---	Peak																																																																																																							

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	95.17	5.145	0.194	0.2kHz
802.11ax HE20	95.75	5.551	0.180	0.2kHz
802.11ax HE40	95.73	5.522	0.181	0.2kHz
802.11ax HE80	91.14	2.681	0.373	0.39kHz
802.11ax HE160	87.16	1.377	0.726	0.75kHz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	97.57	12.03	0.083	0.1kHz
802.11ax HE20 RU106	95.62	5.680	0.176	0.2kHz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160





802.11ax HE20 RU26



802.11ax HE20 RU52

