


Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7387.06	36.39	-0.51	35.88	54.00	18.12	Vertical	PASS
2	11470.08	34.86	4.97	39.83	54.00	14.17	Vertical	PASS
3	17849.34	31.48	13.96	45.44	54.00	8.56	Vertical	PASS
4	6973.43	52.78	-1.96	50.82	68.20	17.38	Vertical	PASS
5	11518.38	42.75	4.84	47.59	74.00	26.41	Vertical	PASS
6	17998.47	39.58	13.76	53.34	74.00	20.66	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5271.26	36.48	14.30	50.78	-	-	Horizontal	NA
2	7415.05	36.16	-0.68	35.48	54.00	18.52	Horizontal	PASS
3	11376.93	34.89	5.22	40.11	54.00	13.89	Horizontal	PASS
4	17867.75	31.88	13.76	45.64	54.00	8.36	Horizontal	PASS
5	5273.28	42.73	14.31	57.04	-	-	Horizontal	NA
6	7026.72	53.21	-1.62	51.59	68.20	16.61	Horizontal	PASS
7	11449.38	42.36	5.07	47.43	74.00	26.57	Horizontal	PASS
8	17878.48	39.25	13.62	52.87	74.00	21.13	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	36.41	-0.92	35.49	54.00	18.51	Vertical	PASS
2	11446.70	35.40	5.09	40.49	54.00	13.51	Vertical	PASS
3	17978.15	32.00	13.47	45.47	54.00	8.53	Vertical	PASS
4	7026.72	52.19	-1.62	50.57	68.20	17.63	Vertical	PASS
5	11439.41	43.12	5.14	48.26	74.00	25.74	Vertical	PASS
6	17973.55	40.14	13.40	53.54	74.00	20.46	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.86	39.11	14.55	53.66	-	-	Horizontal	NA
2	7562.64	36.52	-0.85	35.67	54.00	18.33	Horizontal	PASS
3	11435.96	34.85	5.16	40.01	54.00	13.99	Horizontal	PASS
4	17883.46	32.06	13.56	45.62	54.00	8.38	Horizontal	PASS
5	5321.68	45.41	14.55	59.96	-	-	Horizontal	NA
6	7080.00	50.86	-1.53	49.33	68.20	18.87	Horizontal	PASS
7	11400.70	42.49	5.39	47.88	74.00	26.12	Horizontal	PASS
8	17850.11	39.64	13.99	53.63	74.00	20.37	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7609.79	36.66	-0.93	35.73	54.00	18.27	Vertical	PASS
2	12094.55	35.02	5.21	40.23	54.00	13.77	Vertical	PASS
3	17850.88	31.97	13.98	45.95	54.00	8.05	Vertical	PASS
4	7080.00	50.29	-1.53	48.76	68.20	19.44	Vertical	PASS
5	11462.03	42.55	5.01	47.56	74.00	26.44	Vertical	PASS
6	17975.47	39.95	13.43	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 9;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.43	35.45	14.68	50.13	-	-	Horizontal	NA
2	7347.19	45.19	-1.20	43.99	54.00	10.01	Horizontal	PASS
3	17866.98	31.73	13.77	45.50	54.00	8.50	Horizontal	PASS
4	5499.88	42.20	14.68	56.88	-	-	Horizontal	NA
5	7346.43	48.35	-1.20	47.15	74.00	26.85	Horizontal	PASS
6	11521.83	43.69	4.84	48.53	74.00	25.47	Horizontal	PASS
7	17994.25	39.83	13.71	53.54	74.00	20.46	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 9;		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7346.81	46.55	-1.20	45.35	54.00	8.65	Vertical	PASS
2	11441.71	34.88	5.12	40.00	54.00	14.00	Vertical	PASS
3	17874.65	32.33	13.67	46.00	54.00	8.00	Vertical	PASS
4	7346.43	49.62	-1.20	48.42	74.00	25.58	Vertical	PASS
5	11378.08	42.48	5.23	47.71	74.00	26.29	Vertical	PASS
6	17967.42	40.40	13.32	53.72	74.00	20.28	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5593.94	38.08	14.72	52.80	-	-	Horizontal	NA
2	7453.77	47.12	-1.60	45.52	54.00	8.48	Horizontal	PASS
3	11469.70	35.26	4.97	40.23	54.00	13.77	Horizontal	PASS
4	17830.18	32.50	13.15	45.65	54.00	8.35	Horizontal	PASS
5	5593.75	45.11	14.72	59.83	-	-	Horizontal	NA
6	7453.38	49.69	-1.61	48.08	74.00	25.92	Horizontal	PASS
7	11474.30	41.95	4.95	46.90	74.00	27.10	Horizontal	PASS
8	17886.91	39.93	13.51	53.44	74.00	20.56	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5599.44	33.93	14.74	48.67	-	-	Vertical	NA
2	7453.77	46.62	-1.60	45.02	54.00	8.98	Vertical	PASS
3	11397.63	35.82	5.37	41.19	54.00	12.81	Vertical	PASS
4	17878.48	32.06	13.62	45.68	54.00	8.32	Vertical	PASS
5	5600.90	40.81	14.74	55.55	-	-	Vertical	NA
6	7453.38	49.51	-1.61	47.90	74.00	26.10	Vertical	PASS
7	11375.40	42.93	5.21	48.14	74.00	25.86	Vertical	PASS
8	17889.60	40.89	13.48	54.37	74.00	19.63	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.14	71.39	14.91	86.30	-	-	Horizontal	NA
2	7613.62	46.21	-0.93	45.28	54.00	8.72	Horizontal	PASS
3	11472.00	35.22	4.96	40.18	54.00	13.82	Horizontal	PASS
4	17984.67	31.98	13.57	45.55	54.00	8.45	Horizontal	PASS
5	5727.59	77.29	14.91	92.20	-	-	Horizontal	NA
6	7613.24	48.24	-0.93	47.31	74.00	26.69	Horizontal	PASS
7	12050.47	42.48	5.43	47.91	74.00	26.09	Horizontal	PASS
8	17841.29	39.55	13.62	53.17	74.00	20.83	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	66.53	14.91	81.44	-	-	Vertical	NA
2	7613.62	45.02	-0.93	44.09	54.00	9.91	Vertical	PASS
3	11441.33	35.36	5.13	40.49	54.00	13.51	Vertical	PASS
4	17879.25	32.23	13.61	45.84	54.00	8.16	Vertical	PASS
5	5727.59	73.35	14.91	88.26	-	-	Vertical	NA
6	7613.24	47.40	-0.93	46.47	74.00	27.53	Vertical	PASS
7	11461.27	42.39	5.01	47.40	74.00	26.60	Vertical	PASS
8	17987.73	39.79	13.61	53.40	74.00	20.60	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7673.81	42.39	-0.79	41.60	54.00	12.40	Horizontal	PASS
2	11363.13	34.42	5.13	39.55	54.00	14.45	Horizontal	PASS
3	17882.70	31.82	13.57	45.39	54.00	8.61	Horizontal	PASS
4	7673.04	45.81	-0.79	45.02	74.00	28.98	Horizontal	PASS
5	11366.58	42.39	5.15	47.54	74.00	26.46	Horizontal	PASS
6	17851.65	39.39	13.97	53.36	74.00	20.64	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7673.81	43.55	-0.79	42.76	54.00	11.24	Vertical	PASS
2	11450.15	34.61	5.07	39.68	54.00	14.32	Vertical	PASS
3	17857.40	31.61	13.89	45.50	54.00	8.50	Vertical	PASS
4	7673.42	46.33	-0.79	45.54	74.00	28.46	Vertical	PASS
5	11375.78	43.00	5.21	48.21	74.00	25.79	Vertical	PASS
6	17881.16	39.39	13.58	52.97	74.00	21.03	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5803.86	37.68	15.68	53.36	-	-	Horizontal	NA
2	7727.09	43.07	-0.79	42.28	54.00	11.72	Horizontal	PASS
3	11368.11	34.95	5.16	40.11	54.00	13.89	Horizontal	PASS
4	17853.95	31.85	13.94	45.79	54.00	8.21	Horizontal	PASS
5	5804.04	44.91	15.68	60.59	-	-	Horizontal	NA
6	7726.71	45.93	-0.79	45.14	74.00	28.86	Horizontal	PASS
7	11376.55	42.92	5.22	48.14	74.00	25.86	Horizontal	PASS
8	17887.30	39.70	13.50	53.20	74.00	20.80	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5792.49	34.86	15.68	50.54	-	-	Vertical	NA
2	7727.09	43.34	-0.79	42.55	54.00	11.45	Vertical	PASS
3	12053.92	34.91	5.41	40.32	54.00	13.68	Vertical	PASS
4	17862.76	32.01	13.83	45.84	54.00	8.16	Vertical	PASS
5	5802.58	41.71	15.69	57.40	-	-	Vertical	NA
6	7726.71	46.10	-0.79	45.31	74.00	28.69	Vertical	PASS
7	12041.65	42.65	5.39	48.04	74.00	25.96	Vertical	PASS
8	17843.59	39.53	13.72	53.25	74.00	20.75	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.76	37.38	13.90	51.28	-	-	Horizontal	NA
2	7490.57	37.40	-1.28	36.12	54.00	17.88	Horizontal	PASS
3	11361.98	34.63	5.12	39.75	54.00	14.25	Horizontal	PASS
4	17986.97	32.43	13.60	46.03	54.00	7.97	Horizontal	PASS
5	5188.94	44.22	13.91	58.13	-	-	Horizontal	NA
6	6946.60	54.26	-2.17	52.09	68.20	16.11	Horizontal	PASS
7	11384.21	42.31	5.28	47.59	74.00	26.41	Horizontal	PASS
8	17862.76	39.88	13.83	53.71	74.00	20.29	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7397.03	35.78	-0.33	35.45	54.00	18.55	Vertical	PASS
2	11462.03	35.27	5.01	40.28	54.00	13.72	Vertical	PASS
3	17863.91	31.87	13.81	45.68	54.00	8.32	Vertical	PASS
4	6946.98	54.17	-2.17	52.00	68.20	16.20	Vertical	PASS
5	11445.93	42.21	5.09	47.30	74.00	26.70	Vertical	PASS
6	17863.91	39.95	13.81	53.76	74.00	20.24	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7396.26	36.34	-0.34	36.00	54.00	18.00	Horizontal	PASS
2	11446.70	34.63	5.09	39.72	54.00	14.28	Horizontal	PASS
3	17986.20	32.43	13.59	46.02	54.00	7.98	Horizontal	PASS
4	7053.17	53.11	-1.54	51.57	68.20	16.63	Horizontal	PASS
5	11365.43	42.28	5.14	47.42	74.00	26.58	Horizontal	PASS
6	17986.97	40.13	13.60	53.73	74.00	20.27	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7397.41	36.22	-0.32	35.90	54.00	18.10	Vertical	PASS
2	11402.23	34.88	5.38	40.26	54.00	13.74	Vertical	PASS
3	17982.37	32.48	13.54	46.02	54.00	7.98	Vertical	PASS
4	7053.17	52.35	-1.54	50.81	68.20	17.39	Vertical	PASS
5	11401.08	42.42	5.38	47.80	74.00	26.20	Vertical	PASS
6	17961.28	39.77	13.24	53.01	74.00	20.99	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7373.65	46.76	-0.76	46.00	54.00	8.00	Horizontal	PASS
2	12107.97	35.28	5.12	40.40	54.00	13.60	Horizontal	PASS
3	17850.50	31.41	13.98	45.39	54.00	8.61	Horizontal	PASS
4	7373.26	50.11	-0.77	49.34	74.00	24.66	Horizontal	PASS
5	11993.73	43.06	5.20	48.26	74.00	25.74	Horizontal	PASS
6	17846.28	39.24	13.83	53.07	74.00	20.93	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7373.65	46.12	-0.76	45.36	54.00	8.64	Vertical	PASS
2	12410.05	34.59	6.05	40.64	54.00	13.36	Vertical	PASS
3	17856.25	31.63	13.91	45.54	54.00	8.46	Vertical	PASS
4	7373.65	47.87	-0.76	47.11	74.00	26.89	Vertical	PASS
5	12202.66	42.92	5.28	48.20	74.00	25.80	Vertical	PASS
6	17864.30	39.39	13.81	53.20	74.00	20.80	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	46.21	-1.37	44.84	54.00	9.16	Horizontal	PASS
2	11455.52	34.79	5.04	39.83	54.00	14.17	Horizontal	PASS
3	17847.81	31.53	13.90	45.43	54.00	8.57	Horizontal	PASS
4	7480.22	48.96	-1.37	47.59	74.00	26.41	Horizontal	PASS
5	11488.87	42.77	4.87	47.64	74.00	26.36	Horizontal	PASS
6	17349.84	41.25	12.24	53.49	68.20	14.71	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	45.81	-1.37	44.44	54.00	9.56	Vertical	PASS
2	12053.92	34.84	5.41	40.25	54.00	13.75	Vertical	PASS
3	17982.75	32.92	13.54	46.46	54.00	7.54	Vertical	PASS
4	7480.22	48.85	-1.37	47.48	74.00	26.52	Vertical	PASS
5	11966.52	42.31	5.07	47.38	74.00	26.62	Vertical	PASS
6	17938.66	40.96	13.13	54.09	74.00	19.91	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.14	67.79	14.91	82.70	-	-	Horizontal	NA
2	7587.17	44.60	-0.90	43.70	54.00	10.30	Horizontal	PASS
3	11467.02	35.03	4.98	40.01	54.00	13.99	Horizontal	PASS
4	17880.01	31.80	13.60	45.40	54.00	8.60	Horizontal	PASS
5	5727.77	73.65	14.91	88.56	-	-	Horizontal	NA
6	7586.79	47.86	-0.90	46.96	74.00	27.04	Horizontal	PASS
7	12086.89	42.96	5.26	48.22	74.00	25.78	Horizontal	PASS
8	17861.61	40.17	13.84	54.01	74.00	19.99	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	63.04	14.91	77.95	-	-	Vertical	NA
2	7587.17	45.04	-0.90	44.14	54.00	9.86	Vertical	PASS
3	11388.05	35.23	5.30	40.53	54.00	13.47	Vertical	PASS
4	17860.08	31.50	13.86	45.36	54.00	8.64	Vertical	PASS
5	5727.41	67.23	14.91	82.14	-	-	Vertical	NA
6	7586.79	47.64	-0.90	46.74	74.00	27.26	Vertical	PASS
7	11470.47	43.36	4.96	48.32	74.00	25.68	Vertical	PASS
8	17886.15	39.91	13.52	53.43	74.00	20.57	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5808.26	34.31	15.68	49.99	-	-	Horizontal	NA
2	7700.26	43.69	-0.61	43.08	54.00	10.92	Horizontal	PASS
3	12049.32	34.75	5.43	40.18	54.00	13.82	Horizontal	PASS
4	17980.45	32.23	13.51	45.74	54.00	8.26	Horizontal	PASS
5	5788.83	41.48	15.68	57.16	-	-	Horizontal	NA
6	7699.87	45.70	-0.61	45.09	74.00	28.91	Horizontal	PASS
7	12103.75	43.44	5.16	48.60	74.00	25.40	Horizontal	PASS
8	17991.95	39.68	13.68	53.36	74.00	20.64	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5804.78	33.26	15.68	48.94	-	-	Vertical	NA
2	7700.26	43.75	-0.61	43.14	54.00	10.86	Vertical	PASS
3	12384.36	34.57	5.94	40.51	54.00	13.49	Vertical	PASS
4	17985.43	32.27	13.58	45.85	54.00	8.15	Vertical	PASS
5	5789.38	41.10	15.68	56.78	-	-	Vertical	NA
6	7699.87	47.17	-0.61	46.56	74.00	27.44	Vertical	PASS
7	12056.99	42.84	5.40	48.24	74.00	25.76	Vertical	PASS
8	17996.17	39.95	13.73	53.68	74.00	20.32	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.05	35.27	12.44	47.71	54.00	6.29	Horizontal	PASS
2	5147.37	35.79	12.46	48.25	54.00	5.75	Horizontal	PASS
3	5149.52	36.74	12.48	49.22	54.00	4.78	Horizontal	PASS
4	5143.89	58.39	12.44	70.83	74.00	3.17	Horizontal	PASS
5	5147.96	60.48	12.46	72.94	74.00	1.06	Horizontal	PASS
6	5149.74	60.45	12.48	72.93	74.00	1.07	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.64	31.94	12.44	44.38	54.00	9.62	Vertical	PASS
2	5147.11	32.00	12.46	44.46	54.00	9.54	Vertical	PASS
3	5149.26	32.38	12.48	44.86	54.00	9.14	Vertical	PASS
4	5145.58	50.38	12.45	62.83	74.00	11.17	Vertical	PASS
5	5146.85	50.72	12.46	63.18	74.00	10.82	Vertical	PASS
6	5149.22	51.66	12.48	64.14	74.00	9.86	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.35	35.97	12.68	48.65	54.00	5.35	Horizontal	PASS
2	5351.88	35.19	12.69	47.88	54.00	6.12	Horizontal	PASS
3	5353.08	35.09	12.69	47.78	54.00	6.22	Horizontal	PASS
4	5350.39	57.78	12.68	70.46	74.00	3.54	Horizontal	PASS
5	5351.39	56.73	12.69	69.42	74.00	4.58	Horizontal	PASS
6	5353.28	56.86	12.70	69.56	74.00	4.44	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.52	32.82	12.68	45.50	54.00	8.50	Vertical	PASS
2	5352.66	32.64	12.69	45.33	54.00	8.67	Vertical	PASS
3	5354.61	32.51	12.71	45.22	54.00	8.78	Vertical	PASS
4	5350.52	51.17	12.68	63.85	74.00	10.15	Vertical	PASS
5	5351.65	51.41	12.69	64.10	74.00	9.90	Vertical	PASS
6	5353.73	48.49	12.70	61.19	74.00	12.81	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 10;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.02	33.18	12.70	45.88	54.00	8.12	Horizontal	PASS
2	5457.44	33.32	12.76	46.08	54.00	7.92	Horizontal	PASS
3	5459.48	33.07	12.80	45.87	54.00	8.13	Horizontal	PASS
4	5468.22	53.81	12.94	66.75	68.20	1.45	Horizontal	PASS
5	5469.36	54.79	12.96	67.75	68.20	0.45	Horizontal	PASS
6	5469.69	55.04	12.96	68.00	68.20	0.20	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 10;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.60	31.89	12.70	44.59	54.00	9.41	Vertical	PASS
2	5457.77	32.21	12.77	44.98	54.00	9.02	Vertical	PASS
3	5459.69	32.09	12.80	44.89	54.00	9.11	Vertical	PASS
4	5463.24	45.74	12.86	58.60	68.20	9.60	Vertical	PASS
5	5466.60	47.25	12.91	60.16	68.20	8.04	Vertical	PASS
6	5469.78	48.15	12.96	61.11	68.20	7.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5865.20	44.39	13.39	57.78	68.20	10.42	Horizontal	PASS
2	5899.51	43.32	13.73	57.05	68.20	11.15	Horizontal	PASS
3	5949.75	43.11	14.09	57.20	68.20	11.00	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.75	43.02	13.30	56.32	68.20	11.88	Vertical	PASS
2	5882.22	43.80	13.56	57.36	68.20	10.84	Vertical	PASS
3	5916.80	43.89	13.85	57.74	68.20	10.46	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 15;		

Test Graph

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5147.50	35.90	12.46	48.36	54.00	5.64	Horizontal	PASS
2	5148.61	35.83	12.47	48.30	54.00	5.70	Horizontal	PASS
3	5149.58	35.57	12.48	48.05	54.00	5.95	Horizontal	PASS
4	5145.88	57.89	12.45	70.34	74.00	3.66	Horizontal	PASS
5	5148.25	58.66	12.46	71.12	74.00	2.88	Horizontal	PASS
6	5149.55	57.28	12.48	69.76	74.00	4.24	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.36	31.59	12.46	44.05	54.00	9.95	Vertical	PASS
2	5148.12	31.70	12.46	44.16	54.00	9.84	Vertical	PASS
3	5149.81	31.79	12.48	44.27	54.00	9.73	Vertical	PASS
4	5147.14	49.02	12.46	61.48	74.00	12.52	Vertical	PASS
5	5148.41	49.59	12.47	62.06	74.00	11.94	Vertical	PASS
6	5149.45	49.70	12.48	62.18	74.00	11.82	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	34.45	12.68	47.13	54.00	6.87	Horizontal	PASS
2	5350.94	34.41	12.69	47.10	54.00	6.90	Horizontal	PASS
3	5353.02	33.96	12.69	46.65	54.00	7.35	Horizontal	PASS
4	5350.74	56.26	12.69	68.95	74.00	5.05	Horizontal	PASS
5	5351.52	55.58	12.69	68.27	74.00	5.73	Horizontal	PASS
6	5352.56	55.52	12.69	68.21	74.00	5.79	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.61	31.95	12.68	44.63	54.00	9.37	Vertical	PASS
2	5351.07	32.01	12.69	44.70	54.00	9.30	Vertical	PASS
3	5353.02	32.02	12.69	44.71	54.00	9.29	Vertical	PASS
4	5350.48	48.46	12.68	61.14	74.00	12.86	Vertical	PASS
5	5351.04	48.84	12.69	61.53	74.00	12.47	Vertical	PASS
6	5352.24	49.19	12.70	61.89	74.00	12.11	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 10.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.62	32.90	12.72	45.62	54.00	8.38	Horizontal	PASS
2	5457.17	33.13	12.75	45.88	54.00	8.12	Horizontal	PASS
3	5459.30	33.27	12.79	46.06	54.00	7.94	Horizontal	PASS
4	5464.77	52.97	12.88	65.85	68.20	2.35	Horizontal	PASS
5	5468.04	54.38	12.93	67.31	68.20	0.89	Horizontal	PASS
6	5469.03	52.69	12.94	65.63	68.20	2.57	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 10.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.10	31.83	12.72	44.55	54.00	9.45	Vertical	PASS
2	5456.00	31.74	12.74	44.48	54.00	9.52	Vertical	PASS
3	5459.06	31.68	12.78	44.46	54.00	9.54	Vertical	PASS
4	5465.67	46.41	12.89	59.30	68.20	8.90	Vertical	PASS
5	5468.43	47.08	12.94	60.02	68.20	8.18	Vertical	PASS
6	5469.78	46.85	12.96	59.81	68.20	8.39	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5857.91	43.45	13.32	56.77	68.20	11.43	Horizontal	PASS
2	5890.33	42.97	13.64	56.61	68.20	11.59	Horizontal	PASS
3	5916.80	43.72	13.85	57.57	68.20	10.63	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.80	43.42	13.34	56.76	68.20	11.44	Vertical	PASS
2	5870.34	43.21	13.44	56.65	68.20	11.55	Vertical	PASS
3	5911.67	43.20	13.81	57.01	68.20	11.19	Vertical	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph


Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph


Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.77	39.48	12.46	51.94	54.00	2.06	Horizontal	PASS
2	5149.11	40.24	12.48	52.72	54.00	1.28	Horizontal	PASS
3	5149.92	40.67	12.48	53.15	54.00	0.85	Horizontal	PASS
4	5147.54	57.95	12.46	70.41	74.00	3.59	Horizontal	PASS
5	5148.39	57.63	12.47	70.10	74.00	3.90	Horizontal	PASS
6	5149.02	58.64	12.48	71.12	74.00	2.88	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5147.32	32.82	12.46	45.28	54.00	8.72	Vertical	PASS
2	5148.64	33.56	12.47	46.03	54.00	7.97	Vertical	PASS
3	5149.49	33.80	12.48	46.28	54.00	7.72	Vertical	PASS
4	5147.79	48.51	12.46	60.97	74.00	13.03	Vertical	PASS
5	5148.68	49.20	12.47	61.67	74.00	12.33	Vertical	PASS
6	5149.79	48.83	12.48	61.31	74.00	12.69	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.72	39.82	12.69	52.51	54.00	1.49	Horizontal	PASS
2	5351.32	39.28	12.69	51.97	54.00	2.03	Horizontal	PASS
3	5352.38	38.71	12.70	51.41	54.00	2.59	Horizontal	PASS
4	5350.47	56.73	12.68	69.41	74.00	4.59	Horizontal	PASS
5	5351.15	58.14	12.69	70.83	74.00	3.17	Horizontal	PASS
6	5352.08	57.09	12.70	69.79	74.00	4.21	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	33.98	12.68	46.66	54.00	7.34	Vertical	PASS
2	5351.40	33.61	12.69	46.30	54.00	7.70	Vertical	PASS
3	5353.02	33.17	12.69	45.86	54.00	8.14	Vertical	PASS
4	5350.38	49.73	12.68	62.41	74.00	11.59	Vertical	PASS
5	5350.93	50.38	12.69	63.07	74.00	10.93	Vertical	PASS
6	5351.91	49.37	12.69	62.06	74.00	11.94	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 9;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.72	32.30	12.70	45.00	54.00	9.00	Horizontal	PASS
2	5457.52	32.65	12.77	45.42	54.00	8.58	Horizontal	PASS
3	5458.68	32.88	12.78	45.66	54.00	8.34	Horizontal	PASS
4	5461.85	52.49	12.83	65.32	68.20	2.88	Horizontal	PASS
5	5467.77	53.89	12.93	66.82	68.20	1.38	Horizontal	PASS
6	5469.85	54.80	12.96	67.76	68.20	0.44	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 9;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5456.00	31.53	12.74	44.27	54.00	9.73	Vertical	PASS
2	5457.80	31.52	12.77	44.29	54.00	9.71	Vertical	PASS
3	5459.56	31.47	12.80	44.27	54.00	9.73	Vertical	PASS
4	5466.69	44.39	12.91	57.30	68.20	10.90	Vertical	PASS
5	5468.97	48.38	12.94	61.32	68.20	6.88	Vertical	PASS
6	5469.65	47.81	12.96	60.77	68.20	7.43	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.75	43.92	13.30	57.22	68.20	10.98	Horizontal	PASS
2	5876.28	42.95	13.50	56.45	68.20	11.75	Horizontal	PASS
3	5945.70	42.74	14.06	56.80	68.20	11.40	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	43.00	13.33	56.33	68.20	11.87	Vertical	PASS
2	5884.92	43.34	13.58	56.92	68.20	11.28	Vertical	PASS
3	5918.15	42.82	13.86	56.68	68.20	11.52	Vertical	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph


Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph


Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 14;		

Test Graph

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12;		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.13	41.39	12.41	53.80	54.00	0.20	Horizontal	PASS
2	5146.64	41.13	12.46	53.59	54.00	0.41	Horizontal	PASS
3	5148.32	41.08	12.46	53.54	54.00	0.46	Horizontal	PASS
4	5139.01	53.55	12.41	65.96	74.00	8.04	Horizontal	PASS
5	5146.14	53.34	12.45	65.79	74.00	8.21	Horizontal	PASS
6	5148.07	53.70	12.46	66.16	74.00	7.84	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12;		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.57	33.40	12.44	45.84	54.00	8.16	Vertical	PASS
2	5146.45	33.37	12.46	45.83	54.00	8.17	Vertical	PASS
3	5148.70	33.64	12.47	46.11	54.00	7.89	Vertical	PASS
4	5143.57	44.98	12.43	57.41	74.00	16.59	Vertical	PASS
5	5145.45	45.55	12.45	58.00	74.00	16.00	Vertical	PASS
6	5148.14	45.46	12.46	57.92	74.00	16.08	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	40.92	12.68	53.60	54.00	0.40	Horizontal	PASS
2	5352.35	40.51	12.70	53.21	54.00	0.79	Horizontal	PASS
3	5355.28	40.43	12.71	53.14	54.00	0.86	Horizontal	PASS
4	5351.08	53.38	12.69	66.07	74.00	7.93	Horizontal	PASS
5	5354.60	52.31	12.71	65.02	74.00	8.98	Horizontal	PASS
6	5360.01	51.93	12.74	64.67	74.00	9.33	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.63	34.75	12.68	47.43	54.00	6.57	Vertical	PASS
2	5352.35	34.56	12.70	47.26	54.00	6.74	Vertical	PASS
3	5355.50	35.02	12.71	47.73	54.00	6.27	Vertical	PASS
4	5350.03	47.42	12.68	60.10	74.00	13.90	Vertical	PASS
5	5352.35	47.29	12.70	59.99	74.00	14.01	Vertical	PASS
6	5353.93	47.67	12.70	60.37	74.00	13.63	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.40	39.97	12.73	52.70	54.00	1.30	Horizontal	PASS
2	5457.02	40.18	12.75	52.93	54.00	1.07	Horizontal	PASS
3	5459.24	40.48	12.79	53.27	54.00	0.73	Horizontal	PASS
4	5466.39	54.51	12.91	67.42	68.20	0.78	Horizontal	PASS
5	5467.53	53.62	12.93	66.55	68.20	1.65	Horizontal	PASS
6	5468.49	54.14	12.94	67.08	68.20	1.12	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 12.5;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.90	34.47	12.70	47.17	54.00	6.83	Vertical	PASS
2	5457.14	34.26	12.75	47.01	54.00	6.99	Vertical	PASS
3	5459.60	34.40	12.80	47.20	54.00	6.80	Vertical	PASS
4	5463.63	46.67	12.86	59.53	68.20	8.67	Vertical	PASS
5	5466.03	48.13	12.90	61.03	68.20	7.17	Vertical	PASS
6	5468.97	47.29	12.94	60.23	68.20	7.97	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5868.17	43.67	13.42	57.09	68.20	11.11	Horizontal	PASS
2	5883.84	44.04	13.57	57.61	68.20	10.59	Horizontal	PASS
3	5929.49	42.83	13.94	56.77	68.20	11.43	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.02	43.06	13.30	56.36	68.20	11.84	Vertical	PASS
2	5878.98	43.14	13.52	56.66	68.20	11.54	Vertical	PASS
3	5913.56	43.39	13.83	57.22	68.20	10.98	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y25HE1J000027	Engineer:	Tian Shuo
Remark:	EUT(M01);Power 13;		

Test Graph

~The End~