


AC Power-line Conducted Emissions

Test Mode 1

Line : L


CE Test case_FCC_CE_ICES-003_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.156	59.51	10.06	65.67	6.16	Peak	L	Pass
1**	0.156	34.54	10.06	55.67	21.13	AV	L	Pass
2	0.350	46.60	10.13	58.96	12.36	Peak	L	Pass
2**	0.350	31.91	10.13	48.96	17.05	AV	L	Pass
3	0.534	36.24	10.16	56.00	19.76	Peak	L	Pass
3**	0.534	22.30	10.16	46.00	23.70	AV	L	Pass
4	2.270	34.47	10.36	56.00	21.53	Peak	L	Pass
4**	2.270	21.73	10.36	46.00	24.27	AV	L	Pass
5	4.028	34.61	10.42	56.00	21.39	Peak	L	Pass
5**	4.028	21.13	10.42	46.00	24.87	AV	L	Pass
6	13.968	43.83	11.13	60.00	16.17	Peak	L	Pass
6**	13.968	28.97	11.13	50.00	21.03	AV	L	Pass

Line :N

CE Test case_FCC_CE_ICES-003_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.162	57.51	10.15	65.36	7.85	Peak	N	Pass
1**	0.162	33.50	10.15	55.36	21.86	AV	N	Pass
2	0.366	40.93	10.16	58.59	17.66	Peak	N	Pass
2**	0.366	27.69	10.16	48.59	20.90	AV	N	Pass
3	0.688	33.74	10.22	56.00	22.26	Peak	N	Pass
3**	0.688	21.35	10.22	46.00	24.65	AV	N	Pass
4	4.030	32.10	10.38	56.00	23.90	Peak	N	Pass
4**	4.030	19.77	10.38	46.00	26.23	AV	N	Pass
5	9.364	34.06	10.87	60.00	25.94	Peak	N	Pass
5**	9.364	23.37	10.87	50.00	26.63	AV	N	Pass
6	14.166	44.32	11.09	60.00	15.68	Peak	N	Pass
6**	14.166	28.56	11.09	50.00	21.44	AV	N	Pass