



090-lpex-11a_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.9333	35.47	41.62	-30.98	46.11	54.00	7.89	Horizontal
2	6274.9583	40.34	35.05	-16.98	58.41	68.20	9.79	Horizontal
3	8005.35	49.51	37.30	-41.17	45.64	68.20	22.56	Horizontal
4	9491.15	48.73	38.05	-38.50	48.28	74.00	25.72	Horizontal
5	11484.8667	47.30	39.01	-35.82	50.49	74.00	23.51	Horizontal
6	17958.6	43.34	41.58	-31.01	53.91	74.00	20.09	Horizontal

091-lpex-11a_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.0833	36.19	41.49	-31.07	46.61	54.00	7.39	Vertical
2	6181.4583	41.12	34.86	-16.79	59.20	68.20	9.00	Vertical
3	8027.2	49.34	37.32	-41.14	45.52	74.00	28.48	Vertical
4	9595.8	48.81	38.06	-38.23	48.64	68.20	19.56	Vertical
5	12957.6333	46.68	39.85	-35.00	51.53	68.20	16.67	Vertical
6	17968.95	43.76	41.61	-30.99	54.38	74.00	19.62	Vertical

092-lpex-11a_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.0833	35.10	41.63	-30.98	45.75	54.00	8.25	Horizontal
2	6242.875	40.31	34.99	-16.91	58.39	68.20	9.81	Horizontal
3	7995	49.38	37.29	-41.20	45.47	68.20	22.73	Horizontal
4	9520.2833	48.62	38.05	-38.44	48.24	68.20	19.96	Horizontal
5	12997.8833	46.41	39.90	-35.37	50.94	68.20	17.26	Horizontal
6	17976.2333	42.71	41.63	-30.98	53.36	74.00	20.64	Horizontal

093-lpex-11a_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17963.9667	34.99	41.60	-31.00	45.58	54.00	8.42	Vertical
2	6237.8333	40.35	34.98	-16.90	58.43	68.20	9.77	Vertical
3	7830.55	49.55	36.96	-41.17	45.34	68.20	22.86	Vertical
4	9506.4833	48.68	38.05	-38.47	48.26	68.20	19.94	Vertical
5	12878.6667	45.97	39.75	-34.53	51.20	68.20	17.00	Vertical
6	17982.3667	42.49	41.65	-30.97	53.17	74.00	20.83	Vertical

094-lpex-11a_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17925.6333	35.56	41.48	-31.08	45.97	54.00	8.03	Horizontal
2	6208.9583	40.02	34.92	-16.83	58.11	68.20	10.09	Horizontal
3	7995.3833	49.58	37.29	-41.19	45.68	68.20	22.52	Horizontal
4	9521.4333	48.18	38.05	-38.43	47.80	68.20	20.40	Horizontal
5	12851.45	45.36	39.72	-34.62	50.47	68.20	17.73	Horizontal
6	17973.55	42.75	41.62	-30.98	53.39	74.00	20.61	Horizontal

095-lpex-11a_TX_CH_165_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.6833	35.72	41.64	-30.97	46.39	54.00	7.61	Vertical
2	6163.5833	39.92	34.83	-16.76	57.98	68.20	10.22	Vertical
3	7796.4333	50.15	36.89	-41.04	46.00	68.20	22.20	Vertical
4	9603.4667	47.98	38.06	-38.20	47.84	68.20	20.36	Vertical
5	12860.65	45.35	39.73	-34.59	50.50	68.20	17.70	Vertical
6	17951.7	43.17	41.56	-31.03	53.70	74.00	20.30	Vertical

096-lpex-11ax(HE20)_TX_CH_36_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17948.6333	35.49	41.55	-31.03	46.01	54.00	7.99	Horizontal
2	6132.4167	39.74	34.76	-16.72	57.78	68.20	10.42	Horizontal
3	7736.6333	49.71	36.77	-41.46	45.03	74.00	28.97	Horizontal
4	9597.7167	48.02	38.06	-38.23	47.85	68.20	20.35	Horizontal
5	12896.3	46.11	39.78	-34.47	51.41	68.20	16.79	Horizontal
6	17932.9167	42.79	41.51	-31.06	53.23	74.00	20.77	Horizontal

097-lpex-11ax(HE20)_TX_CH_36_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17958.2167	35.06	41.58	-31.01	45.63	54.00	8.37	Vertical
2	6208.9583	40.43	34.92	-16.83	58.52	68.20	9.68	Vertical
3	7892.2667	51.12	37.08	-41.46	46.74	68.20	21.46	Vertical
4	9527.95	48.72	38.05	-38.41	48.36	68.20	19.84	Vertical
5	12997.5	45.92	39.90	-35.37	50.45	68.20	17.75	Vertical
6	17928.3167	42.96	41.49	-31.07	53.38	74.00	20.62	Vertical

098-lpex-11ax(HE20)_TX_CH_40_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.0333	35.28	41.60	-31.00	45.89	54.00	8.11	Horizontal
2	6175.5	40.25	34.85	-16.78	58.32	68.20	9.88	Horizontal
3	7999.2167	48.93	37.30	-41.18	45.05	68.20	23.15	Horizontal
4	9492.3	48.61	38.05	-38.50	48.16	74.00	25.84	Horizontal
5	12844.55	45.88	39.71	-34.64	50.96	68.20	17.24	Horizontal
6	17906.85	43.30	41.43	-31.12	53.61	74.00	20.39	Horizontal

099-lpex-11ax(HE20)_TX_CH_40_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17937.1333	35.62	41.52	-31.06	46.08	54.00	7.92	Vertical
2	6054.0417	40.16	34.61	-16.88	57.89	68.20	10.31	Vertical
3	7885.75	49.43	37.07	-41.43	45.07	68.20	23.13	Vertical
4	9456.65	48.54	38.05	-38.55	48.04	74.00	25.96	Vertical
5	13665.2667	46.10	40.23	-34.90	51.43	68.20	16.77	Vertical
6	17964.7333	43.30	41.60	-31.00	53.90	74.00	20.10	Vertical

100-lpex-11ax(HE20)_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17959.3667	35.47	41.58	-31.01	46.04	54.00	7.96	Horizontal
2	6210.3333	40.57	34.92	-16.83	58.66	68.20	9.54	Horizontal
3	7570.65	49.21	36.44	-41.87	43.78	74.00	30.22	Horizontal
4	9611.9	48.57	38.06	-38.15	48.48	68.20	19.72	Horizontal
5	12897.0667	45.87	39.78	-34.47	51.18	68.20	17.02	Horizontal
6	17992.3333	42.96	41.68	-30.95	53.69	74.00	20.31	Horizontal

101-lpex-11ax(HE20)_TX_CH_48_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17977.7667	36.01	41.64	-30.97	46.67	54.00	7.33	Vertical
2	6132.875	39.70	34.77	-16.72	57.74	68.20	10.46	Vertical
3	7689.4833	49.79	36.68	-41.72	44.75	74.00	29.25	Vertical
4	9492.3	49.13	38.05	-38.50	48.68	74.00	25.32	Vertical
5	12812.35	46.12	39.67	-34.74	51.05	68.20	17.15	Vertical
6	17980.8333	42.40	41.64	-30.97	53.08	74.00	20.92	Vertical

102-lpex-11ax(HE20)_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.1833	35.23	41.61	-30.99	45.84	54.00	8.16	Horizontal
2	6164.5	40.68	34.83	-16.76	58.75	68.20	9.45	Horizontal
3	7862.3667	49.98	37.02	-41.32	45.69	68.20	22.51	Horizontal
4	9499.9667	48.64	38.05	-38.49	48.20	74.00	25.80	Horizontal
5	12877.9	45.96	39.75	-34.53	51.18	68.20	17.02	Horizontal
6	17987.35	43.30	41.66	-30.96	54.01	74.00	19.99	Horizontal

103-lpex-11ax(HE20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17946.7167	35.48	41.55	-31.04	45.99	54.00	8.01	Vertical
2	6227.2917	40.32	34.95	-16.87	58.40	68.20	9.80	Vertical
3	7886.1333	49.81	37.07	-41.43	45.45	68.20	22.75	Vertical
4	9560.9167	48.94	38.06	-38.33	48.67	68.20	19.53	Vertical
5	12956.8667	47.74	39.85	-34.99	52.60	68.20	15.60	Vertical
6	17974.3167	43.17	41.63	-30.98	53.81	74.00	20.19	Vertical

104-lpex-11ax(HE20)_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17993.1	35.30	41.68	-30.94	46.04	54.00	7.96	Horizontal
2	6246.5417	40.46	34.99	-16.92	58.54	68.20	9.66	Horizontal
3	7581.3833	48.90	36.46	-41.84	43.52	74.00	30.48	Horizontal
4	9463.55	50.31	38.05	-38.54	49.82	74.00	24.18	Horizontal
5	12867.55	45.79	39.74	-34.56	50.97	68.20	17.23	Horizontal
6	17939.4333	43.31	41.52	-31.05	53.78	74.00	20.22	Horizontal

105-lpex-11ax(HE20)_TX_CH_60_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6147.5417	40.38	34.80	-16.74	58.43	68.20	9.77	Vertical
2	7824.0333	48.92	36.95	-41.14	44.73	68.20	23.47	Vertical
3	9507.6333	48.49	38.05	-38.47	48.07	68.20	20.13	Vertical
4	12970.2833	46.46	39.86	-35.11	51.21	68.20	16.99	Vertical
5	17962.4333	43.86	41.59	-31.01	54.45	74.00	19.55	Vertical

106-lpex-11ax(HE20)_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.6167	35.13	41.63	-30.98	45.79	54.00	8.21	Horizontal
2	6071.9167	41.26	34.64	-16.80	59.10	68.20	9.10	Horizontal
3	8003.8167	50.14	37.30	-41.17	46.27	68.20	21.93	Horizontal
4	9586.6	48.47	38.06	-38.26	48.27	68.20	19.93	Horizontal
5	12882.1167	45.67	39.76	-34.52	50.91	68.20	17.29	Horizontal
6	17892.2833	43.00	41.39	-31.19	53.20	74.00	20.80	Horizontal

107-lpex-11ax(HE20)_TX_CH_64_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.9333	35.53	41.62	-30.98	46.17	54.00	7.83	Vertical
2	5937.1667	40.31	34.31	-16.93	57.70	68.20	10.50	Vertical
3	7401.2167	49.79	36.30	-42.03	44.06	74.00	29.94	Vertical
4	9582.7667	48.36	38.06	-38.27	48.15	68.20	20.05	Vertical
5	13538.7667	45.56	40.17	-34.72	51.01	68.20	17.19	Vertical
6	17968.5667	42.77	41.61	-30.99	53.39	74.00	20.61	Vertical

108-lpex-11ax(HE20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.1833	35.49	41.61	-30.99	46.10	54.00	7.90	Horizontal
2	5986.6667	39.94	34.46	-17.08	57.32	68.20	10.88	Horizontal
3	7475.2	49.34	36.30	-42.04	43.60	74.00	30.40	Horizontal
4	9552.8667	47.97	38.06	-38.35	47.68	68.20	20.52	Horizontal
5	12937.3167	45.45	39.82	-34.81	50.47	68.20	17.73	Horizontal
6	17975.85	43.22	41.63	-30.98	53.87	74.00	20.13	Horizontal

109-lpex-11ax(HE20)_TX_CH_100_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.1833	35.00	41.67	-30.95	45.73	54.00	8.27	Vertical
2	6084.2917	40.65	34.67	-16.75	58.57	68.20	9.63	Vertical
3	7871.95	50.03	37.04	-41.37	45.71	68.20	22.49	Vertical
4	9571.65	47.94	38.06	-38.30	47.70	68.20	20.50	Vertical
5	13870.35	45.62	40.34	-34.20	51.75	68.20	16.45	Vertical
6	17963.2	42.78	41.59	-31.00	53.37	74.00	20.63	Vertical

110-lpex-11ax(HE20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.1667	35.15	41.62	-30.98	45.79	54.00	8.21	Horizontal
2	6133.3333	40.53	34.77	-16.72	58.57	68.20	9.63	Horizontal
3	7908.75	49.82	37.12	-41.47	45.47	68.20	22.73	Horizontal
4	10102.5667	47.86	38.22	-37.45	48.64	68.20	19.56	Horizontal
5	12966.45	46.48	39.86	-35.08	51.26	68.20	16.94	Horizontal
6	17901.8667	43.41	41.42	-31.13	53.70	74.00	20.30	Horizontal

111-lpex-11ax(HE20)_TX_CH_116_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.85	35.24	41.50	-31.07	45.67	54.00	8.33	Vertical
2	6284.5833	41.08	35.07	-17.00	59.14	68.20	9.06	Vertical
3	7272.8	50.17	36.30	-42.11	44.36	74.00	29.64	Vertical
4	9497.6667	48.19	38.05	-38.49	47.75	74.00	26.25	Vertical
5	12903.5833	45.23	39.78	-34.49	50.52	68.20	17.68	Vertical
6	17968.95	43.38	41.61	-30.99	54.00	74.00	20.00	Vertical

112-lpex-11ax(HE20)_TX_CH_120_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17953.6167	35.16	41.57	-31.02	45.70	54.00	8.30	Horizontal
2	6150.2917	41.12	34.80	-16.75	59.18	68.20	9.02	Horizontal
3	7885.3667	50.94	37.07	-41.43	46.58	68.20	21.62	Horizontal
4	10115.2167	47.50	38.24	-37.29	48.45	68.20	19.75	Horizontal
5	13659.9	45.90	40.23	-34.83	51.30	68.20	16.90	Horizontal
6	17960.9	42.63	41.59	-31.01	53.21	74.00	20.79	Horizontal

113-lpex-11ax(HE20)_TX_CH_120_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17919.5	35.15	41.47	-31.09	45.53	54.00	8.47	Vertical
2	6131.0417	40.98	34.76	-16.72	59.02	68.20	9.18	Vertical
3	7891.5	50.93	37.08	-41.46	46.55	68.20	21.65	Vertical
4	9466.6167	49.43	38.05	-38.53	48.94	74.00	25.06	Vertical
5	12858.35	46.44	39.73	-34.59	51.58	68.20	16.62	Vertical
6	17975.85	42.63	41.63	-30.98	53.28	74.00	20.72	Vertical

114-lpex-11ax(HE20)_TX_CH_124_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	18000	34.64	41.70	-30.93	45.41	54.00	8.59	Horizontal
2	6262.125	41.56	35.02	-16.95	59.63	68.20	8.57	Horizontal
3	7976.2167	49.81	37.25	-41.26	45.81	68.20	22.39	Horizontal
4	10176.9333	46.86	38.31	-36.52	48.65	68.20	19.55	Horizontal
5	13818.2167	45.75	40.31	-34.90	51.16	68.20	17.04	Horizontal
6	17963.9667	42.97	41.60	-31.00	53.56	74.00	20.44	Horizontal

115-lpex-11ax(HE20)_TX_CH_124_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	35.17	41.63	-30.98	45.81	54.00	8.19	Vertical
2	6201.625	40.33	34.90	-16.81	58.42	68.20	9.78	Vertical
3	7870.8	50.05	37.04	-41.36	45.73	68.20	22.47	Vertical
4	9528.3333	48.33	38.05	-38.41	47.97	68.20	20.23	Vertical
5	13668.3333	46.01	40.23	-34.94	51.30	68.20	16.90	Vertical
6	17926.4	42.70	41.49	-31.08	53.11	74.00	20.89	Vertical

116-lpex-11ax(HE20)_TX_CH_128_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17901.1	35.26	41.41	-31.13	45.55	54.00	8.45	Horizontal
2	6409.7083	39.59	35.32	-16.60	58.31	68.20	9.89	Horizontal
3	8000.3667	50.07	37.30	-41.18	46.19	68.20	22.01	Horizontal
4	11284.7667	47.17	39.13	-35.87	50.43	74.00	23.57	Horizontal
5	13828.1833	46.06	40.31	-34.77	51.60	68.20	16.60	Horizontal
6	17926.7833	43.57	41.49	-31.08	53.98	74.00	20.02	Horizontal

117-lpex-11ax(HE20)_TX_CH_128_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.5667	34.87	41.68	-30.95	45.60	54.00	8.40	Vertical
2	6154.875	40.61	34.81	-16.75	58.67	68.20	9.53	Vertical
3	7909.9	50.58	37.12	-41.47	46.23	68.20	21.97	Vertical
4	9577.4	49.04	38.06	-38.28	48.82	68.20	19.38	Vertical
5	12865.25	46.53	39.74	-34.57	51.70	68.20	16.50	Vertical
6	17981.9833	42.73	41.65	-30.97	53.41	74.00	20.59	Vertical

118-lpex-11ax(HE20)_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17995.4	35.34	41.69	-30.94	46.09	54.00	7.91	Horizontal
2	6214.4583	40.41	34.93	-16.84	58.50	68.20	9.70	Horizontal
3	7831.3167	50.41	36.96	-41.17	46.20	68.20	22.00	Horizontal
4	11393.25	48.78	39.06	-35.64	52.21	74.00	21.79	Horizontal
5	12941.9167	46.44	39.83	-34.85	51.42	68.20	16.78	Horizontal
6	17980.0667	43.17	41.64	-30.97	53.84	74.00	20.16	Horizontal

119-lpex-11ax(HE20)_TX_CH_140_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17933.6833	35.42	41.51	-31.06	45.87	54.00	8.13	Vertical
2	6232.7917	40.47	34.97	-16.89	58.55	68.20	9.65	Vertical
3	8005.7333	49.68	37.30	-41.17	45.81	68.20	22.39	Vertical
4	9537.5333	48.25	38.05	-38.39	47.92	68.20	20.28	Vertical
5	13656.8333	45.72	40.23	-34.79	51.16	68.20	17.04	Vertical
6	17962.05	42.46	41.59	-31.01	53.04	74.00	20.96	Vertical

120-lpex-11ax(HE20)_TX_CH_144_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17964.7333	34.94	41.60	-31.00	45.54	54.00	8.46	Horizontal
2	6252.0417	40.81	35.00	-16.93	58.88	68.20	9.32	Horizontal
3	7974.6833	50.03	37.25	-41.26	46.02	68.20	22.18	Horizontal
4	9470.8333	48.72	38.05	-38.53	48.24	74.00	25.76	Horizontal
5	11437.7167	48.21	39.04	-35.70	51.54	74.00	22.46	Horizontal
6	17891.5167	42.31	41.39	-31.20	52.50	74.00	21.50	Horizontal

121-lpex-11ax(HE20)_TX_CH_144_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17990.8	34.34	41.67	-30.95	45.06	54.00	8.94	Vertical
2	6290.0833	40.35	35.08	-17.02	58.41	68.20	9.79	Vertical
3	7871.5667	50.68	37.04	-41.36	46.36	68.20	21.84	Vertical
4	9602.7	47.76	38.06	-38.20	47.62	68.20	20.58	Vertical
5	12780.15	46.08	39.64	-34.71	51.01	68.20	17.19	Vertical
6	17939.4333	43.00	41.52	-31.05	53.47	74.00	20.53	Vertical

122-lpex-11ax(HE20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17943.2667	35.05	41.54	-31.04	45.54	54.00	8.46	Horizontal
2	6269.4583	40.48	35.04	-16.97	58.55	68.20	9.65	Horizontal
3	7802.1833	49.95	36.90	-41.03	45.82	68.20	22.38	Horizontal
4	9608.8333	48.19	38.06	-38.17	48.08	68.20	20.12	Horizontal
5	12904.7333	46.57	39.79	-34.50	51.85	68.20	16.35	Horizontal
6	17918.35	42.55	41.46	-31.09	52.92	74.00	21.08	Horizontal

123-lpex-11ax(HE20)_TX_CH_149_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17946.7167	34.52	41.55	-31.04	45.03	54.00	8.97	Vertical
2	6076.0417	41.33	34.65	-16.79	59.20	68.20	9.00	Vertical
3	8014.1667	50.12	37.31	-41.16	46.27	68.20	21.93	Vertical
4	9494.6	47.70	38.05	-38.50	47.25	74.00	26.75	Vertical
5	13338.2833	45.45	40.07	-34.55	50.97	74.00	23.03	Vertical
6	17919.5	44.67	41.47	-31.09	55.05	74.00	18.95	Vertical

124-lpex-11ax(HE20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17932.15	34.91	41.50	-31.07	45.35	54.00	8.65	Horizontal
2	6230.0417	41.04	34.96	-16.88	59.12	68.20	9.08	Horizontal
3	7802.5667	50.13	36.91	-41.03	46.00	68.20	22.20	Horizontal
4	9375.3833	49.17	38.04	-38.74	48.46	74.00	25.54	Horizontal
5	12653.65	46.30	39.48	-34.98	50.81	74.00	23.19	Horizontal
6	17962.8167	43.53	41.59	-31.00	54.12	74.00	19.88	Horizontal

125-lpex-11ax(HE20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	34.66	41.60	-31.00	45.26	54.00	8.74	Vertical
2	6217.6667	40.12	34.94	-16.85	58.20	68.20	10.00	Vertical
3	7805.25	49.96	36.91	-41.05	45.83	68.20	22.37	Vertical
4	9459.7167	48.76	38.05	-38.54	48.26	74.00	25.74	Vertical
5	13603.9333	45.35	40.20	-34.09	51.46	68.20	16.74	Vertical
6	17896.5	43.26	41.40	-31.16	53.50	74.00	20.50	Vertical

126-lpex-11ax(HE20)_TX_CH_165_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.1	34.87	41.61	-30.99	45.49	54.00	8.51	Horizontal
2	6122.3333	40.25	34.74	-16.71	58.29	68.20	9.91	Horizontal
3	7334.9	50.13	36.30	-42.10	44.33	74.00	29.67	Horizontal
4	9410.2667	49.11	38.04	-38.61	48.54	74.00	25.46	Horizontal
5	12671.2833	44.88	39.51	-34.77	49.62	74.00	24.38	Horizontal
6	17995.7833	42.24	41.69	-30.94	52.99	74.00	21.01	Horizontal


127-lpex-11ax(HE20)_TX_CH_165_Veritical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17990.4167	34.42	41.67	-30.95	45.14	54.00	8.86	Vertical
2	6175.0417	40.61	34.85	-16.78	58.68	68.20	9.52	Vertical
3	7903.3833	49.93	37.11	-41.49	45.55	68.20	22.65	Vertical
4	9508.7833	48.67	38.05	-38.47	48.25	68.20	19.95	Vertical
5	12818.4833	45.75	39.68	-34.72	50.71	68.20	17.49	Vertical
6	17940.2	42.00	41.53	-31.05	52.48	74.00	21.52	Vertical


Dipole Antenna(Model: YEBT038WFA):

128-Dipole-11a_TX_CH_36_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.1	35.53	41.61	-30.99	46.15	54.00	7.85	Horizontal
2	6090.7083	40.79	34.68	-16.72	58.75	68.20	9.45	Horizontal
3	7538.0667	50.28	36.38	-41.95	44.71	74.00	29.29	Horizontal
4	9444	48.56	38.04	-38.56	48.04	74.00	25.96	Horizontal
5	12829.9833	46.31	39.70	-34.68	51.32	68.20	16.88	Horizontal
6	15207.4167	44.90	39.43	-33.80	50.53	68.20	17.67	Horizontal
7	17969.7167	44.33	41.61	-30.99	54.95	74.00	19.05	Horizontal

129-Dipole-11a_TX_CH_36_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.4667	35.64	41.50	-31.07	46.06	54.00	7.94	Vertical
2	5780.875	39.58	33.84	-17.08	56.34	68.20	11.86	Vertical
3	6940.0667	51.47	36.20	-42.63	45.04	68.20	23.16	Vertical
4	8075.8833	49.83	37.35	-41.07	46.12	74.00	27.88	Vertical
5	9440.55	48.72	38.04	-38.57	48.20	74.00	25.80	Vertical
6	12800.4667	46.58	39.66	-34.78	51.46	68.20	16.74	Vertical
7	17975.4667	43.39	41.63	-30.98	54.04	74.00	19.96	Vertical

130-Dipole-11a_TX_CH_40_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.85	35.46	41.63	-30.98	46.11	54.00	7.89	Horizontal
2	5896.375	40.31	34.19	-16.82	57.68	68.20	10.52	Horizontal
3	7836.6833	51.18	36.97	-41.20	46.96	68.20	21.24	Horizontal
4	9455.5	49.11	38.05	-38.55	48.61	74.00	25.39	Horizontal
5	12933.4833	46.22	39.82	-34.77	51.27	68.20	16.93	Horizontal
6	14987.3833	45.27	39.81	-34.13	50.94	68.20	17.26	Horizontal
7	17942.5	43.34	41.53	-31.04	53.83	74.00	20.17	Horizontal

131-Dipole-11a_TX_CH_40_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.85	35.53	41.63	-30.98	46.18	54.00	7.82	Vertical
2	6250.6667	40.29	35.00	-16.93	58.36	68.20	9.84	Vertical
3	7474.05	51.18	36.30	-42.04	45.44	74.00	28.56	Vertical
4	9423.6833	49.00	38.04	-38.59	48.45	74.00	25.55	Vertical
5	12818.8667	46.65	39.68	-34.72	51.61	68.20	16.59	Vertical
6	15022.65	45.28	39.76	-34.24	50.80	68.20	17.40	Vertical
7	17880.0167	43.91	41.35	-31.29	53.97	74.00	20.03	Vertical

132-Dipole-11a_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17999.2333	35.30	41.70	-30.93	46.07	54.00	7.93	Horizontal
2	6020.5833	40.33	34.54	-17.03	57.84	68.20	10.36	Horizontal
3	7791.45	49.63	36.88	-41.08	45.43	68.20	22.77	Horizontal
4	9424.45	49.33	38.04	-38.59	48.78	74.00	25.22	Horizontal
5	12760.9833	46.12	39.61	-34.64	51.09	68.20	17.11	Horizontal
6	14970.9	45.21	39.82	-34.00	51.03	68.20	17.17	Horizontal
7	17972.7833	43.79	41.62	-30.98	54.43	74.00	19.57	Horizontal

133-Dipole-11a_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17937.1333	36.12	41.52	-31.06	46.58	54.00	7.42	Vertical
2	6122.7917	40.77	34.75	-16.71	58.81	68.20	9.39	Vertical
3	7354.0667	51.66	36.30	-42.08	45.88	74.00	28.12	Vertical
4	9430.5833	49.04	38.04	-38.58	48.50	74.00	25.50	Vertical
5	11175.1333	46.83	39.19	-35.23	50.79	74.00	23.21	Vertical
6	13618.5	46.51	40.21	-34.28	52.44	68.20	15.76	Vertical
7	17943.65	43.53	41.54	-31.04	54.02	74.00	19.98	Vertical

134-Dipole-11a_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17937.1333	35.35	41.52	-31.06	45.81	54.00	8.19	Horizontal
2	6215.8333	40.86	34.93	-16.85	58.95	68.20	9.25	Horizontal
3	7101.8333	50.35	36.30	-42.47	44.18	68.20	24.02	Horizontal
4	9425.2167	49.00	38.04	-38.59	48.46	74.00	25.54	Horizontal
5	11168.6167	45.84	39.20	-35.28	49.76	74.00	24.24	Horizontal
6	12616.0833	48.51	39.44	-35.42	52.53	74.00	21.47	Horizontal
7	17823.6667	44.24	41.19	-31.73	53.70	74.00	20.30	Horizontal

135-Dipole-11a_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.8333	35.88	41.64	-30.97	46.56	54.00	7.44	Vertical
2	6113.1667	40.62	34.73	-16.70	58.65	68.20	9.55	Vertical
3	7819.8167	50.21	36.94	-41.12	46.03	68.20	22.17	Vertical
4	9439.4	49.03	38.04	-38.57	48.51	74.00	25.49	Vertical
5	12839.95	46.57	39.71	-34.65	51.63	68.20	16.57	Vertical
6	16252	48.19	38.20	-32.99	53.40	68.20	14.80	Vertical
7	17967.4167	43.32	41.61	-31.00	53.93	74.00	20.07	Vertical

136-Dipole-11a_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.8833	35.70	41.60	-31.00	46.30	54.00	7.70	Horizontal
2	6042.125	42.05	34.58	-16.93	59.70	68.20	8.50	Horizontal
3	7928.6833	50.95	37.16	-41.41	46.70	68.20	21.50	Horizontal
4	9532.9333	48.58	38.05	-38.40	48.23	68.20	19.97	Horizontal
5	12950.7333	47.38	39.84	-34.93	52.29	68.20	15.91	Horizontal
6	14981.25	45.30	39.81	-34.08	51.03	68.20	17.17	Horizontal
7	17885.3833	43.62	41.37	-31.25	53.74	74.00	20.26	Horizontal

137-Dipole-11a_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17935.6	35.73	41.51	-31.06	46.18	54.00	7.82	Vertical
2	6099.875	40.09	34.70	-16.68	58.11	68.20	10.09	Vertical
3	7085.35	50.57	36.30	-42.50	44.37	68.20	23.83	Vertical
4	9439.4	49.05	38.04	-38.57	48.53	74.00	25.47	Vertical
5	12854.1333	47.38	39.72	-34.61	52.50	68.20	15.70	Vertical
6	14545.7833	45.21	40.07	-34.70	50.59	68.20	17.61	Vertical
7	17919.1167	42.99	41.47	-31.09	53.36	74.00	20.64	Vertical

138-Dipole-11a_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17986.9667	35.22	41.66	-30.96	45.93	54.00	8.07	Horizontal
2	6145.25	40.65	34.79	-16.74	58.70	68.20	9.50	Horizontal
3	7830.9333	50.98	36.96	-41.17	46.77	68.20	21.43	Horizontal
4	11145.2333	46.11	39.21	-35.44	49.88	74.00	24.12	Horizontal
5	12887.8667	46.43	39.77	-34.50	51.70	68.20	16.50	Horizontal
6	14320.3833	45.76	40.21	-34.72	51.24	68.20	16.96	Horizontal
7	17985.05	43.02	41.66	-30.96	53.72	74.00	20.28	Horizontal

139-Dipole-11a_TX_CH_64_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17977	35.36	41.63	-30.98	46.02	54.00	7.98	Vertical
2	6187.875	41.02	34.88	-16.79	59.10	68.20	9.10	Vertical
3	7591.35	51.37	36.48	-41.82	46.03	74.00	27.97	Vertical
4	9494.2167	49.35	38.05	-38.50	48.90	74.00	25.10	Vertical
5	12694.2833	45.40	39.53	-34.50	50.44	74.00	23.56	Vertical
6	14970.9	45.92	39.82	-34.00	51.74	68.20	16.46	Vertical
7	17976.6167	42.95	41.63	-30.98	53.61	74.00	20.39	Vertical

140-Dipole-11a_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.1	35.62	41.61	-30.99	46.24	54.00	7.76	Horizontal
2	6131.0417	40.47	34.76	-16.72	58.51	68.20	9.69	Horizontal
3	7898.4	51.36	37.10	-41.49	46.96	68.20	21.24	Horizontal
4	9425.9833	48.57	38.04	-38.59	48.03	74.00	25.97	Horizontal
5	11297.0333	45.90	39.12	-35.99	49.03	74.00	24.97	Horizontal
6	14343.7667	45.46	40.19	-34.44	51.21	68.20	16.99	Horizontal
7	17853.95	44.03	41.28	-31.49	53.81	74.00	20.19	Horizontal

141-Dipole-11a_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17949.7833	35.46	41.55	-31.03	45.98	54.00	8.02	Vertical
2	6227.2917	40.68	34.95	-16.87	58.76	68.20	9.44	Vertical
3	7403.1333	52.51	36.30	-42.03	46.78	74.00	27.22	Vertical
4	9560.9167	49.34	38.06	-38.33	49.07	68.20	19.13	Vertical
5	12800.0833	46.83	39.66	-34.78	51.71	68.20	16.49	Vertical
6	14815.65	45.34	39.91	-34.16	51.09	68.20	17.11	Vertical
7	17917.5833	43.56	41.46	-31.09	53.93	74.00	20.07	Vertical

142-Dipole-11a_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17910.6833	35.61	41.44	-31.11	45.94	54.00	8.06	Horizontal
2	6266.25	40.46	35.03	-16.96	58.53	68.20	9.67	Horizontal
3	7779.95	49.60	36.86	-41.16	45.30	68.20	22.90	Horizontal
4	9432.8833	49.76	38.04	-38.58	49.23	74.00	24.77	Horizontal
5	11151.75	45.84	39.21	-35.39	49.66	74.00	24.34	Horizontal
6	13603.1667	45.77	40.20	-34.08	51.89	68.20	16.31	Horizontal
7	17953.2333	43.37	41.56	-31.02	53.91	74.00	20.09	Horizontal

143-Dipole-11a_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17935.2167	35.92	41.51	-31.06	46.37	54.00	7.63	Vertical
2	6155.7917	40.63	34.81	-16.75	58.69	68.20	9.51	Vertical
3	8259.5	49.35	37.48	-40.62	46.21	74.00	27.79	Vertical
4	9428.6667	49.49	38.04	-38.58	48.95	74.00	25.05	Vertical
5	11318.5	45.87	39.11	-35.94	49.03	74.00	24.97	Vertical
6	13482.0333	47.76	40.14	-35.03	52.87	68.20	15.33	Vertical
7	17850.8833	44.19	41.27	-31.52	53.94	74.00	20.06	Vertical

144-Dipole-11a_TX_CH_120_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17982.75	35.11	41.65	-30.96	45.80	54.00	8.20	Horizontal
2	6128.75	40.58	34.76	-16.72	58.62	68.20	9.58	Horizontal
3	7858.9167	50.58	37.02	-41.30	46.30	68.20	21.90	Horizontal
4	9644.1	47.48	38.06	-37.97	47.58	68.20	20.62	Horizontal
5	12858.35	46.12	39.73	-34.59	51.26	68.20	16.94	Horizontal
6	14980.1	46.34	39.81	-34.07	52.08	68.20	16.12	Horizontal
7	17998.4667	43.41	41.70	-30.93	54.17	74.00	19.83	Horizontal

145-Dipole-11a_TX_CH_120_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	35.72	41.62	-30.99	46.35	54.00	7.65	Vertical
2	6142.9583	40.87	34.79	-16.74	58.92	68.20	9.28	Vertical
3	7589.05	50.96	36.48	-41.83	45.61	74.00	28.39	Vertical
4	9445.15	49.09	38.04	-38.56	48.57	74.00	25.43	Vertical
5	11153.2833	45.99	39.21	-35.38	49.82	74.00	24.18	Vertical
6	13616.9667	46.25	40.21	-34.26	52.19	68.20	16.01	Vertical
7	17946.3333	44.22	41.54	-31.04	54.73	74.00	19.27	Vertical

146-Dipole-11a_TX_CH_124_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17938.6667	35.63	41.52	-31.05	46.10	54.00	7.90	Horizontal
2	6226.8333	41.14	34.95	-16.87	59.22	68.20	8.98	Horizontal
3	7855.0833	50.84	37.01	-41.28	46.57	68.20	21.63	Horizontal
4	9429.8167	49.29	38.04	-38.58	48.75	74.00	25.25	Horizontal
5	11185.1	46.42	39.19	-35.16	50.45	74.00	23.55	Horizontal
6	13648.4	46.30	40.22	-34.68	51.85	68.20	16.35	Horizontal
7	17935.6	43.65	41.51	-31.06	54.10	74.00	19.90	Horizontal

147-Dipole-11a_TX_CH_124_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17999.6167	35.65	41.70	-30.93	46.42	54.00	7.58	Vertical
2	6155.3333	40.57	34.81	-16.75	58.63	68.20	9.57	Vertical
3	7968.9333	51.11	37.24	-41.28	47.07	68.20	21.13	Vertical
4	9582.3833	48.67	38.06	-38.27	48.46	68.20	19.74	Vertical
5	11237.2333	46.08	39.16	-35.42	49.82	74.00	24.18	Vertical
6	12874.0667	46.37	39.75	-34.54	51.58	68.20	16.62	Vertical
7	17911.8333	44.18	41.44	-31.11	54.52	74.00	19.48	Vertical

148-Dipole-11a_TX_CH_128_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17927.1667	35.52	41.49	-31.08	45.93	54.00	8.07	Horizontal
2	6207.5833	40.73	34.92	-16.83	58.82	68.20	9.38	Horizontal
3	7894.5667	50.86	37.09	-41.47	46.48	68.20	21.72	Horizontal
4	9529.1	47.82	38.05	-38.41	47.46	68.20	20.74	Horizontal
5	12910.1	45.74	39.79	-34.55	50.98	68.20	17.22	Horizontal
6	13640.7333	46.67	40.22	-34.58	52.31	68.20	15.89	Horizontal
7	17972.7833	43.24	41.62	-30.98	53.88	74.00	20.12	Horizontal

149-Dipole-11a_TX_CH_128_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17939.4333	35.70	41.52	-31.05	46.17	54.00	7.83	Vertical
2	6157.1667	40.75	34.81	-16.75	58.81	68.20	9.39	Vertical
3	7919.8667	50.99	37.14	-41.44	46.69	68.20	21.51	Vertical
4	9429.05	49.06	38.04	-38.58	48.52	74.00	25.48	Vertical
5	11152.9	46.15	39.21	-35.38	49.97	74.00	24.03	Vertical
6	12821.9333	48.11	39.69	-34.71	53.09	68.20	15.11	Vertical
7	17968.95	43.82	41.61	-30.99	54.44	74.00	19.56	Vertical

150-Dipole-11a_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.2333	35.31	41.63	-30.98	45.96	54.00	8.04	Horizontal
2	6238.75	40.90	34.98	-16.90	58.98	68.20	9.22	Horizontal
3	7347.55	50.94	36.30	-42.09	45.15	74.00	28.85	Horizontal
4	8833.7333	49.27	37.88	-39.73	47.43	68.20	20.77	Horizontal
5	9594.2667	48.22	38.06	-38.24	48.04	68.20	20.16	Horizontal
6	12793.5667	47.11	39.65	-34.76	52.00	68.20	16.20	Horizontal
7	17932.15	43.02	41.50	-31.07	53.46	74.00	20.54	Horizontal

151-Dipole-11a_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17956.6833	35.74	41.57	-31.02	46.30	54.00	7.70	Vertical
2	6187.4167	40.40	34.87	-16.79	58.48	68.20	9.72	Vertical
3	7952.8333	50.52	37.21	-41.33	46.39	68.20	21.81	Vertical
4	9488.85	49.00	38.05	-38.50	48.54	74.00	25.46	Vertical
5	11064.7333	46.70	39.26	-35.83	50.13	74.00	23.87	Vertical
6	12937.3167	46.65	39.82	-34.81	51.67	68.20	16.53	Vertical
7	17986.9667	43.86	41.66	-30.96	54.57	74.00	19.43	Vertical

152-Dipole-11a_TX_CH_144_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17900.3333	35.37	41.41	-31.13	45.65	54.00	8.35	Horizontal
2	6170.4583	41.38	34.84	-16.77	59.45	68.20	8.75	Horizontal
3	7831.3167	50.04	36.96	-41.17	45.83	68.20	22.37	Horizontal
4	9475.05	48.67	38.05	-38.52	48.20	74.00	25.80	Horizontal
5	11188.9333	45.00	39.19	-35.14	49.05	74.00	24.95	Horizontal
6	12920.8333	45.86	39.81	-34.65	51.01	68.20	17.19	Horizontal
7	17995.0167	42.17	41.69	-30.94	52.92	74.00	21.08	Horizontal

153-Dipole-11a_TX_CH_144_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.7167	35.44	41.61	-30.99	46.06	54.00	7.94	Vertical
2	6210.7917	40.61	34.92	-16.83	58.70	68.20	9.50	Vertical
3	7859.6833	50.73	37.02	-41.31	46.44	68.20	21.76	Vertical
4	9412.1833	49.08	38.04	-38.60	48.52	74.00	25.48	Vertical
5	11127.6	46.42	39.22	-35.56	50.08	74.00	23.92	Vertical
6	12857.5833	46.40	39.73	-34.60	51.53	68.20	16.67	Vertical
7	17972.0167	43.82	41.62	-30.99	54.45	74.00	19.55	Vertical

154-Dipole-11a_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.9333	35.49	41.62	-30.98	46.13	54.00	7.87	Horizontal
2	6194.75	40.53	34.89	-16.80	58.62	68.20	9.58	Horizontal
3	7748.9	49.40	36.80	-41.37	44.83	74.00	29.17	Horizontal
4	9359.2833	48.15	38.04	-38.82	47.36	74.00	26.64	Horizontal
5	11150.6	45.75	39.21	-35.40	49.56	74.00	24.44	Horizontal
6	12838.4167	46.16	39.71	-34.66	51.21	68.20	16.99	Horizontal
7	17937.9	42.77	41.52	-31.05	53.24	74.00	20.76	Horizontal

155-Dipole-11a_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	35.50	41.62	-30.99	46.13	54.00	7.87	Vertical
2	6236	41.03	34.97	-16.89	59.11	68.20	9.09	Vertical
3	7865.05	50.62	37.03	-41.33	46.32	68.20	21.88	Vertical
4	9471.9833	49.78	38.05	-38.53	49.30	74.00	24.70	Vertical
5	10714.3667	47.04	38.96	-36.02	49.98	74.00	24.02	Vertical
6	12774.7833	47.12	39.63	-34.69	52.06	68.20	16.14	Vertical
7	17952.0833	43.37	41.56	-31.03	53.91	74.00	20.09	Vertical

156-Dipole-11a_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.6	35.03	41.65	-30.97	45.71	54.00	8.29	Horizontal
2	6212.625	40.17	34.93	-16.84	58.26	68.20	9.94	Horizontal
3	7860.0667	50.49	37.02	-41.31	46.20	68.20	22.00	Horizontal
4	9449.75	49.47	38.04	-38.56	48.96	74.00	25.04	Horizontal
5	11209.6333	46.05	39.17	-35.15	50.07	74.00	23.93	Horizontal
6	12831.1333	46.27	39.70	-34.68	51.29	68.20	16.91	Horizontal
7	17923.3333	44.08	41.48	-31.08	54.47	74.00	19.53	Horizontal

157-Dipole-11a_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17966.2667	36.38	41.60	-31.00	46.98	54.00	7.02	Vertical
2	6246.5417	41.64	34.99	-16.92	59.72	68.20	8.48	Vertical
3	7227.1833	50.55	36.30	-42.05	44.80	68.20	23.40	Vertical
4	8785.4333	50.54	37.85	-39.77	48.62	68.20	19.58	Vertical
5	11149.8333	46.24	39.21	-35.41	50.04	74.00	23.96	Vertical
6	13158.5	46.29	39.98	-34.82	51.45	68.20	16.75	Vertical
7	17965.8833	43.70	41.60	-31.00	54.30	74.00	19.70	Vertical

158-Dipole-11a_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17971.25	34.91	41.62	-30.99	45.54	54.00	8.46	Horizontal
2	6146.1667	41.11	34.79	-16.74	59.16	68.20	9.04	Horizontal
3	7260.15	50.61	36.30	-42.09	44.82	74.00	29.18	Horizontal
4	9430.2	48.97	38.04	-38.58	48.43	74.00	25.57	Horizontal
5	11180.5	46.08	39.19	-35.19	50.08	74.00	23.92	Horizontal
6	12838.4167	46.50	39.71	-34.66	51.55	68.20	16.65	Horizontal
7	17976.2333	42.74	41.63	-30.98	53.39	74.00	20.61	Horizontal

159-Dipole-11a_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17994.25	35.48	41.68	-30.94	46.22	54.00	7.78	Vertical
2	6245.625	40.72	34.99	-16.91	58.80	68.20	9.40	Vertical
3	7796.4333	50.41	36.89	-41.04	46.26	68.20	21.94	Vertical
4	9509.1667	49.46	38.05	-38.47	49.05	68.20	19.15	Vertical
5	12782.8333	46.96	39.64	-34.72	51.88	68.20	16.32	Vertical
6	14518.5667	45.95	40.09	-34.77	51.27	68.20	16.93	Vertical
7	17932.5333	43.23	41.50	-31.06	53.67	74.00	20.33	Vertical

160-Dipole-11ax(HE20)_TX_CH_36_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.8167	35.37	41.59	-31.00	45.96	54.00	8.04	Horizontal
2	6238.2917	40.96	34.98	-16.90	59.04	68.20	9.16	Horizontal
3	7361.35	51.30	36.30	-42.07	45.53	74.00	28.47	Horizontal
4	9438.25	49.98	38.04	-38.57	49.45	74.00	24.55	Horizontal
5	11146.7667	45.86	39.21	-35.43	49.64	74.00	24.36	Horizontal
6	12874.45	45.76	39.75	-34.54	50.97	68.20	17.23	Horizontal
7	17923.7167	42.91	41.48	-31.08	53.31	74.00	20.69	Horizontal

161-Dipole-11ax(HE20)_TX_CH_36_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17983.9	35.73	41.65	-30.96	46.42	54.00	7.58	Vertical
2	6219.0417	41.28	34.94	-16.85	59.36	68.20	8.84	Vertical
3	7197.6667	50.55	36.30	-42.03	44.82	68.20	23.38	Vertical
4	9453.9667	48.68	38.05	-38.55	48.18	74.00	25.82	Vertical
5	10951.65	45.55	39.24	-36.09	48.70	74.00	25.30	Vertical
6	12852.2167	46.79	39.72	-34.61	51.90	68.20	16.30	Vertical
7	17983.5167	43.02	41.65	-30.96	53.71	74.00	20.29	Vertical

162-Dipole-11ax(HE20)_TX_CH_40_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17924.8667	35.24	41.48	-31.08	45.64	54.00	8.36	Horizontal
2	6088.4167	40.34	34.68	-16.73	58.29	68.20	9.91	Horizontal
3	7266.2833	50.42	36.30	-42.10	44.62	74.00	29.38	Horizontal
4	9599.25	48.89	38.06	-38.22	48.73	68.20	19.47	Horizontal
5	10950.1167	45.64	39.24	-36.09	48.79	74.00	25.21	Horizontal
6	12901.6667	45.94	39.78	-34.48	51.25	68.20	16.95	Horizontal
7	17947.4833	42.82	41.55	-31.04	53.33	74.00	20.67	Horizontal

163-Dipole-11ax(HE20)_TX_CH_40_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17990.8	35.56	41.67	-30.95	46.28	54.00	7.72	Vertical
2	6088.875	40.32	34.68	-16.73	58.27	68.20	9.93	Vertical
3	6802.0667	52.31	35.98	-42.85	45.45	68.20	22.75	Vertical
4	7813.3	50.76	36.93	-41.08	46.60	68.20	21.60	Vertical
5	9595.0333	48.14	38.06	-38.23	47.97	68.20	20.23	Vertical
6	12887.4833	46.12	39.76	-34.50	51.38	68.20	16.82	Vertical
7	17991.5667	42.83	41.68	-30.95	53.56	74.00	20.44	Vertical

164-Dipole-11ax(HE20)_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17966.65	35.29	41.60	-31.00	45.90	54.00	8.10	Horizontal
2	6080.1667	41.10	34.66	-16.77	58.99	68.20	9.21	Horizontal
3	7428.4333	50.59	36.30	-42.03	44.86	74.00	29.14	Horizontal
4	9531.4	48.93	38.05	-38.41	48.58	68.20	19.62	Horizontal
5	11142.1667	45.16	39.21	-35.46	48.92	74.00	25.08	Horizontal
6	12843.4	46.56	39.71	-34.64	51.63	68.20	16.57	Horizontal
7	17901.4833	43.40	41.41	-31.13	53.69	74.00	20.31	Horizontal

165-Dipole-11ax(HE20)_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17992.3333	35.68	41.68	-30.95	46.41	54.00	7.59	Vertical
2	6035.25	41.32	34.57	-16.96	58.93	68.20	9.27	Vertical
3	7826.7167	50.83	36.95	-41.15	46.64	68.20	21.56	Vertical
4	9494.2167	49.14	38.05	-38.50	48.69	74.00	25.31	Vertical
5	11161.3333	45.06	39.20	-35.33	48.94	74.00	25.06	Vertical
6	12672.4333	45.65	39.51	-34.76	50.40	74.00	23.60	Vertical
7	17972.4	42.84	41.62	-30.99	53.47	74.00	20.53	Vertical

166-Dipole-11ax(HE20)_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17988.8833	35.66	41.67	-30.95	46.38	54.00	7.62	Horizontal
2	5831.75	40.28	34.00	-16.95	57.32	68.20	10.88	Horizontal
3	7275.4833	50.32	36.30	-42.11	44.51	74.00	29.49	Horizontal
4	9041.1167	48.94	38.00	-39.44	47.51	74.00	26.49	Horizontal
5	11070.4833	45.38	39.26	-35.82	48.82	74.00	25.18	Horizontal
6	13572.1167	45.34	40.19	-34.35	51.18	68.20	17.02	Horizontal
7	17986.2	43.04	41.66	-30.96	53.74	74.00	20.26	Horizontal

167-Dipole-11ax(HE20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.3	35.65	41.64	-30.97	46.32	54.00	7.68	Vertical
2	5937.1667	40.67	34.31	-16.93	58.06	68.20	10.14	Vertical
3	6980.7	50.91	36.27	-42.63	44.55	68.20	23.65	Vertical
4	9513.7667	49.01	38.05	-38.45	48.61	68.20	19.59	Vertical
5	11145.6167	45.93	39.21	-35.44	49.71	74.00	24.29	Vertical
6	12881.7333	45.88	39.76	-34.52	51.12	68.20	17.08	Vertical
7	17971.25	43.55	41.62	-30.99	54.18	74.00	19.82	Vertical

168-Dipole-11ax(HE20)_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17947.4833	35.66	41.55	-31.04	46.17	54.00	7.83	Horizontal
2	6104.4583	40.63	34.71	-16.69	58.65	68.20	9.55	Horizontal
3	7137.1	50.65	36.30	-42.31	44.64	68.20	23.56	Horizontal
4	9539.45	49.67	38.05	-38.38	49.34	68.20	18.86	Horizontal
5	11179.35	44.56	39.19	-35.20	48.55	74.00	25.45	Horizontal
6	12819.6333	46.23	39.68	-34.72	51.20	68.20	17.00	Horizontal
7	17912.6	43.21	41.45	-31.10	53.55	74.00	20.45	Horizontal

169-Dipole-11ax(HE20)_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17950.55	36.44	41.56	-31.03	46.97	54.00	7.03	Vertical
2	5948.625	40.15	34.35	-16.96	57.54	68.20	10.66	Vertical
3	7242.9	51.18	36.30	-42.07	45.41	68.20	22.79	Vertical
4	9505.3333	48.56	38.05	-38.48	48.13	68.20	20.07	Vertical
5	12231.6	46.65	38.98	-35.16	50.47	74.00	23.53	Vertical
6	13665.65	46.55	40.23	-34.91	51.88	68.20	16.32	Vertical
7	17995.0167	43.24	41.69	-30.94	53.99	74.00	20.01	Vertical

170-Dipole-11ax(HE20)_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17960.9	35.04	41.59	-31.01	45.62	54.00	8.38	Horizontal
2	5991.25	41.02	34.47	-17.09	58.40	68.20	9.80	Horizontal
3	6996.8	50.80	36.29	-42.63	44.46	68.20	23.74	Horizontal
4	7822.8833	50.18	36.95	-41.13	46.00	68.20	22.20	Horizontal
5	9445.9167	48.71	38.04	-38.56	48.19	74.00	25.81	Horizontal
6	12847.2333	45.97	39.72	-34.63	51.06	68.20	17.14	Horizontal
7	17915.6667	43.46	41.46	-31.10	53.82	74.00	20.18	Horizontal

171-Dipole-11ax(HE20)_TX_CH_64_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.7	35.63	41.63	-30.98	46.28	54.00	7.72	Vertical
2	6019.6667	41.36	34.54	-17.03	58.87	68.20	9.33	Vertical
3	6757.6	52.29	35.91	-42.85	45.35	68.20	22.85	Vertical
4	7797.2	50.21	36.89	-41.04	46.07	68.20	22.13	Vertical
5	9560.5333	49.05	38.06	-38.33	48.78	68.20	19.42	Vertical
6	12814.65	47.93	39.68	-34.73	52.87	68.20	15.33	Vertical
7	17876.1833	43.90	41.34	-31.32	53.92	74.00	20.08	Vertical

172-Dipole-11ax(HE20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.6833	34.86	41.64	-30.97	45.53	54.00	8.47	Horizontal
2	6205.2917	40.84	34.91	-16.82	58.93	68.20	9.27	Horizontal
3	7002.9333	50.15	36.30	-42.63	43.82	68.20	24.38	Horizontal
4	7886.9	50.21	37.07	-41.44	45.85	68.20	22.35	Horizontal
5	9457.4167	48.57	38.05	-38.55	48.07	74.00	25.93	Horizontal
6	13354.3833	45.22	40.08	-34.53	50.77	74.00	23.23	Horizontal
7	17980.45	42.53	41.64	-30.97	53.20	74.00	20.80	Horizontal

173-Dipole-11ax(HE20)_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.7833	36.11	41.62	-30.98	46.75	54.00	7.25	Vertical
2	6033.875	40.44	34.57	-16.97	58.04	68.20	10.16	Vertical
3	6882.95	50.93	36.11	-42.67	44.38	68.20	23.82	Vertical
4	7800.65	50.36	36.90	-41.02	46.24	68.20	21.96	Vertical
5	9577.7833	48.26	38.06	-38.28	48.04	68.20	20.16	Vertical
6	12835.7333	46.09	39.70	-34.67	51.13	68.20	17.07	Vertical
7	17923.3333	44.62	41.48	-31.08	55.01	74.00	18.99	Vertical

174-Dipole-11ax(HE20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	35.39	41.62	-30.99	46.02	54.00	7.98	Horizontal
2	6126.4583	40.86	34.75	-16.71	58.90	68.20	9.30	Horizontal
3	6849.6	50.91	36.06	-42.74	44.23	68.20	23.97	Horizontal
4	7864.6667	50.21	37.03	-41.33	45.91	68.20	22.29	Horizontal
5	9569.35	48.51	38.06	-38.30	48.26	68.20	19.94	Horizontal
6	12949.5833	46.36	39.84	-34.92	51.28	68.20	16.92	Horizontal
7	17917.9667	43.39	41.46	-31.09	53.76	74.00	20.24	Horizontal

175-Dipole-11ax(HE20)_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17986.9667	35.37	41.66	-30.96	46.08	54.00	7.92	Vertical
2	6180.5417	41.13	34.86	-16.78	59.21	68.20	8.99	Vertical
3	6943.9	50.99	36.21	-42.63	44.57	68.20	23.63	Vertical
4	8002.2833	51.21	37.30	-41.18	47.34	68.20	20.86	Vertical
5	9583.5333	49.45	38.06	-38.26	49.24	68.20	18.96	Vertical
6	12846.85	46.68	39.72	-34.63	51.77	68.20	16.43	Vertical
7	17958.6	43.23	41.58	-31.01	53.80	74.00	20.20	Vertical

176-Dipole-11ax(HE20)_TX_CH_120_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.1	35.49	41.61	-30.99	46.11	54.00	7.89	Horizontal
2	6269.4583	40.58	35.04	-16.97	58.65	68.20	9.55	Horizontal
3	6841.9333	51.88	36.05	-42.76	45.17	68.20	23.03	Horizontal
4	7825.5667	50.43	36.95	-41.14	46.24	68.20	21.96	Horizontal
5	9626.4667	47.39	38.06	-38.07	47.38	68.20	20.82	Horizontal
6	12962.6167	46.53	39.86	-35.04	51.34	68.20	16.86	Horizontal
7	17915.6667	43.15	41.46	-31.10	53.51	74.00	20.49	Horizontal

177-Dipole-11ax(HE20)_TX_CH_120_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17992.3333	35.82	41.68	-30.95	46.55	54.00	7.45	Vertical
2	6200.7083	40.60	34.90	-16.81	58.69	68.20	9.51	Vertical
3	7767.6833	49.81	36.84	-41.24	45.40	68.20	22.80	Vertical
4	9583.5333	49.04	38.06	-38.26	48.83	68.20	19.37	Vertical
5	11196.9833	46.02	39.18	-35.08	50.12	74.00	23.88	Vertical
6	12826.15	47.39	39.69	-34.70	52.39	68.20	15.81	Vertical
7	17980.45	43.58	41.64	-30.97	54.25	74.00	19.75	Vertical

178-Dipole-11ax(HE20)_TX_CH_124_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17904.1667	35.33	41.42	-31.12	45.63	54.00	8.37	Horizontal
2	6137.4583	41.27	34.77	-16.73	59.32	68.20	8.88	Horizontal
3	7069.6333	50.27	36.30	-42.53	44.04	68.20	24.16	Horizontal
4	9508.4	49.41	38.05	-38.47	48.99	68.20	19.21	Horizontal
5	11148.3	45.66	39.21	-35.42	49.45	74.00	24.55	Horizontal
6	12825.3833	45.57	39.69	-34.70	50.56	68.20	17.64	Horizontal
7	17934.0667	42.93	41.51	-31.06	53.38	74.00	20.62	Horizontal

179-Dipole-11ax(HE20)_TX_CH_124_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17966.2667	36.04	41.60	-31.00	46.64	54.00	7.36	Vertical
2	6233.25	40.71	34.97	-16.89	58.79	68.20	9.41	Vertical
3	7206.1	50.35	36.30	-42.03	44.62	68.20	23.58	Vertical
4	9435.95	48.90	38.04	-38.57	48.37	74.00	25.63	Vertical
5	11133.35	46.09	39.22	-35.52	49.79	74.00	24.21	Vertical
6	12857.5833	46.39	39.73	-34.60	51.52	68.20	16.68	Vertical
7	17985.05	43.48	41.66	-30.96	54.18	74.00	19.82	Vertical