













Reference level measurement



Test Result


TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm/100KHz]
Thread	Ant1	2405	2404.71	8.08
	Ant2	2405	2404.73	9.06
	Ant1	2440	2439.73	8.12
	Ant2	2440	2439.75	8.45
	Ant1	2475	2474.72	8.33
	Ant2	2475	2474.71	6.04
	Ant1	2480	2479.71	-6.42
	Ant2	2480	2479.75	-6.08






Test Graphs














Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq (MHz)	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
Thread	Ant1	Low	2405	8.08	-33.26	≤ -11.92	PASS
	Ant2	Low	2405	9.06	-33.58	≤ -10.94	PASS
	Ant1	High	2475	8.33	-47.23	≤ -11.67	PASS
	Ant2	High	2475	6.04	-47.34	≤ -13.96	PASS
	Ant1	High	2480	-6.42	-47.31	≤ -26.42	PASS
	Ant2	High	2480	-6.08	-46.07	≤ -26.08	PASS




Test Graphs












Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
Thread	Ant1	2405	30~1000	8.08	-44.94	≤-11.92	PASS
			1000~26500	8.08	-39.06	≤-11.92	PASS
	Ant2	2405	30~1000	9.06	-45.47	≤-10.94	PASS
			1000~26500	9.06	-38.55	≤-10.94	PASS
	Ant1	2440	30~1000	8.12	-44.25	≤-11.88	PASS
			1000~26500	8.12	-38.98	≤-11.88	PASS
	Ant2	2440	30~1000	8.45	-44.82	≤-11.55	PASS
			1000~26500	8.45	-39.06	≤-11.55	PASS
	Ant1	2475	30~1000	8.33	-44.66	≤-11.67	PASS
			1000~26500	8.33	-38.9	≤-11.67	PASS
	Ant2	2475	30~1000	6.04	-45.21	≤-13.96	PASS
			1000~26500	6.04	-39.05	≤-13.96	PASS
	Ant1	2480	30~1000	-6.42	-45.34	≤-26.42	PASS
			1000~26500	-6.42	-37.87	≤-26.42	PASS
	Ant2	2480	30~1000	-6.08	-45.27	≤-26.08	PASS
			1000~26500	-6.08	-38.67	≤-26.08	PASS






Test Graphs




























Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-L+CABLE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.354	40.61	-18.26	58.87	20.50	9.62	10.49	QP
2 *	0.354	33.41	-15.46	48.87	13.30	9.62	10.49	Average
3	0.371	40.03	-18.44	58.47	19.90	9.64	10.49	QP
4	0.371	29.43	-19.04	48.47	9.30	9.64	10.49	Average
5	0.989	28.46	-27.54	56.00	8.20	9.69	10.57	QP
6	0.989	20.86	-25.14	46.00	0.60	9.69	10.57	Average
7	2.110	26.93	-29.07	56.00	6.60	9.79	10.54	QP
8	2.110	20.63	-25.37	46.00	0.30	9.79	10.54	Average
9	4.746	30.02	-25.98	56.00	9.60	9.92	10.50	QP
10	4.746	22.62	-23.38	46.00	2.20	9.92	10.50	Average
11	11.683	29.31	-30.69	60.00	8.50	10.25	10.56	QP
12	11.683	19.31	-30.69	50.00	-1.50	10.25	10.56	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS

Condition : 15C RSS247-QP LISN-100334-N+CABLE NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.204	31.63	-31.82	63.45	11.50	9.65	10.48	QP
2	0.204	23.43	-30.02	53.45	3.30	9.65	10.48	Average
3	0.341	33.59	-25.59	59.18	13.50	9.60	10.49	QP
4	0.341	22.39	-26.79	49.18	2.30	9.60	10.49	Average
5	0.365	35.33	-23.28	58.61	15.20	9.64	10.49	QP
6 *	0.365	25.73	-22.88	48.61	5.60	9.64	10.49	Average
7	2.900	25.93	-30.07	56.00	5.60	9.81	10.52	QP
8	2.900	19.13	-26.87	46.00	-1.20	9.81	10.52	Average
9	7.213	30.38	-29.62	60.00	9.50	10.32	10.56	QP
10	7.213	21.48	-28.52	50.00	0.60	10.32	10.56	Average
11	11.257	29.61	-30.39	60.00	8.80	10.26	10.55	QP
12	11.257	21.41	-28.59	50.00	0.60	10.26	10.55	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Maven Qi	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

<Zigbee>





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	Ant2 Port 2	Zigbee	11	2405	250k	-	-
Mode 2	2400-2483.5	Ant2 Port 2	Zigbee	18	2440	250k	-	-
Mode 3	2400-2483.5	Ant2 Port 2	Zigbee	26	2480	250k	-	-
Mode 4	2400-2483.5	Ant1 Port 1	Zigbee	11	2405	250k	-	-
Mode 5	2400-2483.5	Ant1 Port 1	Zigbee	18	2440	250k	-	-
Mode 6	2400-2483.5	Ant1 Port 1	Zigbee	26	2480	250k	-	-
Mode 7	2400-2483.5	Ant3 Port 1	Zigbee	11	2405	250k	-	-
Mode 8	2400-2483.5	Ant3 Port 1	Zigbee	18	2440	250k	-	-
Mode 9	2400-2483.5	Ant3 Port 1	Zigbee	26	2480	250k	-	-
Mode 10	2400-2483.5	Ant3 Port 2	Zigbee	11	2405	250k	-	-
Mode 11	2400-2483.5	Ant1 Port 1	Zigbee	25	2475	250k	-	-
Mode 12	2400-2483.5	Ant2 Port 2	Zigbee	25	2475	250k	-	-
Mode 13	2400-2483.5	Ant3 Port 1	Zigbee	25	2475	250k	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Zigbee	11	2375.91	44.00	54.00	-10.00	V	AVERAGE	Pass	Band Edge
1	Zigbee	11	4810.00	47.16	54.00	-6.84	H	AVERAGE	Pass	Harmonic
2	Zigbee	18	-	-	-	-	-	-	-	Band Edge
2	Zigbee	18	4880.00	49.69	54.00	-4.31	V	AVERAGE	Pass	Harmonic
3	Zigbee	26	2483.50	49.63	54.00	-4.37	H	AVERAGE	Pass	Band Edge
3	Zigbee	26	7440.00	41.97	74.00	-32.03	H	PEAK	Pass	Harmonic
4	Zigbee	11	2381.89	42.88	54.00	-11.12	V	AVERAGE	Pass	Band Edge
4	Zigbee	11	4810.00	49.70	54.00	-4.30	V	AVERAGE	Pass	Harmonic
5	Zigbee	18	-	-	-	-	-	-	-	Band Edge
5	Zigbee	18	4880.00	49.40	54.00	-4.60	H	AVERAGE	Pass	Harmonic
6	Zigbee	26	2483.50	50.21	54.00	-3.79	H	AVERAGE	Pass	Band Edge
6	Zigbee	26	4960.00	40.71	74.00	-33.29	V	PEAK	Pass	Harmonic
7	Zigbee	11	2375.78	38.51	54.00	-15.49	V	AVERAGE	Pass	Band Edge
7	Zigbee	11	4810.00	49.94	54.00	-4.06	H	AVERAGE	Pass	Harmonic
8	Zigbee	18	-	-	-	-	-	-	-	Band Edge
8	Zigbee	18	4880.00	45.97	54.00	-8.03	H	AVERAGE	Pass	Harmonic
9	Zigbee	26	2483.50	47.24	54.00	-6.76	V	AVERAGE	Pass	Band Edge
9	Zigbee	26	7440.00	42.51	74.00	-31.49	H	PEAK	Pass	Harmonic
10	Zigbee	11	2314.68	38.77	54.00	-15.23	V	AVERAGE	Pass	Band Edge
10	Zigbee	11	4810.00	48.90	54.00	-5.10	H	AVERAGE	Pass	Harmonic
11	Zigbee	25	2484.64	44.07	54.00	-9.93	H	AVERAGE	Pass	Band Edge
11	Zigbee	25	4950.00	51.39	54.00	-2.61	V	AVERAGE	Pass	Harmonic
12	Zigbee	25	2483.56	43.79	54.00	-10.21	H	AVERAGE	Pass	Band Edge
12	Zigbee	25	4950.00	50.39	54.00	-3.61	H	AVERAGE	Pass	Harmonic
13	Zigbee	25	2483.86	39.12	54.00	-14.88	H	AVERAGE	Pass	Band Edge
13	Zigbee	25	4950.00	46.96	54.00	-7.04	V	AVERAGE	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	2400-2483.5 Zigbee_CH11_2405MHz																																																						
ANT	Ant2 Port 2																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.36</td><td>55.80</td><td>74.00</td><td>-18.20</td><td>42.98</td><td>32.47</td><td>6.68</td><td>32.33</td><td>6.00</td><td>298 28 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.36	55.80	74.00	-18.20	42.98	32.47	6.68	32.33	6.00	298 28 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2384.36	55.80	74.00	-18.20	42.98	32.47	6.68	32.33	6.00	298 28 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>108.32</td><td>-----</td><td>-----</td><td>95.46</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>298 28 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	108.32	-----	-----	95.46	32.48	6.71	32.33	6.00	298 28 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2405.00	108.32	-----	-----	95.46	32.48	6.71	32.33	6.00	298 28 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.91</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>31.18</td><td>32.45</td><td>6.67</td><td>32.34</td><td>6.00</td><td>298 28 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.91	43.96	54.00	-10.04	31.18	32.45	6.67	32.34	6.00	298 28 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2375.91	43.96	54.00	-10.04	31.18	32.45	6.67	32.34	6.00	298 28 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>105.01</td><td>-----</td><td>-----</td><td>92.15</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>298 28 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	105.01	-----	-----	92.15	32.48	6.71	32.33	6.00	298 28 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2405.00	105.01	-----	-----	92.15	32.48	6.71	32.33	6.00	298 28 AVERAGE																																													



		1																																																																																																											
Mode		Band Edge																																																																																																											
		2400-2483.5_Zigbee_CH11_2405MHz																																																																																																											
ANT		Ant2 Port 2																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.17</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>43.58</td><td>32.45</td><td>6.67</td><td>32.34</td><td>6.00</td><td>123</td><td>11 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2376.17	56.36	74.00	-17.64	43.58	32.45	6.67	32.34	6.00	123	11 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>104.92</td><td>-----</td><td>-----</td><td>92.06</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>123</td><td>11 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2405.00	104.92	-----	-----	92.06	32.48	6.71	32.33	6.00	123
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2376.17	56.36	74.00	-17.64	43.58	32.45	6.67	32.34	6.00	123	11 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2405.00	104.92	-----	-----	92.06	32.48	6.71	32.33	6.00	123	11 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.91</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>31.22</td><td>32.45</td><td>6.67</td><td>32.34</td><td>6.00</td><td>123</td><td>11 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2375.91	44.00	54.00	-10.00	31.22	32.45	6.67	32.34	6.00	123	11 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>100.43</td><td>-----</td><td>-----</td><td>87.57</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>123</td><td>11 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2405.00	100.43	-----	-----	87.57	32.48	6.71	32.33	6.00	123
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2375.91	44.00	54.00	-10.00	31.22	32.45	6.67	32.34	6.00	123	11 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2405.00	100.43	-----	-----	87.57	32.48	6.71	32.33	6.00	123	11 AVERAGE																																																																																																		







Mode	1																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_Zigbee_CH11_2405MHz																																																																																																																														
ANT	Ant2 Port 2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>73.25</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>117</td><td>332 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>68.48</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>117</td><td>332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	51.93	74.00	-22.07	73.25	34.82	9.63	65.77	0.00	117	332 PEAK	2	4810.00	47.16	54.00	-6.84	68.48	34.82	9.63	65.77	0.00	117	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>70.64</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>264 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>64.79</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>264 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	49.32	74.00	-24.68	70.64	34.82	9.63	65.77	0.00	100	264 PEAK	2	4810.00	43.47	54.00	-10.53	64.79	34.82	9.63	65.77	0.00	100	264 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4810.00	51.93	74.00	-22.07	73.25	34.82	9.63	65.77	0.00	117	332 PEAK																																																																																																																				
2	4810.00	47.16	54.00	-6.84	68.48	34.82	9.63	65.77	0.00	117	332 AVERAGE																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4810.00	49.32	74.00	-24.68	70.64	34.82	9.63	65.77	0.00	100	264 PEAK																																																																																																																				
2	4810.00	43.47	54.00	-10.53	64.79	34.82	9.63	65.77	0.00	100	264 AVERAGE																																																																																																																				







		2																																																																																					
Mode		Harmonic																																																																																					
		2400-2483.5_Zigbee_CH18_2440MHz																																																																																					
ANT		Ant2 Port 2																																																																																					
Pol.		Horizontal						Vertical																																																																															
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes two red limit lines: FCC PART 15C at 75.0 dBuV/m and FCC PART 15C (AVG) at 55.0 dBuV/m. The blue signal line is below the 15C limit. Two vertical blue lines mark frequencies 4881.00 MHz and 7320.00 MHz.																																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4881.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>68.70</td><td>34.90</td><td>9.69</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.08</td><td>74.00</td><td>-31.92</td><td>68.01</td><td>36.44</td><td>11.95</td><td>66.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4881.00	47.50	74.00	-26.50	68.70	34.90	9.69	65.79	0.00	---	---	Peak	2	7320.00	42.08	74.00	-31.92	68.01	36.44	11.95	66.32	0.00	---	---	PEAK												
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	4881.00	47.50	74.00	-26.50	68.70	34.90	9.69	65.79	0.00	---	---	Peak																																																																											
2	7320.00	42.08	74.00	-31.92	68.01	36.44	11.95	66.32	0.00	---	---	PEAK																																																																											
Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes two red limit lines: FCC PART 15C at 75.0 dBuV/m and FCC PART 15C (AVG) at 55.0 dBuV/m. The blue signal line is below the 15C limit. Three vertical blue lines mark frequencies 4880.00 MHz, 4881.00 MHz, and 7320.00 MHz.																																																																																							
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>75.35</td><td>34.90</td><td>9.69</td><td>65.79</td><td>0.00</td><td>292</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>70.89</td><td>34.90</td><td>9.69</td><td>65.79</td><td>0.00</td><td>292</td><td>67</td><td>AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>42.25</td><td>74.00</td><td>-31.75</td><td>68.18</td><td>36.44</td><td>11.95</td><td>66.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	54.15	74.00	-19.85	75.35	34.90	9.69	65.79	0.00	292	67	PEAK	2	4880.00	49.69	54.00	-4.31	70.89	34.90	9.69	65.79	0.00	292	67	AVERAGE	3	7320.00	42.25	74.00	-31.75	68.18	36.44	11.95	66.32	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	4880.00	54.15	74.00	-19.85	75.35	34.90	9.69	65.79	0.00	292	67	PEAK																																																																											
2	4880.00	49.69	54.00	-4.31	70.89	34.90	9.69	65.79	0.00	292	67	AVERAGE																																																																											
3	7320.00	42.25	74.00	-31.75	68.18	36.44	11.95	66.32	0.00	---	---	PEAK																																																																											





Mode	3																																																						
	Band Edge																																																						
	2400-2483.5_Zigbee_CH26_2480MHz																																																						
ANT	Ant2 Port 2																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>58.88</td><td>74.00</td><td>-15.12</td><td>45.96</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>104 32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	58.88	74.00	-15.12	45.96	32.43	6.82	32.33	6.00	104 32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	58.88	74.00	-15.12	45.96	32.43	6.82	32.33	6.00	104 32 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.97</td><td>-----</td><td>-----</td><td>83.06</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>104 32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.97	-----	-----	83.06	32.42	6.82	32.33	6.00	104 32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	95.97	-----	-----	83.06	32.42	6.82	32.33	6.00	104 32 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>36.71</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>104 32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.63	54.00	-4.37	36.71	32.43	6.82	32.33	6.00	104 32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	49.63	54.00	-4.37	36.71	32.43	6.82	32.33	6.00	104 32 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.03</td><td>-----</td><td>-----</td><td>79.12</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>104 32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.03	-----	-----	79.12	32.42	6.82	32.33	6.00	104 32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	92.03	-----	-----	79.12	32.42	6.82	32.33	6.00	104 32 AVERAGE																																													







Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																									
ANT	Ant2 Port 2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>44.20</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>103 306 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	57.12	74.00	-16.88	44.20	32.43	6.82	32.33	6.00	103 306 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>92.81</td><td>-----</td><td>-----</td><td>79.90</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>103 306 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.81	-----	-----	79.90	32.42	6.82	32.33	6.00	103 306 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.62	57.12	74.00	-16.88	44.20	32.43	6.82	32.33	6.00	103 306 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	92.81	-----	-----	79.90	32.42	6.82	32.33	6.00	103 306 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>34.76</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>103 306 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.68	54.00	-6.32	34.76	32.43	6.82	32.33	6.00	103 306 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>89.70</td><td>-----</td><td>-----</td><td>76.79</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>103 306 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.70	-----	-----	76.79	32.42	6.82	32.33	6.00	103 306 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	47.68	54.00	-6.32	34.76	32.43	6.82	32.33	6.00	103 306 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	89.70	-----	-----	76.79	32.42	6.82	32.33	6.00	103 306 AVERAGE																																																																																







Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																																																	
ANT	Ant2 Port 2																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																									
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.97</td><td>74.00</td><td>-34.03</td><td>61.29</td><td>34.76</td><td>9.76</td><td>65.84</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.97</td><td>74.00</td><td>-32.03</td><td>59.75</td><td>36.52</td><td>12.03</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.97	74.00	-34.03	61.29	34.76	9.76	65.84	0.00	---	PEAK	2	7440.00	41.97	74.00	-32.03	59.75	36.52	12.03	66.33	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>63.28</td><td>34.76</td><td>9.76</td><td>65.84</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>59.56</td><td>36.52</td><td>12.03</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.96	74.00	-32.04	63.28	34.76	9.76	65.84	0.00	---	PEAK	2	7440.00	41.78	74.00	-32.22	59.56	36.52	12.03	66.33	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4960.00	39.97	74.00	-34.03	61.29	34.76	9.76	65.84	0.00	---	PEAK																																																																																																																							
2	7440.00	41.97	74.00	-32.03	59.75	36.52	12.03	66.33	0.00	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4960.00	41.96	74.00	-32.04	63.28	34.76	9.76	65.84	0.00	---	PEAK																																																																																																																							
2	7440.00	41.78	74.00	-32.22	59.56	36.52	12.03	66.33	0.00	---	PEAK																																																																																																																							





		4																																																				
Mode	Band Edge																																																					
	2400-2483.5_Zigbee_CH11_2405MHz																																																					
ANT	Ant1 Port 1																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.38</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>42.64</td><td>32.46</td><td>6.67</td><td>32.34</td><td>6.00</td><td>303 65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.38	55.43	74.00	-18.57	42.64	32.46	6.67	32.34	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2378.38	55.43	74.00	-18.57	42.64	32.46	6.67	32.34	6.00	303 65 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>111.93</td><td>-----</td><td>99.07</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>303</td><td>65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	111.93	-----	99.07	32.48	6.71	32.33	6.00	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2405.00	111.93	-----	99.07	32.48	6.71	32.33	6.00	303	65 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>29.89</td><td>32.48</td><td>6.69</td><td>32.33</td><td>6.00</td><td>303 65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	42.73	54.00	-11.27	29.89	32.48	6.69	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.82	42.73	54.00	-11.27	29.89	32.48	6.69	32.33	6.00	303 65 AVERAGE																																												
AVERAGE																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>109.02</td><td>-----</td><td>96.16</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>303</td><td>65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	109.02	-----	96.16	32.48	6.71	32.33	6.00	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2405.00	109.02	-----	96.16	32.48	6.71	32.33	6.00	303	65 AVERAGE																																												





Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Zigbee_CH11_2405MHz																																																																																									
ANT	Ant1 Port 1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2340.42</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>43.35</td><td>32.32</td><td>6.62</td><td>32.35</td><td>6.00</td><td>290 321 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2340.42	55.94	74.00	-18.06	43.35	32.32	6.62	32.35	6.00	290 321 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>109.69</td><td>-----</td><td>-----</td><td>96.83</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>290 321 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	109.69	-----	-----	96.83	32.48	6.71	32.33	6.00	290 321 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2340.42	55.94	74.00	-18.06	43.35	32.32	6.62	32.35	6.00	290 321 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2405.00	109.69	-----	-----	96.83	32.48	6.71	32.33	6.00	290 321 PEAK																																																																																
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2381.89</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>30.08</td><td>32.46</td><td>6.68</td><td>32.34</td><td>6.00</td><td>290 321 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.89	42.88	54.00	-11.12	30.08	32.46	6.68	32.34	6.00	290 321 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>103.25</td><td>-----</td><td>-----</td><td>90.39</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>290 321 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	103.25	-----	-----	90.39	32.48	6.71	32.33	6.00	290 321 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2381.89	42.88	54.00	-11.12	30.08	32.46	6.68	32.34	6.00	290 321 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2405.00	103.25	-----	-----	90.39	32.48	6.71	32.33	6.00	290 321 AVERAGE																																																																																







Mode	4																																																																					
	Harmonic																																																																					
	2400-2483.5_Zigbee_CH11_2405MHz																																																																					
ANT	Ant1 Port 1																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>52.25</td><td>74.00</td><td>-21.75</td><td>74.19</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>69.16</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4810.00	52.25	74.00	-21.75	74.19	34.20	9.63	65.77	0.00	100	301 PEAK	2	4810.00	47.22	54.00	-6.78	69.16	34.20	9.63	65.77	0.00	100	301 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																											
1	4810.00	52.25	74.00	-21.75	74.19	34.20	9.63	65.77	0.00	100	301 PEAK																																																											
2	4810.00	47.22	54.00	-6.78	69.16	34.20	9.63	65.77	0.00	100	301 AVERAGE																																																											
Vertical																																																																						
																																																																						
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>74.67</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>173</td><td>332 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>49.70</td><td>54.00</td><td>-4.30</td><td>71.64</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>173</td><td>332 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4810.00	52.73	74.00	-21.27	74.67	34.20	9.63	65.77	0.00	173	332 PEAK	2	4810.00	49.70	54.00	-4.30	71.64	34.20	9.63	65.77	0.00	173	332 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																											
1	4810.00	52.73	74.00	-21.27	74.67	34.20	9.63	65.77	0.00	173	332 PEAK																																																											
2	4810.00	49.70	54.00	-4.30	71.64	34.20	9.63	65.77	0.00	173	332 AVERAGE																																																											







Mode	5																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_Zigbee_CH18_2440MHz																																																																																																																												
ANT	Ant1 Port 1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>75.67</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>126</td><td>290 PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>71.36</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>126</td><td>290 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	53.71	74.00	-20.29	75.67	34.14	9.69	65.79	0.00	126	290 PEAK	2	4880.00	49.40	54.00	-4.60	71.36	34.14	9.69	65.79	0.00	126	290 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>75.37</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>159</td><td>338 PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>70.82</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>159</td><td>338 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	53.41	74.00	-20.59	75.37	34.14	9.69	65.79	0.00	159	338 PEAK	2	4880.00	48.86	54.00	-5.14	70.82	34.14	9.69	65.79	0.00	159	338 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4880.00	53.71	74.00	-20.29	75.67	34.14	9.69	65.79	0.00	126	290 PEAK																																																																																																																		
2	4880.00	49.40	54.00	-4.60	71.36	34.14	9.69	65.79	0.00	126	290 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4880.00	53.41	74.00	-20.59	75.37	34.14	9.69	65.79	0.00	159	338 PEAK																																																																																																																		
2	4880.00	48.86	54.00	-5.14	70.82	34.14	9.69	65.79	0.00	159	338 AVERAGE																																																																																																																		





		6																																																																																																									
Mode		Band Edge																																																																																																									
		2400-2483.5_Zigbee_CH26_2480MHz																																																																																																									
ANT		Ant1 Port 1																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>45.66</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 26 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	58.58	74.00	-15.42	45.66	32.43	6.82	32.33	6.00	200 26 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.67</td><td>-----</td><td>-----</td><td>83.76</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 26 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.67	-----	-----	83.76	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.50	58.58	74.00	-15.42	45.66	32.43	6.82	32.33	6.00	200 26 PEAK																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	96.67	-----	-----	83.76	32.42	6.82	32.33	6.00	200 26 PEAK																																																																																																	
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.21</td><td>54.00</td><td>-3.79</td><td>37.29</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 26 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.21	54.00	-3.79	37.29	32.43	6.82	32.33	6.00	200 26 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>86.49</td><td>-----</td><td>-----</td><td>73.58</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 26 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.49	-----	-----	73.58	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.50	50.21	54.00	-3.79	37.29	32.43	6.82	32.33	6.00	200 26 AVERAGE																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	86.49	-----	-----	73.58	32.42	6.82	32.33	6.00	200 26 AVERAGE																																																																																																	







Mode	6																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																	
ANT	Ant1 Port 1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>43.13</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	56.05	74.00	-17.95	43.13	32.43	6.82	32.33	6.00	101 356 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.23</td><td>-----</td><td>-----</td><td>79.32</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.23	-----	-----	79.32	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.74	56.05	74.00	-17.95	43.13	32.43	6.82	32.33	6.00	101 356 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	92.23	-----	-----	79.32	32.42	6.82	32.33	6.00	101 356 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>34.10</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.02	54.00	-6.98	34.10	32.43	6.82	32.33	6.00	101 356 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>89.13</td><td>-----</td><td>-----</td><td>76.22</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.13	-----	-----	76.22	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	47.02	54.00	-6.98	34.10	32.43	6.82	32.33	6.00	101 356 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	89.13	-----	-----	76.22	32.42	6.82	32.33	6.00	101 356 AVERAGE																																																																																								







Mode	6																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																			
ANT	Ant1 Port 1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>62.48</td><td>34.18</td><td>9.76</td><td>65.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.58	74.00	-33.42	62.48	34.18	9.76	65.84	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>62.61</td><td>34.18</td><td>9.76</td><td>65.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.71	74.00	-33.29	62.61	34.18	9.76	65.84	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4960.00	40.58	74.00	-33.42	62.48	34.18	9.76	65.84	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4960.00	40.71	74.00	-33.29	62.61	34.18	9.76	65.84	0.00	---	---	PEAK																																																																																								



		7																																																																																																												
Mode		Band Edge																																																																																																												
		2400-2483.5_Zigbee_CH11_2405MHz																																																																																																												
ANT		Ant3 Port 1																																																																																																												
Pol.	Horizontal										Fundamental																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2352.38</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>41.09</td><td>32.00</td><td>7.90</td><td>36.69</td><td>6.00</td><td>121</td><td>252 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2352.38	50.30	74.00	-23.70	41.09	32.00	7.90	36.69	6.00	121	252 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>108.89</td><td>-----</td><td>-----</td><td>99.65</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>121</td><td>252 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	108.89	-----	-----	99.65	31.96	7.99	36.71	6.00	121	252 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2352.38	50.30	74.00	-23.70	41.09	32.00	7.90	36.69	6.00	121	252 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2405.00	108.89	-----	-----	99.65	31.96	7.99	36.71	6.00	121	252 PEAK																																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>29.22</td><td>31.92</td><td>7.96</td><td>36.71</td><td>6.00</td><td>121</td><td>252 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	38.39	54.00	-15.61	29.22	31.92	7.96	36.71	6.00	121	252 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>105.57</td><td>-----</td><td>-----</td><td>96.35</td><td>31.94</td><td>7.99</td><td>36.71</td><td>6.00</td><td>121</td><td>252 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	105.57	-----	-----	96.35	31.94	7.99	36.71	6.00	121	252 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.95	38.39	54.00	-15.61	29.22	31.92	7.96	36.71	6.00	121	252 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2405.00	105.57	-----	-----	96.35	31.94	7.99	36.71	6.00	121	252 AVERAGE																																																																																																			



		7																																																																																												
Mode		Band Edge																																																																																												
		2400-2483.5_Zigbee_CH11_2405MHz																																																																																												
ANT		Ant3 Port 1																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.95	50.55	74.00	-23.45	41.36	31.97	7.92	36.70	6.00	300	267 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>103.76</td><td>-----</td><td>-----</td><td>94.52</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>300</td><td>267 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	103.76	-----	-----	94.52	31.96	7.99	36.71	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2363.95	50.55	74.00	-23.45	41.36	31.97	7.92	36.70	6.00	300	267 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2405.00	103.76	-----	-----	94.52	31.96	7.99	36.71	6.00	300	267 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.78	38.51	54.00	-15.49	29.32	31.95	7.94	36.70	6.00	300	267 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>100.56</td><td>-----</td><td>-----</td><td>91.32</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>300</td><td>267 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	100.56	-----	-----	91.32	31.96	7.99	36.71	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2375.78	38.51	54.00	-15.49	29.32	31.95	7.94	36.70	6.00	300	267 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2405.00	100.56	-----	-----	91.32	31.96	7.99	36.71	6.00	300	267 AVERAGE																																																																																			







Mode	7																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Zigbee_CH11_2405MHz																																																																																																																		
ANT	Ant3 Port 1																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4810.00</td><td>54.37</td><td>74.00</td><td>-19.63</td><td>74.04</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>306</td><td>32 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>49.94</td><td>54.00</td><td>-4.06</td><td>69.61</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>306</td><td>32 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	54.37	74.00	-19.63	74.04	34.18	11.38	65.23	0.00	306	32 PEAK	2	4810.00	49.94	54.00	-4.06	69.61	34.18	11.38	65.23	0.00	306	32 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4810.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>66.12</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	46.45	74.00	-27.55	66.12	34.18	11.38	65.23	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4810.00	54.37	74.00	-19.63	74.04	34.18	11.38	65.23	0.00	306	32 PEAK																																																																																																								
2	4810.00	49.94	54.00	-4.06	69.61	34.18	11.38	65.23	0.00	306	32 AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4810.00	46.45	74.00	-27.55	66.12	34.18	11.38	65.23	0.00	---	---	PEAK																																																																																																							







Mode	8																																																																																																																																														
	Harmonic																																																																																																																																														
	2400-2483.5_Zigbee_CH18_2440MHz																																																																																																																																														
ANT	Ant3 Port 1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>71.05</td><td>34.10</td><td>11.48</td><td>65.28</td><td>0.00</td><td>162</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>65.67</td><td>34.10</td><td>11.48</td><td>65.28</td><td>0.00</td><td>162</td><td>343</td><td>AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>58.31</td><td>35.90</td><td>14.14</td><td>66.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	51.35	74.00	-22.65	71.05	34.10	11.48	65.28	0.00	162	343	PEAK	2	4880.00	45.97	54.00	-8.03	65.67	34.10	11.48	65.28	0.00	162	343	AVERAGE	3	7320.00	42.27	74.00	-31.73	58.31	35.90	14.14	66.08	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>60.74</td><td>34.10</td><td>11.48</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>58.85</td><td>35.90</td><td>14.14</td><td>66.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.04	74.00	-32.96	60.74	34.10	11.48	65.28	0.00	---	---	PEAK	2	7320.00	42.81	74.00	-31.19	58.85	35.90	14.14	66.08	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4880.00	51.35	74.00	-22.65	71.05	34.10	11.48	65.28	0.00	162	343	PEAK																																																																																																																																			
2	4880.00	45.97	54.00	-8.03	65.67	34.10	11.48	65.28	0.00	162	343	AVERAGE																																																																																																																																			
3	7320.00	42.27	74.00	-31.73	58.31	35.90	14.14	66.08	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4880.00	41.04	74.00	-32.96	60.74	34.10	11.48	65.28	0.00	---	---	PEAK																																																																																																																																			
2	7320.00	42.81	74.00	-31.19	58.85	35.90	14.14	66.08	0.00	---	---	PEAK																																																																																																																																			





Mode	9																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																									
ANT	Ant3 Port 1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>43.46</td><td>32.27</td><td>8.10</td><td>36.73</td><td>6.00</td><td>142 249 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.10	74.00	-20.90	43.46	32.27	8.10	36.73	6.00	142 249 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>88.45</td><td>-----</td><td>-----</td><td>78.80</td><td>32.28</td><td>8.10</td><td>36.73</td><td>6.00</td><td>142 249 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	88.45	-----	-----	78.80	32.28	8.10	36.73	6.00	142 249 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	53.10	74.00	-20.90	43.46	32.27	8.10	36.73	6.00	142 249 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	88.45	-----	-----	78.80	32.28	8.10	36.73	6.00	142 249 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>32.72</td><td>32.27</td><td>8.10</td><td>36.73</td><td>6.00</td><td>142 249 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.36	54.00	-11.64	32.72	32.27	8.10	36.73	6.00	142 249 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>81.62</td><td>-----</td><td>-----</td><td>71.97</td><td>32.28</td><td>8.10</td><td>36.73</td><td>6.00</td><td>142 249 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	81.62	-----	-----	71.97	32.28	8.10	36.73	6.00	142 249 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	42.36	54.00	-11.64	32.72	32.27	8.10	36.73	6.00	142 249 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	81.62	-----	-----	71.97	32.28	8.10	36.73	6.00	142 249 AVERAGE																																																																																







	9																																																																																																			
Mode	Band Edge																																																																																																			
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																			
ANT	Ant3 Port 1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>45.91</td><td>32.27</td><td>8.10</td><td>36.73</td><td>6.00</td><td>100</td><td>164 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	55.55	74.00	-18.45	45.91	32.27	8.10	36.73	6.00	100	164 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.73</td><td>-----</td><td>-----</td><td>85.08</td><td>32.28</td><td>8.10</td><td>36.73</td><td>6.00</td><td>100</td><td>164 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.73	-----	-----	85.08	32.28	8.10	36.73	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	55.55	74.00	-18.45	45.91	32.27	8.10	36.73	6.00	100	164 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	94.73	-----	-----	85.08	32.28	8.10	36.73	6.00	100	164 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>37.60</td><td>32.27</td><td>8.10</td><td>36.73</td><td>6.00</td><td>100</td><td>164 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.24	54.00	-6.76	37.60	32.27	8.10	36.73	6.00	100	164 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>89.52</td><td>-----</td><td>-----</td><td>79.87</td><td>32.28</td><td>8.10</td><td>36.73</td><td>6.00</td><td>100</td><td>164 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.52	-----	-----	79.87	32.28	8.10	36.73	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	47.24	54.00	-6.76	37.60	32.27	8.10	36.73	6.00	100	164 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	89.52	-----	-----	79.87	32.28	8.10	36.73	6.00	100	164 AVERAGE																																																																																									







Mode	9																																															
	Harmonic																																															
	2400-2483.5_Zigbee_CH26_2480MHz																																															
ANT	Ant3 Port 1																																															
Pol.	Horizontal												Vertical																																			
Peak Avg																																																
	Limit Over Read Ant Cable Preamp Aux APos TPos												Limit Over Read Ant Cable Preamp Aux APos TPos												Limit Over Read Ant Cable Preamp Aux APos TPos												Limit Over Read Ant Cable Preamp Aux APos TPos											
	Freq Level Line Limit Level Factor Loss Factor Factor												Freq Level Line Limit Level Factor Loss Factor Factor												Freq Level Line Limit Level Factor Loss Factor Factor												Freq Level Line Limit Level Factor Loss Factor Factor											
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg												MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg												MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg												MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg												
1 4960.00 40.37 74.00 -33.63 60.03 34.10 11.59 65.35 0.00 --- --- PEAK												1 4960.00 40.96 74.00 -33.04 60.62 34.10 11.59 65.35 0.00 --- --- PEAK												1 4960.00 40.96 74.00 -33.04 60.62 34.10 11.59 65.35 0.00 --- --- PEAK												1 4960.00 40.96 74.00 -33.04 60.62 34.10 11.59 65.35 0.00 --- --- PEAK												
2 7440.00 42.51 74.00 -31.49 58.70 35.88 14.23 66.30 0.00 --- --- PEAK												2 7440.00 42.49 74.00 -31.51 58.68 35.88 14.23 66.30 0.00 --- --- PEAK												2 7440.00 42.49 74.00 -31.51 58.68 35.88 14.23 66.30 0.00 --- --- PEAK												2 7440.00 42.49 74.00 -31.51 58.68 35.88 14.23 66.30 0.00 --- --- PEAK												



		10																																																						
Mode	Band Edge																																																							
	2400-2483.5_Zigbee_CH11_2405MHz																																																							
ANT	Ant3 Port 2																																																							
Pol.	Horizontal																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2373.44</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>41.32</td><td>31.95</td><td>7.93</td><td>36.70</td><td>6.00</td><td>114</td><td>142 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.44	50.50	74.00	-23.50	41.32	31.95	7.93	36.70	6.00	114	142 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2373.44	50.50	74.00	-23.50	41.32	31.95	7.93	36.70	6.00	114	142 PEAK																																													
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>108.67</td><td>-----</td><td>99.45</td><td>31.94</td><td>7.99</td><td>36.71</td><td>6.00</td><td>114</td><td>142 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	108.67	-----	99.45	31.94	7.99	36.71	6.00	114	142 PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2405.00	108.67	-----	99.45	31.94	7.99	36.71	6.00	114	142 PEAK																																														
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>38.55</td><td>54.00</td><td>-15.45</td><td>29.38</td><td>31.92</td><td>7.96</td><td>36.71</td><td>6.00</td><td>114</td><td>142 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	38.55	54.00	-15.45	29.38	31.92	7.96	36.71	6.00	114	142 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.82	38.55	54.00	-15.45	29.38	31.92	7.96	36.71	6.00	114	142 AVERAGE																																													
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>105.54</td><td>-----</td><td>96.30</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>114</td><td>142 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	105.54	-----	96.30	31.96	7.99	36.71	6.00	114	142 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2405.00	105.54	-----	96.30	31.96	7.99	36.71	6.00	114	142 AVERAGE																																														







Mode	10																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Zigbee_CH11_2405MHz																																																																																																
ANT	Ant3 Port 2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2341.46</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>40.45</td><td>31.90</td><td>7.88</td><td>36.69</td><td>6.00</td><td>275 268 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2341.46	49.54	74.00	-24.46	40.45	31.90	7.88	36.69	6.00	275 268 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>104.18</td><td>-----</td><td>94.94</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>275 268 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	104.18	-----	94.94	31.96	7.99	36.71	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2341.46	49.54	74.00	-24.46	40.45	31.90	7.88	36.69	6.00	275 268 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2405.00	104.18	-----	94.94	31.96	7.99	36.71	6.00	275 268 PEAK																																																																																								
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2314.68</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>30.04</td><td>31.58</td><td>7.83</td><td>36.68</td><td>6.00</td><td>275 268 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2314.68	38.77	54.00	-15.23	30.04	31.58	7.83	36.68	6.00	275 268 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>100.94</td><td>-----</td><td>91.72</td><td>31.94</td><td>7.99</td><td>36.71</td><td>6.00</td><td>275 268 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	100.94	-----	91.72	31.94	7.99	36.71	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2314.68	38.77	54.00	-15.23	30.04	31.58	7.83	36.68	6.00	275 268 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2405.00	100.94	-----	91.72	31.94	7.99	36.71	6.00	275 268 AVERAGE																																																																																								







Mode	10																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Zigbee_CH11_2405MHz																																																																																																																			
ANT	Ant3 Port 2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>53.37</td><td>74.00</td><td>-20.63</td><td>73.04</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>343</td><td>160 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>48.90</td><td>54.00</td><td>-5.10</td><td>68.57</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>343</td><td>160 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	53.37	74.00	-20.63	73.04	34.18	11.38	65.23	0.00	343	160 PEAK	2	4810.00	48.90	54.00	-5.10	68.57	34.18	11.38	65.23	0.00	343	160 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>64.26</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	44.59	74.00	-29.41	64.26	34.18	11.38	65.23	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	4810.00	53.37	74.00	-20.63	73.04	34.18	11.38	65.23	0.00	343	160 PEAK																																																																																																									
2	4810.00	48.90	54.00	-5.10	68.57	34.18	11.38	65.23	0.00	343	160 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4810.00	44.59	74.00	-29.41	64.26	34.18	11.38	65.23	0.00	---	---	PEAK																																																																																																								





		11																																																																																										
Mode		Band Edge																																																																																										
		2400-2483.5_Zigbee_CH25_2475MHz																																																																																										
ANT		Ant1 Port 1																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.20	55.25	74.00	-18.75	42.26	32.48	6.84	32.33	6.00	104 30 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>111.05</td><td>-----</td><td>-----</td><td>98.17</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>104 30 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	111.05	-----	-----	98.17	32.40	6.81	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2495.20	55.25	74.00	-18.75	42.26	32.48	6.84	32.33	6.00	104 30 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2475.00	111.05	-----	-----	98.17	32.40	6.81	32.33	6.00	104 30 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.64	44.07	54.00	-9.93	31.14	32.44	6.82	32.33	6.00	104 30 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>107.96</td><td>-----</td><td>-----</td><td>95.08</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>104 30 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	107.96	-----	-----	95.08	32.40	6.81	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2484.64	44.07	54.00	-9.93	31.14	32.44	6.82	32.33	6.00	104 30 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2475.00	107.96	-----	-----	95.08	32.40	6.81	32.33	6.00	104 30 AVERAGE																																																																																		







		11																																																			
Mode		Band Edge																																																			
		2400-2483.5_Zigbee_CH25_2475MHz																																																			
ANT		Ant1 Port 1																																																			
Pol.		Vertical					Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.84</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>42.64</td><td>32.44</td><td>6.82</td><td>32.33</td><td>6.00</td><td>103 306 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.84	55.57	74.00	-18.43	42.64	32.44	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2485.84	55.57	74.00	-18.43	42.64	32.44	6.82	32.33	6.00	103 306 PEAK																																											
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.28</td><td>43.92</td><td>54.00</td><td>-10.08</td><td>30.97</td><td>32.45</td><td>6.83</td><td>32.33</td><td>6.00</td><td>103 306 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.28	43.92	54.00	-10.08	30.97	32.45	6.83	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2487.28	43.92	54.00	-10.08	30.97	32.45	6.83	32.33	6.00	103 306 AVERAGE																																											
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>107.45</td><td>-----</td><td>-----</td><td>94.57</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>103 306 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	107.45	-----	-----	94.57	32.40	6.81	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2475.00	107.45	-----	-----	94.57	32.40	6.81	32.33	6.00	103 306 PEAK																																											
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>102.04</td><td>-----</td><td>-----</td><td>89.16</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>103 306 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	102.04	-----	-----	89.16	32.40	6.81	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2475.00	102.04	-----	-----	89.16	32.40	6.81	32.33	6.00	103 306 AVERAGE																																											







Mode	11																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	2400-2483.5_Zigbee_CH25_2475MHz																																																																																																																																																																								
ANT	Ant1 Port 1																																																																																																																																																																								
Pol.	Horizontal												Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4950.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>71.88</td><td>34.00</td><td>9.75</td><td>65.83</td><td>0.00</td><td>313</td><td>312</td><td>PEAK</td></tr><tr><td>2</td><td>4950.00</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>66.61</td><td>34.00</td><td>9.75</td><td>65.83</td><td>0.00</td><td>313</td><td>312</td><td>AVERAGE</td></tr><tr><td>3</td><td>7425.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>59.38</td><td>36.40</td><td>12.02</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4950.00	50.60	74.00	-23.40	71.88	34.00	9.75	65.83	0.00	313	312	PEAK	2	4950.00	45.33	54.00	-8.67	66.61	34.00	9.75	65.83	0.00	313	312	AVERAGE	3	7425.00	41.47	74.00	-32.53	59.38	36.40	12.02	66.33	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4950.00</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>77.01</td><td>34.00</td><td>9.75</td><td>65.83</td><td>0.00</td><td>299</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>4950.00</td><td>51.39</td><td>54.00</td><td>-2.61</td><td>72.67</td><td>34.00</td><td>9.75</td><td>65.83</td><td>0.00</td><td>299</td><td>64</td><td>AVERAGE</td></tr><tr><td>3</td><td>7425.00</td><td>41.51</td><td>74.00</td><td>-32.49</td><td>59.42</td><td>36.40</td><td>12.02</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4950.00	55.73	74.00	-18.27	77.01	34.00	9.75	65.83	0.00	299	64	PEAK	2	4950.00	51.39	54.00	-2.61	72.67	34.00	9.75	65.83	0.00	299	64	AVERAGE	3	7425.00	41.51	74.00	-32.49	59.42	36.40	12.02	66.33	0.00	---	---
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4950.00	50.60	74.00	-23.40	71.88	34.00	9.75	65.83	0.00	313	312	PEAK																																																																																																																																																													
2	4950.00	45.33	54.00	-8.67	66.61	34.00	9.75	65.83	0.00	313	312	AVERAGE																																																																																																																																																													
3	7425.00	41.47	74.00	-32.53	59.38	36.40	12.02	66.33	0.00	---	---	PEAK																																																																																																																																																													
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4950.00	55.73	74.00	-18.27	77.01	34.00	9.75	65.83	0.00	299	64	PEAK																																																																																																																																																													
2	4950.00	51.39	54.00	-2.61	72.67	34.00	9.75	65.83	0.00	299	64	AVERAGE																																																																																																																																																													
3	7425.00	41.51	74.00	-32.49	59.42	36.40	12.02	66.33	0.00	---	---	PEAK																																																																																																																																																													





		12																																																						
Mode		Band Edge																																																						
		2400-2483.5_Zigbee_CH25_2475MHz																																																						
ANT		Ant2 Port 2																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.52</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>42.04</td><td>32.47</td><td>6.84</td><td>32.33</td><td>6.00</td><td>198</td><td>26 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.52	55.02	74.00	-18.98	42.04	32.47	6.84	32.33	6.00	198
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.52	55.02	74.00	-18.98	42.04	32.47	6.84	32.33	6.00	198	26 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>111.52</td><td>-----</td><td>-----</td><td>98.64</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>198</td><td>26 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	111.52	-----	-----	98.64	32.40	6.81	32.33	6.00	198
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2475.00	111.52	-----	-----	98.64	32.40	6.81	32.33	6.00	198	26 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>30.87</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>198</td><td>26 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	43.79	54.00	-10.21	30.87	32.43	6.82	32.33	6.00	198
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.56	43.79	54.00	-10.21	30.87	32.43	6.82	32.33	6.00	198	26 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>108.43</td><td>-----</td><td>-----</td><td>95.55</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>198</td><td>26 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	108.43	-----	-----	95.55	32.40	6.81	32.33	6.00	198
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2475.00	108.43	-----	-----	95.55	32.40	6.81	32.33	6.00	198	26 AVERAGE																																													







		12																																																																																																												
Mode		Band Edge																																																																																																												
		2400-2483.5_Zigbee_CH25_2475MHz																																																																																																												
ANT		Ant2 Port 2																																																																																																												
Pol.		Vertical					Fundamental																																																																																																							
Peak																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.44</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>41.88</td><td>32.45</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>356 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	54.83	74.00	-19.17	41.88	32.45	6.83	32.33	6.00	100	356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2475.00</td><td>106.65</td><td>-----</td><td>-----</td><td>93.77</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>100</td><td>356 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	106.65	-----	-----	93.77	32.40	6.81	32.33	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2486.44	54.83	74.00	-19.17	41.88	32.45	6.83	32.33	6.00	100	356 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2475.00	106.65	-----	-----	93.77	32.40	6.81	32.33	6.00	100	356 PEAK																																																																																																			
Avg																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.10</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>30.39</td><td>32.44</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100</td><td>356 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	43.32	54.00	-10.68	30.39	32.44	6.82	32.33	6.00	100	356 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2475.00</td><td>103.56</td><td>-----</td><td>-----</td><td>90.68</td><td>32.40</td><td>6.81</td><td>32.33</td><td>6.00</td><td>100</td><td>356 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2475.00	103.56	-----	-----	90.68	32.40	6.81	32.33	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2484.10	43.32	54.00	-10.68	30.39	32.44	6.82	32.33	6.00	100	356 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2475.00	103.56	-----	-----	90.68	32.40	6.81	32.33	6.00	100	356 AVERAGE																																																																																																			







Mode	12																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Zigbee_CH25_2475MHz																																																																																																																													
ANT	Ant2 Port 2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4950.00</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>76.45</td><td>34.20</td><td>9.75</td><td>65.83</td><td>0.00</td><td>167</td><td>291 PEAK</td></tr><tr><td>2</td><td>4950.00</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>72.27</td><td>34.20</td><td>9.75</td><td>65.83</td><td>0.00</td><td>167</td><td>291 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4950.00	54.57	74.00	-19.43	76.45	34.20	9.75	65.83	0.00	167	291 PEAK	2	4950.00	50.39	54.00	-3.61	72.27	34.20	9.75	65.83	0.00	167	291 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4950.00</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>76.45</td><td>34.20</td><td>9.75</td><td>65.83</td><td>0.00</td><td>168</td><td>333 PEAK</td></tr><tr><td>2</td><td>4950.00</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>71.86</td><td>34.20</td><td>9.75</td><td>65.83</td><td>0.00</td><td>168</td><td>333 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4950.00	54.57	74.00	-19.43	76.45	34.20	9.75	65.83	0.00	168	333 PEAK	2	4950.00	49.98	54.00	-4.02	71.86	34.20	9.75	65.83	0.00	168	333 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4950.00	54.57	74.00	-19.43	76.45	34.20	9.75	65.83	0.00	167	291 PEAK																																																																																																																			
2	4950.00	50.39	54.00	-3.61	72.27	34.20	9.75	65.83	0.00	167	291 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4950.00	54.57	74.00	-19.43	76.45	34.20	9.75	65.83	0.00	168	333 PEAK																																																																																																																			
2	4950.00	49.98	54.00	-4.02	71.86	34.20	9.75	65.83	0.00	168	333 AVERAGE																																																																																																																			





		13																																																									
Mode		Band Edge - L																																																									
		2400-2483.5 Zigbee_CH25_2475MHz																																																									
ANT		Ant3 Port 1																																																									
Pol.		Horizontal																																																									
Peak																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.84</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>40.78</td><td>32.26</td><td>8.10</td><td>36.73</td><td>6.00</td><td>143</td><td>28 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.84	50.41	74.00	-23.59	40.78	32.26	8.10	36.73	6.00	143
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2485.84	50.41	74.00	-23.59	40.78	32.26	8.10	36.73	6.00	143	28 PEAK																																																
Fundamental																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2475.00</td><td>107.72</td><td>-----</td><td>-----</td><td>98.06</td><td>32.30</td><td>8.09</td><td>36.73</td><td>6.00</td><td>143</td><td>28 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2475.00	107.72	-----	-----	98.06	32.30	8.09	36.73	6.00	143
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2475.00	107.72	-----	-----	98.06	32.30	8.09	36.73	6.00	143	28 PEAK																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.86</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>29.49</td><td>32.26</td><td>8.10</td><td>36.73</td><td>6.00</td><td>143</td><td>28 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.86	39.12	54.00	-14.88	29.49	32.26	8.10	36.73	6.00	143
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2483.86	39.12	54.00	-14.88	29.49	32.26	8.10	36.73	6.00	143	28 AVERAGE																																																
Fundamental																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2475.00</td><td>104.17</td><td>-----</td><td>-----</td><td>94.51</td><td>32.30</td><td>8.09</td><td>36.73</td><td>6.00</td><td>143</td><td>28 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2475.00	104.17	-----	-----	94.51	32.30	8.09	36.73	6.00	143
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2475.00	104.17	-----	-----	94.51	32.30	8.09	36.73	6.00	143	28 AVERAGE																																																



		13																																																									
Mode		Band Edge - L																																																									
		2400-2483.5 Zigbee_CH25_2475MHz																																																									
ANT		Ant3 Port 1																																																									
Pol.		Vertical																																																									
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.00</td><td>50.64</td><td>74.00</td><td>-23.36</td><td>41.01</td><td>32.25</td><td>8.11</td><td>36.73</td><td>6.00</td><td>238</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.00	50.64	74.00	-23.36	41.01	32.25	8.11	36.73	6.00	238
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2488.00	50.64	74.00	-23.36	41.01	32.25	8.11	36.73	6.00	238	360 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>103.96</td><td>-----</td><td>-----</td><td>94.29</td><td>32.30</td><td>8.09</td><td>36.72</td><td>6.00</td><td>238</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2475.00	103.96	-----	-----	94.29	32.30	8.09	36.72	6.00	238
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2475.00	103.96	-----	-----	94.29	32.30	8.09	36.72	6.00	238	360 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>38.53</td><td>54.00</td><td>-15.47</td><td>28.89</td><td>32.27</td><td>8.10</td><td>36.73</td><td>6.00</td><td>238</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	38.53	54.00	-15.47	28.89	32.27	8.10	36.73	6.00	238
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2483.50	38.53	54.00	-15.47	28.89	32.27	8.10	36.73	6.00	238	360 AVERAGE																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>100.79</td><td>-----</td><td>-----</td><td>91.12</td><td>32.30</td><td>8.09</td><td>36.72</td><td>6.00</td><td>238</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2475.00	100.79	-----	-----	91.12	32.30	8.09	36.72	6.00	238
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2475.00	100.79	-----	-----	91.12	32.30	8.09	36.72	6.00	238	360 AVERAGE																																																





Mode	13																																																																																																																				
	Harmonic																																																																																																																				
	2400-2483.5_Zigbee_CH25_2475MHz																																																																																																																				
ANT	Ant3 Port 1																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>61.84</td><td>34.10</td><td>11.58</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4950.00	42.17	74.00	-31.83	61.84	34.10	11.58	65.35	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4950.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>71.23</td><td>34.10</td><td>11.58</td><td>65.35</td><td>0.00</td><td>124</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>4950.00</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>66.62</td><td>34.10</td><td>11.58</td><td>65.34</td><td>0.00</td><td>124</td><td>56</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4950.00	51.56	74.00	-22.44	71.23	34.10	11.58	65.35	0.00	124	56	PEAK	2	4950.00	46.96	54.00	-7.04	66.62	34.10	11.58	65.34	0.00	124	56	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	4950.00	42.17	74.00	-31.83	61.84	34.10	11.58	65.35	0.00	---	---	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	4950.00	51.56	74.00	-22.44	71.23	34.10	11.58	65.35	0.00	124	56	PEAK																																																																																																									
2	4950.00	46.96	54.00	-7.04	66.62	34.10	11.58	65.34	0.00	124	56	AVERAGE																																																																																																									



Mode	11	
	18G-25G	
	2400-2483.5_Zigbee_CH25_2475MHz	
ANT	Ant1 Port 1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	11																																																																																																		
	30M-1G																																																																																																		
	2400-2483.5_Zigbee_CH25_2475MHz																																																																																																		
ANT	Ant1 Port 1																																																																																																		
Pol.	Horizontal																																																																																																		
Peak																																																																																																			
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.81</td><td>40.00</td><td>-19.19</td><td>28.49</td><td>24.69</td><td>0.44</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>145.92</td><td>17.62</td><td>43.50</td><td>-25.88</td><td>31.33</td><td>17.54</td><td>1.50</td><td>32.75</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>265.47</td><td>19.96</td><td>46.00</td><td>-26.04</td><td>30.83</td><td>19.90</td><td>2.04</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>385.51</td><td>19.19</td><td>46.00</td><td>-26.81</td><td>28.16</td><td>21.46</td><td>2.48</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>583.14</td><td>23.88</td><td>46.00</td><td>-22.12</td><td>28.00</td><td>26.05</td><td>3.05</td><td>33.22</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>801.15</td><td>27.49</td><td>46.00</td><td>-18.51</td><td>28.16</td><td>28.54</td><td>3.57</td><td>32.78</td><td>0.00</td><td>--- Peak</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	20.81	40.00	-19.19	28.49	24.69	0.44	32.81	0.00	--- Peak	2	145.92	17.62	43.50	-25.88	31.33	17.54	1.50	32.75	0.00	--- Peak	3	265.47	19.96	46.00	-26.04	30.83	19.90	2.04	32.81	0.00	--- Peak	4	385.51	19.19	46.00	-26.81	28.16	21.46	2.48	32.91	0.00	--- Peak	5	583.14	23.88	46.00	-22.12	28.00	26.05	3.05	33.22	0.00	--- Peak	6	801.15	27.49	46.00	-18.51	28.16	28.54	3.57	32.78	0.00	--- Peak
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
	1	30.97	20.81	40.00	-19.19	28.49	24.69	0.44	32.81	0.00	--- Peak																																																																																								
	2	145.92	17.62	43.50	-25.88	31.33	17.54	1.50	32.75	0.00	--- Peak																																																																																								
	3	265.47	19.96	46.00	-26.04	30.83	19.90	2.04	32.81	0.00	--- Peak																																																																																								
	4	385.51	19.19	46.00	-26.81	28.16	21.46	2.48	32.91	0.00	--- Peak																																																																																								
	5	583.14	23.88	46.00	-22.12	28.00	26.05	3.05	33.22	0.00	--- Peak																																																																																								
	6	801.15	27.49	46.00	-18.51	28.16	28.54	3.57	32.78	0.00	--- Peak																																																																																								
Vertical																																																																																																			
																																																																																																			
<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.67</td><td>40.00</td><td>-19.33</td><td>27.88</td><td>25.17</td><td>0.43</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>158.77</td><td>18.10</td><td>43.50</td><td>-25.40</td><td>32.48</td><td>16.82</td><td>1.56</td><td>32.76</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>258.19</td><td>18.95</td><td>46.00</td><td>-27.05</td><td>29.74</td><td>20.00</td><td>2.01</td><td>32.80</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>404.42</td><td>20.40</td><td>46.00</td><td>-25.60</td><td>28.54</td><td>22.24</td><td>2.54</td><td>32.92</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>694.21</td><td>25.56</td><td>46.00</td><td>-20.44</td><td>28.67</td><td>26.76</td><td>3.32</td><td>33.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>899.36</td><td>30.09</td><td>46.00</td><td>-15.91</td><td>28.66</td><td>29.77</td><td>3.78</td><td>32.12</td><td>0.00</td><td>--- Peak</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	20.67	40.00	-19.33	27.88	25.17	0.43	32.81	0.00	--- Peak	2	158.77	18.10	43.50	-25.40	32.48	16.82	1.56	32.76	0.00	--- Peak	3	258.19	18.95	46.00	-27.05	29.74	20.00	2.01	32.80	0.00	--- Peak	4	404.42	20.40	46.00	-25.60	28.54	22.24	2.54	32.92	0.00	--- Peak	5	694.21	25.56	46.00	-20.44	28.67	26.76	3.32	33.19	0.00	--- Peak	6	899.36	30.09	46.00	-15.91	28.66	29.77	3.78	32.12	0.00	--- Peak	
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	30.00	20.67	40.00	-19.33	27.88	25.17	0.43	32.81	0.00	--- Peak																																																																																									
2	158.77	18.10	43.50	-25.40	32.48	16.82	1.56	32.76	0.00	--- Peak																																																																																									
3	258.19	18.95	46.00	-27.05	29.74	20.00	2.01	32.80	0.00	--- Peak																																																																																									
4	404.42	20.40	46.00	-25.60	28.54	22.24	2.54	32.92	0.00	--- Peak																																																																																									
5	694.21	25.56	46.00	-20.44	28.67	26.76	3.32	33.19	0.00	--- Peak																																																																																									
6	899.36	30.09	46.00	-15.91	28.66	29.77	3.78	32.12	0.00	--- Peak																																																																																									

<Thread>





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 14	2400-2483.5	Ant2 Port 2	Thread	11	2405	250k	-	-
Mode 15	2400-2483.5	Ant2 Port 2	Thread	18	2440	250k	-	-
Mode 16	2400-2483.5	Ant2 Port 2	Thread	26	2480	250k	-	-
Mode 17	2400-2483.5	Ant1 Port 1	Thread	11	2405	250k	-	-
Mode 18	2400-2483.5	Ant1 Port 1	Thread	18	2440	250k	-	-
Mode 19	2400-2483.5	Ant1 Port 1	Thread	26	2480	250k	-	-
Mode 20	2400-2483.5	Ant3 Port 1	Thread	11	2405	250k	-	-
Mode 21	2400-2483.5	Ant3 Port 1	Thread	18	2440	250k	-	-
Mode 22	2400-2483.5	Ant3 Port 1	Thread	26	2480	250k	-	-
Mode 23	2400-2483.5	Ant3 Port 2	Thread	11	2405	250k	-	-
Mode 24	2400-2483.5	Ant1 Port 1	Thread	25	2475	250k	-	-
Mode 25	2400-2483.5	Ant2 Port 2	Thread	25	2475	250k	-	-
Mode 26	2400-2483.5	Ant3 Port 1	Thread	25	2475	250k	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
14	Thread	11	2375.91	43.72	54.00	-10.28	V	AVERAGE	Pass	Band Edge
14	Thread	11	4810.00	47.16	54.00	-6.84	H	AVERAGE	Pass	Harmonic
15	Thread	18	-	-	-	-	-	-	-	Band Edge
15	Thread	18	4880.00	49.69	54.00	-4.31	V	AVERAGE	Pass	Harmonic
16	Thread	26	2483.50	49.30	54.00	-4.70	H	AVERAGE	Pass	Band Edge
16	Thread	26	7440.00	41.97	74.00	-32.03	H	PEAK	Pass	Harmonic
17	Thread	11	2342.50	43.13	54.00	-10.87	V	AVERAGE	Pass	Band Edge
17	Thread	11	4810.00	49.79	54.00	-4.21	H	AVERAGE	Pass	Harmonic
18	Thread	18	-	-	-	-	-	-	-	Band Edge
18	Thread	18	4880.00	49.40	54.00	-4.60	H	AVERAGE	Pass	Harmonic
19	Thread	26	2483.50	49.64	54.00	-4.36	H	AVERAGE	Pass	Band Edge
19	Thread	26	4960.00	40.71	74.00	-33.29	V	PEAK	Pass	Harmonic
20	Thread	11	2375.78	38.51	54.00	-15.49	V	AVERAGE	Pass	Band Edge
20	Thread	11	4810.00	49.33	54.00	-4.67	H	AVERAGE	Pass	Harmonic
21	Thread	18	-	-	-	-	-	-	-	Band Edge
21	Thread	18	4880.00	45.38	54.00	-8.62	H	AVERAGE	Pass	Harmonic
22	Thread	26	2483.50	47.24	54.00	-6.76	V	AVERAGE	Pass	Band Edge
22	Thread	26	7440.00	42.49	74.00	-31.51	V	PEAK	Pass	Harmonic
23	Thread	11	2376.04	38.75	54.00	-15.25	V	AVERAGE	Pass	Band Edge
23	Thread	11	4810.00	48.76	54.00	-5.24	H	AVERAGE	Pass	Harmonic
24	Thread	25	2483.62	44.15	54.00	-9.85	H	AVERAGE	Pass	Band Edge
24	Thread	25	4950.00	51.79	54.00	-2.21	V	AVERAGE	Pass	Harmonic
25	Thread	25	2484.52	43.89	54.00	-10.11	H	AVERAGE	Pass	Band Edge
25	Thread	25	4950.00	50.28	54.00	-3.72	V	AVERAGE	Pass	Harmonic
26	Thread	25	2484.16	39.03	54.00	-14.97	H	AVERAGE	Pass	Band Edge
26	Thread	25	4950.00	46.85	54.00	-7.15	V	AVERAGE	Pass	Harmonic





Mode	14																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Thread_CH11_2405MHz																																																																																																	
ANT	Ant2 Port 2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2360.83</td><td>55.16</td><td>74.00</td><td>-18.84</td><td>42.43</td><td>32.42</td><td>6.65</td><td>32.34</td><td>6.00</td><td>107</td><td>27</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2360.83	55.16	74.00	-18.84	42.43	32.42	6.65	32.34	6.00	107	27	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>109.37</td><td>-----</td><td>-----</td><td>96.51</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>107</td><td>27</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2405.00	109.37	-----	-----	96.51	32.48	6.71	32.33	6.00	107	27	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2360.83	55.16	74.00	-18.84	42.43	32.42	6.65	32.34	6.00	107	27	PEAK																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2405.00	109.37	-----	-----	96.51	32.48	6.71	32.33	6.00	107	27	PEAK																																																																																						
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.13</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>30.51</td><td>32.48</td><td>6.68</td><td>32.33</td><td>6.00</td><td>107</td><td>27</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.13	43.34	54.00	-10.66	30.51	32.48	6.68	32.33	6.00	107	27	AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>106.23</td><td>-----</td><td>-----</td><td>93.37</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>107</td><td>27</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2405.00	106.23	-----	-----	93.37	32.48	6.71	32.33	6.00	107	27	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2388.13	43.34	54.00	-10.66	30.51	32.48	6.68	32.33	6.00	107	27	AVERAGE																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2405.00	106.23	-----	-----	93.37	32.48	6.71	32.33	6.00	107	27	AVERAGE																																																																																						



Mode	14																																																						
	Band Edge																																																						
	2400-2483.5_Thread_CH11_2405MHz																																																						
ANT	Ant2 Port 2																																																						
Pol.	Vertical																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2352.90</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>42.51</td><td>32.41</td><td>6.64</td><td>32.34</td><td>6.00</td><td>199 316 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2352.90	55.22	74.00	-18.78	42.51	32.41	6.64	32.34	6.00	199 316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2352.90	55.22	74.00	-18.78	42.51	32.41	6.64	32.34	6.00	199 316 PEAK																																													
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>105.34</td><td>-----</td><td>-----</td><td>92.48</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>199 316 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	105.34	-----	-----	92.48	32.48	6.71	32.33	6.00	199 316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2405.00	105.34	-----	-----	92.48	32.48	6.71	32.33	6.00	199 316 PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.91</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>30.94</td><td>32.45</td><td>6.67</td><td>32.34</td><td>6.00</td><td>199 316 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.91	43.72	54.00	-10.28	30.94	32.45	6.67	32.34	6.00	199 316 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2375.91	43.72	54.00	-10.28	30.94	32.45	6.67	32.34	6.00	199 316 AVERAGE																																													
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>102.00</td><td>-----</td><td>-----</td><td>89.22</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>199 316 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	102.00	-----	-----	89.22	32.48	6.71	32.33	6.00	199 316 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2405.00	102.00	-----	-----	89.22	32.48	6.71	32.33	6.00	199 316 AVERAGE																																													







Mode	14																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Thread_CH11_2405MHz																																																																																																																													
ANT	Ant2 Port 2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>73.25</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>117</td><td>332 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>68.48</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>117</td><td>332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	51.93	74.00	-22.07	73.25	34.82	9.63	65.77	0.00	117	332 PEAK	2	4810.00	47.16	54.00	-6.84	68.48	34.82	9.63	65.77	0.00	117	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>70.64</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>264 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>64.79</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>264 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	49.32	74.00	-24.68	70.64	34.82	9.63	65.77	0.00	100	264 PEAK	2	4810.00	43.47	54.00	-10.53	64.79	34.82	9.63	65.77	0.00	100	264 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4810.00	51.93	74.00	-22.07	73.25	34.82	9.63	65.77	0.00	117	332 PEAK																																																																																																																			
2	4810.00	47.16	54.00	-6.84	68.48	34.82	9.63	65.77	0.00	117	332 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4810.00	49.32	74.00	-24.68	70.64	34.82	9.63	65.77	0.00	100	264 PEAK																																																																																																																			
2	4810.00	43.47	54.00	-10.53	64.79	34.82	9.63	65.77	0.00	100	264 AVERAGE																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>73.25</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>117</td><td>332 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>68.48</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>117</td><td>332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	51.93	74.00	-22.07	73.25	34.82	9.63	65.77	0.00	117	332 PEAK	2	4810.00	47.16	54.00	-6.84	68.48	34.82	9.63	65.77	0.00	117	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>70.64</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>264 PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>64.79</td><td>34.82</td><td>9.63</td><td>65.77</td><td>0.00</td><td>100</td><td>264 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	49.32	74.00	-24.68	70.64	34.82	9.63	65.77	0.00	100	264 PEAK	2	4810.00	43.47	54.00	-10.53	64.79	34.82	9.63	65.77	0.00	100	264 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4810.00	51.93	74.00	-22.07	73.25	34.82	9.63	65.77	0.00	117	332 PEAK																																																																																																																			
2	4810.00	47.16	54.00	-6.84	68.48	34.82	9.63	65.77	0.00	117	332 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4810.00	49.32	74.00	-24.68	70.64	34.82	9.63	65.77	0.00	100	264 PEAK																																																																																																																			
2	4810.00	43.47	54.00	-10.53	64.79	34.82	9.63	65.77	0.00	100	264 AVERAGE																																																																																																																			







		15																																																																																				
Mode		Harmonic																																																																																				
		2400-2483.5_Thread_CH18_2440MHz																																																																																				
ANT		Ant2 Port 2																																																																																				
Pol.		Horizontal																																																																																				
Peak Avg																																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4881.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>68.70</td><td>34.90</td><td>9.69</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.08</td><td>74.00</td><td>-31.92</td><td>68.01</td><td>36.44</td><td>11.95</td><td>66.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4881.00	47.50	74.00	-26.50	68.70	34.90	9.69	65.79	0.00	---	---	Peak	2	7320.00	42.08	74.00	-31.92	68.01	36.44	11.95	66.32	0.00	---	---	PEAK													
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	4881.00	47.50	74.00	-26.50	68.70	34.90	9.69	65.79	0.00	---	---	Peak																																																																										
2	7320.00	42.08	74.00	-31.92	68.01	36.44	11.95	66.32	0.00	---	---	PEAK																																																																										
		Vertical																																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>75.35</td><td>34.90</td><td>9.69</td><td>65.79</td><td>0.00</td><td>292</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>70.89</td><td>34.90</td><td>9.69</td><td>65.79</td><td>0.00</td><td>292</td><td>67</td><td>AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>42.25</td><td>74.00</td><td>-31.75</td><td>68.18</td><td>36.44</td><td>11.95</td><td>66.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4880.00	54.15	74.00	-19.85	75.35	34.90	9.69	65.79	0.00	292	67	PEAK	2	4880.00	49.69	54.00	-4.31	70.89	34.90	9.69	65.79	0.00	292	67	AVERAGE	3	7320.00	42.25	74.00	-31.75	68.18	36.44	11.95	66.32	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	4880.00	54.15	74.00	-19.85	75.35	34.90	9.69	65.79	0.00	292	67	PEAK																																																																										
2	4880.00	49.69	54.00	-4.31	70.89	34.90	9.69	65.79	0.00	292	67	AVERAGE																																																																										
3	7320.00	42.25	74.00	-31.75	68.18	36.44	11.95	66.32	0.00	---	---	PEAK																																																																										





		15																																																																																						
Mode		Band Edge																																																																																						
		2400-2483.5_Thread_CH26_2480MHz																																																																																						
ANT		Ant2 Port 2																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	58.24	74.00	-15.76	45.32	32.43	6.82	32.33	6.00	100 36 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.52</td><td>-----</td><td>-----</td><td>82.61</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100 36 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.52	-----	-----	82.61	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.56	58.24	74.00	-15.76	45.32	32.43	6.82	32.33	6.00	100 36 PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2480.00	95.52	-----	-----	82.61	32.42	6.82	32.33	6.00	100 36 PEAK																																																																														
Avg																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.30	54.00	-4.70	36.38	32.43	6.82	32.33	6.00	100 36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.35</td><td>-----</td><td>-----</td><td>79.44</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100 36 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.35	-----	-----	79.44	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.50	49.30	54.00	-4.70	36.38	32.43	6.82	32.33	6.00	100 36 AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2480.00	92.35	-----	-----	79.44	32.42	6.82	32.33	6.00	100 36 AVERAGE																																																																														







Mode	15																																																						
	Band Edge																																																						
	2400-2483.5_Thread_CH26_2480MHz																																																						
ANT	Ant2 Port 2																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>43.87</td><td>32.44</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100 303 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	56.80	74.00	-17.20	43.87	32.44	6.82	32.33	6.00	100 303 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.86	56.80	74.00	-17.20	43.87	32.44	6.82	32.33	6.00	100 303 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.60</td><td>-----</td><td>-----</td><td>79.69</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100 303 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.60	-----	-----	79.69	32.42	6.82	32.33	6.00	100 303 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	92.60	-----	-----	79.69	32.42	6.82	32.33	6.00	100 303 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>34.31</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100 303 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.23	54.00	-6.77	34.31	32.43	6.82	32.33	6.00	100 303 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	47.23	54.00	-6.77	34.31	32.43	6.82	32.33	6.00	100 303 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>89.48</td><td>-----</td><td>-----</td><td>76.57</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100 303 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.48	-----	-----	76.57	32.42	6.82	32.33	6.00	100 303 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	89.48	-----	-----	76.57	32.42	6.82	32.33	6.00	100 303 AVERAGE																																													







Mode	16																																																																	
	Harmonic																																																																	
	2400-2483.5_Thread_CH26_2480MHz																																																																	
ANT	Ant2 Port 2																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.97</td><td>74.00</td><td>-34.03</td><td>61.29</td><td>34.76</td><td>9.76</td><td>65.84</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.97</td><td>74.00</td><td>-32.03</td><td>59.75</td><td>36.52</td><td>12.03</td><td>66.33</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.97	74.00	-34.03	61.29	34.76	9.76	65.84	0.00	--- PEAK	2	7440.00	41.97	74.00	-32.03	59.75	36.52	12.03	66.33	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4960.00	39.97	74.00	-34.03	61.29	34.76	9.76	65.84	0.00	--- PEAK																																																								
2	7440.00	41.97	74.00	-32.03	59.75	36.52	12.03	66.33	0.00	--- PEAK																																																								
Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>63.28</td><td>34.76</td><td>9.76</td><td>65.84</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>59.56</td><td>36.52</td><td>12.03</td><td>66.33</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.96	74.00	-32.04	63.28	34.76	9.76	65.84	0.00	--- PEAK	2	7440.00	41.78	74.00	-32.22	59.56	36.52	12.03	66.33	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4960.00	41.96	74.00	-32.04	63.28	34.76	9.76	65.84	0.00	--- PEAK																																																								
2	7440.00	41.78	74.00	-32.22	59.56	36.52	12.03	66.33	0.00	--- PEAK																																																								



		17																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_Thread_CH11_2405MHz																																																																																																	
ANT	Ant1 Port 1																																																																																																	
Pol.	Horizontal										Fundamental																																																																																							
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2330.67</td><td>55.91</td><td>74.00</td><td>-18.09</td><td>43.40</td><td>32.25</td><td>6.61</td><td>32.35</td><td>6.00</td><td>115 42 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2330.67	55.91	74.00	-18.09	43.40	32.25	6.61	32.35	6.00	115 42 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>112.62</td><td>-----</td><td>99.76</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>115</td><td>42 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	112.62	-----	99.76	32.48	6.71	32.33	6.00	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2330.67	55.91	74.00	-18.09	43.40	32.25	6.61	32.35	6.00	115 42 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	112.62	-----	99.76	32.48	6.71	32.33	6.00	115	42 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2308.00</td><td>43.00</td><td>54.00</td><td>-10.92</td><td>30.25</td><td>32.48</td><td>6.68</td><td>32.33</td><td>6.00</td><td>115 42 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	43.00	54.00	-10.92	30.25	32.48	6.68	32.33	6.00	115 42 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>109.33</td><td>-----</td><td>96.47</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>115</td><td>42 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	109.33	-----	96.47	32.48	6.71	32.33	6.00	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2308.00	43.00	54.00	-10.92	30.25	32.48	6.68	32.33	6.00	115 42 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	109.33	-----	96.47	32.48	6.71	32.33	6.00	115	42 AVERAGE																																																																																								



	17																																																																																																	
Mode	Band Edge																																																																																																	
	2400-2483.5_Thread_CH11_2405MHz																																																																																																	
ANT	Ant1 Port 1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>42.96</td><td>32.47</td><td>6.68</td><td>32.33</td><td>6.00</td><td>290 319 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	55.78	74.00	-18.22	42.96	32.47	6.68	32.33	6.00	290 319 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>109.57</td><td>-----</td><td>-----</td><td>96.71</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>290 319 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	109.57	-----	-----	96.71	32.48	6.71	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.57	55.78	74.00	-18.22	42.96	32.47	6.68	32.33	6.00	290 319 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	109.57	-----	-----	96.71	32.48	6.71	32.33	6.00	290 319 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2342.50</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>30.52</td><td>32.34</td><td>6.62</td><td>32.35</td><td>6.00</td><td>290 319 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2342.50	43.13	54.00	-10.87	30.52	32.34	6.62	32.35	6.00	290 319 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>106.56</td><td>-----</td><td>-----</td><td>93.70</td><td>32.48</td><td>6.71</td><td>32.33</td><td>6.00</td><td>290 319 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	106.56	-----	-----	93.70	32.48	6.71	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2342.50	43.13	54.00	-10.87	30.52	32.34	6.62	32.35	6.00	290 319 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	106.56	-----	-----	93.70	32.48	6.71	32.33	6.00	290 319 AVERAGE																																																																																								







Mode	17																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Thread_CH11_2405MHz																																																																																																																																	
ANT	Ant1 Port 1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>76.60</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>134</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>71.73</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>134</td><td>290</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	54.66	74.00	-19.34	76.60	34.20	9.63	65.77	0.00	134	290	PEAK	2	4810.00	49.79	54.00	-4.21	71.73	34.20	9.63	65.77	0.00	134	290	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>73.46</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>170</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>68.77</td><td>34.20</td><td>9.63</td><td>65.77</td><td>0.00</td><td>170</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	51.52	74.00	-22.48	73.46	34.20	9.63	65.77	0.00	170	330	PEAK	2	4810.00	46.83	54.00	-7.17	68.77	34.20	9.63	65.77	0.00	170	330	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4810.00	54.66	74.00	-19.34	76.60	34.20	9.63	65.77	0.00	134	290	PEAK																																																																																																																						
2	4810.00	49.79	54.00	-4.21	71.73	34.20	9.63	65.77	0.00	134	290	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4810.00	51.52	74.00	-22.48	73.46	34.20	9.63	65.77	0.00	170	330	PEAK																																																																																																																						
2	4810.00	46.83	54.00	-7.17	68.77	34.20	9.63	65.77	0.00	170	330	AVERAGE																																																																																																																						







Mode	18																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Thread_CH18_2440MHz																																																																																																																																	
ANT	Ant1 Port 1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>75.67</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>126</td><td>290 PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>71.36</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>126</td><td>290 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	53.71	74.00	-20.29	75.67	34.14	9.69	65.79	0.00	126	290 PEAK	2	4880.00	49.40	54.00	-4.60	71.36	34.14	9.69	65.79	0.00	126	290 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>75.37</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>159</td><td>338 PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>70.82</td><td>34.14</td><td>9.69</td><td>65.79</td><td>0.00</td><td>159</td><td>338 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	53.41	74.00	-20.59	75.37	34.14	9.69	65.79	0.00	159	338 PEAK	2	4880.00	48.86	54.00	-5.14	70.82	34.14	9.69	65.79	0.00	159	338 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4800.00	53.71	74.00	-20.29	75.67	34.14	9.69	65.79	0.00	126	290 PEAK																																																																																																																							
2	4880.00	49.40	54.00	-4.60	71.36	34.14	9.69	65.79	0.00	126	290 AVERAGE																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4800.00	53.41	74.00	-20.59	75.37	34.14	9.69	65.79	0.00	159	338 PEAK																																																																																																																							
2	4880.00	48.86	54.00	-5.14	70.82	34.14	9.69	65.79	0.00	159	338 AVERAGE																																																																																																																							





Mode	19																																																						
	Band Edge																																																						
	2400-2483.5_Thread_CH26_2480MHz																																																						
ANT	Ant1 Port 1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>59.22</td><td>74.00</td><td>-14.78</td><td>46.30</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 27 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	59.22	74.00	-14.78	46.30	32.43	6.82	32.33	6.00	200 27 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	59.22	74.00	-14.78	46.30	32.43	6.82	32.33	6.00	200 27 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.71</td><td>-----</td><td>-----</td><td>83.80</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 27 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.71	-----	-----	83.80	32.42	6.82	32.33	6.00	200 27 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	96.71	-----	-----	83.80	32.42	6.82	32.33	6.00	200 27 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>36.72</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 27 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.64	54.00	-4.36	36.72	32.43	6.82	32.33	6.00	200 27 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	49.64	54.00	-4.36	36.72	32.43	6.82	32.33	6.00	200 27 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.65</td><td>-----</td><td>-----</td><td>80.74</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>200 27 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.65	-----	-----	80.74	32.42	6.82	32.33	6.00	200 27 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	93.65	-----	-----	80.74	32.42	6.82	32.33	6.00	200 27 AVERAGE																																													







Mode	19																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Thread_CH26_2480MHz																																																																																																	
ANT	Ant1 Port 1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>43.23</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	56.15	74.00	-17.85	43.23	32.43	6.82	32.33	6.00	101 356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>92.19</td><td>-----</td><td>-----</td><td>79.28</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.19	-----	-----	79.28	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.68	56.15	74.00	-17.85	43.23	32.43	6.82	32.33	6.00	101 356 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	92.19	-----	-----	79.28	32.42	6.82	32.33	6.00	101 356 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>34.15</td><td>32.43</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.07	54.00	-6.93	34.15	32.43	6.82	32.33	6.00	101 356 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>89.09</td><td>-----</td><td>-----</td><td>76.18</td><td>32.42</td><td>6.82</td><td>32.33</td><td>6.00</td><td>101 356 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.09	-----	-----	76.18	32.42	6.82	32.33	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	47.07	54.00	-6.93	34.15	32.43	6.82	32.33	6.00	101 356 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	89.09	-----	-----	76.18	32.42	6.82	32.33	6.00	101 356 AVERAGE																																																																																								







Mode	19																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Thread_CH26_2480MHz																																																																																																					
ANT	Ant1 Port 1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 4960.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>62.48</td><td>34.18</td><td>9.76</td><td>65.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4960.00	40.58	74.00	-33.42	62.48	34.18	9.76	65.84	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 4960.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>62.61</td><td>34.18</td><td>9.76</td><td>65.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4960.00	40.71	74.00	-33.29	62.61	34.18	9.76	65.84	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 4960.00	40.58	74.00	-33.42	62.48	34.18	9.76	65.84	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 4960.00	40.71	74.00	-33.29	62.61	34.18	9.76	65.84	0.00	---	---	PEAK																																																																																											





Mode	20																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Thread_CH11_2405MHz																																																																																																	
ANT	Ant3 Port 1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2352.38</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>41.09</td><td>32.00</td><td>7.90</td><td>36.69</td><td>6.00</td><td>121 252 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2352.38	50.30	74.00	-23.70	41.09	32.00	7.90	36.69	6.00	121 252 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>108.89</td><td>-----</td><td>-----</td><td>99.65</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>121 252 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	108.89	-----	-----	99.65	31.96	7.99	36.71	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2352.38	50.30	74.00	-23.70	41.09	32.00	7.90	36.69	6.00	121 252 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	108.89	-----	-----	99.65	31.96	7.99	36.71	6.00	121 252 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>29.22</td><td>31.92</td><td>7.96</td><td>36.71</td><td>6.00</td><td>121 252 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	38.39	54.00	-15.61	29.22	31.92	7.96	36.71	6.00	121 252 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>105.57</td><td>-----</td><td>-----</td><td>96.35</td><td>31.94</td><td>7.99</td><td>36.71</td><td>6.00</td><td>121 252 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	105.57	-----	-----	96.35	31.94	7.99	36.71	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	38.39	54.00	-15.61	29.22	31.92	7.96	36.71	6.00	121 252 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	105.57	-----	-----	96.35	31.94	7.99	36.71	6.00	121 252 AVERAGE																																																																																								



Mode	20																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Thread_CH11_2405MHz																																																																																																	
ANT	Ant3 Port 1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.95</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>41.36</td><td>31.97</td><td>7.92</td><td>36.70</td><td>6.00</td><td>300 267 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.95	50.55	74.00	-23.45	41.36	31.97	7.92	36.70	6.00	300 267 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>103.76</td><td>-----</td><td>-----</td><td>94.52</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>300 267 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	103.76	-----	-----	94.52	31.96	7.99	36.71	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2363.95	50.55	74.00	-23.45	41.36	31.97	7.92	36.70	6.00	300 267 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	103.76	-----	-----	94.52	31.96	7.99	36.71	6.00	300 267 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.78</td><td>38.51</td><td>54.00</td><td>-15.49</td><td>29.32</td><td>31.95</td><td>7.94</td><td>36.70</td><td>6.00</td><td>300 267 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.78	38.51	54.00	-15.49	29.32	31.95	7.94	36.70	6.00	300 267 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>100.56</td><td>-----</td><td>-----</td><td>91.32</td><td>31.96</td><td>7.99</td><td>36.71</td><td>6.00</td><td>300 267 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	100.56	-----	-----	91.32	31.96	7.99	36.71	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2375.78	38.51	54.00	-15.49	29.32	31.95	7.94	36.70	6.00	300 267 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2405.00	100.56	-----	-----	91.32	31.96	7.99	36.71	6.00	300 267 AVERAGE																																																																																								



Mode	20																																																																																																																										
	Harmonic																																																																																																																										
	2400-2483.5_Thread_CH11_2405MHz																																																																																																																										
ANT	Ant3 Port 1																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>73.56</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>150</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>4810.00</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>69.00</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>150</td><td>359</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	53.89	74.00	-20.11	73.56	34.18	11.38	65.23	0.00	150	359	PEAK	2	4810.00	49.33	54.00	-4.67	69.00	34.18	11.38	65.23	0.00	150	359	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>65.78</td><td>34.18</td><td>11.38</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4810.00	46.11	74.00	-27.89	65.78	34.18	11.38	65.23	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4810.00	53.89	74.00	-20.11	73.56	34.18	11.38	65.23	0.00	150	359	PEAK																																																																																																															
2	4810.00	49.33	54.00	-4.67	69.00	34.18	11.38	65.23	0.00	150	359	AVERAGE																																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4810.00	46.11	74.00	-27.89	65.78	34.18	11.38	65.23	0.00	---	---	PEAK																																																																																																															