









Mode	3																																													
	Band Edge																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	Date: 2026-04-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.54</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>41.60</td><td>32.57</td><td>5.95</td><td>34.11</td><td>277</td><td>226</td><td>PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.54	46.01	74.00	-27.99	41.60	32.57	5.95	34.11	277	226	PEAK	Date: 2026-04-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.10</td><td>-----</td><td>-----</td><td>93.72</td><td>32.57</td><td>5.92</td><td>34.11</td><td>277</td><td>226</td><td>PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.10	-----	-----	93.72	32.57	5.92	34.11	277	226	PEAK
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.54	46.01	74.00	-27.99	41.60	32.57	5.95	34.11	277	226	PEAK																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2480.00	98.10	-----	-----	93.72	32.57	5.92	34.11	277	226	PEAK																																			
Avg	Date: 2026-04-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>36.29</td><td>54.00</td><td>-17.71</td><td>31.88</td><td>32.57</td><td>5.95</td><td>34.11</td><td>277</td><td>226</td><td>AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.56	36.29	54.00	-17.71	31.88	32.57	5.95	34.11	277	226	AVERAGE	Date: 2026-04-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>96.86</td><td>-----</td><td>-----</td><td>92.48</td><td>32.57</td><td>5.92</td><td>34.11</td><td>277</td><td>226</td><td>AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.86	-----	-----	92.48	32.57	5.92	34.11	277	226	AVERAGE
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2483.56	36.29	54.00	-17.71	31.88	32.57	5.95	34.11	277	226	AVERAGE																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2480.00	96.86	-----	-----	92.48	32.57	5.92	34.11	277	226	AVERAGE																																			



Mode	3	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	</	







Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>53.81</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>52.03</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	45.10	74.00	-28.90	53.81	35.16	8.46	52.33	---	---	Peak	2	7440.00	46.00	74.00	-28.00	52.03	36.10	10.17	52.30	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>52.40</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>53.16</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	43.69	74.00	-30.31	52.40	35.16	8.46	52.33	---	---	Peak	2	7440.00	47.13	74.00	-26.87	53.16	36.10	10.17	52.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4960.00	45.10	74.00	-28.90	53.81	35.16	8.46	52.33	---	---	Peak																																																																																																																							
2	7440.00	46.00	74.00	-28.00	52.03	36.10	10.17	52.30	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4960.00	43.69	74.00	-30.31	52.40	35.16	8.46	52.33	---	---	Peak																																																																																																																							
2	7440.00	47.13	74.00	-26.87	53.16	36.10	10.17	52.30	---	---	Peak																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>53.81</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>52.03</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	45.10	74.00	-28.90	53.81	35.16	8.46	52.33	---	---	Peak	2	7440.00	46.00	74.00	-28.00	52.03	36.10	10.17	52.30	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>52.40</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>53.16</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	43.69	74.00	-30.31	52.40	35.16	8.46	52.33	---	---	Peak	2	7440.00	47.13	74.00	-26.87	53.16	36.10	10.17	52.30	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4960.00	45.10	74.00	-28.90	53.81	35.16	8.46	52.33	---	---	Peak																																																																																																																							
2	7440.00	46.00	74.00	-28.00	52.03	36.10	10.17	52.30	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4960.00	43.69	74.00	-30.31	52.40	35.16	8.46	52.33	---	---	Peak																																																																																																																							
2	7440.00	47.13	74.00	-26.87	53.16	36.10	10.17	52.30	---	---	Peak																																																																																																																							





Mode	4																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2026-04-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2375.94</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>42.26</td><td>32.40</td><td>5.35</td><td>34.15</td><td>400</td><td>229</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2375.94	45.86	74.00	-28.14	42.26	32.40	5.35	34.15	400	229	PEAK	Level (dBuV/m) Date: 2026-04-08 Frequency (MHz) PEAK_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>87.34</td><td>-----</td><td>-----</td><td>83.67</td><td>32.44</td><td>5.37</td><td>34.14</td><td>400</td><td>229</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2402.00	87.34	-----	-----	83.67	32.44	5.37	34.14	400	229	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																								
1	2375.94	45.86	74.00	-28.14	42.26	32.40	5.35	34.15	400	229	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																								
1	2402.00	87.34	-----	-----	83.67	32.44	5.37	34.14	400	229	PEAK																																																																					
Avg	Level (dBuV/m) Date: 2026-04-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2376.05</td><td>38.96</td><td>54.00</td><td>-15.04</td><td>35.36</td><td>32.40</td><td>5.35</td><td>34.15</td><td>400</td><td>229</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2376.05	38.96	54.00	-15.04	35.36	32.40	5.35	34.15	400	229	AVERAGE	Level (dBuV/m) Date: 2026-04-08 Frequency (MHz) AVG_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>83.39</td><td>-----</td><td>-----</td><td>79.72</td><td>32.44</td><td>5.37</td><td>34.14</td><td>400</td><td>229</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2402.00	83.39	-----	-----	79.72	32.44	5.37	34.14	400	229	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																								
1	2376.05	38.96	54.00	-15.04	35.36	32.40	5.35	34.15	400	229	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																								
1	2402.00	83.39	-----	-----	79.72	32.44	5.37	34.14	400	229	AVERAGE																																																																					





Mode	4																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-04-08  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.26</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>44.87</td><td>32.40</td><td>5.35</td><td>34.15</td><td>367 255 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2376.26	48.47	74.00	-25.53	44.87	32.40	5.35	34.15	367 255 PEAK	Level (dBuV/m) Date: 2026-04-08  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>103.83</td><td>-----</td><td>-----</td><td>100.16</td><td>32.44</td><td>5.37</td><td>34.14</td><td>367 255 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.83	-----	-----	100.16	32.44	5.37	34.14	367 255 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2376.26	48.47	74.00	-25.53	44.87	32.40	5.35	34.15	367 255 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2402.00	103.83	-----	-----	100.16	32.44	5.37	34.14	367 255 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2026-04-08  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.84</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>40.13</td><td>32.40</td><td>5.35</td><td>34.15</td><td>367 255 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2375.84	43.73	54.00	-10.27	40.13	32.40	5.35	34.15	367 255 AVERAGE	Level (dBuV/m) Date: 2026-04-08  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.03</td><td>-----</td><td>-----</td><td>96.36</td><td>32.44</td><td>5.37</td><td>34.14</td><td>367 255 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.03	-----	-----	96.36	32.44	5.37	34.14	367 255 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2375.84	43.73	54.00	-10.27	40.13	32.40	5.35	34.15	367 255 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2402.00	100.03	-----	-----	96.36	32.44	5.37	34.14	367 255 AVERAGE																																																																									







Mode	4																																																																																													
	Harmonic																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>51.86</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	42.97	74.00	-31.03	51.86	35.00	8.94	52.83	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>53.09</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	44.20	74.00	-29.80	53.09	35.00	8.94	52.83	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4804.00	42.97	74.00	-31.03	51.86	35.00	8.94	52.83	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4804.00	44.20	74.00	-29.80	53.09	35.00	8.94	52.83	---	---	Peak																																																																																			







Mode	5																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>52.78</td><td>35.08</td><td>8.71</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>51.44</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	43.99	74.00	-30.01	52.78	35.08	8.71	52.58	---	---	Peak	2	7320.00	45.42	74.00	-28.58	51.44	36.10	10.18	52.30	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>53.48</td><td>35.08</td><td>8.71</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>51.89</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	44.69	74.00	-29.31	53.48	35.08	8.71	52.58	---	---	Peak	2	7320.00	45.87	74.00	-28.13	51.89	36.10	10.18	52.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4880.00	43.99	74.00	-30.01	52.78	35.08	8.71	52.58	---	---	Peak																																																																																																																							
2	7320.00	45.42	74.00	-28.58	51.44	36.10	10.18	52.30	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4880.00	44.69	74.00	-29.31	53.48	35.08	8.71	52.58	---	---	Peak																																																																																																																							
2	7320.00	45.87	74.00	-28.13	51.89	36.10	10.18	52.30	---	---	Peak																																																																																																																							





Mode	6																																																																																													
	Band Edge																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.76</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>41.67</td><td>32.58</td><td>5.93</td><td>34.11</td><td>400</td><td>229</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2486.76	46.07	74.00	-27.93	41.67	32.58	5.93	34.11	400	229	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.42</td><td>-----</td><td>-----</td><td>91.04</td><td>32.57</td><td>5.92</td><td>34.11</td><td>400</td><td>229</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.42	-----	-----	91.04	32.57	5.92	34.11	400	229
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2486.76	46.07	74.00	-27.93	41.67	32.58	5.93	34.11	400	229	PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2480.00	95.42	-----	-----	91.04	32.57	5.92	34.11	400	229	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>35.93</td><td>54.00</td><td>-18.07</td><td>31.52</td><td>32.57</td><td>5.95</td><td>34.11</td><td>400</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	35.93	54.00	-18.07	31.52	32.57	5.95	34.11	400	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.61</td><td>-----</td><td>-----</td><td>87.23</td><td>32.57</td><td>5.92</td><td>34.11</td><td>400</td><td>229</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.61	-----	-----	87.23	32.57	5.92	34.11	400	229
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.52	35.93	54.00	-18.07	31.52	32.57	5.95	34.11	400	229	AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2480.00	91.61	-----	-----	87.23	32.57	5.92	34.11	400	229	AVERAGE																																																																																			





Mode	6																																																	
	Band Edge																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																	
ANT	1																																																	
Pol.	Vertical																																																	
Peak	Fundamental																																																	
	Date: 2026-04-08																																																	
																																																		
<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>48.99</td><td>32.57</td><td>5.95</td><td>34.11</td><td>139</td><td>204</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	53.40	74.00	-20.60	48.99	32.57	5.95	34.11	139	204	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2483.52	53.40	74.00	-20.60	48.99	32.57	5.95	34.11	139	204	PEAK																																							
Avg	Date: 2026-04-08																																																	
																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>38.48</td><td>32.57</td><td>5.95</td><td>34.11</td><td>139</td><td>204</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	42.89	54.00	-11.11	38.48	32.57	5.95	34.11	139	204
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2483.52	42.89	54.00	-11.11	38.48	32.57	5.95	34.11	139	204	AVERAGE																																							
Peak	Date: 2026-04-08																																																	
																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.71</td><td>-----</td><td>-----</td><td>103.33</td><td>32.57</td><td>5.92</td><td>34.11</td><td>139</td><td>204</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.71	-----	-----	103.33	32.57	5.92	34.11	139	204
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2480.00	107.71	-----	-----	103.33	32.57	5.92	34.11	139	204	PEAK																																							
Avg	Date: 2026-04-08																																																	
																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.89</td><td>-----</td><td>-----</td><td>99.51</td><td>32.57</td><td>5.92</td><td>34.11</td><td>139</td><td>204</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.89	-----	-----	99.51	32.57	5.92	34.11	139	204
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2480.00	103.89	-----	-----	99.51	32.57	5.92	34.11	139	204	AVERAGE																																							



Mode	6																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>53.65</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>51.91</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.94	74.00	-29.06	53.65	35.16	8.46	52.33	---	---	Peak	2	7440.00	45.88	74.00	-28.12	51.91	36.10	10.17	52.30	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>52.75</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>52.03</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.04	74.00	-29.96	52.75	35.16	8.46	52.33	---	---	Peak	2	7440.00	46.00	74.00	-28.00	52.03	36.10	10.17	52.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4960.00	44.94	74.00	-29.06	53.65	35.16	8.46	52.33	---	---	Peak																																																																																																																						
2	7440.00	45.88	74.00	-28.12	51.91	36.10	10.17	52.30	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4960.00	44.04	74.00	-29.96	52.75	35.16	8.46	52.33	---	---	Peak																																																																																																																						
2	7440.00	46.00	74.00	-28.00	52.03	36.10	10.17	52.30	---	---	Peak																																																																																																																						







Mode	7																																																																																																																																																																																																																																																																																									
	LF																																																																																																																																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH39_MHz																																																																																																																																																																																																																																																																																									
ANT	1																																																																																																																																																																																																																																																																																									
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																																																																		
Peak																																																																																																																																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>30.00</td><td>23.25</td><td>40.00</td><td>-16.75</td><td>28.93</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>75.59</td><td>16.31</td><td>40.00</td><td>-23.69</td><td>34.03</td><td>13.02</td><td>0.87</td><td>31.61</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>202.66</td><td>16.92</td><td>43.50</td><td>-26.58</td><td>31.92</td><td>15.06</td><td>1.44</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>273.47</td><td>22.20</td><td>46.00</td><td>-23.80</td><td>33.15</td><td>18.88</td><td>1.72</td><td>31.55</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>705.12</td><td>28.62</td><td>46.00</td><td>-17.38</td><td>29.91</td><td>27.03</td><td>2.77</td><td>31.09</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>952.47</td><td>31.39</td><td>46.00</td><td>-14.61</td><td>27.46</td><td>31.54</td><td>3.23</td><td>30.84</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	30.00	23.25	40.00	-16.75	28.93	25.29	0.53	31.50	---	---	---	---	---	Peak	2	75.59	16.31	40.00	-23.69	34.03	13.02	0.87	31.61	---	---	---	---	---	Peak	3	202.66	16.92	43.50	-26.58	31.92	15.06	1.44	31.50	---	---	---	---	---	Peak	4	273.47	22.20	46.00	-23.80	33.15	18.88	1.72	31.55	---	---	---	---	---	Peak	5	705.12	28.62	46.00	-17.38	29.91	27.03	2.77	31.09	---	---	---	---	---	Peak	6	952.47	31.39	46.00	-14.61	27.46	31.54	3.23	30.84	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>30.00</td><td>30.73</td><td>40.00</td><td>-9.27</td><td>36.41</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>75.59</td><td>22.25</td><td>40.00</td><td>-17.75</td><td>39.97</td><td>13.02</td><td>0.87</td><td>31.61</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>177.44</td><td>17.07</td><td>43.50</td><td>-26.43</td><td>31.93</td><td>15.33</td><td>1.36</td><td>31.55</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>229.82</td><td>18.00</td><td>46.00</td><td>-28.00</td><td>31.70</td><td>16.24</td><td>1.56</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>563.50</td><td>26.82</td><td>46.00</td><td>-19.18</td><td>28.70</td><td>26.88</td><td>2.49</td><td>31.25</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>957.32</td><td>32.19</td><td>46.00</td><td>-13.81</td><td>28.09</td><td>31.69</td><td>3.24</td><td>30.83</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	30.00	30.73	40.00	-9.27	36.41	25.29	0.53	31.50	---	---	---	---	---	Peak	2	75.59	22.25	40.00	-17.75	39.97	13.02	0.87	31.61	---	---	---	---	---	Peak	3	177.44	17.07	43.50	-26.43	31.93	15.33	1.36	31.55	---	---	---	---	---	Peak	4	229.82	18.00	46.00	-28.00	31.70	16.24	1.56	31.50	---	---	---	---	---	Peak	5	563.50	26.82	46.00	-19.18	28.70	26.88	2.49	31.25	---	---	---	---	---	Peak	6	957.32	32.19	46.00	-13.81	28.09	31.69	3.24	30.83	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																	
1	30.00	23.25	40.00	-16.75	28.93	25.29	0.53	31.50	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
2	75.59	16.31	40.00	-23.69	34.03	13.02	0.87	31.61	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
3	202.66	16.92	43.50	-26.58	31.92	15.06	1.44	31.50	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
4	273.47	22.20	46.00	-23.80	33.15	18.88	1.72	31.55	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
5	705.12	28.62	46.00	-17.38	29.91	27.03	2.77	31.09	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
6	952.47	31.39	46.00	-14.61	27.46	31.54	3.23	30.84	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																	
1	30.00	30.73	40.00	-9.27	36.41	25.29	0.53	31.50	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
2	75.59	22.25	40.00	-17.75	39.97	13.02	0.87	31.61	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
3	177.44	17.07	43.50	-26.43	31.93	15.33	1.36	31.55	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
4	229.82	18.00	46.00	-28.00	31.70	16.24	1.56	31.50	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
5	563.50	26.82	46.00	-19.18	28.70	26.88	2.49	31.25	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
6	957.32	32.19	46.00	-13.81	28.09	31.69	3.24	30.83	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												





Mode	8																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_Thread_CH11_2402MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-04-15 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.33</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>42.79</td><td>32.42</td><td>5.36</td><td>34.14</td><td>400</td><td>282</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2388.33	46.43	74.00	-27.57	42.79	32.42	5.36	34.14	400	282	PEAK	Level (dBuV/m) Date: 2026-04-15 Frequency (MHz) PEAK_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>107.65</td><td>-----</td><td>-----</td><td>103.97</td><td>32.45</td><td>5.37</td><td>34.14</td><td>400</td><td>282</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2405.00	107.65	-----	-----	103.97	32.45	5.37	34.14	400	282	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.33	46.43	74.00	-27.57	42.79	32.42	5.36	34.14	400	282	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2405.00	107.65	-----	-----	103.97	32.45	5.37	34.14	400	282	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2026-04-15 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.94</td><td>37.61</td><td>54.00</td><td>-16.39</td><td>34.01</td><td>32.40</td><td>5.35</td><td>34.15</td><td>400</td><td>282</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2375.94	37.61	54.00	-16.39	34.01	32.40	5.35	34.15	400	282	AVERAGE	Level (dBuV/m) Date: 2026-04-15 Frequency (MHz) AVG_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2405.00</td><td>104.70</td><td>-----</td><td>-----</td><td>101.02</td><td>32.45</td><td>5.37</td><td>34.14</td><td>400</td><td>282</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2405.00	104.70	-----	-----	101.02	32.45	5.37	34.14	400	282	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2375.94	37.61	54.00	-16.39	34.01	32.40	5.35	34.15	400	282	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2405.00	104.70	-----	-----	101.02	32.45	5.37	34.14	400	282	AVERAGE																																																																							





Mode	8																																																																																																					
	Band Edge - L																																																																																																					
	2400-2483.5_Thread_CH11_2402MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2026-04-15  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.04</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>41.82</td><td>32.40</td><td>5.35</td><td>34.15</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2378.04	45.42	74.00	-28.58	41.82	32.40	5.35	34.15	400										0 PEAK	Level (dBuV/m) Date: 2026-04-15  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>106.31</td><td>-----</td><td>-----</td><td>102.63</td><td>32.45</td><td>5.37</td><td>34.14</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	106.31	-----	-----	102.63	32.45	5.37	34.14	400										0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2378.04	45.42	74.00	-28.58	41.82	32.40	5.35	34.15	400																																																																																													
									0 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2405.00	106.31	-----	-----	102.63	32.45	5.37	34.14	400																																																																																													
									0 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2026-04-15  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2364.18</td><td>35.75</td><td>54.00</td><td>-18.25</td><td>32.18</td><td>32.38</td><td>5.34</td><td>34.15</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2364.18	35.75	54.00	-18.25	32.18	32.38	5.34	34.15	400										0 AVERAGE	Level (dBuV/m) Date: 2026-04-15  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>103.23</td><td>-----</td><td>-----</td><td>99.55</td><td>32.45</td><td>5.37</td><td>34.14</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	103.23	-----	-----	99.55	32.45	5.37	34.14	400										0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2364.18	35.75	54.00	-18.25	32.18	32.38	5.34	34.15	400																																																																																													
									0 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2405.00	103.23	-----	-----	99.55	32.45	5.37	34.14	400																																																																																													
									0 AVERAGE																																																																																													







Mode	8																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Thread_CH11_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4810.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>52.67</td><td>35.01</td><td>8.92</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4810.00	43.79	74.00	-30.21	52.67	35.01	8.92	52.81	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4815.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>53.73</td><td>35.01</td><td>8.90</td><td>52.79</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4815.00	44.85	74.00	-29.15	53.73	35.01	8.90	52.79	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4810.00	43.79	74.00	-30.21	52.67	35.01	8.92	52.81	---	---	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4815.00	44.85	74.00	-29.15	53.73	35.01	8.90	52.79	---	---	Peak																																																																																						







Mode	9																																																																					
	Harmonic																																																																					
	2400-2483.5_Thread_CH18_2440MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>53.28</td><td>35.08</td><td>8.71</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>51.34</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	44.49	74.00	-29.51	53.28	35.08	8.71	52.58	---	---	Peak	2	7320.00	45.32	74.00	-28.68	51.34	36.10	10.18	52.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4880.00	44.49	74.00	-29.51	53.28	35.08	8.71	52.58	---	---	Peak																																																											
2	7320.00	45.32	74.00	-28.68	51.34	36.10	10.18	52.30	---	---	Peak																																																											
																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>54.16</td><td>35.08</td><td>8.71</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>51.79</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	45.37	74.00	-28.63	54.16	35.08	8.71	52.58	---	---	Peak	2	7320.00	45.77	74.00	-28.23	51.79	36.10	10.18	52.30	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4880.00	45.37	74.00	-28.63	54.16	35.08	8.71	52.58	---	---	Peak																																																											
2	7320.00	45.77	74.00	-28.23	51.79	36.10	10.18	52.30	---	---	Peak																																																											



Mode	10																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Thread_CH26_2480MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>48.76</td><td>32.57</td><td>5.95</td><td>34.11</td><td>290</td><td>89</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.58	53.17	74.00	-20.83	48.76	32.57	5.95	34.11	290	89	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.23</td><td>-----</td><td>-----</td><td>88.85</td><td>32.57</td><td>5.92</td><td>34.11</td><td>290</td><td>89</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.23	-----	-----	88.85	32.57	5.92	34.11	290	89
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.58	53.17	74.00	-20.83	48.76	32.57	5.95	34.11	290	89	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	93.23	-----	-----	88.85	32.57	5.92	34.11	290	89	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>41.72</td><td>32.57</td><td>5.95</td><td>34.11</td><td>290</td><td>89</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	46.13	54.00	-7.87	41.72	32.57	5.95	34.11	290	89	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>90.27</td><td>-----</td><td>-----</td><td>85.89</td><td>32.57</td><td>5.92</td><td>34.11</td><td>290</td><td>89</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	90.27	-----	-----	85.89	32.57	5.92	34.11	290	89
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.52	46.13	54.00	-7.87	41.72	32.57	5.95	34.11	290	89	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	90.27	-----	-----	85.89	32.57	5.92	34.11	290	89	AVERAGE																																																																																				





Mode	10																																																																																												
	Band Edge																																																																																												
	2400-2483.5_Thread_CH26_2480MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.54</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>44.24</td><td>32.57</td><td>5.95</td><td>34.11</td><td>319</td><td>251</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.54	48.65	74.00	-25.35	44.24	32.57	5.95	34.11	319	251	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>86.47</td><td>-----</td><td>-----</td><td>82.09</td><td>32.57</td><td>5.92</td><td>34.11</td><td>319</td><td>251</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.47	-----	-----	82.09	32.57	5.92	34.11	319	251
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2483.54	48.65	74.00	-25.35	44.24	32.57	5.95	34.11	319	251	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2480.00	86.47	-----	-----	82.09	32.57	5.92	34.11	319	251	PEAK																																																																																		
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>40.43</td><td>54.00</td><td>-13.57</td><td>36.02</td><td>32.57</td><td>5.95</td><td>34.11</td><td>319</td><td>251</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	40.43	54.00	-13.57	36.02	32.57	5.95	34.11	319	251	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>83.54</td><td>-----</td><td>-----</td><td>79.16</td><td>32.57</td><td>5.92</td><td>34.11</td><td>319</td><td>251</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	83.54	-----	-----	79.16	32.57	5.92	34.11	319	251
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2483.52	40.43	54.00	-13.57	36.02	32.57	5.95	34.11	319	251	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2480.00	83.54	-----	-----	79.16	32.57	5.92	34.11	319	251	AVERAGE																																																																																		







Mode	10																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_Thread_CH26_2480MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>4960.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>53.00</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>52.07</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.29	74.00	-29.71	53.00	35.16	8.46	52.33	---	---	Peak	2	7440.00	46.04	74.00	-27.96	52.07	36.10	10.17	52.30	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>4960.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>53.82</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>51.82</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	45.11	74.00	-28.89	53.82	35.16	8.46	52.33	---	---	Peak	2	7440.00	45.79	74.00	-28.21	51.82	36.10	10.17	52.30	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4960.00	44.29	74.00	-29.71	53.00	35.16	8.46	52.33	---	---	Peak																																																																																																													
2	7440.00	46.04	74.00	-27.96	52.07	36.10	10.17	52.30	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4960.00	45.11	74.00	-28.89	53.82	35.16	8.46	52.33	---	---	Peak																																																																																																													
2	7440.00	45.79	74.00	-28.21	51.82	36.10	10.17	52.30	---	---	Peak																																																																																																													







Mode	11																																																																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																																																																											
	2400-2483.5_Thread_CH26_2480MHz																																																																																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																																																																																											
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																																															
Peak																																																																																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Read Level</th><th>Line Margin</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>23.05</td><td>40.00</td><td>-16.95</td><td>28.73</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>75.59</td><td>16.56</td><td>40.00</td><td>-23.44</td><td>34.28</td><td>13.02</td><td>0.87</td><td>31.61</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td>195.87</td><td>16.24</td><td>43.50</td><td>-27.26</td><td>31.39</td><td>14.94</td><td>1.42</td><td>31.51</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>4</td><td>245.34</td><td>22.82</td><td>46.00</td><td>-23.18</td><td>34.59</td><td>18.10</td><td>1.63</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td>860.32</td><td>32.14</td><td>46.00</td><td>-13.86</td><td>30.82</td><td>29.29</td><td>3.07</td><td>31.04</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td>941.80</td><td>31.91</td><td>46.00</td><td>-14.09</td><td>28.57</td><td>30.99</td><td>3.22</td><td>30.87</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr></tbody></table>															Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Factor	APos	TPos	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	30.00	23.05	40.00	-16.95	28.73	25.29	0.53	31.50	---	---	Peak					2	75.59	16.56	40.00	-23.44	34.28	13.02	0.87	31.61	---	---	Peak					3	195.87	16.24	43.50	-27.26	31.39	14.94	1.42	31.51	---	---	Peak					4	245.34	22.82	46.00	-23.18	34.59	18.10	1.63	31.50	---	---	Peak					5	860.32	32.14	46.00	-13.86	30.82	29.29	3.07	31.04	---	---	Peak					6	941.80	31.91	46.00	-14.09	28.57	30.99	3.22	30.87	---	---	Peak					<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Read Level</th><th>Line Margin</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>29.89</td><td>40.00</td><td>-10.11</td><td>35.57</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>75.59</td><td>21.21</td><td>40.00</td><td>-18.79</td><td>38.93</td><td>13.02</td><td>0.87</td><td>31.61</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td>173.56</td><td>17.39</td><td>43.50</td><td>-26.11</td><td>32.01</td><td>15.59</td><td>1.34</td><td>31.55</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>4</td><td>631.40</td><td>26.72</td><td>46.00</td><td>-19.28</td><td>28.58</td><td>26.68</td><td>2.62</td><td>31.16</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td>853.53</td><td>31.35</td><td>46.00</td><td>-14.65</td><td>30.30</td><td>29.04</td><td>3.06</td><td>31.05</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td>951.50</td><td>31.05</td><td>46.00</td><td>-14.95</td><td>27.18</td><td>31.49</td><td>3.23</td><td>30.85</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr></tbody></table>			Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Factor	APos	TPos	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	30.00	29.89	40.00	-10.11	35.57	25.29	0.53	31.50	---	---	Peak					2	75.59	21.21	40.00	-18.79	38.93	13.02	0.87	31.61	---	---	Peak					3	173.56	17.39	43.50	-26.11	32.01	15.59	1.34	31.55	---	---	Peak					4	631.40	26.72	46.00	-19.28	28.58	26.68	2.62	31.16	---	---	Peak					5	853.53	31.35	46.00	-14.65	30.30	29.04	3.06	31.05	---	---	Peak					6	951.50	31.05	46.00	-14.95	27.18	31.49	3.23	30.85	---	---	Peak				
		Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																		
1	30.00	23.05	40.00	-16.95	28.73	25.29	0.53	31.50	---	---	Peak																																																																																																																																																																																																																																																																	
2	75.59	16.56	40.00	-23.44	34.28	13.02	0.87	31.61	---	---	Peak																																																																																																																																																																																																																																																																	
3	195.87	16.24	43.50	-27.26	31.39	14.94	1.42	31.51	---	---	Peak																																																																																																																																																																																																																																																																	
4	245.34	22.82	46.00	-23.18	34.59	18.10	1.63	31.50	---	---	Peak																																																																																																																																																																																																																																																																	
5	860.32	32.14	46.00	-13.86	30.82	29.29	3.07	31.04	---	---	Peak																																																																																																																																																																																																																																																																	
6	941.80	31.91	46.00	-14.09	28.57	30.99	3.22	30.87	---	---	Peak																																																																																																																																																																																																																																																																	
	Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																		
1	30.00	29.89	40.00	-10.11	35.57	25.29	0.53	31.50	---	---	Peak																																																																																																																																																																																																																																																																	
2	75.59	21.21	40.00	-18.79	38.93	13.02	0.87	31.61	---	---	Peak																																																																																																																																																																																																																																																																	
3	173.56	17.39	43.50	-26.11	32.01	15.59	1.34	31.55	---	---	Peak																																																																																																																																																																																																																																																																	
4	631.40	26.72	46.00	-19.28	28.58	26.68	2.62	31.16	---	---	Peak																																																																																																																																																																																																																																																																	
5	853.53	31.35	46.00	-14.65	30.30	29.04	3.06	31.05	---	---	Peak																																																																																																																																																																																																																																																																	
6	951.50	31.05	46.00	-14.95	27.18	31.49	3.23	30.85	---	---	Peak																																																																																																																																																																																																																																																																	





Mode	12																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Thread_CH25_2475MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2475 MHz, dropping to about 52 dBuV/m by 2480 MHz, and then remaining relatively flat. A red line labeled 'PEAK_BE_74' is drawn at 74 dBuV/m. The date is 2026-04-15. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.58</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>42.30</td><td>32.58</td><td>5.93</td><td>34.10</td><td>400</td><td>227</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2487.58	46.71	74.00	-27.29	42.30	32.58	5.93	34.10	400	227	PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2475 MHz, dropping to about 52 dBuV/m by 2480 MHz, and then remaining relatively flat. A red line labeled 'PEAK_74' is drawn at 74 dBuV/m. The date is 2026-04-15. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>103.02</td><td>-----</td><td>-----</td><td>98.73</td><td>32.56</td><td>5.84</td><td>34.11</td><td>400</td><td>227</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2475.00	103.02	-----	-----	98.73	32.56	5.84	34.11	400	227	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2487.58	46.71	74.00	-27.29	42.30	32.58	5.93	34.10	400	227	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2475.00	103.02	-----	-----	98.73	32.56	5.84	34.11	400	227	PEAK																																																																																	
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2475 MHz, dropping to about 52 dBuV/m by 2480 MHz, and then remaining relatively flat. A red line labeled 'AVG_BE_54' is drawn at 54 dBuV/m. The date is 2026-04-15. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.95</td><td>36.15</td><td>54.00</td><td>-17.85</td><td>31.77</td><td>32.60</td><td>5.88</td><td>34.10</td><td>400</td><td>227</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2499.95	36.15	54.00	-17.85	31.77	32.60	5.88	34.10	400	227	AVERAGE	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2475 MHz, dropping to about 52 dBuV/m by 2480 MHz, and then remaining relatively flat. A red line labeled 'AVG_54' is drawn at 54 dBuV/m. The date is 2026-04-15. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2475.00</td><td>100.03</td><td>-----</td><td>-----</td><td>95.74</td><td>32.56</td><td>5.84</td><td>34.11</td><td>400</td><td>227</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2475.00	100.03	-----	-----	95.74	32.56	5.84	34.11	400	227	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2499.95	36.15	54.00	-17.85	31.77	32.60	5.88	34.10	400	227	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2475.00	100.03	-----	-----	95.74	32.56	5.84	34.11	400	227	AVERAGE																																																																																	



Mode	12																																									
	Band Edge																																									
	2400-2483.5_Thread_CH25_2475MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2026-04-15  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2486.40</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>42.48</td><td>32.58</td><td>5.94</td><td>34.11</td><td>400</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2486.40	46.89	74.00	-27.11	42.48	32.58	5.94	34.11	400	0 PEAK	Date: 2026-04-15  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2475.00</td><td>104.22</td><td>-----</td><td>-----</td><td>99.90</td><td>32.56</td><td>5.87</td><td>34.11</td><td>400</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2475.00	104.22	-----	-----	99.90	32.56	5.87	34.11	400	0 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2486.40	46.89	74.00	-27.11	42.48	32.58	5.94	34.11	400	0 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2475.00	104.22	-----	-----	99.90	32.56	5.87	34.11	400	0 PEAK																																	
Avg	Date: 2026-04-15  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2483.98</td><td>36.54</td><td>54.00</td><td>-17.46</td><td>32.14</td><td>32.57</td><td>5.94</td><td>34.11</td><td>400</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2483.98	36.54	54.00	-17.46	32.14	32.57	5.94	34.11	400	0 AVERAGE	Date: 2026-04-15  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2475.00</td><td>101.22</td><td>-----</td><td>-----</td><td>96.90</td><td>32.56</td><td>5.87</td><td>34.11</td><td>400</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2475.00	101.22	-----	-----	96.90	32.56	5.87	34.11	400	0 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2483.98	36.54	54.00	-17.46	32.14	32.57	5.94	34.11	400	0 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2475.00	101.22	-----	-----	96.90	32.56	5.87	34.11	400	0 AVERAGE																																	




Mode	12																																																																						
	Harmonic																																																																						
	2400-2483.5_Thread_CH25_2475MHz																																																																						
ANT	1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4950.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>53.01</td><td>35.15</td><td>8.49</td><td>52.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7425.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>51.84</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4950.00	44.29	74.00	-29.71	53.01	35.15	8.49	52.36	---	---	Peak	2	7425.00	45.81	74.00	-28.19	51.84	36.10	10.17	52.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4950.00	44.29	74.00	-29.71	53.01	35.15	8.49	52.36	---	---	Peak																																																												
2	7425.00	45.81	74.00	-28.19	51.84	36.10	10.17	52.30	---	---	Peak																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4950.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>53.83</td><td>35.15</td><td>8.49</td><td>52.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7425.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>50.67</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4950.00	45.11	74.00	-28.89	53.83	35.15	8.49	52.36	---	---	Peak	2	7425.00	44.64	74.00	-29.36	50.67	36.10	10.17	52.30	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4950.00	45.11	74.00	-28.89	53.83	35.15	8.49	52.36	---	---	Peak																																																												
2	7425.00	44.64	74.00	-29.36	50.67	36.10	10.17	52.30	---	---	Peak																																																												


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 125Kbps	82.67	3.1	0.323	1KHz
Bluetooth LE 2Mbps	33.33	0.21	4.762	10KHz
Thread 250Kbps	26.49	2.66	0.376	1KHz

Bluetooth – LE 125Kbps



Bluetooth – LE 2Mbps



Thread 250Kbps

