







































Band edge measurements



Test Result



TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm/100KHz]	Result[dBm/100KHz]	Limit[dBm/100KHz]	Verdict
BLE_1M	Ant0	Low	2402	3.39	-50.59	≤ -16.61	PASS
	Ant1	Low	2402	1.65	-50.1	≤ -18.35	PASS
	Ant0	High	2480	3.54	-49.64	≤ -16.46	PASS
	Ant1	High	2480	-0.15	-50.06	≤ -20.15	PASS
BLE_2M	Ant0	Low	2402	2.35	-31.25	≤ -17.65	PASS
	Ant1	Low	2402	0.49	-31.09	≤ -19.51	PASS
	Ant0	High	2480	2.50	-49.57	≤ -17.5	PASS
	Ant1	High	2480	-1.21	-49.57	≤ -21.21	PASS
BLE_125K	Ant0	Low	2402	0.23	-50.2	≤ -19.77	PASS
	Ant1	Low	2402	-1.57	-50.49	≤ -21.57	PASS
	Ant0	High	2480	0.36	-49.17	≤ -19.64	PASS
	Ant1	High	2480	-3.29	-49.45	≤ -23.29	PASS
BLE_500K	Ant0	Low	2402	3.36	-50.13	≤ -16.64	PASS
	Ant1	Low	2402	1.52	-50.28	≤ -18.48	PASS
	Ant0	High	2480	3.50	-49.53	≤ -16.5	PASS
	Ant1	High	2480	-0.23	-49.2	≤ -20.23	PASS







Test Graphs

























Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
BLE_1M	Ant0	2402	30~1000	3.39	-46.36	≤-16.61	PASS
			1000~26500	3.39	-37.94	≤-16.61	PASS
	Ant1	2402	30~1000	1.65	-45.85	≤-18.35	PASS
			1000~26500	1.65	-37.12	≤-18.35	PASS
	Ant0	2440	30~1000	3.62	-46.13	≤-16.38	PASS
			1000~26500	3.62	-38.08	≤-16.38	PASS
	Ant1	2440	30~1000	0.73	-46.11	≤-19.27	PASS
			1000~26500	0.73	-37.18	≤-19.27	PASS
	Ant0	2480	30~1000	3.54	-46.74	≤-16.46	PASS
			1000~26500	3.54	-37.74	≤-16.46	PASS
	Ant1	2480	30~1000	-0.15	-46.35	≤-20.15	PASS
			1000~26500	-0.15	-37.98	≤-20.15	PASS
BLE_2M	Ant0	2402	30~1000	2.35	-46.39	≤-17.65	PASS
			1000~26500	2.35	-37.48	≤-17.65	PASS
	Ant1	2402	30~1000	0.49	-46.49	≤-19.51	PASS
			1000~26500	0.49	-36.98	≤-19.51	PASS
	Ant0	2440	30~1000	2.57	-46.81	≤-17.43	PASS
			1000~26500	2.57	-38.15	≤-17.43	PASS
	Ant1	2440	30~1000	-0.34	-45.66	≤-20.34	PASS
			1000~26500	-0.34	-37.74	≤-20.34	PASS
	Ant0	2480	30~1000	2.50	-45.99	≤-17.5	PASS
			1000~26500	2.50	-36.75	≤-17.5	PASS
	Ant1	2480	30~1000	-1.21	-46.47	≤-21.21	PASS
			1000~26500	-1.21	-37.05	≤-21.21	PASS
BLE_125K	Ant0	2402	30~1000	0.23	-45.97	≤-19.77	PASS
			1000~26500	0.23	-37.79	≤-19.77	PASS
	Ant1	2402	30~1000	-1.57	-45.88	≤-21.57	PASS
			1000~26500	-1.57	-37.75	≤-21.57	PASS
	Ant0	2440	30~1000	0.44	-46.43	≤-19.56	PASS
			1000~26500	0.44	-37.75	≤-19.56	PASS
	Ant1	2440	30~1000	-2.43	-46.53	≤-22.43	PASS
			1000~26500	-2.43	-37.33	≤-22.43	PASS
	Ant0	2480	30~1000	0.36	-46.39	≤-19.64	PASS
			1000~26500	0.36	-37.43	≤-19.64	PASS
	Ant1	2480	30~1000	-3.29	-46.64	≤-23.29	PASS
			1000~26500	-3.29	-38	≤-23.29	PASS
BLE_500K	Ant0	2402	30~1000	3.36	-46.05	≤-16.64	PASS







	Ant1	2402	1000~26500	3.36	-37.01	≤ -16.64	PASS
			30~1000	1.52	-46.38	≤ -18.48	PASS
			1000~26500	1.52	-36.83	≤ -18.48	PASS
	Ant0	2440	30~1000	3.56	-46.08	≤ -16.44	PASS
			1000~26500	3.56	-37.39	≤ -16.44	PASS
	Ant1	2440	30~1000	0.66	-46.57	≤ -19.34	PASS
			1000~26500	0.66	-37.77	≤ -19.34	PASS
	Ant0	2480	30~1000	3.50	-46.52	≤ -16.5	PASS
			1000~26500	3.50	-37.26	≤ -16.5	PASS
	Ant1	2480	30~1000	-0.23	-45.84	≤ -20.23	PASS
			1000~26500	-0.23	-37.79	≤ -20.23	PASS







Test Graphs




















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Sun	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15C RSS247-QP LISN-100334-L+CABLE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.206	42.40	-20.96	63.36	22.30	9.64	10.46	QP
2	0.206	30.20	-23.16	53.36	10.10	9.64	10.46	Average
3	0.238	44.97	-17.20	62.17	24.89	9.61	10.47	QP
4 *	0.238	35.27	-16.90	52.17	15.19	9.61	10.47	Average
5	0.310	40.94	-19.03	59.97	20.90	9.56	10.48	QP
6	0.310	32.64	-17.33	49.97	12.60	9.56	10.48	Average
7	0.431	36.96	-20.28	57.24	16.80	9.70	10.46	QP
8	0.431	28.76	-18.48	47.24	8.60	9.70	10.46	Average
9	0.502	36.36	-19.64	56.00	16.20	9.75	10.41	QP
10	0.502	28.26	-17.74	46.00	8.10	9.75	10.41	Average
11	21.946	35.11	-24.89	60.00	14.60	10.14	10.37	QP
12	21.946	26.81	-23.19	50.00	6.30	10.14	10.37	Average



Test Engineer :	Sun	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS

Condition : 15C RSS247-QP LISN-100334-N+CABLE NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.202	42.42	-21.12	63.54	22.30	9.66	10.46	QP
2	0.202	30.42	-23.12	53.54	10.30	9.66	10.46	Average
3	0.215	43.30	-19.71	63.01	23.20	9.64	10.46	QP
4	0.215	33.70	-19.31	53.01	13.60	9.64	10.46	Average
5	0.300	42.42	-17.82	60.24	22.40	9.54	10.48	QP
6	0.300	34.22	-16.02	50.24	14.20	9.54	10.48	Average
7	0.371	41.73	-16.74	58.47	21.59	9.65	10.49	QP
8 *	0.371	33.33	-15.14	48.47	13.19	9.65	10.49	Average
9	0.502	36.23	-19.77	56.00	16.10	9.72	10.41	QP
10	0.502	28.33	-17.67	46.00	8.20	9.72	10.41	Average
11	0.570	34.68	-21.32	56.00	14.60	9.70	10.38	QP
12	0.570	27.38	-18.62	46.00	7.30	9.70	10.38	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$

**Appendix C Radiated Spurious Emission Test Data**

Test Engineer :	Jerry Xu	Relative Humidity :	41~ 42%
		Temperature :	22 ~ 23°C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	Bluetooth-LE_GFSK	0	2402	1Mbps	-	-
Mode 2	2400-2483.5	0	Bluetooth-LE_GFSK	19	2440	1Mbps	-	-
Mode 3	2400-2483.5	0	Bluetooth-LE_GFSK	39	2480	1Mbps	-	-
Mode 4	2400-2483.5	0	Bluetooth-LE_GFSK	0	2402	2Mbps	-	-
Mode 5	2400-2483.5	0	Bluetooth-LE_GFSK	19	2440	2Mbps	-	-
Mode 6	2400-2483.5	0	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
Mode 7	2400-2483.5	1	Bluetooth-LE_GFSK	0	2402	1Mbps	-	-
Mode 8	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	1Mbps	-	-
Mode 9	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	1Mbps	-	-
Mode 10	2400-2483.5	1	Bluetooth-LE_GFSK	0	2402	2Mbps	-	-
Mode 11	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	2Mbps	-	-
Mode 12	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-

Note: For BLE 1Mbps & 125Kbps & 500Kbps mode, the whole testing has assessed BLE 1Mbps mode by referring to the higher conducted power.





**Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth-LE_GFSK	0	2322.09	44.06	54.00	-9.94	H	AVERAGE	Pass	Band Edge
1	Bluetooth-LE_GFSK	0	12460.00	47.41	54.00	-6.59	V	Average	Pass	Harmonic
2	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
2	Bluetooth-LE_GFSK	19	12468.00	44.74	54.00	-9.26	V	Average	Pass	Harmonic
3	Bluetooth-LE_GFSK	39	2483.50	40.75	54.00	-13.25	H	AVERAGE	Pass	Band Edge
3	Bluetooth-LE_GFSK	39	12471.00	45.78	54.00	-8.22	V	Average	Pass	Harmonic
4	Bluetooth-LE_GFSK	0	2321.96	43.30	54.00	-10.70	H	AVERAGE	Pass	Band Edge
4	Bluetooth-LE_GFSK	0	12472.00	45.74	54.00	-8.26	V	Average	Pass	Harmonic
5	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
5	Bluetooth-LE_GFSK	19	12472.00	46.33	54.00	-7.67	V	Average	Pass	Harmonic
6	Bluetooth-LE_GFSK	39	2483.50	44.97	54.00	-9.03	H	AVERAGE	Pass	Band Edge
6	Bluetooth-LE_GFSK	39	12469.00	44.89	54.00	-9.11	V	Average	Pass	Harmonic
7	Bluetooth-LE_GFSK	0	2321.96	42.88	54.00	-11.12	H	AVERAGE	Pass	Band Edge
7	Bluetooth-LE_GFSK	0	4804.00	51.23	54.00	-2.77	H	AVERAGE	Pass	Harmonic
8	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
8	Bluetooth-LE_GFSK	19	4880.00	51.68	54.00	-2.32	H	AVERAGE	Pass	Harmonic
9	Bluetooth-LE_GFSK	39	2483.50	41.22	54.00	-12.78	H	AVERAGE	Pass	Band Edge
9	Bluetooth-LE_GFSK	39	4960.00	48.25	54.00	-5.75	H	AVERAGE	Pass	Harmonic
10	Bluetooth-LE_GFSK	0	2321.96	40.70	54.00	-13.30	H	AVERAGE	Pass	Band Edge
10	Bluetooth-LE_GFSK	0	4804.00	48.72	54.00	-5.28	H	AVERAGE	Pass	Harmonic
11	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
11	Bluetooth-LE_GFSK	19	4880.00	49.49	54.00	-4.51	H	AVERAGE	Pass	Harmonic
12	Bluetooth-LE_GFSK	39	2483.50	44.65	54.00	-9.35	H	AVERAGE	Pass	Band Edge
12	Bluetooth-LE_GFSK	39	4960.00	46.53	54.00	-7.47	H	AVERAGE	Pass	Harmonic





Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2322.09</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>42.79</td><td>31.67</td><td>8.01</td><td>36.68</td><td>5.92</td><td>147 34 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2322.09	51.71	74.00	-22.29	42.79	31.67	8.01	36.68	5.92	147 34 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>108.05</td><td>-----</td><td>-----</td><td>98.77</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>147 34 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.05	-----	-----	98.77	31.92	8.15	36.71	5.92
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2322.09	51.71	74.00	-22.29	42.79	31.67	8.01	36.68	5.92	147 34 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	108.05	-----	-----	98.77	31.92	8.15	36.71	5.92	147 34 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2322.09</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>35.14</td><td>31.67</td><td>8.01</td><td>36.68</td><td>5.92</td><td>147 34 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2322.09	44.06	54.00	-9.94	35.14	31.67	8.01	36.68	5.92	147 34 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>107.03</td><td>-----</td><td>-----</td><td>97.75</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>147 34 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.03	-----	-----	97.75	31.92	8.15	36.71	5.92
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2322.09	44.06	54.00	-9.94	35.14	31.67	8.01	36.68	5.92	147 34 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	107.03	-----	-----	97.75	31.92	8.15	36.71	5.92	147 34 AVERAGE																																																																																									





Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.49</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>40.70</td><td>31.93</td><td>8.12</td><td>36.70</td><td>5.92</td><td>304 273 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.49	49.97	74.00	-24.03	40.70	31.93	8.12	36.70	5.92	304 273 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.18</td><td>-----</td><td>-----</td><td>88.90</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>304 273 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.18	-----	-----	88.90	31.92	8.15	36.71	5.92
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2384.49	49.97	74.00	-24.03	40.70	31.93	8.12	36.70	5.92	304 273 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	98.18	-----	-----	88.90	31.92	8.15	36.71	5.92	304 273 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2322.09</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>30.52</td><td>31.67</td><td>8.01</td><td>36.68</td><td>5.92</td><td>304 273 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2322.09	39.44	54.00	-14.56	30.52	31.67	8.01	36.68	5.92	304 273 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.17</td><td>-----</td><td>-----</td><td>87.89</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>304 273 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.17	-----	-----	87.89	31.92	8.15	36.71	5.92
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2322.09	39.44	54.00	-14.56	30.52	31.67	8.01	36.68	5.92	304 273 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	97.17	-----	-----	87.89	31.92	8.15	36.71	5.92	304 273 AVERAGE																																																																																									







Mode	1																																																																																																																											
	Harmonic																																																																																																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																																											
ANT	0																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>60.64</td><td>34.19</td><td>11.57</td><td>65.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.18	74.00	-32.82	60.64	34.19	11.57	65.22	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.57</td><td>74.00</td><td>-32.43</td><td>61.03</td><td>34.19</td><td>11.57</td><td>65.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12460.00</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>58.00</td><td>39.16</td><td>18.85</td><td>65.92</td><td>0.00</td><td>300</td><td>191 Peak</td></tr><tr><td>3</td><td>12460.00</td><td>47.41</td><td>54.00</td><td>-6.59</td><td>55.32</td><td>39.16</td><td>18.85</td><td>65.92</td><td>0.00</td><td>300</td><td>191 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.57	74.00	-32.43	61.03	34.19	11.57	65.22	0.00	---	PEAK	2	12460.00	50.89	74.00	-23.11	58.00	39.16	18.85	65.92	0.00	300	191 Peak	3	12460.00	47.41	54.00	-6.59	55.32	39.16	18.85	65.92	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	4804.00	41.18	74.00	-32.82	60.64	34.19	11.57	65.22	0.00	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	4804.00	41.57	74.00	-32.43	61.03	34.19	11.57	65.22	0.00	---	PEAK																																																																																																																	
2	12460.00	50.89	74.00	-23.11	58.00	39.16	18.85	65.92	0.00	300	191 Peak																																																																																																																	
3	12460.00	47.41	54.00	-6.59	55.32	39.16	18.85	65.92	0.00	300	191 Average																																																																																																																	







Mode	2																																																																																																																																								
	Harmonic																																																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																								
ANT	0																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>61.14</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12280.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>54.73</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.60	74.00	-32.40	61.14	34.10	11.64	65.28	0.00	---	PEAK	2	12280.00	46.34	74.00	-27.66	54.73	39.10	18.63	66.12	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.85</td><td>74.00</td><td>-31.15</td><td>62.39</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12468.00</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>57.22</td><td>39.17</td><td>18.86</td><td>65.91</td><td>0.00</td><td>300</td><td>174 Peak</td></tr><tr><td>3</td><td>12468.00</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>52.62</td><td>39.17</td><td>18.86</td><td>65.91</td><td>0.00</td><td>300</td><td>174 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.85	74.00	-31.15	62.39	34.10	11.64	65.28	0.00	---	PEAK	2	12468.00	49.34	74.00	-24.66	57.22	39.17	18.86	65.91	0.00	300	174 Peak	3	12468.00	44.74	54.00	-9.26	52.62	39.17	18.86	65.91	0.00	300	174 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4880.00	41.60	74.00	-32.40	61.14	34.10	11.64	65.28	0.00	---	PEAK																																																																																																																														
2	12280.00	46.34	74.00	-27.66	54.73	39.10	18.63	66.12	0.00	---	PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4880.00	42.85	74.00	-31.15	62.39	34.10	11.64	65.28	0.00	---	PEAK																																																																																																																														
2	12468.00	49.34	74.00	-24.66	57.22	39.17	18.86	65.91	0.00	300	174 Peak																																																																																																																														
3	12468.00	44.74	54.00	-9.26	52.62	39.17	18.86	65.91	0.00	300	174 Average																																																																																																																														





Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																									
ANT	0																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>51.84</td><td>74.00</td><td>-22.16</td><td>42.08</td><td>32.26</td><td>8.31</td><td>36.73</td><td>5.92</td><td>150 347 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	51.84	74.00	-22.16	42.08	32.26	8.31	36.73	5.92	150 347 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.03</td><td>-----</td><td>-----</td><td>97.26</td><td>32.28</td><td>8.30</td><td>36.73</td><td>5.92</td><td>150 347 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.03	-----	-----	97.26	32.28	8.30	36.73	5.92	150 347 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.80	51.84	74.00	-22.16	42.08	32.26	8.31	36.73	5.92	150 347 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	107.03	-----	-----	97.26	32.28	8.30	36.73	5.92	150 347 PEAK																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>40.75</td><td>54.00</td><td>-13.25</td><td>30.98</td><td>32.27</td><td>8.31</td><td>36.73</td><td>5.92</td><td>150 347 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	40.75	54.00	-13.25	30.98	32.27	8.31	36.73	5.92	150 347 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.94</td><td>-----</td><td>-----</td><td>96.17</td><td>32.28</td><td>8.30</td><td>36.73</td><td>5.92</td><td>150 347 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.94	-----	-----	96.17	32.28	8.30	36.73	5.92	150 347 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	40.75	54.00	-13.25	30.98	32.27	8.31	36.73	5.92	150 347 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	105.94	-----	-----	96.17	32.28	8.30	36.73	5.92	150 347 AVERAGE																																																																																







Mode	3																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																						
ANT	0																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.06</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>41.09</td><td>32.21</td><td>8.33</td><td>36.73</td><td>5.92</td><td>292</td><td>268</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.06	50.82	74.00	-23.18	41.09	32.21	8.33	36.73	5.92	292	268	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.26</td><td>-----</td><td>-----</td><td>88.49</td><td>32.28</td><td>8.30</td><td>36.73</td><td>5.92</td><td>292</td><td>268</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.26	-----	-----	88.49	32.28	8.30	36.73	5.92	292	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2497.06	50.82	74.00	-23.18	41.09	32.21	8.33	36.73	5.92	292	268	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	98.26	-----	-----	88.49	32.28	8.30	36.73	5.92	292	268	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>29.10</td><td>32.26</td><td>8.31</td><td>36.73</td><td>5.92</td><td>292</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	38.86	54.00	-15.14	29.10	32.26	8.31	36.73	5.92	292	268	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.18</td><td>-----</td><td>-----</td><td>87.41</td><td>32.28</td><td>8.30</td><td>36.73</td><td>5.92</td><td>292</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.18	-----	-----	87.41	32.28	8.30	36.73	5.92	292	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2484.34	38.86	54.00	-15.14	29.10	32.26	8.31	36.73	5.92	292	268	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	97.18	-----	-----	87.41	32.28	8.30	36.73	5.92	292	268	AVERAGE																																																																																											







Mode	3																																																																																										
	Harmonic																																																																																										
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																										
ANT	0																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>61.20</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>59.10</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.66	74.00	-32.34	61.20	34.10	11.71	65.35	0.00	---	PEAK	2	7440.00	43.19	74.00	-30.81	59.10	35.88	14.51	66.30	0.00	---	PEAK																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4960.00	41.66	74.00	-32.34	61.20	34.10	11.71	65.35	0.00	---	PEAK																																																																																
2	7440.00	43.19	74.00	-30.81	59.10	35.88	14.51	66.30	0.00	---	PEAK																																																																																
																																																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>61.94</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>58.15</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12471.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>57.14</td><td>39.17</td><td>18.86</td><td>65.91</td><td>0.00</td><td>300</td><td>169 Peak</td></tr><tr><td>4</td><td>12471.00</td><td>45.78</td><td>54.00</td><td>-8.22</td><td>53.66</td><td>39.17</td><td>18.86</td><td>65.91</td><td>0.00</td><td>300</td><td>169 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.40	74.00	-31.60	61.94	34.10	11.71	65.35	0.00	---	PEAK	2	7440.00	42.24	74.00	-31.76	58.15	35.88	14.51	66.30	0.00	---	PEAK	3	12471.00	49.26	74.00	-24.74	57.14	39.17	18.86	65.91	0.00	300	169 Peak	4	12471.00	45.78	54.00	-8.22	53.66	39.17	18.86	65.91	0.00	300	169 Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4960.00	42.40	74.00	-31.60	61.94	34.10	11.71	65.35	0.00	---	PEAK																																																																																
2	7440.00	42.24	74.00	-31.76	58.15	35.88	14.51	66.30	0.00	---	PEAK																																																																																
3	12471.00	49.26	74.00	-24.74	57.14	39.17	18.86	65.91	0.00	300	169 Peak																																																																																
4	12471.00	45.78	54.00	-8.22	53.66	39.17	18.86	65.91	0.00	300	169 Average																																																																																



Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																						
ANT	0																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2321.57</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>42.46</td><td>31.66</td><td>8.00</td><td>36.68</td><td>5.92</td><td>145 33 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2321.57	51.36	74.00	-22.64	42.46	31.66	8.00	36.68	5.92	145 33 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2321.57	51.36	74.00	-22.64	42.46	31.66	8.00	36.68	5.92	145 33 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.28</td><td>-----</td><td>-----</td><td>99.00</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>145 33 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.28	-----	-----	99.00	31.92	8.15	36.71	5.92	145 33 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	108.28	-----	-----	99.00	31.92	8.15	36.71	5.92	145 33 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2321.96</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>34.39</td><td>31.66</td><td>8.01</td><td>36.68</td><td>5.92</td><td>145 33 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2321.96	43.30	54.00	-10.70	34.39	31.66	8.01	36.68	5.92	145 33 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2321.96	43.30	54.00	-10.70	34.39	31.66	8.01	36.68	5.92	145 33 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.89</td><td>-----</td><td>-----</td><td>96.61</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>145 33 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.89	-----	-----	96.61	31.92	8.15	36.71	5.92	145 33 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	105.89	-----	-----	96.61	31.92	8.15	36.71	5.92	145 33 AVERAGE																																													



Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																									
ANT	0																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2358.36</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>40.88</td><td>31.98</td><td>8.07</td><td>36.69</td><td>5.92</td><td>353 272 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2358.36	50.16	74.00	-23.84	40.88	31.98	8.07	36.69	5.92	353 272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.12</td><td>-----</td><td>-----</td><td>88.84</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>353 272 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.12	-----	-----	88.84	31.92	8.15	36.71	5.92	353 272 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2358.36	50.16	74.00	-23.84	40.88	31.98	8.07	36.69	5.92	353 272 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	98.12	-----	-----	88.84	31.92	8.15	36.71	5.92	353 272 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.04</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>30.90</td><td>31.95</td><td>8.11</td><td>36.70</td><td>5.92</td><td>353 272 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	40.18	54.00	-13.82	30.90	31.95	8.11	36.70	5.92	353 272 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>95.69</td><td>-----</td><td>-----</td><td>86.41</td><td>31.92</td><td>8.15</td><td>36.71</td><td>5.92</td><td>353 272 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.69	-----	-----	86.41	31.92	8.15	36.71	5.92	353 272 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.04	40.18	54.00	-13.82	30.90	31.95	8.11	36.70	5.92	353 272 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	95.69	-----	-----	86.41	31.92	8.15	36.71	5.92	353 272 AVERAGE																																																																																