









Mode	1																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5 Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>61.36</td><td>33.00</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4983.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>64.09</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>9979.50</td><td>50.38</td><td>75.67</td><td>-25.29</td><td>64.60</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4804.00	41.58	74.00	-32.42	61.36	33.00	10.62	64.20	0.00	---	---	PEAK	2	4983.00	44.41	74.00	-29.59	64.09	33.90	10.72	64.30	0.00	---	---	Peak	3	9979.50	50.38	75.67	-25.29	64.60	37.10	15.69	67.01	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>60.95</td><td>33.00</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4978.50</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>68.97</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>289</td><td>336</td><td>Peak</td></tr><tr><td>3</td><td>4978.50</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>61.04</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>289</td><td>336</td><td>Average</td></tr><tr><td>4</td><td>9954.00</td><td>53.58</td><td>76.29</td><td>-22.71</td><td>67.84</td><td>37.10</td><td>15.67</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	41.17	74.00	-32.83	60.95	33.00	10.62	64.20	0.00	---	---	PEAK	2	4978.50	49.29	74.00	-24.71	68.97	33.90	10.72	64.30	0.00	289	336	Peak	3	4978.50	41.36	54.00	-12.64	61.04	33.90	10.72	64.30	0.00	289	336	Average	4	9954.00	53.58	76.29	-22.71	67.84	37.10	15.67	67.03	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																	
1	4804.00	41.58	74.00	-32.42	61.36	33.00	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4983.00	44.41	74.00	-29.59	64.09	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																														
3	9979.50	50.38	75.67	-25.29	64.60	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.17	74.00	-32.83	60.95	33.00	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4978.50	49.29	74.00	-24.71	68.97	33.90	10.72	64.30	0.00	289	336	Peak																																																																																																																																																														
3	4978.50	41.36	54.00	-12.64	61.04	33.90	10.72	64.30	0.00	289	336	Average																																																																																																																																																														
4	9954.00	53.58	76.29	-22.71	67.84	37.10	15.67	67.03	0.00	---	---	Peak																																																																																																																																																														





Mode	2																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																																												
ANT	1																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>60.60</td><td>33.86</td><td>10.67</td><td>64.28</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4984.50</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>63.98</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>7323.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>59.70</td><td>35.55</td><td>12.76</td><td>66.12</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>4</td><td>9978.00</td><td>50.16</td><td>76.18</td><td>-26.02</td><td>64.38</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.85	74.00	-33.15	60.60	33.86	10.67	64.28	0.00	---	--- PEAK	2	4984.50	44.30	74.00	-29.70	63.98	33.90	10.72	64.30	0.00	---	--- Peak	3	7323.00	41.89	74.00	-32.11	59.70	35.55	12.76	66.12	0.00	---	--- PEAK	4	9978.00	50.16	76.18	-26.02	64.38	37.10	15.69	67.01	0.00	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>61.54</td><td>33.86</td><td>10.67</td><td>64.28</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4995.00</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>69.48</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>288</td><td>335 Peak</td></tr><tr><td>3</td><td>4995.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>59.98</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>288</td><td>335 Average</td></tr><tr><td>4</td><td>7323.00</td><td>42.84</td><td>74.00</td><td>-31.16</td><td>60.65</td><td>35.55</td><td>12.76</td><td>66.12</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>5</td><td>9978.00</td><td>53.22</td><td>81.12</td><td>-27.90</td><td>67.44</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.79	74.00	-32.21	61.54	33.86	10.67	64.28	0.00	---	--- PEAK	2	4995.00	49.81	74.00	-24.19	69.48	33.90	10.73	64.30	0.00	288	335 Peak	3	4995.00	40.31	54.00	-13.69	59.98	33.90	10.73	64.30	0.00	288	335 Average	4	7323.00	42.84	74.00	-31.16	60.65	35.55	12.76	66.12	0.00	---	--- PEAK	5	9978.00	53.22	81.12	-27.90	67.44	37.10	15.69	67.01	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	4882.00	40.85	74.00	-33.15	60.60	33.86	10.67	64.28	0.00	---	--- PEAK																																																																																																																																																																																		
2	4984.50	44.30	74.00	-29.70	63.98	33.90	10.72	64.30	0.00	---	--- Peak																																																																																																																																																																																		
3	7323.00	41.89	74.00	-32.11	59.70	35.55	12.76	66.12	0.00	---	--- PEAK																																																																																																																																																																																		
4	9978.00	50.16	76.18	-26.02	64.38	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	4882.00	41.79	74.00	-32.21	61.54	33.86	10.67	64.28	0.00	---	--- PEAK																																																																																																																																																																																		
2	4995.00	49.81	74.00	-24.19	69.48	33.90	10.73	64.30	0.00	288	335 Peak																																																																																																																																																																																		
3	4995.00	40.31	54.00	-13.69	59.98	33.90	10.73	64.30	0.00	288	335 Average																																																																																																																																																																																		
4	7323.00	42.84	74.00	-31.16	60.65	35.55	12.76	66.12	0.00	---	--- PEAK																																																																																																																																																																																		
5	9978.00	53.22	81.12	-27.90	67.44	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																																		



Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.31</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>41.31</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>146 PEAK</td></tr><tr><td>2</td><td>2484.31</td><td>25.58</td><td>54.00</td><td>-28.42</td><td>16.49</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>146 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.31	50.40	74.00	-23.60	41.31	32.27	7.45	36.57	5.94	100	146 PEAK	2	2484.31	25.58	54.00	-28.42	16.49	32.27	7.45	36.57	5.94	100	146 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.59</td><td>-----</td><td>-----</td><td>85.51</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>146 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>69.77</td><td>-----</td><td>-----</td><td>60.69</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>146 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	94.59	-----	-----	85.51	32.26	7.45	36.57	5.94	100	146 PEAK	2	2480.00	69.77	-----	-----	60.69	32.26	7.45	36.57	5.94	100	146 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2484.31	50.40	74.00	-23.60	41.31	32.27	7.45	36.57	5.94	100	146 PEAK																																																																																																																			
2	2484.31	25.58	54.00	-28.42	16.49	32.27	7.45	36.57	5.94	100	146 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2480.00	94.59	-----	-----	85.51	32.26	7.45	36.57	5.94	100	146 PEAK																																																																																																																			
2	2480.00	69.77	-----	-----	60.69	32.26	7.45	36.57	5.94	100	146 AVERAGE																																																																																																																			





Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.61</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>40.92</td><td>32.28</td><td>7.46</td><td>36.57</td><td>5.94</td><td>100</td><td>168 PEAK</td></tr><tr><td>2</td><td>2487.61</td><td>25.21</td><td>54.00</td><td>-28.79</td><td>16.10</td><td>32.28</td><td>7.46</td><td>36.57</td><td>5.94</td><td>100</td><td>168 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.61	50.03	74.00	-23.97	40.92	32.28	7.46	36.57	5.94	100	168 PEAK	2	2487.61	25.21	54.00	-28.79	16.10	32.28	7.46	36.57	5.94	100	168 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.34</td><td>-----</td><td>-----</td><td>94.26</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>168 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.52</td><td>-----</td><td>-----</td><td>69.44</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>168 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	103.34	-----	-----	94.26	32.26	7.45	36.57	5.94	100	168 PEAK	2	2480.00	78.52	-----	-----	69.44	32.26	7.45	36.57	5.94	100	168 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2487.61	50.03	74.00	-23.97	40.92	32.28	7.46	36.57	5.94	100	168 PEAK																																																																																																																			
2	2487.61	25.21	54.00	-28.79	16.10	32.28	7.46	36.57	5.94	100	168 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2480.00	103.34	-----	-----	94.26	32.26	7.45	36.57	5.94	100	168 PEAK																																																																																																																			
2	2480.00	78.52	-----	-----	69.44	32.26	7.45	36.57	5.94	100	168 AVERAGE																																																																																																																			





Mode	3																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																								
ANT	1																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.80</td><td>74.00</td><td>-32.20</td><td>61.49</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4987.50</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>64.15</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.20</td><td>74.00</td><td>-30.80</td><td>60.63</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>4</td><td>9975.00</td><td>50.46</td><td>75.22</td><td>-24.76</td><td>64.68</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.80	74.00	-32.20	61.49	33.90	10.71	64.30	0.00	---	--- PEAK	2	4987.50	44.47	74.00	-29.53	64.15	33.90	10.72	64.30	0.00	---	--- Peak	3	7440.00	43.20	74.00	-30.80	60.63	35.60	13.27	66.30	0.00	---	--- PEAK	4	9975.00	50.46	75.22	-24.76	64.68	37.10	15.69	67.01	0.00	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.21</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4983.00</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>70.50</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>316</td><td>221 Peak</td></tr><tr><td>3</td><td>4983.00</td><td>39.13</td><td>54.00</td><td>-14.87</td><td>50.81</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>316</td><td>221 Average</td></tr><tr><td>4</td><td>7440.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>60.20</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>5</td><td>9978.00</td><td>52.62</td><td>80.24</td><td>-27.62</td><td>66.84</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.52	74.00	-32.48	61.21	33.90	10.71	64.30	0.00	---	--- PEAK	2	4983.00	50.82	74.00	-23.18	70.50	33.90	10.72	64.30	0.00	316	221 Peak	3	4983.00	39.13	54.00	-14.87	50.81	33.90	10.72	64.30	0.00	316	221 Average	4	7440.00	42.77	74.00	-31.23	60.20	35.60	13.27	66.30	0.00	---	--- PEAK	5	9978.00	52.62	80.24	-27.62	66.84	37.10	15.69	67.01	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	4960.00	41.80	74.00	-32.20	61.49	33.90	10.71	64.30	0.00	---	--- PEAK																																																																																																																																																																														
2	4987.50	44.47	74.00	-29.53	64.15	33.90	10.72	64.30	0.00	---	--- Peak																																																																																																																																																																														
3	7440.00	43.20	74.00	-30.80	60.63	35.60	13.27	66.30	0.00	---	--- PEAK																																																																																																																																																																														
4	9975.00	50.46	75.22	-24.76	64.68	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	4960.00	41.52	74.00	-32.48	61.21	33.90	10.71	64.30	0.00	---	--- PEAK																																																																																																																																																																														
2	4983.00	50.82	74.00	-23.18	70.50	33.90	10.72	64.30	0.00	316	221 Peak																																																																																																																																																																														
3	4983.00	39.13	54.00	-14.87	50.81	33.90	10.72	64.30	0.00	316	221 Average																																																																																																																																																																														
4	7440.00	42.77	74.00	-31.23	60.20	35.60	13.27	66.30	0.00	---	--- PEAK																																																																																																																																																																														
5	9978.00	52.62	80.24	-27.62	66.84	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																														




Mode	1																																																																																																																			
	LF																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal																																																																																																																			
QP																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>49.16</td><td>26.25</td><td>40.00</td><td>-13.75</td><td>42.97</td><td>14.65</td><td>0.73</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.82</td><td>31.90</td><td>43.50</td><td>-11.60</td><td>44.92</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>374.84</td><td>35.22</td><td>46.00</td><td>-10.78</td><td>43.81</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>625.10</td><td>31.05</td><td>46.00</td><td>-14.95</td><td>33.90</td><td>25.90</td><td>3.52</td><td>32.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>36.50</td><td>46.00</td><td>-9.50</td><td>34.63</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>938.89</td><td>29.47</td><td>46.00</td><td>-16.53</td><td>26.17</td><td>29.98</td><td>4.34</td><td>31.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	49.16	26.25	40.00	-13.75	42.97	14.65	0.73	32.10	---	---	Peak	2	124.82	31.90	43.50	-11.60	44.92	17.50	1.55	32.07	---	---	Peak	3	374.84	35.22	46.00	-10.78	43.81	20.81	2.73	32.13	---	---	Peak	4	625.10	31.05	46.00	-14.95	33.90	25.90	3.52	32.27	---	---	Peak	5	875.11	36.50	46.00	-9.50	34.63	29.17	4.19	31.49	---	---	Peak	6	938.89	29.47	46.00	-16.53	26.17	29.98	4.34	31.02	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
	1	49.16	26.25	40.00	-13.75	42.97	14.65	0.73	32.10	---	---	Peak																																																																																																								
	2	124.82	31.90	43.50	-11.60	44.92	17.50	1.55	32.07	---	---	Peak																																																																																																								
	3	374.84	35.22	46.00	-10.78	43.81	20.81	2.73	32.13	---	---	Peak																																																																																																								
	4	625.10	31.05	46.00	-14.95	33.90	25.90	3.52	32.27	---	---	Peak																																																																																																								
	5	875.11	36.50	46.00	-9.50	34.63	29.17	4.19	31.49	---	---	Peak																																																																																																								
6	938.89	29.47	46.00	-16.53	26.17	29.98	4.34	31.02	---	---	Peak																																																																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>49.16</td><td>26.25</td><td>40.00</td><td>-13.75</td><td>42.97</td><td>14.65</td><td>0.73</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.82</td><td>31.90</td><td>43.50</td><td>-11.60</td><td>44.92</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>374.84</td><td>35.22</td><td>46.00</td><td>-10.78</td><td>43.81</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>625.10</td><td>31.05</td><td>46.00</td><td>-14.95</td><td>33.90</td><td>25.90</td><td>3.52</td><td>32.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>36.50</td><td>46.00</td><td>-9.50</td><td>34.63</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>938.89</td><td>29.47</td><td>46.00</td><td>-16.53</td><td>26.17</td><td>29.98</td><td>4.34</td><td>31.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	49.16	26.25	40.00	-13.75	42.97	14.65	0.73	32.10	---	---	Peak	2	124.82	31.90	43.50	-11.60	44.92	17.50	1.55	32.07	---	---	Peak	3	374.84	35.22	46.00	-10.78	43.81	20.81	2.73	32.13	---	---	Peak	4	625.10	31.05	46.00	-14.95	33.90	25.90	3.52	32.27	---	---	Peak	5	875.11	36.50	46.00	-9.50	34.63	29.17	4.19	31.49	---	---	Peak	6	938.89	29.47	46.00	-16.53	26.17	29.98	4.34	31.02	---	---	Peak	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	49.16	26.25	40.00	-13.75	42.97	14.65	0.73	32.10	---	---	Peak																																																																																																									
2	124.82	31.90	43.50	-11.60	44.92	17.50	1.55	32.07	---	---	Peak																																																																																																									
3	374.84	35.22	46.00	-10.78	43.81	20.81	2.73	32.13	---	---	Peak																																																																																																									
4	625.10	31.05	46.00	-14.95	33.90	25.90	3.52	32.27	---	---	Peak																																																																																																									
5	875.11	36.50	46.00	-9.50	34.63	29.17	4.19	31.49	---	---	Peak																																																																																																									
6	938.89	29.47	46.00	-16.53	26.17	29.98	4.34	31.02	---	---	Peak																																																																																																									
Vertical																																																																																																																				
																																																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.16</td><td>40.00</td><td>-19.84</td><td>26.55</td><td>25.22</td><td>0.47</td><td>32.08</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.82</td><td>34.46</td><td>43.50</td><td>-9.04</td><td>47.48</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>249.95</td><td>21.93</td><td>46.00</td><td>-24.07</td><td>33.20</td><td>18.61</td><td>2.21</td><td>32.09</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>374.84</td><td>40.68</td><td>46.00</td><td>-5.32</td><td>49.27</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>37.77</td><td>46.00</td><td>-8.23</td><td>35.90</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>30.76</td><td>46.00</td><td>-15.24</td><td>26.51</td><td>30.79</td><td>4.37</td><td>30.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	20.16	40.00	-19.84	26.55	25.22	0.47	32.08	---	---	Peak	2	124.82	34.46	43.50	-9.04	47.48	17.50	1.55	32.07	---	---	Peak	3	249.95	21.93	46.00	-24.07	33.20	18.61	2.21	32.09	---	---	Peak	4	374.84	40.68	46.00	-5.32	49.27	20.81	2.73	32.13	---	---	Peak	5	875.11	37.77	46.00	-8.23	35.90	29.17	4.19	31.49	---	---	Peak	6	953.44	30.76	46.00	-15.24	26.51	30.79	4.37	30.91	---	---	Peak	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	30.00	20.16	40.00	-19.84	26.55	25.22	0.47	32.08	---	---	Peak																																																																																																									
2	124.82	34.46	43.50	-9.04	47.48	17.50	1.55	32.07	---	---	Peak																																																																																																									
3	249.95	21.93	46.00	-24.07	33.20	18.61	2.21	32.09	---	---	Peak																																																																																																									
4	374.84	40.68	46.00	-5.32	49.27	20.81	2.73	32.13	---	---	Peak																																																																																																									
5	875.11	37.77	46.00	-8.23	35.90	29.17	4.19	31.49	---	---	Peak																																																																																																									
6	953.44	30.76	46.00	-15.24	26.51	30.79	4.37	30.91	---	---	Peak																																																																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.16</td><td>40.00</td><td>-19.84</td><td>26.55</td><td>25.22</td><td>0.47</td><td>32.08</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.82</td><td>34.46</td><td>43.50</td><td>-9.04</td><td>47.48</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>249.95</td><td>21.93</td><td>46.00</td><td>-24.07</td><td>33.20</td><td>18.61</td><td>2.21</td><td>32.09</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>374.84</td><td>40.68</td><td>46.00</td><td>-5.32</td><td>49.27</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>37.77</td><td>46.00</td><td>-8.23</td><td>35.90</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>30.76</td><td>46.00</td><td>-15.24</td><td>26.51</td><td>30.79</td><td>4.37</td><td>30.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	20.16	40.00	-19.84	26.55	25.22	0.47	32.08	---	---	Peak	2	124.82	34.46	43.50	-9.04	47.48	17.50	1.55	32.07	---	---	Peak	3	249.95	21.93	46.00	-24.07	33.20	18.61	2.21	32.09	---	---	Peak	4	374.84	40.68	46.00	-5.32	49.27	20.81	2.73	32.13	---	---	Peak	5	875.11	37.77	46.00	-8.23	35.90	29.17	4.19	31.49	---	---	Peak	6	953.44	30.76	46.00	-15.24	26.51	30.79	4.37	30.91	---	---	Peak	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	30.00	20.16	40.00	-19.84	26.55	25.22	0.47	32.08	---	---	Peak																																																																																																									
2	124.82	34.46	43.50	-9.04	47.48	17.50	1.55	32.07	---	---	Peak																																																																																																									
3	249.95	21.93	46.00	-24.07	33.20	18.61	2.21	32.09	---	---	Peak																																																																																																									
4	374.84	40.68	46.00	-5.32	49.27	20.81	2.73	32.13	---	---	Peak																																																																																																									
5	875.11	37.77	46.00	-8.23	35.90	29.17	4.19	31.49	---	---	Peak																																																																																																									
6	953.44	30.76	46.00	-15.24	26.51	30.79	4.37	30.91	---	---	Peak																																																																																																									




Mode	3	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.87 / 100 = 5.74 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.82 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.