









Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
4	Bluetooth-LE_GFSK	00	2376.04	43.00	54.00	-11.00	V	AVERAGE	Pass	Band Edge
4	Bluetooth-LE_GFSK	00	4987.50	38.57	54.00	-15.43	V	Average	Pass	Harmonic
5	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
5	Bluetooth-LE_GFSK	19	4986.00	38.23	54.00	-15.77	V	Average	Pass	Harmonic
6	Bluetooth-LE_GFSK	39	2483.50	46.41	54.00	-7.59	V	AVERAGE	Pass	Band Edge
6	Bluetooth-LE_GFSK	39	4993.50	37.87	54.00	-16.13	V	Average	Pass	Harmonic
7	Bluetooth-LE_GFSK	00	2376.04	44.18	54.00	-9.82	V	AVERAGE	Pass	Band Edge
7	Bluetooth-LE_GFSK	00	4993.76	38.70	54.00	-15.30	V	AVERAGE	Pass	Harmonic
8	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
8	Bluetooth-LE_GFSK	19	4984.50	40.03	54.00	-13.97	V	Average	Pass	Harmonic
9	Bluetooth-LE_GFSK	39	2483.50	45.38	54.00	-8.62	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	39	4992.00	38.75	54.00	-15.25	V	Average	Pass	Harmonic
10	Bluetooth-LE_GFSK	00	2375.91	43.80	54.00	-10.20	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	00	4983.00	39.26	54.00	-14.74	V	Average	Pass	Harmonic
11	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
	Bluetooth-LE_GFSK	19	4990.50	39.25	54.00	-14.75	V	Average	Pass	Harmonic
12	Bluetooth-LE_GFSK	39	2483.50	46.80	54.00	-7.20	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	39	4987.50	38.47	54.00	-15.53	V	Average	Pass	Harmonic
13	Bluetooth-LE_GFSK	00	2376.04	44.23	54.00	-9.77	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	00	4984.50	38.86	54.00	-15.14	V	Average	Pass	Harmonic
14	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	Band Edge
	Bluetooth-LE_GFSK	19	4992.00	39.87	54.00	-14.13	V	Average	Pass	Harmonic
15	Bluetooth-LE_GFSK	39	2483.50	49.75	54.00	-4.25	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	39	4983.00	38.80	54.00	-15.20	V	Average	Pass	Harmonic





Mode	4																																																														
	Band Edge																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																														
ANT	1																																																														
Pol.	Horizontal						Fundamental																																																								
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>2376.30</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>41.17</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>183</td><td>160</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	2376.30	49.59	74.00	-24.41	41.17	31.81	7.29	36.61	5.93	183	160	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	2376.30	49.59	74.00	-24.41	41.17	31.81	7.29	36.61	5.93	183	160	PEAK																																																			
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>2375.91</td><td>39.52</td><td>54.00</td><td>-14.48</td><td>31.10</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>183</td><td>160</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	2375.91	39.52	54.00	-14.48	31.10	31.81	7.29	36.61	5.93	183	160	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	2375.91	39.52	54.00	-14.48	31.10	31.81	7.29	36.61	5.93	183	160	AVERAGE																																																			
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>2402.00</td><td>96.56</td><td>-----</td><td>-----</td><td>87.87</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>183</td><td>160</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	2402.00	96.56	-----	-----	87.87	32.01	7.33	36.58	5.93	183	160	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	2402.00	96.56	-----	-----	87.87	32.01	7.33	36.58	5.93	183	160	PEAK																																																			
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>2402.00</td><td>95.84</td><td>-----</td><td>-----</td><td>87.15</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>183</td><td>160</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	2402.00	95.84	-----	-----	87.15	32.01	7.33	36.58	5.93	183	160	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	2402.00	95.84	-----	-----	87.15	32.01	7.33	36.58	5.93	183	160	AVERAGE																																																			





Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.04</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>42.08</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>229 195 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	50.50	74.00	-23.50	42.08	31.81	7.29	36.61	5.93	229 195 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.90</td><td>-----</td><td>-----</td><td>92.21</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>229 195 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.90	-----	-----	92.21	32.01	7.33	36.58	5.93	229 195 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.04	50.50	74.00	-23.50	42.08	31.81	7.29	36.61	5.93	229 195 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	100.90	-----	-----	92.21	32.01	7.33	36.58	5.93	229 195 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.04</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>34.58</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>229 195 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	43.00	54.00	-11.00	34.58	31.81	7.29	36.61	5.93	229 195 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.10</td><td>-----</td><td>-----</td><td>91.41</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>229 195 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.10	-----	-----	91.41	32.01	7.33	36.58	5.93	229 195 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.04	43.00	54.00	-11.00	34.58	31.81	7.29	36.61	5.93	229 195 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	100.10	-----	-----	91.41	32.01	7.33	36.58	5.93	229 195 AVERAGE																																																																																







Mode	4																																																																																																																																																																										
	Harmonic																																																																																																																																																																										
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																																																										
ANT	1																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																				
Peak Avg																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>61.21</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4981.50</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>64.54</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>9975.00</td><td>50.84</td><td>72.73</td><td>-21.89</td><td>65.06</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.43	74.00	-32.57	61.21	33.80	10.62	64.20	0.00	---	---	PEAK	2	4981.50	44.86	74.00	-29.14	64.54	33.90	10.72	64.30	0.00	---	---	Peak	3	9975.00	50.84	72.73	-21.89	65.06	37.10	15.69	67.01	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>61.50</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4987.50</td><td>50.68</td><td>74.00</td><td>-23.32</td><td>70.36</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>300</td><td>337</td><td>Peak</td></tr><tr><td>3</td><td>4987.50</td><td>38.57</td><td>54.00</td><td>-15.43</td><td>58.25</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>300</td><td>337</td><td>Average</td></tr><tr><td>4</td><td>9976.50</td><td>53.31</td><td>72.96</td><td>-19.65</td><td>67.53</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.72	74.00	-32.28	61.50	33.80	10.62	64.20	0.00	---	---	PEAK	2	4987.50	50.68	74.00	-23.32	70.36	33.90	10.72	64.30	0.00	300	337	Peak	3	4987.50	38.57	54.00	-15.43	58.25	33.90	10.72	64.30	0.00	300	337	Average	4	9976.50	53.31	72.96	-19.65	67.53	37.10	15.69	67.01	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																
1	4804.00	41.43	74.00	-32.57	61.21	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																															
2	4981.50	44.86	74.00	-29.14	64.54	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																															
3	9975.00	50.84	72.73	-21.89	65.06	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																
1	4804.00	41.72	74.00	-32.28	61.50	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																															
2	4987.50	50.68	74.00	-23.32	70.36	33.90	10.72	64.30	0.00	300	337	Peak																																																																																																																																																															
3	4987.50	38.57	54.00	-15.43	58.25	33.90	10.72	64.30	0.00	300	337	Average																																																																																																																																																															
4	9976.50	53.31	72.96	-19.65	67.53	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																															







Mode	5																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																																		
ANT	1																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																												
Peak Avg																																																																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>41.30</td><td>74.00</td><td>-32.70</td><td>61.06</td><td>33.86</td><td>10.66</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4984.50</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>64.17</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>60.62</td><td>35.56</td><td>12.74</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>9978.00</td><td>51.21</td><td>73.35</td><td>-22.14</td><td>65.43</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	41.30	74.00	-32.70	61.06	33.86	10.66	64.28	0.00	---	---	PEAK	2	4984.50	44.49	74.00	-29.51	64.17	33.90	10.72	64.30	0.00	---	---	Peak	3	7320.00	42.81	74.00	-31.19	60.62	35.56	12.74	66.11	0.00	---	---	PEAK	4	9978.00	51.21	73.35	-22.14	65.43	37.10	15.69	67.01	0.00	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>60.80</td><td>33.86</td><td>10.66</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4986.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>68.51</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>226</td><td>156</td><td>Peak</td></tr><tr><td>3</td><td>4986.00</td><td>38.23</td><td>54.00</td><td>-15.77</td><td>57.91</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>226</td><td>156</td><td>Average</td></tr><tr><td>4</td><td>7320.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>60.40</td><td>35.56</td><td>12.74</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>9979.50</td><td>53.24</td><td>77.68</td><td>-24.44</td><td>67.46</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	41.04	74.00	-32.96	60.80	33.86	10.66	64.28	0.00	---	---	PEAK	2	4986.00	48.83	74.00	-25.17	68.51	33.90	10.72	64.30	0.00	226	156	Peak	3	4986.00	38.23	54.00	-15.77	57.91	33.90	10.72	64.30	0.00	226	156	Average	4	7320.00	42.59	74.00	-31.41	60.40	35.56	12.74	66.11	0.00	---	---	PEAK	5	9979.50	53.24	77.68	-24.44	67.46	37.10	15.69	67.01	0.00	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	4880.00	41.30	74.00	-32.70	61.06	33.86	10.66	64.28	0.00	---	---	PEAK																																																																																																																																																																							
2	4984.50	44.49	74.00	-29.51	64.17	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																																							
3	7320.00	42.81	74.00	-31.19	60.62	35.56	12.74	66.11	0.00	---	---	PEAK																																																																																																																																																																							
4	9978.00	51.21	73.35	-22.14	65.43	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																							
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	4880.00	41.04	74.00	-32.96	60.80	33.86	10.66	64.28	0.00	---	---	PEAK																																																																																																																																																																							
2	4986.00	48.83	74.00	-25.17	68.51	33.90	10.72	64.30	0.00	226	156	Peak																																																																																																																																																																							
3	4986.00	38.23	54.00	-15.77	57.91	33.90	10.72	64.30	0.00	226	156	Average																																																																																																																																																																							
4	7320.00	42.59	74.00	-31.41	60.40	35.56	12.74	66.11	0.00	---	---	PEAK																																																																																																																																																																							
5	9979.50	53.24	77.68	-24.44	67.46	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																							





Mode	6																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.92</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>41.31</td><td>32.28</td><td>7.46</td><td>36.57</td><td>5.94</td><td>100</td><td>147 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.92	50.42	74.00	-23.58	41.31	32.28	7.46	36.57	5.94	100	147 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.41</td><td>-----</td><td>-----</td><td>85.33</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>147 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.41	-----	-----	85.33	32.26	7.45	36.57	5.94	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2489.92	50.42	74.00	-23.58	41.31	32.28	7.46	36.57	5.94	100	147 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	94.41	-----	-----	85.33	32.26	7.45	36.57	5.94	100	147 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>31.78</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>147 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	40.87	54.00	-13.13	31.78	32.27	7.45	36.57	5.94	100	147 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.57</td><td>-----</td><td>-----</td><td>84.49</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>147 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.57	-----	-----	84.49	32.26	7.45	36.57	5.94	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	40.87	54.00	-13.13	31.78	32.27	7.45	36.57	5.94	100	147 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	93.57	-----	-----	84.49	32.26	7.45	36.57	5.94	100	147 AVERAGE																																																																																																				







Mode	6																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.18</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>41.19</td><td>32.28</td><td>7.46</td><td>36.57</td><td>5.94</td><td>100</td><td>167 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.18	50.30	74.00	-23.70	41.19	32.28	7.46	36.57	5.94	100	167 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.79</td><td>-----</td><td>-----</td><td>94.71</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>167 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.79	-----	-----	94.71	32.26	7.45	36.57	5.94	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2491.18	50.30	74.00	-23.70	41.19	32.28	7.46	36.57	5.94	100	167 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	103.79	-----	-----	94.71	32.26	7.45	36.57	5.94	100	167 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>46.41</td><td>54.00</td><td>-7.59</td><td>37.32</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>167 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.41	54.00	-7.59	37.32	32.27	7.45	36.57	5.94	100	167 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.04</td><td>-----</td><td>-----</td><td>93.96</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>167 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.04	-----	-----	93.96	32.26	7.45	36.57	5.94	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	46.41	54.00	-7.59	37.32	32.27	7.45	36.57	5.94	100	167 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	103.04	-----	-----	93.96	32.26	7.45	36.57	5.94	100	167 AVERAGE																																																																																									







Mode	6																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>60.44</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4986.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>64.22</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>60.88</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>9976.50</td><td>51.04</td><td>71.44</td><td>-20.40</td><td>65.26</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.75	74.00	-33.25	60.44	33.90	10.71	64.30	0.00	---	---	PEAK	2	4986.00	44.54	74.00	-29.46	64.22	33.90	10.72	64.30	0.00	---	---	Peak	3	7440.00	43.45	74.00	-30.55	60.88	35.60	13.27	66.30	0.00	---	---	PEAK	4	9976.50	51.04	71.44	-20.40	65.26	37.10	15.69	67.01	0.00	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.02</td><td>74.00</td><td>-32.98</td><td>60.71</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4993.50</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>67.71</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>202</td><td>326</td><td>Peak</td></tr><tr><td>3</td><td>4993.50</td><td>37.87</td><td>54.00</td><td>-16.13</td><td>57.54</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>202</td><td>326</td><td>Average</td></tr><tr><td>4</td><td>7440.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>60.80</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>9978.00</td><td>53.43</td><td>77.51</td><td>-24.08</td><td>67.65</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.02	74.00	-32.98	60.71	33.90	10.71	64.30	0.00	---	---	PEAK	2	4993.50	48.04	74.00	-25.96	67.71	33.90	10.73	64.30	0.00	202	326	Peak	3	4993.50	37.87	54.00	-16.13	57.54	33.90	10.73	64.30	0.00	202	326	Average	4	7440.00	43.37	74.00	-30.63	60.80	35.60	13.27	66.30	0.00	---	---	PEAK	5	9978.00	53.43	77.51	-24.08	67.65	37.10	15.69	67.01	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																									
1	4960.00	40.75	74.00	-33.25	60.44	33.90	10.71	64.30	0.00	---	---	PEAK																																																																																																																																																																																							
2	4986.00	44.54	74.00	-29.46	64.22	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																																																							
3	7440.00	43.45	74.00	-30.55	60.88	35.60	13.27	66.30	0.00	---	---	PEAK																																																																																																																																																																																							
4	9976.50	51.04	71.44	-20.40	65.26	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																									
1	4960.00	41.02	74.00	-32.98	60.71	33.90	10.71	64.30	0.00	---	---	PEAK																																																																																																																																																																																							
2	4993.50	48.04	74.00	-25.96	67.71	33.90	10.73	64.30	0.00	202	326	Peak																																																																																																																																																																																							
3	4993.50	37.87	54.00	-16.13	57.54	33.90	10.73	64.30	0.00	202	326	Average																																																																																																																																																																																							
4	7440.00	43.37	74.00	-30.63	60.80	35.60	13.27	66.30	0.00	---	---	PEAK																																																																																																																																																																																							
5	9978.00	53.43	77.51	-24.08	67.65	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																																							



Mode	7																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.20</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>40.73</td><td>31.84</td><td>7.30</td><td>36.61</td><td>5.93</td><td>184 158 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.20	49.19	74.00	-24.81	40.73	31.84	7.30	36.61	5.93	184 158 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.63</td><td>-----</td><td>-----</td><td>87.94</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>184 158 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.63	-----	-----	87.94	32.01	7.33	36.58	5.93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2380.20	49.19	74.00	-24.81	40.73	31.84	7.30	36.61	5.93	184 158 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	96.63	-----	-----	87.94	32.01	7.33	36.58	5.93	184 158 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.04</td><td>39.88</td><td>54.00</td><td>-14.12</td><td>31.46</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>184 158 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	39.88	54.00	-14.12	31.46	31.81	7.29	36.61	5.93	184 158 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.07</td><td>-----</td><td>-----</td><td>87.38</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>184 158 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.07	-----	-----	87.38	32.01	7.33	36.58	5.93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2376.04	39.88	54.00	-14.12	31.46	31.81	7.29	36.61	5.93	184 158 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	96.07	-----	-----	87.38	32.01	7.33	36.58	5.93	184 158 AVERAGE																																																																																								





Mode	7																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.43</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>42.59</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>244 193 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.43	51.01	74.00	-22.99	42.59	31.81	7.29	36.61	5.93	244 193 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.57</td><td>-----</td><td>-----</td><td>91.88</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>244 193 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.57	-----	-----	91.88	32.01	7.33	36.58	5.93	244 193 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.43	51.01	74.00	-22.99	42.59	31.81	7.29	36.61	5.93	244 193 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	100.57	-----	-----	91.88	32.01	7.33	36.58	5.93	244 193 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.04</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>35.76</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>244 193 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	44.18	54.00	-9.82	35.76	31.81	7.29	36.61	5.93	244 193 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.01</td><td>-----</td><td>-----</td><td>91.32</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>244 193 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.01	-----	-----	91.32	32.01	7.33	36.58	5.93	244 193 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.04	44.18	54.00	-9.82	35.76	31.81	7.29	36.61	5.93	244 193 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	100.01	-----	-----	91.32	32.01	7.33	36.58	5.93	244 193 AVERAGE																																																																																







Mode	7																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>61.49</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4993.76</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>62.65</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9985.50</td><td>50.39</td><td>74.01</td><td>-23.62</td><td>64.60</td><td>37.10</td><td>15.70</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.71	74.00	-32.29	61.49	33.80	10.62	64.20	0.00	---	---	PEAK	2	4993.76	42.98	74.00	-31.02	62.65	33.90	10.73	64.30	0.00	---	---	PEAK	3	9985.50	50.39	74.01	-23.62	64.60	37.10	15.70	67.01	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.33</td><td>74.00</td><td>-32.67</td><td>61.11</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4993.76</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>69.82</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>300</td><td>331</td><td>PEAK</td></tr><tr><td>3</td><td>4993.76</td><td>38.70</td><td>54.00</td><td>-15.30</td><td>58.38</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>300</td><td>331</td><td>AVERAGE</td></tr><tr><td>4</td><td>9978.00</td><td>53.49</td><td>76.59</td><td>-23.10</td><td>67.71</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.33	74.00	-32.67	61.11	33.80	10.62	64.20	0.00	---	---	PEAK	2	4993.76	50.15	74.00	-23.85	69.82	33.90	10.73	64.30	0.00	300	331	PEAK	3	4993.76	38.70	54.00	-15.30	58.38	33.90	10.72	64.30	0.00	300	331	AVERAGE	4	9978.00	53.49	76.59	-23.10	67.71	37.10	15.69	67.01	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.71	74.00	-32.29	61.49	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4993.76	42.98	74.00	-31.02	62.65	33.90	10.73	64.30	0.00	---	---	PEAK																																																																																																																																																														
3	9985.50	50.39	74.01	-23.62	64.60	37.10	15.70	67.01	0.00	---	---	Peak																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.33	74.00	-32.67	61.11	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4993.76	50.15	74.00	-23.85	69.82	33.90	10.73	64.30	0.00	300	331	PEAK																																																																																																																																																														
3	4993.76	38.70	54.00	-15.30	58.38	33.90	10.72	64.30	0.00	300	331	AVERAGE																																																																																																																																																														
4	9978.00	53.49	76.59	-23.10	67.71	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																														







Mode	8																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																														
ANT	1																																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																																													
Peak Avg																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.41</td><td>74.00</td><td>-32.59</td><td>61.17</td><td>33.86</td><td>10.66</td><td>64.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4980.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>63.40</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>60.36</td><td>35.56</td><td>12.74</td><td>66.11</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>9981.00</td><td>50.50</td><td>76.58</td><td>-26.08</td><td>64.72</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.41	74.00	-32.59	61.17	33.86	10.66	64.28	0.00	---	PEAK	2	4980.00	43.72	74.00	-30.28	63.40	33.90	10.72	64.30	0.00	---	Peak	3	7320.00	42.55	74.00	-31.45	60.36	35.56	12.74	66.11	0.00	---	PEAK	4	9981.00	50.50	76.58	-26.08	64.72	37.10	15.69	67.01	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.28</td><td>33.86</td><td>10.66</td><td>64.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4984.50</td><td>49.90</td><td>74.00</td><td>-24.10</td><td>69.58</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>178</td><td>315 Peak</td></tr><tr><td>3</td><td>4984.50</td><td>40.03</td><td>54.00</td><td>-13.97</td><td>59.71</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>178</td><td>315 Average</td></tr><tr><td>4</td><td>7320.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>60.75</td><td>35.56</td><td>12.74</td><td>66.11</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>9978.00</td><td>53.81</td><td>81.15</td><td>-27.34</td><td>68.03</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.52	74.00	-32.48	61.28	33.86	10.66	64.28	0.00	---	PEAK	2	4984.50	49.90	74.00	-24.10	69.58	33.90	10.72	64.30	0.00	178	315 Peak	3	4984.50	40.03	54.00	-13.97	59.71	33.90	10.72	64.30	0.00	178	315 Average	4	7320.00	42.94	74.00	-31.06	60.75	35.56	12.74	66.11	0.00	---	PEAK	5	9978.00	53.81	81.15	-27.34	68.03	37.10	15.69	67.01	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	4880.00	41.41	74.00	-32.59	61.17	33.86	10.66	64.28	0.00	---	PEAK																																																																																																																																																																				
2	4980.00	43.72	74.00	-30.28	63.40	33.90	10.72	64.30	0.00	---	Peak																																																																																																																																																																				
3	7320.00	42.55	74.00	-31.45	60.36	35.56	12.74	66.11	0.00	---	PEAK																																																																																																																																																																				
4	9981.00	50.50	76.58	-26.08	64.72	37.10	15.69	67.01	0.00	---	Peak																																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	4880.00	41.52	74.00	-32.48	61.28	33.86	10.66	64.28	0.00	---	PEAK																																																																																																																																																																				
2	4984.50	49.90	74.00	-24.10	69.58	33.90	10.72	64.30	0.00	178	315 Peak																																																																																																																																																																				
3	4984.50	40.03	54.00	-13.97	59.71	33.90	10.72	64.30	0.00	178	315 Average																																																																																																																																																																				
4	7320.00	42.94	74.00	-31.06	60.75	35.56	12.74	66.11	0.00	---	PEAK																																																																																																																																																																				
5	9978.00	53.81	81.15	-27.34	68.03	37.10	15.69	67.01	0.00	---	Peak																																																																																																																																																																				





Mode	9																																																						
	Band Edge																																																						
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.30</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>40.58</td><td>32.29</td><td>7.47</td><td>36.57</td><td>5.94</td><td>107 147 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.30	49.71	74.00	-24.29	40.58	32.29	7.47	36.57	5.94	107 147 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2497.30	49.71	74.00	-24.29	40.58	32.29	7.47	36.57	5.94	107 147 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.36</td><td>-----</td><td>-----</td><td>86.28</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>107 147 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.36	-----	-----	86.28	32.26	7.45	36.57	5.94	107 147 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	95.36	-----	-----	86.28	32.26	7.45	36.57	5.94	107 147 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>31.75</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>107 147 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	40.84	54.00	-13.16	31.75	32.27	7.45	36.57	5.94	107 147 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	40.84	54.00	-13.16	31.75	32.27	7.45	36.57	5.94	107 147 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.71</td><td>-----</td><td>-----</td><td>85.63</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>107 147 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.71	-----	-----	85.63	32.26	7.45	36.57	5.94	107 147 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	94.71	-----	-----	85.63	32.26	7.45	36.57	5.94	107 147 AVERAGE																																													







Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.60</td><td>49.55</td><td>74.00</td><td>-24.45</td><td>40.42</td><td>32.29</td><td>7.47</td><td>36.57</td><td>5.94</td><td>100 168 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.60	49.55	74.00	-24.45	40.42	32.29	7.47	36.57	5.94	100 168 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.78</td><td>-----</td><td>-----</td><td>94.70</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.78	-----	-----	94.70	32.26	7.45	36.57	5.94
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2494.60	49.55	74.00	-24.45	40.42	32.29	7.47	36.57	5.94	100 168 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	103.78	-----	-----	94.70	32.26	7.45	36.57	5.94	100 168 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>36.29</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.38	54.00	-8.62	36.29	32.27	7.45	36.57	5.94	100 168 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.17</td><td>-----</td><td>-----</td><td>94.09</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.17	-----	-----	94.09	32.26	7.45	36.57	5.94
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	45.38	54.00	-8.62	36.29	32.27	7.45	36.57	5.94	100 168 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	103.17	-----	-----	94.09	32.26	7.45	36.57	5.94	100 168 AVERAGE																																																																																									







Mode	9																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																							
ANT	1																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>61.52</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4990.50</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>64.27</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>60.69</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>4</td><td>9973.50</td><td>50.70</td><td>72.88</td><td>-22.18</td><td>64.93</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.83	74.00	-32.17	61.52	33.90	10.71	64.30	0.00	---	--- PEAK	2	4990.50	44.59	74.00	-29.41	64.27	33.90	10.72	64.30	0.00	---	--- Peak	3	7440.00	43.26	74.00	-30.74	60.69	35.60	13.27	66.30	0.00	---	--- PEAK	4	9973.50	50.70	72.88	-22.18	64.93	37.10	15.69	67.02	0.00	---	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.84</td><td>74.00</td><td>-33.16</td><td>60.53</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4992.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>68.63</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>156</td><td>303 Peak</td></tr><tr><td>3</td><td>4992.00</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>58.42</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>156</td><td>303 Average</td></tr><tr><td>4</td><td>7440.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>60.33</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>5</td><td>9976.50</td><td>53.22</td><td>79.33</td><td>-26.11</td><td>67.44</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.84	74.00	-33.16	60.53	33.90	10.71	64.30	0.00	---	--- PEAK	2	4992.00	48.96	74.00	-25.04	68.63	33.90	10.73	64.30	0.00	156	303 Peak	3	4992.00	38.75	54.00	-15.25	58.42	33.90	10.73	64.30	0.00	156	303 Average	4	7440.00	42.90	74.00	-31.10	60.33	35.60	13.27	66.30	0.00	---	--- PEAK	5	9976.50	53.22	79.33	-26.11	67.44	37.10	15.69	67.01	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																														
1	4960.00	41.83	74.00	-32.17	61.52	33.90	10.71	64.30	0.00	---	--- PEAK																																																																																																																																																																													
2	4990.50	44.59	74.00	-29.41	64.27	33.90	10.72	64.30	0.00	---	--- Peak																																																																																																																																																																													
3	7440.00	43.26	74.00	-30.74	60.69	35.60	13.27	66.30	0.00	---	--- PEAK																																																																																																																																																																													
4	9973.50	50.70	72.88	-22.18	64.93	37.10	15.69	67.02	0.00	---	--- Peak																																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																														
1	4960.00	40.84	74.00	-33.16	60.53	33.90	10.71	64.30	0.00	---	--- PEAK																																																																																																																																																																													
2	4992.00	48.96	74.00	-25.04	68.63	33.90	10.73	64.30	0.00	156	303 Peak																																																																																																																																																																													
3	4992.00	38.75	54.00	-15.25	58.42	33.90	10.73	64.30	0.00	156	303 Average																																																																																																																																																																													
4	7440.00	42.90	74.00	-31.10	60.33	35.60	13.27	66.30	0.00	---	--- PEAK																																																																																																																																																																													
5	9976.50	53.22	79.33	-26.11	67.44	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																													





Mode	10																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.24</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>41.09</td><td>31.75</td><td>7.28</td><td>36.62</td><td>5.93</td><td>182 159 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.24	49.43	74.00	-24.57	41.09	31.75	7.28	36.62	5.93	182 159 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.45</td><td>-----</td><td>-----</td><td>87.76</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>182 159 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.45	-----	-----	87.76	32.01	7.33	36.58	5.93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2368.24	49.43	74.00	-24.57	41.09	31.75	7.28	36.62	5.93	182 159 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	96.45	-----	-----	87.76	32.01	7.33	36.58	5.93	182 159 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.30</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>31.99</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>182 159 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.30	40.41	54.00	-13.59	31.99	31.81	7.29	36.61	5.93	182 159 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.89</td><td>-----</td><td>-----</td><td>87.20</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>182 159 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.89	-----	-----	87.20	32.01	7.33	36.58	5.93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2376.30	40.41	54.00	-13.59	31.99	31.81	7.29	36.61	5.93	182 159 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	95.89	-----	-----	87.20	32.01	7.33	36.58	5.93	182 159 AVERAGE																																																																																							







Mode	10																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.65</td><td>50.05</td><td>74.00</td><td>-23.95</td><td>41.63</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>228 195 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.65	50.05	74.00	-23.95	41.63	31.81	7.29	36.61	5.93	228 195 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.67</td><td>-----</td><td>-----</td><td>91.98</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>228 195 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.67	-----	-----	91.98	32.01	7.33	36.58	5.93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2375.65	50.05	74.00	-23.95	41.63	31.81	7.29	36.61	5.93	228 195 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	100.67	-----	-----	91.98	32.01	7.33	36.58	5.93	228 195 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.91</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>35.38</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>228 195 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.91	43.80	54.00	-10.20	35.38	31.81	7.29	36.61	5.93	228 195 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.09</td><td>-----</td><td>-----</td><td>91.40</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>228 195 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.09	-----	-----	91.40	32.01	7.33	36.58	5.93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2375.91	43.80	54.00	-10.20	35.38	31.81	7.29	36.61	5.93	228 195 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	100.09	-----	-----	91.40	32.01	7.33	36.58	5.93	228 195 AVERAGE																																																																																							







Mode	10																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.30</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4981.50</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>64.49</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>9976.50</td><td>50.55</td><td>74.85</td><td>-24.30</td><td>64.77</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.52	74.00	-32.48	61.30	33.80	10.62	64.20	0.00	---	---	PEAK	2	4981.50	44.81	74.00	-29.19	64.49	33.90	10.72	64.30	0.00	---	---	Peak	3	9976.50	50.55	74.85	-24.30	64.77	37.10	15.69	67.01	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.51</td><td>74.00</td><td>-32.49</td><td>61.29</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4983.00</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>69.91</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>305</td><td>108</td><td>Peak</td></tr><tr><td>3</td><td>4983.00</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>58.94</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>305</td><td>108</td><td>Average</td></tr><tr><td>4</td><td>9978.00</td><td>53.99</td><td>75.25</td><td>-21.26</td><td>68.21</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.51	74.00	-32.49	61.29	33.80	10.62	64.20	0.00	---	---	PEAK	2	4983.00	50.23	74.00	-23.77	69.91	33.90	10.72	64.30	0.00	305	108	Peak	3	4983.00	39.26	54.00	-14.74	58.94	33.90	10.72	64.30	0.00	305	108	Average	4	9978.00	53.99	75.25	-21.26	68.21	37.10	15.69	67.01	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.52	74.00	-32.48	61.30	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4981.50	44.81	74.00	-29.19	64.49	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																														
3	9976.50	50.55	74.85	-24.30	64.77	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.51	74.00	-32.49	61.29	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4983.00	50.23	74.00	-23.77	69.91	33.90	10.72	64.30	0.00	305	108	Peak																																																																																																																																																														
3	4983.00	39.26	54.00	-14.74	58.94	33.90	10.72	64.30	0.00	305	108	Average																																																																																																																																																														
4	9978.00	53.99	75.25	-21.26	68.21	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																														







		11										
Mode		Harmonic										
		2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT		1										
Pol.		Horizontal										
Peak												
Avg												
		Vertical										
Peak												
Avg												





Mode	12																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.94</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>40.82</td><td>32.30</td><td>7.47</td><td>36.57</td><td>5.94</td><td>100 148 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.94	49.96	74.00	-24.04	40.82	32.30	7.47	36.57	5.94	100 148 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2499.94	49.96	74.00	-24.04	40.82	32.30	7.47	36.57	5.94	100 148 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.21</td><td>-----</td><td>-----</td><td>85.13</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 148 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.21	-----	-----	85.13	32.26	7.45	36.57	5.94	100 148 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	94.21	-----	-----	85.13	32.26	7.45	36.57	5.94	100 148 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>41.50</td><td>54.00</td><td>-12.50</td><td>32.41</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 148 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	41.50	54.00	-12.50	32.41	32.27	7.45	36.57	5.94	100 148 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	41.50	54.00	-12.50	32.41	32.27	7.45	36.57	5.94	100 148 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.56</td><td>-----</td><td>-----</td><td>84.48</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 148 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.56	-----	-----	84.48	32.26	7.45	36.57	5.94	100 148 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	93.56	-----	-----	84.48	32.26	7.45	36.57	5.94	100 148 AVERAGE																																													







Mode	12																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>41.38</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	50.47	74.00	-23.53	41.38	32.27	7.45	36.57	5.94	100 168 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.65</td><td>-----</td><td>-----</td><td>94.57</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.65	-----	-----	94.57	32.26	7.45	36.57	5.94
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.04	50.47	74.00	-23.53	41.38	32.27	7.45	36.57	5.94	100 168 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	103.65	-----	-----	94.57	32.26	7.45	36.57	5.94	100 168 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>37.71</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.80	54.00	-7.20	37.71	32.27	7.45	36.57	5.94	100 168 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.05</td><td>-----</td><td>-----</td><td>93.97</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100 168 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.05	-----	-----	93.97	32.26	7.45	36.57	5.94
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	46.80	54.00	-7.20	37.71	32.27	7.45	36.57	5.94	100 168 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	103.05	-----	-----	93.97	32.26	7.45	36.57	5.94	100 168 AVERAGE																																																																																								







Mode	12																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.92</td><td>74.00</td><td>-32.08</td><td>61.61</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4983.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>63.54</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>60.18</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>9964.50</td><td>49.96</td><td>73.30</td><td>-23.34</td><td>64.20</td><td>37.10</td><td>15.68</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.92	74.00	-32.08	61.61	33.90	10.71	64.30	0.00	---	---	PEAK	2	4983.00	43.86	74.00	-30.14	63.54	33.90	10.72	64.30	0.00	---	---	Peak	3	7440.00	42.75	74.00	-31.25	60.18	35.60	13.27	66.30	0.00	---	---	PEAK	4	9964.50	49.96	73.30	-23.34	64.20	37.10	15.68	67.02	0.00	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>61.04</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4987.50</td><td>50.44</td><td>74.00</td><td>-23.56</td><td>70.12</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>245</td><td>186</td><td>Peak</td></tr><tr><td>3</td><td>4987.50</td><td>38.47</td><td>54.00</td><td>-15.53</td><td>58.15</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>246</td><td>186</td><td>Average</td></tr><tr><td>4</td><td>7440.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>60.19</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>9976.50</td><td>53.37</td><td>79.03</td><td>-25.66</td><td>67.59</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.35	74.00	-32.65	61.04	33.90	10.71	64.30	0.00	---	---	PEAK	2	4987.50	50.44	74.00	-23.56	70.12	33.90	10.72	64.30	0.00	245	186	Peak	3	4987.50	38.47	54.00	-15.53	58.15	33.90	10.72	64.30	0.00	246	186	Average	4	7440.00	42.76	74.00	-31.24	60.19	35.60	13.27	66.30	0.00	---	---	PEAK	5	9976.50	53.37	79.03	-25.66	67.59	37.10	15.69	67.01	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	4960.00	41.92	74.00	-32.08	61.61	33.90	10.71	64.30	0.00	---	---	PEAK																																																																																																																																																																																						
2	4983.00	43.86	74.00	-30.14	63.54	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																																																						
3	7440.00	42.75	74.00	-31.25	60.18	35.60	13.27	66.30	0.00	---	---	PEAK																																																																																																																																																																																						
4	9964.50	49.96	73.30	-23.34	64.20	37.10	15.68	67.02	0.00	---	---	Peak																																																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	4960.00	41.35	74.00	-32.65	61.04	33.90	10.71	64.30	0.00	---	---	PEAK																																																																																																																																																																																						
2	4987.50	50.44	74.00	-23.56	70.12	33.90	10.72	64.30	0.00	245	186	Peak																																																																																																																																																																																						
3	4987.50	38.47	54.00	-15.53	58.15	33.90	10.72	64.30	0.00	246	186	Average																																																																																																																																																																																						
4	7440.00	42.76	74.00	-31.24	60.19	35.60	13.27	66.30	0.00	---	---	PEAK																																																																																																																																																																																						
5	9976.50	53.37	79.03	-25.66	67.59	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																																						





Mode	13																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2376.17</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>40.70</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>185</td><td>161</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2376.17	49.12	74.00	-24.88	40.70	31.81	7.29	36.61	5.93	185	161	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>96.41</td><td>-----</td><td>-----</td><td>87.72</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>185</td><td>161</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	96.41	-----	-----	87.72	32.01	7.33	36.58	5.93	185	161
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 2376.17	49.12	74.00	-24.88	40.70	31.81	7.29	36.61	5.93	185	161	PEAK																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 2402.00	96.41	-----	-----	87.72	32.01	7.33	36.58	5.93	185	161	PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2376.17</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>32.44</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>185</td><td>161</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2376.17	40.86	54.00	-13.14	32.44	31.81	7.29	36.61	5.93	185	161	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>95.05</td><td>-----</td><td>-----</td><td>86.36</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>185</td><td>161</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	95.05	-----	-----	86.36	32.01	7.33	36.58	5.93	185	161
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 2376.17	40.86	54.00	-13.14	32.44	31.81	7.29	36.61	5.93	185	161	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 2402.00	95.05	-----	-----	86.36	32.01	7.33	36.58	5.93	185	161	AVERAGE																																																																																				



Mode	13																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.30</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>42.13</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>229 195 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.30	50.55	74.00	-23.45	42.13	31.81	7.29	36.61	5.93	229 195 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.89</td><td>-----</td><td>-----</td><td>92.20</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>229 195 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.89	-----	-----	92.20	32.01	7.33	36.58	5.93	229 195 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.30	50.55	74.00	-23.45	42.13	31.81	7.29	36.61	5.93	229 195 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	100.89	-----	-----	92.20	32.01	7.33	36.58	5.93	229 195 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.04</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>35.81</td><td>31.81</td><td>7.29</td><td>36.61</td><td>5.93</td><td>229 195 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	44.23	54.00	-9.77	35.81	31.81	7.29	36.61	5.93	229 195 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>99.54</td><td>-----</td><td>-----</td><td>90.85</td><td>32.01</td><td>7.33</td><td>36.58</td><td>5.93</td><td>229 195 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.54	-----	-----	90.85	32.01	7.33	36.58	5.93	229 195 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2376.04	44.23	54.00	-9.77	35.81	31.81	7.29	36.61	5.93	229 195 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	99.54	-----	-----	90.85	32.01	7.33	36.58	5.93	229 195 AVERAGE																																																																																







Mode	13																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>61.64</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4986.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>65.58</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>9979.50</td><td>49.40</td><td>73.43</td><td>-24.03</td><td>63.62</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.86	74.00	-32.14	61.64	33.80	10.62	64.20	0.00	---	---	PEAK	2	4986.00	45.90	74.00	-28.10	65.58	33.90	10.72	64.30	0.00	---	---	Peak	3	9979.50	49.40	73.43	-24.03	63.62	37.10	15.69	67.01	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>61.74</td><td>33.80</td><td>10.62</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4984.50</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>68.37</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>256</td><td>158</td><td>Peak</td></tr><tr><td>3</td><td>4984.50</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>58.54</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>256</td><td>158</td><td>Average</td></tr><tr><td>4</td><td>9979.50</td><td>53.54</td><td>73.73</td><td>-20.19</td><td>67.76</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.96	74.00	-32.04	61.74	33.80	10.62	64.20	0.00	---	---	PEAK	2	4984.50	48.69	74.00	-25.31	68.37	33.90	10.72	64.30	0.00	256	158	Peak	3	4984.50	38.86	54.00	-15.14	58.54	33.90	10.72	64.30	0.00	256	158	Average	4	9979.50	53.54	73.73	-20.19	67.76	37.10	15.69	67.01	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.86	74.00	-32.14	61.64	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4986.00	45.90	74.00	-28.10	65.58	33.90	10.72	64.30	0.00	---	---	Peak																																																																																																																																																														
3	9979.50	49.40	73.43	-24.03	63.62	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	4804.00	41.96	74.00	-32.04	61.74	33.80	10.62	64.20	0.00	---	---	PEAK																																																																																																																																																														
2	4984.50	48.69	74.00	-25.31	68.37	33.90	10.72	64.30	0.00	256	158	Peak																																																																																																																																																														
3	4984.50	38.86	54.00	-15.14	58.54	33.90	10.72	64.30	0.00	256	158	Average																																																																																																																																																														
4	9979.50	53.54	73.73	-20.19	67.76	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																														







Mode	14																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																																																			
ANT	1																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>61.16</td><td>33.86</td><td>10.66</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4999.50</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>65.41</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>42.37</td><td>74.00</td><td>-31.63</td><td>60.18</td><td>35.56</td><td>12.74</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>9976.50</td><td>50.38</td><td>72.80</td><td>-22.42</td><td>64.60</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.40	74.00	-32.60	61.16	33.86	10.66	64.28	0.00	---	---	PEAK	2	4999.50	45.74	74.00	-28.26	65.41	33.90	10.73	64.30	0.00	---	---	Peak	3	7320.00	42.37	74.00	-31.63	60.18	35.56	12.74	66.11	0.00	---	---	PEAK	4	9976.50	50.38	72.80	-22.42	64.60	37.10	15.69	67.01	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>60.84</td><td>33.86</td><td>10.66</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4992.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>68.93</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>156</td><td>332</td><td>Peak</td></tr><tr><td>3</td><td>4992.00</td><td>39.87</td><td>54.00</td><td>-14.13</td><td>59.54</td><td>33.90</td><td>10.73</td><td>64.30</td><td>0.00</td><td>156</td><td>332</td><td>Average</td></tr><tr><td>4</td><td>7320.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>60.28</td><td>35.56</td><td>12.74</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>9976.50</td><td>53.85</td><td>79.38</td><td>-25.53</td><td>68.07</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.08	74.00	-32.92	60.84	33.86	10.66	64.28	0.00	---	---	PEAK	2	4992.00	49.26	74.00	-24.74	68.93	33.90	10.73	64.30	0.00	156	332	Peak	3	4992.00	39.87	54.00	-14.13	59.54	33.90	10.73	64.30	0.00	156	332	Average	4	7320.00	42.47	74.00	-31.53	60.28	35.56	12.74	66.11	0.00	---	---	PEAK	5	9976.50	53.85	79.38	-25.53	68.07	37.10	15.69	67.01	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																									
1	4880.00	41.40	74.00	-32.60	61.16	33.86	10.66	64.28	0.00	---	---	PEAK																																																																																																																																																																																								
2	4999.50	45.74	74.00	-28.26	65.41	33.90	10.73	64.30	0.00	---	---	Peak																																																																																																																																																																																								
3	7320.00	42.37	74.00	-31.63	60.18	35.56	12.74	66.11	0.00	---	---	PEAK																																																																																																																																																																																								
4	9976.50	50.38	72.80	-22.42	64.60	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																									
1	4880.00	41.08	74.00	-32.92	60.84	33.86	10.66	64.28	0.00	---	---	PEAK																																																																																																																																																																																								
2	4992.00	49.26	74.00	-24.74	68.93	33.90	10.73	64.30	0.00	156	332	Peak																																																																																																																																																																																								
3	4992.00	39.87	54.00	-14.13	59.54	33.90	10.73	64.30	0.00	156	332	Average																																																																																																																																																																																								
4	7320.00	42.47	74.00	-31.53	60.28	35.56	12.74	66.11	0.00	---	---	PEAK																																																																																																																																																																																								
5	9976.50	53.85	79.38	-25.53	68.07	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																																																																																																								





Mode	15																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.46</td><td>50.28</td><td>74.00</td><td>-23.72</td><td>41.14</td><td>32.30</td><td>7.47</td><td>36.57</td><td>5.94</td><td>106 146 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.46	50.28	74.00	-23.72	41.14	32.30	7.47	36.57	5.94	106 146 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.61</td><td>-----</td><td>-----</td><td>86.53</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>106 146 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.61	-----	-----	86.53	32.26	7.45	36.57	5.94	106 146 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2499.46	50.28	74.00	-23.72	41.14	32.30	7.47	36.57	5.94	106 146 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	95.61	-----	-----	86.53	32.26	7.45	36.57	5.94	106 146 PEAK																																																																																										
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>34.81</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>106 146 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	43.90	54.00	-10.10	34.81	32.27	7.45	36.57	5.94	106 146 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.36</td><td>-----</td><td>-----</td><td>85.28</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>106 146 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.36	-----	-----	85.28	32.26	7.45	36.57	5.94	106 146 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	43.90	54.00	-10.10	34.81	32.27	7.45	36.57	5.94	106 146 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	94.36	-----	-----	85.28	32.26	7.45	36.57	5.94	106 146 AVERAGE																																																																																										





Mode	15																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>41.78</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>168</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.87	74.00	-23.13	41.78	32.27	7.45	36.57	5.94	100	168	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.66</td><td>-----</td><td>-----</td><td>94.58</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>168</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.66	-----	-----	94.58	32.26	7.45	36.57	5.94	100	168
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.50	50.87	74.00	-23.13	41.78	32.27	7.45	36.57	5.94	100	168	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	103.66	-----	-----	94.58	32.26	7.45	36.57	5.94	100	168	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>40.66</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.75	54.00	-4.25	40.66	32.27	7.45	36.57	5.94	100	168	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.36</td><td>-----</td><td>-----</td><td>93.28</td><td>32.26</td><td>7.45</td><td>36.57</td><td>5.94</td><td>100</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.36	-----	-----	93.28	32.26	7.45	36.57	5.94	100	168
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.50	49.75	54.00	-4.25	40.66	32.27	7.45	36.57	5.94	100	168	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	102.36	-----	-----	93.28	32.26	7.45	36.57	5.94	100	168	AVERAGE																																																																																											





Mode	15																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																							
ANT	1																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>60.91</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4983.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>65.22</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>7440.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>59.90</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>4</td><td>9976.50</td><td>50.68</td><td>70.54</td><td>-19.86</td><td>64.90</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.22	74.00	-32.78	60.91	33.90	10.71	64.30	0.00	---	--- PEAK	2	4983.00	45.54	74.00	-28.46	65.22	33.90	10.72	64.30	0.00	---	--- Peak	3	7440.00	42.47	74.00	-31.53	59.90	35.60	13.27	66.30	0.00	---	--- PEAK	4	9976.50	50.68	70.54	-19.86	64.90	37.10	15.69	67.01	0.00	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.30</td><td>74.00</td><td>-32.70</td><td>60.99</td><td>33.90</td><td>10.71</td><td>64.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>4983.00</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>70.51</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>300</td><td>330 Peak</td></tr><tr><td>3</td><td>4983.00</td><td>38.80</td><td>54.00</td><td>-15.20</td><td>58.48</td><td>33.90</td><td>10.72</td><td>64.30</td><td>0.00</td><td>300</td><td>330 Average</td></tr><tr><td>4</td><td>7440.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>60.31</td><td>35.60</td><td>13.27</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>5</td><td>9976.50</td><td>53.64</td><td>77.52</td><td>-23.88</td><td>67.86</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.30	74.00	-32.70	60.99	33.90	10.71	64.30	0.00	---	--- PEAK	2	4983.00	50.83	74.00	-23.17	70.51	33.90	10.72	64.30	0.00	300	330 Peak	3	4983.00	38.80	54.00	-15.20	58.48	33.90	10.72	64.30	0.00	300	330 Average	4	7440.00	42.88	74.00	-31.12	60.31	35.60	13.27	66.30	0.00	---	--- PEAK	5	9976.50	53.64	77.52	-23.88	67.86	37.10	15.69	67.01	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																														
1	4960.00	41.22	74.00	-32.78	60.91	33.90	10.71	64.30	0.00	---	--- PEAK																																																																																																																																																																													
2	4983.00	45.54	74.00	-28.46	65.22	33.90	10.72	64.30	0.00	---	--- Peak																																																																																																																																																																													
3	7440.00	42.47	74.00	-31.53	59.90	35.60	13.27	66.30	0.00	---	--- PEAK																																																																																																																																																																													
4	9976.50	50.68	70.54	-19.86	64.90	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																														
1	4960.00	41.30	74.00	-32.70	60.99	33.90	10.71	64.30	0.00	---	--- PEAK																																																																																																																																																																													
2	4983.00	50.83	74.00	-23.17	70.51	33.90	10.72	64.30	0.00	300	330 Peak																																																																																																																																																																													
3	4983.00	38.80	54.00	-15.20	58.48	33.90	10.72	64.30	0.00	300	330 Average																																																																																																																																																																													
4	7440.00	42.88	74.00	-31.12	60.31	35.60	13.27	66.30	0.00	---	--- PEAK																																																																																																																																																																													
5	9976.50	53.64	77.52	-23.88	67.86	37.10	15.69	67.01	0.00	---	--- Peak																																																																																																																																																																													



Mode	15																																																																																																								
	LF																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal																																																																																																								
QP																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.67</td><td>27.27</td><td>40.00</td><td>-12.73</td><td>43.77</td><td>14.88</td><td>0.72</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.82</td><td>31.63</td><td>43.50</td><td>-11.87</td><td>44.65</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>375.00</td><td>35.09</td><td>46.00</td><td>-10.91</td><td>43.67</td><td>20.81</td><td>2.73</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>625.10</td><td>31.43</td><td>46.00</td><td>-14.57</td><td>34.28</td><td>25.90</td><td>3.52</td><td>32.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>36.33</td><td>46.00</td><td>-9.67</td><td>34.46</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>950.53</td><td>29.48</td><td>46.00</td><td>-16.52</td><td>25.42</td><td>30.64</td><td>4.36</td><td>30.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	48.67	27.27	40.00	-12.73	43.77	14.88	0.72	32.10	---	---	Peak	2	124.82	31.63	43.50	-11.87	44.65	17.50	1.55	32.07	---	---	Peak	3	375.00	35.09	46.00	-10.91	43.67	20.81	2.73	32.12	---	---	Peak	4	625.10	31.43	46.00	-14.57	34.28	25.90	3.52	32.27	---	---	Peak	5	875.11	36.33	46.00	-9.67	34.46	29.17	4.19	31.49	---	---	Peak	6	950.53	29.48	46.00	-16.52	25.42	30.64	4.36	30.94	---	---	Peak
		Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
	1	48.67	27.27	40.00	-12.73	43.77	14.88	0.72	32.10	---	---	Peak																																																																																													
	2	124.82	31.63	43.50	-11.87	44.65	17.50	1.55	32.07	---	---	Peak																																																																																													
	3	375.00	35.09	46.00	-10.91	43.67	20.81	2.73	32.12	---	---	Peak																																																																																													
	4	625.10	31.43	46.00	-14.57	34.28	25.90	3.52	32.27	---	---	Peak																																																																																													
	5	875.11	36.33	46.00	-9.67	34.46	29.17	4.19	31.49	---	---	Peak																																																																																													
	6	950.53	29.48	46.00	-16.52	25.42	30.64	4.36	30.94	---	---	Peak																																																																																													
																																																																																																									
<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>124.82</td><td>34.07</td><td>43.50</td><td>-9.43</td><td>47.09</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>249.95</td><td>22.01</td><td>46.00</td><td>-23.99</td><td>33.28</td><td>18.61</td><td>2.21</td><td>32.09</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>374.84</td><td>40.65</td><td>46.00</td><td>-5.35</td><td>49.24</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>862.75</td><td>30.74</td><td>46.00</td><td>-15.26</td><td>29.19</td><td>29.00</td><td>4.15</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>37.56</td><td>46.00</td><td>-8.44</td><td>35.69</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>950.53</td><td>30.18</td><td>46.00</td><td>-15.82</td><td>26.12</td><td>30.64</td><td>4.36</td><td>30.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	124.82	34.07	43.50	-9.43	47.09	17.50	1.55	32.07	---	---	Peak	2	249.95	22.01	46.00	-23.99	33.28	18.61	2.21	32.09	---	---	Peak	3	374.84	40.65	46.00	-5.35	49.24	20.81	2.73	32.13	---	---	Peak	4	862.75	30.74	46.00	-15.26	29.19	29.00	4.15	31.60	---	---	Peak	5	875.11	37.56	46.00	-8.44	35.69	29.17	4.19	31.49	---	---	Peak	6	950.53	30.18	46.00	-15.82	26.12	30.64	4.36	30.94	---	---	Peak	
	Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	124.82	34.07	43.50	-9.43	47.09	17.50	1.55	32.07	---	---	Peak																																																																																														
2	249.95	22.01	46.00	-23.99	33.28	18.61	2.21	32.09	---	---	Peak																																																																																														
3	374.84	40.65	46.00	-5.35	49.24	20.81	2.73	32.13	---	---	Peak																																																																																														
4	862.75	30.74	46.00	-15.26	29.19	29.00	4.15	31.60	---	---	Peak																																																																																														
5	875.11	37.56	46.00	-8.44	35.69	29.17	4.19	31.49	---	---	Peak																																																																																														
6	950.53	30.18	46.00	-15.82	26.12	30.64	4.36	30.94	---	---	Peak																																																																																														




Mode	15	
	18G-25G	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth LE 1Mbps	60.184	0.376	2.653	2.7KHZ
1	Bluetooth LE 2Mbps	31.017	0.194	5.149	5.6KHZ
1	Bluetooth LE 125Kbps	82.715	3.107	0.321	0.33KHZ
1	Bluetooth LE 500Kbps	56.375	1.063	0.940	1KHZ


Bluetooth LE 1Mbps



Date: 1 JUL 2026 16:11:32




Bluetooth LE 2Mbps



Date: 1 JUL 2026 16:14:09


Bluetooth LE 125Kbps



Date: 1 JUL 2026 16:16:48



Bluetooth LE 500Kbps



Date: 1 JUL 2026 16:19:31